

home0115

CarController

view car/index.blade.php

Route

Controller

Views

```
composer create-project "laravel/laravel:^10.0"
```

```
example-app
```

```
composer create-project "laravel/laravel:^12.0"
```

home0115

xampp

httpd.conf

DocumentRoot

"C:\xampp\htdocs\laravel\home0115\public"

<Directory

"C:\xampp\htdocs\laravel\home0115\public">

php artisan make:controller UserController

php artisan make:controller CarController

```
use App\Http\Controllers\UserController;  
Route::get('/user/{id}',  
[UserController::class, 'show']);
```

```
use App\Http\Controllers\CarController;  
Route::get('/cars',  
[CarController::class, 'index']);
```

php artisan make:controller PhotoController --

resource


php artisan make:controller DogController --

resource


```
use App\Http\Controllers\PhotoController;  
Route::resource('photos',  
PhotoController::class);
```

```
use App\Http\Controllers\DogController;
```

```
Route::resource('dogs',  
DogController::class);
```




```
6  
7 class DogController extends Controller  
8 {  
9     /**  
10      * Display a listing of the resource.  
11      */  
12     public function index()  
13     {  
14         dd('DogController index ok');  
15     }  
16
```





```
"DogController index ok" // app\Http\Controllers\DogController.php:14
```

1. DRY ## Don't repeat yourself 不要重複刻輪子
2. Convention over Configuration 慣例優於設定




```
web.php M x DogController.php U index.blade.php U f1.blade.php U f2.blade.php U f3.blade.php U
routes > web.php > ...
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\CarController;
5 use App\Http\Controllers\DogController;
6
7
8 // Dog Controller
9 Route::get('/dogs_1f', [DogController::class, 'f1'])->name('dogs.f1');
10 Route::get('/dogs_2f', [DogController::class, 'f2'])->name('dogs.f2');
11 Route::get('/dogs_3f', [DogController::class, 'f3'])->name('dogs.f3');
12 Route::resource('dogs', DogController::class);
13
```





```
4 <head>
5     <meta charset="UTF-8">
6     <meta name="viewport" content="width=device-width, initial-scale=
7     <meta http-equiv="X-UA-Compatible" content="ie=edge">
8     <title>Document</title>
9 </head>
10
11 <body>
12     <a href="{{ route('dogs.f1') }}">1F</a> <br>
13     <a href="{{ route('dogs.f2') }}">2F</a> <br>
14     <a href="{{ route('dogs.f3') }}">3F</a> <br>
15     <?php
16         // $url = route('dogs.f1');
17         // dd($url);
18     ?>
19 </body>
20
21 </html>
22
```



laravel.com/docs/12.x/helpers#method-route

Search

route()

The `route` function generates a URL for a given [named route](#):

```
1 $url = route('route.name');
```

If the route accepts parameters, you may pass them as the second argument to the function: