SPHOORTHY ENGINEERING COLLEGE

An Autonomous Institution Approved by AICTE & Accredited with NAAC Grade 'A'
Department of Examination & Academic Affairs · Hyderabad — 501510

VLSI Design: CMOS Technology, Stick Diagrams, Layout & Verilog HDL

Program / Dept: B.Tech / MBA — ECE	**Course Code / Title:** VLSI Design (EC601PC)
Academic Regulation: Autonomous (SR23 / SR24)	**Curriculum Semester:** Semester 6 (Year 3)
Credits / Contact Hours: 3 Credits · 48 Lecture Hours	**Evaluation Scheme:** Continuous Internal (40M) + End Sem (60M)

Course Overview & Pedagogical Objectives:

MOS transistor fabrication, CMOS inverter DC transfer characteristics, Stick diagrams, Euler path layout rules, Dynamic CMOS circuits, and Verilog HDL RTL modeling. The primary objective of this course is to equip students with sound theoretical rigor, analytical problem-solving competencies, and real-world system engineering capabilities demanded by premier technological organizations and competitive graduate benchmarks.

Course Outcomes (COs) & Bloom's Taxonomy Mapping:

CO ID	Course Learning Outcome Description	Bloom's Level
CO 1	Understand and formulate fundamental concepts of Unit 1: MOS Transistor Theory.	L2 Understand
CO 2	Analyze algorithms, mechanisms, and models in Unit 2: CMOS Fabrication & Processing.	L4 Analyze
CO 3	Design and evaluate robust architectures for Unit 3: Circuit Design Rules & Layout.	L5 Evaluate
CO 4	Implement and optimize operational pipelines in Unit 4: Delay Modeling & Logic Families.	L3 Apply
CO 5	Integrate state-of-the-art frameworks in Unit 5: Hardware Description Language (Verilog) for industrial solutions.	L6 Create

Comprehensive Module Index:

Unit	Title & Core Concepts	Page
Unit 1	**Unit 1: MOS Transistor Theory**: NMOS and PMOS enhancement mode transistors, Threshold voltage equation, Linear and Saturation region currents,...	Page 2
Unit 2	**Unit 2: CMOS Fabrication & Processing**: N-well, P-well, Twin-tub CMOS fabrication process steps, Photolithography, Ion implantation, Latch-up preventi...	Page 3
Unit 3	**Unit 3: Circuit Design Rules & Layout**: Lambda (λ) and Micron-based design rules, Contact cuts, Transistor sizing, Stick diagrams, Euler path layout o...	Page 4
Unit 4	**Unit 4: Delay Modeling & Logic Families**: RC delay models, Elmore delay calculation, Logical Effort theory, Dynamic CMOS logic, Domino logic, Transmissi...	Page 5
Unit 5	**Unit 5: Hardware Description Language (Verilog)**: Dataflow, Behavioral, and Structural modeling in Verilog HDL, Testbench design, Synthesis of combinational and...	Page 6

UNIT 1: MOS TRANSISTOR THEORY • *Core Theory & Practice Guide*

1.1 Technical Exposition & Conceptual Foundations

The study of unit 1: mos transistor theory forms an indispensable cornerstone of VLSI Design (EC601PC). Specifically, NMOS and PMOS enhancement mode transistors, Threshold voltage equation, Linear and Saturation region currents, Channel length modulation, Body effect. Modern applications require deep awareness of edge conditions, invariant properties, and trade-offs between computational throughput, latency overhead, memory footprint, and architectural scalability.

In university examinations and practical engineering systems, solutions must be formulated with mathematical clarity. Each sub-mechanism must satisfy safety, liveness, and fault-tolerance constraints while adhering to standard autonomous syllabus requirements.

1.2 Architectural Principles & Comparative Analysis

Component / Topic	Key Mechanism & Principle	Operational Trade-off
Theoretical Model	Formal representation of Unit 1 entities and lifecycle stages.	Higher mathematical abstraction vs implementation friction.
Algorithmic Engine	State machine transitions, recurrence guarantees, and verification steps.	Time complexity bounds vs memory consumption.
Real-World Systems	Deployment in enterprise distributed systems and contemporary toolchains.	Fault-tolerant redundancy vs network overhead.

1.3 Practical Formulation & Execution Workflow

```
// Standard Implementation Outline & Pseudocode for Unit 1
1. Initialize system data structures and state variables under initial constraints.
2. Execute continuous invariant checking across state boundaries.
3. Apply optimization bounds: O(log N) average time or amortized linear bounds.
4. Catch boundary failure cases (underflow, overflow, concurrency race, null references).
5. Commit verified state or invoke transactional rollback upon validation failure.
```

1.4 Autonomous End-Semester Examination Question Bank

Type	Question & Expected Technical Answer Outline	Marks
Part A	**Q1:** Define the primary objective of Unit 1 and state two essential real-world applications. • *Expected: Exact definition, mathematical constraint formulation, and dual industry examples.*	**2 M**
Part A	**Q2:** Differentiate between static vs dynamic formulations of key mechanisms in Unit 1. • *Expected: 2-column comparison table covering memory, allocation time, and failure recovery.*	**2 M**
Part B	**Q3:** Explain the complete working architecture of Unit 1 with neat functional block diagrams and step-by-step algorithmic trace. • *Expected: Labeled diagram (3M), mathematical derivation (3M), algorithm steps (2M), complexity analysis (2M).*	**10 M**
Part B	**Q4:** Analyze the worst-case, best-case, and average-case performance bounds for processes in Unit 1 with worked numerical example. • *Expected: Step-by-step problem solution, boundary checks, and conclusive optimality proof.*	**10 M**

UNIT 2: CMOS FABRICATION & PROCESSING • *Core Theory & Practice Guide*

2.1 Technical Exposition & Conceptual Foundations

The study of unit 2: cmos fabrication & processing forms an indispensable cornerstone of VLSI Design (EC601PC). Specifically, N-well, P-well, Twin-tub CMOS fabrication process steps, Photolithography, Ion implantation, Latch-up prevention techniques in CMOS. Modern applications require deep awareness of edge conditions, invariant properties, and trade-offs between computational throughput, latency overhead, memory footprint, and architectural scalability.

In university examinations and practical engineering systems, solutions must be formulated with mathematical clarity. Each sub-mechanism must satisfy safety, liveness, and fault-tolerance constraints while adhering to standard autonomous syllabus requirements.

2.2 Architectural Principles & Comparative Analysis

Component / Topic	Key Mechanism & Principle	Operational Trade-off
Theoretical Model	Formal representation of Unit 2 entities and lifecycle stages.	Higher mathematical abstraction vs implementation friction.
Algorithmic Engine	State machine transitions, recurrence guarantees, and verification steps.	Time complexity bounds vs memory consumption.
Real-World Systems	Deployment in enterprise distributed systems and contemporary toolchains.	Fault-tolerant redundancy vs network overhead.

2.3 Practical Formulation & Execution Workflow

```
// Standard Implementation Outline & Pseudocode for Unit 2
1. Initialize system data structures and state variables under initial constraints.
2. Execute continuous invariant checking across state boundaries.
3. Apply optimization bounds: O(log N) average time or amortized linear bounds.
4. Catch boundary failure cases (underflow, overflow, concurrency race, null references).
5. Commit verified state or invoke transactional rollback upon validation failure.
```

2.4 Autonomous End-Semester Examination Question Bank

Type	Question & Expected Technical Answer Outline	Marks
Part A	**Q1:** Define the primary objective of Unit 2 and state two essential real-world applications. • *Expected: Exact definition, mathematical constraint formulation, and dual industry examples.*	**2 M**
Part A	**Q2:** Differentiate between static vs dynamic formulations of key mechanisms in Unit 2. • *Expected: 2-column comparison table covering memory, allocation time, and failure recovery.*	**2 M**
Part B	**Q3:** Explain the complete working architecture of Unit 2 with neat functional block diagrams and step-by-step algorithmic trace. • *Expected: Labeled diagram (3M), mathematical derivation (3M), algorithm steps (2M), complexity analysis (2M).*	**10 M**
Part B	**Q4:** Analyze the worst-case, best-case, and average-case performance bounds for processes in Unit 2 with worked numerical example. • *Expected: Step-by-step problem solution, boundary checks, and conclusive optimality proof.*	**10 M**

UNIT 3: CIRCUIT DESIGN RULES & LAYOUT • *Core Theory & Practice Guide*

3.1 Technical Exposition & Conceptual Foundations

The study of unit 3: circuit design rules & layout forms an indispensable cornerstone of VLSI Design (EC601PC). Specifically, Lambda (λ) and Micron-based design rules, Contact cuts, Transistor sizing, Stick diagrams, Euler path layout optimization, and Interconnect parasitic estimation. Modern applications require deep awareness of edge conditions, invariant properties, and trade-offs between computational throughput, latency overhead, memory footprint, and architectural scalability.

In university examinations and practical engineering systems, solutions must be formulated with mathematical clarity. Each sub-mechanism must satisfy safety, liveness, and fault-tolerance constraints while adhering to standard autonomous syllabus requirements.

3.2 Architectural Principles & Comparative Analysis

Component / Topic	Key Mechanism & Principle	Operational Trade-off
Theoretical Model	Formal representation of Unit 3 entities and lifecycle stages.	Higher mathematical abstraction vs implementation friction.
Algorithmic Engine	State machine transitions, recurrence guarantees, and verification steps.	Time complexity bounds vs memory consumption.
Real-World Systems	Deployment in enterprise distributed systems and contemporary toolchains.	Fault-tolerant redundancy vs network overhead.

3.3 Practical Formulation & Execution Workflow

```
// Standard Implementation Outline & Pseudocode for Unit 3
1. Initialize system data structures and state variables under initial constraints.
2. Execute continuous invariant checking across state boundaries.
3. Apply optimization bounds: O(log N) average time or amortized linear bounds.
4. Catch boundary failure cases (underflow, overflow, concurrency race, null references).
5. Commit verified state or invoke transactional rollback upon validation failure.
```

3.4 Autonomous End-Semester Examination Question Bank

Type	Question & Expected Technical Answer Outline	Marks
Part A	**Q1:** Define the primary objective of Unit 3 and state two essential real-world applications. • *Expected: Exact definition, mathematical constraint formulation, and dual industry examples.*	**2 M**
Part A	**Q2:** Differentiate between static vs dynamic formulations of key mechanisms in Unit 3. • *Expected: 2-column comparison table covering memory, allocation time, and failure recovery.*	**2 M**
Part B	**Q3:** Explain the complete working architecture of Unit 3 with neat functional block diagrams and step-by-step algorithmic trace. • *Expected: Labeled diagram (3M), mathematical derivation (3M), algorithm steps (2M), complexity analysis (2M).*	**10 M**
Part B	**Q4:** Analyze the worst-case, best-case, and average-case performance bounds for processes in Unit 3 with worked numerical example. • *Expected: Step-by-step problem solution, boundary checks, and conclusive optimality proof.*	**10 M**

UNIT 4: DELAY MODELING & LOGIC FAMILIES • *Core Theory & Practice Guide*

4.1 Technical Exposition & Conceptual Foundations

The study of unit 4: delay modeling & logic families forms an indispensable cornerstone of VLSI Design (EC601PC). Specifically, RC delay models, Elmore delay calculation, Logical Effort theory, Dynamic CMOS logic, Domino logic, Transmission gates, and Pass transistor logic. Modern applications require deep awareness of edge conditions, invariant properties, and trade-offs between computational throughput, latency overhead, memory footprint, and architectural scalability.

In university examinations and practical engineering systems, solutions must be formulated with mathematical clarity. Each sub-mechanism must satisfy safety, liveness, and fault-tolerance constraints while adhering to standard autonomous syllabus requirements.

4.2 Architectural Principles & Comparative Analysis

Component / Topic	Key Mechanism & Principle	Operational Trade-off
Theoretical Model	Formal representation of Unit 4 entities and lifecycle stages.	Higher mathematical abstraction vs implementation friction.
Algorithmic Engine	State machine transitions, recurrence guarantees, and verification steps.	Time complexity bounds vs memory consumption.
Real-World Systems	Deployment in enterprise distributed systems and contemporary toolchains.	Fault-tolerant redundancy vs network overhead.

4.3 Practical Formulation & Execution Workflow

```
// Standard Implementation Outline & Pseudocode for Unit 4
1. Initialize system data structures and state variables under initial constraints.
2. Execute continuous invariant checking across state boundaries.
3. Apply optimization bounds: O(log N) average time or amortized linear bounds.
4. Catch boundary failure cases (underflow, overflow, concurrency race, null references).
5. Commit verified state or invoke transactional rollback upon validation failure.
```

4.4 Autonomous End-Semester Examination Question Bank

Type	Question & Expected Technical Answer Outline	Marks
Part A	**Q1:** Define the primary objective of Unit 4 and state two essential real-world applications. • *Expected: Exact definition, mathematical constraint formulation, and dual industry examples.*	**2 M**
Part A	**Q2:** Differentiate between static vs dynamic formulations of key mechanisms in Unit 4. • *Expected: 2-column comparison table covering memory, allocation time, and failure recovery.*	**2 M**
Part B	**Q3:** Explain the complete working architecture of Unit 4 with neat functional block diagrams and step-by-step algorithmic trace. • *Expected: Labeled diagram (3M), mathematical derivation (3M), algorithm steps (2M), complexity analysis (2M).*	**10 M**
Part B	**Q4:** Analyze the worst-case, best-case, and average-case performance bounds for processes in Unit 4 with worked numerical example. • *Expected: Step-by-step problem solution, boundary checks, and conclusive optimality proof.*	**10 M**

UNIT 5: HARDWARE DESCRIPTION LANGUAGE (VERILOG) • *Core Theory & Practice Guide*

5.1 Technical Exposition & Conceptual Foundations

The study of unit 5: hardware description language (verilog) forms an indispensable cornerstone of VLSI Design (EC601PC). Specifically, Dataflow, Behavioral, and Structural modeling in Verilog HDL, Testbench design, Synthesis of combinational and sequential circuits (ALU, Shift registers, FSMs). Modern applications require deep awareness of edge conditions, invariant properties, and trade-offs between computational throughput, latency overhead, memory footprint, and architectural scalability.

In university examinations and practical engineering systems, solutions must be formulated with mathematical clarity. Each sub-mechanism must satisfy safety, liveness, and fault-tolerance constraints while adhering to standard autonomous syllabus requirements.

5.2 Architectural Principles & Comparative Analysis

Component / Topic	Key Mechanism & Principle	Operational Trade-off
Theoretical Model	Formal representation of Unit 5 entities and lifecycle stages.	Higher mathematical abstraction vs implementation friction.
Algorithmic Engine	State machine transitions, recurrence guarantees, and verification steps.	Time complexity bounds vs memory consumption.
Real-World Systems	Deployment in enterprise distributed systems and contemporary toolchains.	Fault-tolerant redundancy vs network overhead.

5.3 Practical Formulation & Execution Workflow

```
// Standard Implementation Outline & Pseudocode for Unit 5
1. Initialize system data structures and state variables under initial constraints.
2. Execute continuous invariant checking across state boundaries.
3. Apply optimization bounds: O(log N) average time or amortized linear bounds.
4. Catch boundary failure cases (underflow, overflow, concurrency race, null references).
5. Commit verified state or invoke transactional rollback upon validation failure.
```

5.4 Autonomous End-Semester Examination Question Bank

Type	Question & Expected Technical Answer Outline	Marks
Part A	**Q1:** Define the primary objective of Unit 5 and state two essential real-world applications. • *Expected: Exact definition, mathematical constraint formulation, and dual industry examples.*	**2 M**
Part A	**Q2:** Differentiate between static vs dynamic formulations of key mechanisms in Unit 5. • *Expected: 2-column comparison table covering memory, allocation time, and failure recovery.*	**2 M**
Part B	**Q3:** Explain the complete working architecture of Unit 5 with neat functional block diagrams and step-by-step algorithmic trace. • *Expected: Labeled diagram (3M), mathematical derivation (3M), algorithm steps (2M), complexity analysis (2M).*	**10 M**
Part B	**Q4:** Analyze the worst-case, best-case, and average-case performance bounds for processes in Unit 5 with worked numerical example. • *Expected: Step-by-step problem solution, boundary checks, and conclusive optimality proof.*	**10 M**

Standard Recommended Textbooks & Digital References:

1. *Primary Curriculum Standard Textbook* — Pearson Higher Education / McGraw-Hill Education (Latest Edition).
2. *Autonomous Reference Syllabus Blueprint* — Sphoorthy Engineering College Academic Council.
3. *NPTEL & IEEE Computer Society Guidelines* — Open Educational Resources & Peer-reviewed Publications.