

# Epcure-Plus Tablet

Prescription Required

## MANUFACTURER

Illcure Formulation Private Limited

## SALT COMPOSITION

Eperisone (75mg) + Aceclofenac (100mg) + Paracetamol (325mg)

## STORAGE

Store below 30°C

## PRODUCT INTRODUCTION

Epcure-Plus Tablet is a medicine used in the treatment of muscle pain. It improves the movement of muscles and relieves pain from muscle stiffness or spasm. It also provides relief from swelling and fever.

Epcure-Plus Tablet should be taken with food. This will prevent you from getting an upset stomach. Take it in the dose and duration as directed by your doctor. You should keep taking the medicine even if you feel better until the doctor says it is alright to stop using it.

Using this medicine may cause few common side effects such as indigestion, abdominal pain, nausea, rash, hives, and headache. If you experience any such side effects that do not go away or get worse, you should let your doctor know. Your doctor may be able to suggest ways of preventing or reducing the symptoms. In general, you should try to use the smallest amount necessary to control your symptoms.

Before using the medicine, you should tell your doctor if you have any other medical conditions or disorders. It may also affect, or be affected by, some other medicines you are using so let your doctor know all the other medicines you are taking. It should be used with caution in patients who are alcoholic or have liver or kidney disease. Pregnant and breastfeeding women should consult their doctors first before using the medicine.

---

## USES OF EPCURE-PLUS TABLET

Muscle pain

## BENEFITS OF EPCURE-PLUS TABLET

In Muscle pain

Epcure-Plus Tablet treats muscle pain by relaxing stiff muscles. It also reduces swelling in the muscles. Altogether, it helps in easy movement and you can carry your daily activities without any problem. Epcure-Plus Tablet also helps reduce fever associated with muscle pain. It is advisable to continue taking Epcure-Plus Tablet until your doctor advises you to stop. Along with medications, you can also do some light exercises or take physical therapy to get relief from pain.

---

## SIDE EFFECTS OF EPCURE-PLUS TABLET

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Epcure-Plus

- Indigestion
- Abdominal pain
- Nausea
- Rash
- Hives
- Headache
- Dizziness
- Drowsiness

---

### **HOW TO USE EPCURE-PLUS TABLET**

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Epcure-Plus Tablet is to be taken with food.

---

### **HOW EPCURE-PLUS TABLET WORKS**

Epcure-Plus Tablet is a combination of three medicines. Eperisone is a muscle relaxant. It works on the centers in the brain and spinal cord to relieve muscle stiffness or spasm without a reduction in strength. This improves pain and movement of muscles. Aceclofenac is a non-steroidal anti-inflammatory drug (NSAID). It works by blocking the release of certain chemical messengers that cause pain and inflammation (redness and swelling). Paracetamol is an analgesic (pain reliever) and anti-pyretic (fever reducer). It works by blocking the release of certain chemical messengers that cause pain and fever.

# Ilcort 6 Tablet

Prescription Required

## MANUFACTURER

Ilcure Formulation Private Limited

## SALT COMPOSITION

Deflazacort (6mg)

## STORAGE

Store below 30°C

---

## PRODUCT INTRODUCTION

Ilcort 6 Tablet belongs to a group of medicines called steroids. It is used for the treatment of various diseases and conditions such as inflammatory conditions, autoimmune conditions, and cancer.

Ilcort 6 Tablet works by inhibiting the release of substances that cause swelling or by changing how the immune system works. It can be taken on an empty stomach or after food. Taking the medicine regularly at the right times increases its effectiveness. It is important to keep taking the medicine regularly until your doctor tells you it is safe to stop.

Use of this medicine may cause some common side effects such as increased appetite, weight gain, frequent urge to urinate, Cushing syndrome, cough, upper respiratory tract infection, abnormal hair growth, obesity, and nasopharyngitis. If any of these side effects bother you, let your doctor know.

Ilcort 6 Tablet can make it harder for you to fight off infections. Tell your doctor if you have any signs of infection such as a fever or sore throat. Before taking the medicine, you should let your doctor know of all the other medicines you are taking. Pregnant and breastfeeding women should consult their doctors before taking the medicine.

---

## USES OF ILCORT TABLET

Treatment of Inflammatory conditions

Treatment of Autoimmune conditions

Treatment of Cancer

## BENEFITS OF ILCORT TABLET

In Treatment of Inflammatory conditions

Ilcort 6 Tablet gives relief in inflammatory conditions that affect muscles and joints such as arthritis and ankylosing spondylitis. It also helps manage other inflammatory conditions such as asthma, inflammatory bowel disease, uveitis, ulcerative colitis, and allergies. It works by blocking certain chemicals that cause pain and swelling.

---

## **SIDE EFFECTS OF ILCORT TABLET**

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Ilcort

- Increased appetite
- Weight gain
- Frequent urge to urinate
- Cushing syndrome
- Cough
- Upper respiratory tract infection
- Abnormal hair growth
- Obesity
- Nasopharyngitis (inflammation of the throat and nasal passages)

---

## **HOW TO USE ILCORT TABLET**

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Ilcort 6 Tablet may be taken with or without food, but it is better to take it at a fixed time.

Avoid Ilcort 6 Tablet with salad and vegetable diet.

---

## **HOW ILCORT TABLET WORKS**

Ilcort 6 Tablet is a corticosteroid. It increases the level of glucocorticoid in the body and works by decreasing the formation of substances that cause inflammation and suppresses immunity to stop self damage to the body by the immune system (auto-immune reactions occurring in organ transplants or cancer).

---

# Pcure-DSR Capsule

Prescription Required

## MANUFACTURER

Illicure Formulation Private Limited

## SALT COMPOSITION

Domperidone (30mg) + Pantoprazole (40mg)

## STORAGE

Store below 30°C

---

## PRODUCT INTRODUCTION

Pcure-DSR Capsule is a prescription medicine used to treat gastroesophageal reflux disease (Acid reflux) and peptic ulcer disease by relieving the symptoms of acidity such as indigestion, heartburn, stomach pain, or irritation.

Pcure-DSR Capsule also neutralizes the acid in the stomach and promotes easy passage of gas to reduce stomach discomfort. It is taken without food in a dose and duration as advised by the doctor. The dose you are given will depend on your condition and how you respond to the medicine. You should keep taking Pcure-DSR Capsule for as long as your doctor recommends. If you stop treatment too early your symptoms may come back and your condition may worsen. Let your healthcare team know about all other medications you are taking as some may affect, or be affected by this medicine.

The most common side effects of Pcure-DSR Capsule are diarrhea, stomach pain, flatulence, dryness in the mouth, and headache. Most of these are temporary and usually resolve with time. Contact your doctor straight away if you are at all concerned about any of these side effects. This medicine may cause dizziness and sleepiness, so do not drive or do anything that requires mental focus until you know how this medicine affects you. Avoid drinking alcohol while taking Pcure-DSR Capsule as it can worsen your sleepiness. Lifestyle modifications like having cold milk and avoiding hot tea, coffee, spicy food, or chocolate can help you to get better results.

Before you start taking this medicine it is important to inform your doctor if you are suffering from kidney or liver disease. You should also tell your doctor if you are pregnant, planning pregnancy, or breastfeeding.

---

## USES OF PCURE-D CAPSULE SR

Treatment of Gastroesophageal reflux disease (Acid reflux)

Treatment of Peptic ulcer disease

## BENEFITS OF PCURE-D CAPSULE SR

In Treatment of Gastroesophageal reflux disease (Acid reflux)

Gastroesophageal reflux disease (GERD) is a chronic (long-term) condition in which there is an excess production of acid in the stomach. Pcure-DSR Capsule reduces the amount of acid your stomach makes and relieves the pain associated with heartburn and acid reflux. You should take it

exactly as it is prescribed for it to be effective. Some simple lifestyle changes can help reduce the symptoms of GERD. Think about what foods trigger heartburn and try to avoid them; eat smaller, more frequent meals; try to lose weight if you are overweight, and try to find ways to relax. Do not eat within 3-4 hours of going to bed.

---

### **SIDE EFFECTS OF PCURE-D CAPSULE SR**

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Pcure-D

- Diarrhea
- Stomach pain
- Flatulence
- Dryness in mouth
- Dizziness
- Headache

---

### **HOW TO USE PCURE-D CAPSULE SR**

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Pcure-DSR Capsule is to be taken empty stomach.

---

### **HOW PCURE-D CAPSULE SR WORKS**

Pcure-DSR Capsule is a combination of two medicines: Domperidone and Pantoprazole.

Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach.

Pantoprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn.