


	~							
	ELET	TTS ST.	27101					
		6	7					
		•	tensme	rige Ln.				
				_				
•		œ	Legge	9: 5	Jul Juk	2		
			- 00					
		•	Lemp	يرام ا	thrica			
			- ' -	- (6	,			
			- dip		و من المار			
			7 7		-16 (111))		
			ا ا	- 11	(_	0	
			- 9.8	11, po S:24	1 / 1/1022	e un;	frue	





Ŧ,	0.63.1	- \			45-0	c-' \		. 50								
, ()_T									 Y						
			92	5-9 ₁	= 4	^ج د – ا	→ . ₁ -	⇒ ⁷	<u> </u>	7 - Y	2 21					
		-	-> F	S∪ ≪ 7	+	-> +	z SJ	વ ા	c	0		111	Lege	argo	Havi	τοη
			-14)		·	,	, -					-			



→ 		- 1.5 Ke		Vers	7 +0.037 .05	
	= <	PKD C2	2 _1.5	05)2m2	(4 3 3 -2 5 2 + 5 y	>)
		- 5.4 H	(4 5	3-7)		

Eser	cizio:	tre ca	riche ¡	ountif	ormi s	ono c	lispos	te lun	go un	a retta	a						
q1 =	-5.4 u	ıC in x	=0 m														
			=1.00	m													
q0 =	+1.6 เ	uC tra	q1 e d	η2													
Trova	re la p	osizio	one tra	a q1 e	q2 in	cui la	forza	com	olessi	va su	q0 è n	ulla					
					91			•	?_		9	Z	7	-> ₁			
												_	\	->			
				Х,	(50			7	ı			ام =					
2	= -	5.4	ı C		<u>ح</u> ۲	, = (- - - -	0	_	₹ .	<u>-</u> 5		<u> </u>		حہ	=	
()]				Л	,-			۱۰ - ح	- r, :	= X			r _o	- K	<u>ー</u>
									(۲, -	-7,1	= 2	_		(r 5	- (1	
92	- -	2.2 p	LC		Ť	! 2-	d i		-	ə . [γ _λ =	· (»	ر ہے۔	ァ ト =	_ (_	7-×)	1
											12				_ ج	ب	
									١	ر ان	γ _~ =	(-	L-x])	10-	ری -	- L
															15-	V21	
	_	1.6	µс		د , ۲												
8 7-	> = *	1. 6	Γ, -		۲	, <u> </u>	'X X										
						_					<u></u> 3				6		
	F		2	Kc	<i>P</i> ?	۸ ۹ ح	, <u> </u>	-			Ŧ		= K	ِ ۲	270	_	(-z)
	9,5	ଦ ୧୦				χ ²					8	∑ გ ు ∈	حا	C	9-x	12	

