Cover50 (%)


Residuals vs Fitted
Residuals
50
0
-50
-100
168
161
162
145
150
155
160
Fitted values
lm(Final_Data$ACD_2013 ~ Final_Data$Site)


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$ACD_2013 ~ Final_Data$Site)
3
2
1
0
-1
-2
-3
-2
-1
0
1
2
168
161
162


Scale-Location
√|Standardized residuals|
1.5
1.0
0.5
0.0
162
161
168
145
150
155
160
Fitted values
lm(Final_Data$ACD_2013 ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
3
2
1
0
-1
-2
-3
168
161
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$ACD_2013 ~ Final_Data$Site)


Histogram of baseline_ACD_2013_residuals
Frequency
0
10
20
30
40
50
-100
-50
0
50
baseline_ACD_2013_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
20
10
0
-10
-20
-30
73.0
73.5
74.0
74.5
75.0
75.5
76.0
76.5
92
161
162


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
2
1
0
-1
-2
-3
-2
-1
0
1
2
161
92
162


Scale-Location
√|Standardized residuals|
Fitted values
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
92
161
162
0.0
0.5
1.0
1.5
73.0
73.5
74.0
74.5
75.0
75.5
76.0
76.5


Residuals vs Leverage
Standardized residuals
2
1
0
-1
-2
-3
160
161
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)


Histogram of baseline_cover20_residuals
Frequency
0
10
20
30
40
-30
-20
-10
0
10
20
baseline_cover20_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
10
5
0
-5
-10
27
28
29
30
31
32
33
34
135
160
162


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
3
2
1
0
-1
-2
-3
-2
-1
0
1
2
135
160
162


Scale-Location
162
135
160
1.5
1.0
0.5
0.0
√|Standardized residuals|
27
28
29
30
31
32
33
34
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
2
0
-2
-4
135
160
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Histogram of TCH_2013_residuals
Frequency
0
10
20
30
40
50
-10
-5
0
5
10
TCH_2013_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$ACD_change ~ Final_Data$Site)
6
4
2
0
-2
-4
-6
0.485
0.490
0.495
0.500
0.505
51
82
83


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$ACD_change ~ Final_Data$Site)
51
82
83
3
2
1
0
-1
-2
-3
-2
-1
0
1
2


Scale-Location
83
51
82
1.5
1.0
0.5
0.0
√|Standardized residuals|
0.485
0.490
0.495
0.500
0.505
Fitted values
lm(Final_Data$ACD_change ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
3
2
1
0
-1
-2
-3
168
151
83
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$ACD_change ~ Final_Data$Site)


Histogram of baseline_ACD_change_residuals
Frequency
0
10
20
30
40
-6
-4
-2
0
2
4
baseline_ACD_change_residuals


Residuals vs Fitted
168
74
123
600
400
200
0
-200
-400
Residuals
320
340
360
380
400
Fitted values
lm(Final_Data$New_gap_volume_yr ~ Final_Data$Site)


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$New_gap_volume_yr ~ Final_Data$Site)
168
123
74
4
3
2
1
0
-1
-2
-2
-1
0
1
2


Scale-Location
168
74
123
1.5
1.0
0.5
0.0
√|Standardized residuals|
320
340
360
380
400
Fitted values
lm(Final_Data$New_gap_volume_yr ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
4
3
2
1
0
-1
-2
168
162
144
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$New_gap_volume_yr ~ Final_Data$Site)


Histogram of baseline_newGV_residuals
Frequency
0
10
20
30
40
-400
-200
0
200
400
600
baseline_newGV_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$Existing_proportion_closed_perc_yr ~ Final_Data$Site)
6
4
2
0
-2
-4
-6
7.4
7.6
7.8
8.0
8.2
8.4
8.6
146
137


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$Existing_proportion_closed_perc_yr ~ Final_Data$Site)
146
148
137
3
2
1
0
-1
-2
-3
-2
-1
0
1
2


Scale-Location
137
146
1.5
1.0
0.5
0.0
√|Standardized residuals|
7.4
7.6
7.8
8.0
8.2
8.4
8.6
Fitted values
lm(Final_Data$Existing_proportion_closed_perc_yr ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
3
2
1
0
-1
-2
-3
146
137
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$Existing_proportion_closed_perc_yr ~ Final_Data$Site)


Histogram of baseline_ExistingGV_residuals
Frequency
0
5
10
15
20
25
30
35
-6
-4
-2
0
2
4
6
baseline_ExistingGV_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
10
5
0
-5
-10
27
28
29
30
31
32
33
34
135
160
162


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
3
2
1
0
-1
-2
-3
-2
-1
0
1
2
135
160
162


Scale-Location
162
135
160
1.5
1.0
0.5
0.0
√|Standardized residuals|
27
28
29
30
31
32
33
34
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
2
0
-2
-4
135
160
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Histogram of TCH_2013_residuals
Frequency
0
10
20
30
40
50
-10
-5
0
5
10
TCH_2013_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$ACD_2020 ~ Final_Data$Site)
100
50
0
-50
150
155
160
165
136
162
161


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$ACD_2020 ~ Final_Data$Site)
3
2
1
0
-1
-2
-2
-1
0
1
2
136
161
162


Scale-Location
√|Standardized residuals|
1.5
1.0
0.5
0.0
136
161
162
150
155
160
165
Fitted values
lm(Final_Data$ACD_2020 ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
3
2
1
0
-1
-2
-3
136
162
161
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$ACD_2020 ~ Final_Data$Site)


Histogram of baseline_ACD_2020_residuals
Frequency
0
10
20
30
40
50
-50
0
50
100
baseline_ACD_2020_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
20
10
0
-10
-20
-30
73.0
73.5
74.0
74.5
75.0
75.5
76.0
76.5
92
161
162


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
2
1
0
-1
-2
-3
-2
-1
0
1
2
161
92
162


Scale-Location
√|Standardized residuals|
Fitted values
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)
92
161
162
0.0
0.5
1.0
1.5
73.0
73.5
74.0
74.5
75.0
75.5
76.0
76.5


Residuals vs Leverage
Standardized residuals
2
1
0
-1
-2
-3
160
161
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$Cover_20_2013_perc ~ Final_Data$Site)


Histogram of baseline_cover20_residuals
Frequency
0
10
20
30
40
-30
-20
-10
0
10
20
baseline_cover20_residuals


Residuals vs Fitted
Residuals
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
10
5
0
-5
-10
27
28
29
30
31
32
33
34
135
160
162


Q-Q Residuals
Standardized residuals
Theoretical Quantiles
lm(Final_Data$TCH_2013 ~ Final_Data$Site)
3
2
1
0
-1
-2
-3
-2
-1
0
1
2
135
160
162


Scale-Location
162
135
160
1.5
1.0
0.5
0.0
√|Standardized residuals|
27
28
29
30
31
32
33
34
Fitted values
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Residuals vs Leverage
Standardized residuals
2
0
-2
-4
135
160
162
Cook's distance
0.000
0.005
0.010
0.015
0.020
Leverage
lm(Final_Data$TCH_2013 ~ Final_Data$Site)


Histogram of TCH_2013_residuals
Frequency
0
10
20
30
40
50
-10
-5
0
5
10
TCH_2013_residuals