# Hedonic Price in Bezirk Affoltern
Fitted Values (red) vs Actual Values (black)
## Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Bezirk Bülach
**Fitted Values (red) vs Actual Values (black)**
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Bezirk Dielsdorf
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Hedonic Price level

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Period

Residual of Fitted Values

z$e_fitted

z$logy_d_fitted

Normal Q−Q for Residuals

Sample Quantiles

Theoretical Quantiles

Hedonic Price in Bezirk Hinwil
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Bezirk Horgen
**Fitted Values (red) vs Actual Values (black)**
**Error(blue) on right axis in index points**

Hedonic Price level

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Period

Residual of Fitted Values

z$e_fitted

z$logy_d_fitted

Normal Q−Q for Residuals

Sample Quantiles

Theoretical Quantiles

Hedonic Price in Bezirk Meilen
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Hedonic Price level

Period

Residual of Fitted Values

z$e_fitted

z$logy_d_fitted

Normal Q−Q for Residuals

Sample Quantiles

Theoretical Quantiles

Hedonic Price in Bezirk Pfäffikon
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Hedonic Price level

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Period

Residual of Fitted Values

z$e_fitted

z$logy_d_fitted

Normal Q−Q for Residuals

Sample Quantiles

Theoretical Quantiles

Hedonic Price in Bezirk Uster
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Bezirk Winterthur
**Fitted Values (red) vs Actual Values (black)**
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Bezirk Dietikon
**Fitted Values (red) vs Actual Values (black)**
Error(blue) on right axis in index points

Hedonic Price level

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Period

Residual of Fitted Values

z$e_fitted

z$logy_d_fitted

Normal Q−Q for Residuals

Sample Quantiles

Theoretical Quantiles

Hedonic Price in Bezirk Zürich
Fitted Values (red) vs Actual Values (black)
Error(blue) on right axis in index points

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals

Hedonic Price in Schweiz
Fitted Values (red) vs Actual Values (black)
**Error(blue) on right axis in index points**

Model Params:
p = 4 , q = 4
factors = pop, inc_mean, hstock, X3mCHFL

Residual of Fitted Values

Normal Q−Q for Residuals