Banned Books — Open Censorship Core: Data Descriptor

- **Dataset:** Banned Books — Open Censorship Core
- **Publisher:** Banned Books (https://www.banned-books.org)
- **Creator:** Ludo Raedts
- **ORCID:** https://orcid.org/0009-0006-8358-7119
- **License:** CC-BY-4.0 (https://creativecommons.org/licenses/by/4.0/)
- **Concept DOI:** `10.5281/zenodo.20511553` (version-independent — always resolves to the latest version).
- **Companion files:** `books.csv`, `authors.csv`, `bans.csv`, `ban_reasons.csv`, `ban_sources.csv`, `countries.csv`, `schema.json`, `README.md`, `LICENSE.txt`.

---

1. Purpose & scope

Banned Books is a catalogue of books that have been banned, restricted, or sustainedly challenged anywhere in the world, with a source citation behind every entry. This deposit is the **open, citeable core** of that catalogue: the structured, verifiable facts — who banned what, where, when, why, and on whose authority — together with the reason taxonomy and the source citations that let a researcher check each record.

It is deliberately **not** identical to the commercial dataset sold at `/dataset`. The split is principled:

- **Open (this deposit, CC-BY-4.0):** facts about censorship and the citations that ground them.
- **Commercial (separate license):** editorial prose (book and ban descriptions, censorship context), enrichment (ISBNs, cover images, author biographies and photos, edition data), and convenience formats (a single denormalised JSON file and a ready-to-query SQLite database).

The reason **taxonomy** (the reason *slug*, e.g. `lgbtq`, `political`) is open; the written description paragraph that interprets a ban is commercial.

Coverage at the snapshot used to write this descriptor (figures move as the catalogue grows — the deposited files are the authority):

- ~29,400 books, ~17,800 authors
- ~49,500 ban events across 119 countries (including defunct states: USSR, East Germany, Czechoslovakia, Yugoslavia)
- ~90,000 ban–reason links and ~59,300 ban–source citations

- 1 official ban-list **register** (the 1877 Index of Prohibited Books: 1,118 entries, 1,023 of them book titles). Register entries are titles *as printed on an official list*, kept in separate files and **never counted as books** — see §2 and the "registers" note in §5.

Scope. This deposit covers *books*. Records must describe a real removal/restriction with an institutional actor and a documented decision (see §4). The catalogue does not carry a media-type field, so non-book media are not systematically distinguished or excluded at the schema level; the editorial intent is books, but the data offers no hard guarantee that every row is one.

---

2. Data model

Eight CSV tables: a six-table relational core plus a standalone two-table **register layer** (new in this version). All join keys are public, human-readable slugs or codes; the only surrogate keys are `ban_id` and `entry_id` (row identifiers for rows with no natural slug). `schema.json` holds the machine-readable column types.

```
authors ──< (books.author_slugs, pipe-split) >── books ──< bans >── countries
                                                  │
                                  ┌───────────────┴──────────────┐
                                  ban_reasons                    ban_sources

register_lists ──< register_entries  ·····>  books   (optional matched_book_slug)
```

Table	Grain	Primary key	Foreign keys
`books.csv`	one row per work	`slug`	`author_slugs` (pipe-`|`-separated) → `authors.slug`
`authors.csv`	one row per author	`slug`	—
`bans.csv`	one row per ban **event**	`ban_id`	`book_slug` → `books.slug`; `country_code` → `countries.code`
`ban_reasons.csv`	many rows per ban	(`ban_id`,`reason_slug`)	`ban_id` → `bans.ban_id`
`ban_sources.csv`	many rows per ban	—	`ban_id` → `bans.ban_id`
`countries.csv`	one row per country	`code`	—
`register_lists.csv`	one row per official list	`slug`	—
`register_entries.csv`	one row per list entry	`entry_id`	`list_slug` → `register_lists.slug`; optional `matched_book_slug` → `books.slug`

Register layer (read this before combining totals). Some official ban lists are too large to document book-by-book; their entries are kept as a *register* — the title and author *as printed*, plus a pointer to the source, with no book

page, description, ISBN, cover, or author record. **Register entries are NOT books and are NOT part of the `books` / `bans` / `country` counts. Never add the two figures together.** An entry links to a `books` row only in the rare case the same work is also documented as a full book (`matched_book_slug`); otherwise it stands alone. Only public-domain lists are included (currently the 1877 Index of Prohibited Books); others are browsable on the site but out of this deposit.

Join keys.

- `books.author_slugs` is a pipe-separated (`|`) list — split it, then join each element to `authors.slug`. This carries the book↔author relationship without a separate join table.
- `bans.book_slug` → `books.slug`; `bans.country_code` → `countries.code`.
- `ban_reasons.ban_id` and `ban_sources.ban_id` → `bans.ban_id`.
- `register_entries.list_slug` → `register_lists.slug`; `register_entries.matched_book_slug` → `books.slug` (nullable).

Conventions. Array fields are pipe-separated (`|`). NULLs are encoded as the empty string. Years are integers and may be negative or pre-1000 CE for ancient works.

---

3. Field definitions

Authoritative, machine-readable types live in `schema.json`. Summary:

`books.csv` — `slug` (PK), `title` (canonical published title), `first_published_year` (int, nullable), `original_language` (code, nullable), `author_slugs` (pipe-separated `authors.slug`, nullable), `is_blanket_works` (boolean: `true` = an author-level "all works" ban placeholder, not a single real title — e.g. the Nazi *Liste Otto* author bans; filter these out when counting individual works).

`authors.csv` — `slug` (PK), `display_name` (slug-canonical, Anglo-friendly form), `birth_country` (code, nullable), `is_placeholder` (boolean: `true` = aggregate / non-attributable bucket entry such as "Anonymous" or "Various Authors" that groups unrelated works). *No biographies* — those are commercial.

`bans.csv` — `ban_id` (PK, surrogate), `book_slug` (FK), `country_code` (FK), `year_started` / `year_ended` (int, nullable; `year_ended` empty if in force/unknown), `action_type` (one of `banned`, `restricted`, `challenged`), `status` (one of `active`, `historical`, `rescinded`), `scope` (taxonomy slug: `school`, `government`, `prison`, …; empty if unscoped). `banned` and `active` dominate; `challenged` and `rescinded` are smaller categories.

> ***Withheld rows.*** *A tiny number of bans with an indeterminate status (`status = 'unclear'`; currently 3 rows) exist in the live catalogue but are deliberately omitted from this open export. As a result the open ban count is marginally lower than the headline figure on banned-books.org. The DB is not modified — these rows simply aren't deposited.*

`ban_reasons.csv` — `ban_id` (FK), `reason_slug` (stable taxonomy slug), `reason_label` (English label). Zero or more rows per ban.

`ban_sources.csv` — `ban_id` (FK), `source_name`, `source_url` (nullable), `source_type` (nullable), `verification_status` (`verified` = URL works and archived; `pending` = archive attempt failed; `broken` = URL 4xx/5xx; `unverified` = never attempted; empty on pre-pipeline rows), `accessed_at` (ISO date, nullable), `locator` (in-source page/row/entry id, nullable). Zero or more rows per ban.

`countries.csv` — `code` (PK; ISO 3166-1 alpha-2 where applicable, custom codes for defunct states), `name_en`.

`register_lists.csv` — `slug` (PK), `title`, `title_en`, `issuer`, `country_code`, `year_start` / `year_end` (int, nullable), `framing` (how the list is framed — a prohibition index, a confiscation list, etc.), `source_name`, `source_url`. One row per official ban list.

`register_entries.csv` — `entry_id` (PK, surrogate), `list_slug` (FK → `register_lists.slug`), `edition`, `kind` (`book`, `blanket` = all works of an author, `group` = a whole category, `periodical`, or `rescission` = a lift), `printed_author` / `title` (as printed on the list — historical spelling, Latin forms, OCR artefacts), `author_display` (normalised name where known), `imprint`, `pub_year`, `ban_year`, `note`, `printed_page`, `locator`, `source_url`, `matched_book_slug` (→ `books.slug` when the same work is also a full book record; empty otherwise). These rows are register titles, **not** books.

---

4. Methodology — how bans are sourced and verified

Data is drawn from PEN America, the American Library Association (ALA), Wikipedia, Reporters Without Borders, Index on Censorship, government records, and national-press reporting. Every ban entry links to its source via `ban_sources.csv`.

What counts as a ban. A broad definition: any formal removal, import restriction, publication prohibition, or sustained challenge that results in a book becoming unavailable through an official channel. Both *hard* bans (legally prohibited nationwide) and *soft* bans (withdrawn from a school or library after pressure) are included, provided there is a documented decision with an institutional actor.

What is excluded. Books that are merely out of print, books a publisher chose not to distribute, and books that are culturally stigmatised but legally available. The restriction must have an institutional actor and a documented decision.

Verification. Sources carry a `verification_status`. Archive-verification is an ongoing process and the field is mostly unpopulated so far. At the snapshot used here, of ~1,170 source rows the distribution is roughly: `unverified` ≈ 81%, empty/`(null)` ≈ 17%, `verified` = 13 rows, `pending` = 2 rows, and `broken` = 0. **In practical terms, filtering on `verification_status = 'verified'` currently returns a near-empty subset (a handful of rows) and is not yet a usable quality gate.** Treat it as a lever that becomes useful as verification runs progress, not as something to filter on today. The catalogue is built mostly by automated

import from public sources and then enriched and reviewed; not every entry has been individually checked by a human.

Per-record data quality. A composite per-record `data_quality_status` (`confident` / `default` / `flagged`) exists in the underlying catalogue, but it is intentionally **not** included in this open release; it is available in the commercial dataset. The open data does not provide an equivalent quality signal — the source citations in `ban_sources.csv` let you inspect provenance, but they are not a substitute for the composite status.

---

5. How to count — distinct books vs. raw events

Rank on distinct books or distinct countries, never on raw ban-row counts.

`bans.csv` holds **one row per event**. A US title removed across many school districts produces many rows; a book banned nationwide by a single government decision appears once. PEN America's per-district granularity therefore inflates the United States' raw row count roughly 2–3× relative to distinct titles.

- **Canonical metric for "how widely banned":** count **distinct** `book_slug` (and/or **distinct** `country_code`).
- **Raw** `bans.csv` **row counts** are supporting detail only — never a repression ranking.

Worked example (snapshot figures): ~49,500 raw ban rows resolve to ~29,400 distinct books — the gap is overwhelmingly US school-district events for a smaller set of titles. A country ranking built on raw rows would massively overstate the US relative to a ranking built on distinct banned titles.

The export is intentionally **not pre-aggregated**: every event is preserved so researchers can choose their own grain. This section exists so they don't mistake the event grain for a title count.

Registers are a separate layer — never summed into book counts. The `register_*` files hold titles *as printed on official lists* (see §2). They are not books and are not bans in the `books` / `bans` sense; a headline like "X books documented" must not add register entries on top. Count registers on their own terms (entries per list), and treat `register_entries.matched_book_slug` as the only bridge to the book catalogue.

Status semantics. `rescinded` is a genuine category, not a synonym of `historical`: it marks a ban that was formally *lifted or reversed* in a later year. Most such rows carry a `year_ended` (the lift year) — ~999 of ~1,270 at the current snapshot — but a substantial minority (notably bulk reinstatement records) do not; `historical` simply means no longer in force without asserting a documented reversal.

---

6. Known gaps and limitations

This dataset is honest about what it is not.

1. **Documentation bias — the US "counts more than it bans more."** The United States dominates the catalogue not because American libraries censor the most books, but because America *counts* them: PEN America and the ALA systematically record school-district removals and challenges, working with local journalists and librarians. No comparable reporting infrastructure exists elsewhere. A high US count reflects a watchful civil society; a low count for an authoritarian state reflects the absence of one.

2. **Authoritarian under-coverage.** Iran, China, North Korea, Saudi Arabia, and Belarus maintain comprehensive censorship regimes in which whole categories of literature are simply unavailable — but with no free press or civil-society watchdog, those bans rarely surface in any accessible database. The catalogue records only a fraction of what likely occurs in closed societies. **Absence of records is not evidence of freedom.**

3. **English-language reporting skew.** Sources we can index are disproportionately English-language, biasing coverage toward the Anglophone world and well-reported events.

4. **School-bans are structurally different.** A school-board removal is a local administrative decision, not national law; the book remains available elsewhere. The catalogue records both school and government bans but distinguishes them via `scope` and `status` — do not treat them as equivalent.

5. **Language / classification subset.** A subset of records carries imperfect `original_language` classification (automated language inference is error-prone for short titles and transliterated works). Treat `original_language` as indicative, not authoritative, for fine-grained linguistic analysis.

6. **Automated import, partial human review.** Most records originate from automated pipelines. Broad strokes (title, author, ban country) are reliable; narrower details may be provisional. `ban_sources.verification_status` is mostly `unverified` today (see §4), so it cannot yet stand in for record-level quality filtering.

7. **Placeholder / aggregate author entries.** A small number of `authors` rows are non-attributable buckets ("Anonymous", "Various Authors") that group unrelated works. They are flagged `is_placeholder = true`; filter them out before computing per-author statistics so a bucket isn't treated as a single author.

---

7. Licensing

This deposit — the open censorship core — is released under the **Creative Commons Attribution 4.0 International License (CC-BY-4.0)**. You may share and adapt the data for any purpose, including commercially, provided you give attribution (see §8).

Not included in this open release (available under a separate commercial license at https://www.banned-books.org/dataset):

- Editorial prose: book descriptions, ban descriptions, censorship context, extended context.
- Enrichment: ISBN-13, cover images and cover status, author biographies and photos, bookshop/edition data.
- Convenience formats: the single-file denormalised JSON and the SQLite database.

The principle: **facts about censorship are open; editorial prose and convenience formats are paid.**

---

8. Citation guidance

Cite the **concept DOI** — the version-independent Zenodo DOI that always resolves to the latest version — not a specific version DOI, unless you need to pin an exact snapshot for reproducibility.

> *Raedts, Ludo. Banned Books — Open Censorship Core. banned-books.org. Zenodo. CC-BY-4.0. ORCID: https://orcid.org/0009-0006-8358-7119. DOI:* `10.5281/zenodo.20511553`.

When attributing in prose or visualisations: **"Banned Books (banned-books.org), CC-BY-4.0"**, with a link to the DOI. If you publish a ranking or aggregate, please state whether it is built on distinct books / countries or on raw ban events (§5), so readers can interpret it correctly.