

Annealing Schedule	Statistical uncertainty (iterations)	Systematic uncertainty (R16/R24) (iterations)
bef_ann	~6.8	~6.8
ann_75C_5h	~6.8	~6.8
ann_75C_25h	~2.0	~2.0
ann_100C_5h	~2.2	~2.2
ann_100C_25h	~1.8	~1.8
ann_125C_5h	~2.2	~2.2
ann_125C_25h	~1.8	~1.8
ann_150C_5h	~1.8	~1.8
ann_150C_25h	~3.0	~3.0

Figure 10 is a plot showing the relative uncertainty of the fit parameters. The y-axis represents the relative uncertainty, ranging from 0 to 7. The x-axis lists the parameters: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. For each parameter, two error bars are shown: a black one for 'Statistical uncertainty' and a magenta one for 'Systematic uncertainty (R16/R24)'. The statistical uncertainty is generally larger than the systematic uncertainty, especially for the 'bef_ann' parameter which has a very large statistical uncertainty.

Figure 1 is a plot showing the relative uncertainty of the R16/R24 ratio for different annealing phases. The y-axis represents the relative uncertainty from 0 to 6. The x-axis lists the annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two data series are shown: 'Statistical uncertainty' (black error bars) and 'Systematic uncertainty (R16/R24)' (pink error bars). The 'bef_ann' phase shows the highest statistical uncertainty, while the 'ann_150C_25h' phase shows the highest systematic uncertainty.