

Figure 1 is a plot showing the relative uncertainty of the annealing phase for different annealing schedules. The y-axis represents the relative uncertainty, ranging from 1.6 to 2.1. The x-axis lists various annealing schedules: bet_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two data series are shown: 'Statistical uncertainty' (black error bars) and 'Systematic uncertainty (R16/R24)' (purple error bars). The 'bet_ann' schedule shows the highest uncertainty, around 2.05. The 'ann_150C_25h' schedule shows the lowest uncertainty, around 1.65.

Figure 10 is a plot showing the relative error of the estimated annealing phase for different annealing schedules. The y-axis represents the relative error, ranging from 1.6 to 2.6. The x-axis lists various annealing schedules: bet_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two data series are shown: 'Statistical uncertainty' (black crosses) and 'Systematic uncertainty (R16/R24)' (purple crosses). The plot shows that the relative error is highest for the 'bet_ann' schedule and decreases as the annealing temperature increases and the annealing time increases. The 'ann_100C_25h' schedule shows the lowest relative error.