

Figure 1 is a plot showing the relative difference in the number of clusters, $R16/R24$, for various annealing phases. The y-axis represents the relative difference, ranging from 1.5 to 2.2. The x-axis lists the annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. The plot includes data points with error bars representing statistical uncertainty (black) and systematic uncertainty (pink). The legend indicates that the black error bars represent statistical uncertainty and the pink error bars represent systematic uncertainty (R16/R24). The data points show that the relative difference is highest for the 'bef_ann' phase and decreases as the annealing phase progresses, with a slight increase for the 'ann_150C_25h' phase.

Figure 1: A plot showing the relative difference in the number of detected particles between the two methods. The y-axis ranges from 1.9 to 2.6. The x-axis shows different annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two data series are shown: 'Statistical uncertainty' (black error bars) and 'Systematic uncertainty (R16/R24)' (magenta error bars). The plot shows that the relative difference is highest for the 'bef_ann' phase and decreases as the annealing phase progresses, with the 'ann_100C_25h' phase showing the lowest relative difference.

Figure 1 is a plot showing the relative error of the estimated parameters for the annealing phase. The y-axis is labeled 'Error' and ranges from 1.9 to 2.7. The x-axis is labeled 'annealing phase' and includes categories: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. The plot shows two data series: 'Statistical uncertainty' (black dots with error bars) and 'Systematic uncertainty (R16/R24)' (pink dots with error bars). The error generally decreases as the annealing phase progresses, with the lowest error observed for ann_150C_5h.

Figure 2 is a plot showing the relative difference in the ratio of the number of reads between the two conditions, $(R16/R24)_{R16} - (R16/R24)_{R24}$, for various annealing phases. The y-axis ranges from 1.2 to 2.4. The x-axis lists annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Data points are shown as black dots with vertical error bars. A horizontal line at approximately 2.15 is labeled 'Statistical uncertainty'. A horizontal line at approximately 2.15 is labeled 'Systematic uncertainty (R16/R24)'.