

Figure 1: A plot showing the relative bias of the R16/R24 ratio for different annealing phases. The y-axis represents the relative bias, ranging from 1.5 to 2.2. The x-axis lists the annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. The plot shows the mean relative bias (black dots) and the statistical uncertainty (black error bars) for each phase. A horizontal line at 1.9 indicates the systematic uncertainty (R16/R24). The relative bias is generally higher for the 5h phases compared to the 25h phases, and the uncertainty is larger for the 5h phases.

[illegible]

Figure 1 is a plot showing the relative difference in the number of reads between the two replicates of the same sample. The y-axis is labeled 'D' and ranges from 1.9 to 2.7. The x-axis is labeled 'annealing phase' and includes categories: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two data series are shown: 'Statistical uncertainty' (black dots with error bars) and 'Systematic uncertainty (R16/R24)' (pink dots with error bars). The plot shows that the relative difference is highest for the 'bef_ann' category and decreases as the annealing phase progresses.

Figure 3 is a plot showing the relative uncertainty of the 1D model for different annealing phases. The y-axis represents the relative uncertainty, ranging from 1.2 to 2.4. The x-axis lists various annealing phases: bef_ann, ann_75C_5h, ann_75C_25h, ann_100C_5h, ann_100C_25h, ann_125C_5h, ann_125C_25h, ann_150C_5h, and ann_150C_25h. Two horizontal lines indicate the uncertainty levels: 'Statistical uncertainty' (black line with error bars) and 'Systematic uncertainty (R16/R24)' (pink line). The statistical uncertainty is consistently higher than the systematic uncertainty across all phases.