Reviewer Pack — Minimal Symplectic Cohomology Rank Bounds Resolution Proof W…

Entry ebbbed487d42 · INCONCLUSIVE

SEC autonomous research engine — attribution: Ludovico Kubler

2026-05-30 04:41:38 UTC

Minimal Symplectic Cohomology Rank Bounds Resolution Proof Width

Entry ID: `ebbbed487d42` **Verdict**: `INCONCLUSIVE` **Recorded**: 2026-05-30 04:41:38 UTC

1. Conjecture

Field A (mathematical branch): Symplectic Geometry **Field B** (complexity object): Boolean Function Complexity: Resolution Proof Complexity

Statement:

> For a Boolean function f, the minimal symplectic cohomology rank of its associated vector bundle V_f is bounded by the width of its resolution proof tree T(f). Specifically, there exists a constant c > 0 such that for all n-variables Boolean functions, ρ(V_f) ≤ c·|T(f)|.

Rationale (proposer's reasoning):

> Symplectic cohomology captures topological information about the configuration space of classical mechanics, which might reflect the structure of the proof search space in resolution proofs. A lower bound on symplectic cohomology rank could translate to a lower bound on proof width, potentially revealing inherent complexity in Boolean function proofs.

Taxonomy category: `c003b_cumulative_entropy` (status at proposal time:)

2. Pre-registration (Popper-style)

Hash (SHA-256 prefix): `5c390d9b17fe7c61`

This hash commits to the conjecture statement, acceptance criterion, and seed list **before** the empirical test runs. Tampering with the test or its data after this hash was computed would be detectable.

Acceptance criterion:

> For a Boolean function f, if the correlation coefficient between ρ(V_f) and |T(f)| across 30 random n-variables functions is greater than 0.8 without any seed producing ρ(V_f) > 10·|T(f)|.

3. Barrier filter (F1)

Final: `PASS`

Barrier	Verdict	Confidence	LLM1	LLM2
RELATIVIZATION	SAFE	0.50	UNCERTAIN	UNCERTAIN
NATURAL_PROOFS	SAFE	0.50	UNCERTAIN	UNCERTAIN
ALGEBRIZATION	UNCERTAIN	0.80	UNCERTAIN	HITS
KARP_LIPTON	SAFE	0.50	UNCERTAIN	UNCERTAIN

4. Novelty audit

Verdict: `NOVEL` against 0 hits across arXiv + Semantic Scholar + ECCC

5. Empirical test harness

Multi-seed protocol: 5 seeds (11, 23, 37, 53, 71)
Sandbox: isolated subprocess, stdlib-only, ≤90s wall time per cycle **Execution**: rc=0, elapsed=0.5s

5.1 Generated Python source

```
#!/usr/bin/env python3
"""C-003b cumulative entropy — FAITHFUL reference harness.

Computes the REAL cumulative proof entropy
    Phi(pi) = sum_t |activeClauses(sigma_t)|
over an actual resolution refutation (Davis-Putnam variable elimination)
of Tseitin formulas, exactly per the Lean definitions in Conjecture003.lean:
    proofStateEntropy(sigma) := sigma.activeClauses.card
    cumulativeEntropy(states) := sum (map proofStateEntropy states)
plus the width-aware totalLiteralWeight version (sum of clause sizes).

This is NOT the CDCL clause-count proxy used by the old c003b_counterexample.py:
it tracks the active clause database at EVERY elimination step of a genuine
resolution derivation, so it is the actual Phi the formalization names.

Pure stdlib (no networkx/pysat), so it runs in the pipeline sandbox.
Protocol: run_trial(seed)->dict with TRIAL/RESULT lines.

Author: Ludovico Kubler (harness by the SEC engine, hand-verified).
NOTE: no `from __future__ import annotations` — the sandbox injects a prelude
above the file, which would break that statement's must-be-first rule.
"""
import json
import math
import random
import sys

Clause = frozenset  # a clause = frozenset of signed ints (var or -var)


# ---------- Tseitin formula generation ----------

def random_regular_graph(n: int, degree: int, rng: random.Random):
    """Simple random regular graph via configuration model with retries."""
    if (n * degree) % 2 != 0:
        n += 1
    for _ in range(200):
```

```
        stubs = []
        for v in range(n):
            stubs += [v] * degree
        rng.shuffle(stubs)
        edges = set()
        ok = True
        for i in range(0, len(stubs), 2):
            u, w = stubs[i], stubs[i + 1]
            if u == w or (min(u, w), max(u, w)) in edges:
                ok = False
                break
            edges.add((min(u, w), max(u, w)))
        if ok and len(edges) == n * degree // 2:
            return n, sorted(edges)
    # fallback: cycle + chords
    edges = {(i, (i + 1) % n) for i in range(n)}
    return n, sorted((min(a, b), max(a, b)) for a, b in edges)


def tseitin_cnf(n: int, edges: list, charge: dict) -> list:
    """Tseitin CNF over edge variables (1-indexed). For each vertex, clauses
    enforce parity of incident edges = charge[v]."""
    evar = {}
    for i, (u, v) in enumerate(edges):
        evar[(u, v)] = i + 1
        evar[(v, u)] = i + 1
    inc = {v: [] for v in range(n)}
    for (u, v) in edges:
        inc[u].append(evar[(u, v)])
        inc[v].append(evar[(u, v)])
    clauses = []
    for v in range(n):
        vars_ = inc[v]
        k = len(vars_)
        tgt = charge.get(v, 0)
        for mask in range(1 << k):
            if bin(mask).count("1") % 2 != tgt:
                cl = []
                for j, var in enumerate(vars_):
                    cl.append(-var if (mask >> j) & 1 else var)
                clauses.append(frozenset(cl))
    return clauses


# ---------- Resolution by Davis-Putnam variable elimination ----------

def resolve(c1: frozenset, c2: frozenset, var: int):
    """Resolvent of c1,c2 on var (c1 has +var, c2 has -var). None if tautology."""
    r = (c1 - {var}) | (c2 - {-var})
    for lit in r:
        if -lit in r:
            return None  # tautology
    return frozenset(r)


def dp_refutation_phi(clauses: list, rng: random.Random):
```

```python
    """Run DP elimination in min-occurrence order; track the active clause DB
    after each elimination. Returns (phi_count, phi_weight, n_steps, derived_empty).

    phi_count  = sum_t |DB_t|              (proofStateEntropy = card)
    phi_weight = sum_t sum_{C in DB_t}|C| (totalLiteralWeight version)
    """
    db = set(clauses)
    variables = set(abs(l) for c in db for l in c)
    phi_count = len(db)
    phi_weight = sum(len(c) for c in db)
    n_steps = 1
    derived_empty = frozenset() in db
    MAX_DB = 200000  # guard against blow-up on bad instances

    while variables and not derived_empty:
        # min-occurrence elimination order (standard good heuristic)
        occ = {v: 0 for v in variables}
        for c in db:
            for l in c:
                if abs(l) in occ:
                    occ[abs(l)] += 1
        var = min(variables, key=lambda v: occ[v])
        variables.discard(var)

        pos = [c for c in db if var in c]
        neg = [c for c in db if -var in c]
        others = [c for c in db if var not in c and -var not in c]

        resolvents = set()
        for cp in pos:
            for cn in neg:
                r = resolve(cp, cn, var)
                if r is not None:
                    resolvents.add(r)
                    if len(r) == 0:
                        derived_empty = True
        new_db = set(others) | resolvents
        # forward subsumption (keep minimal clauses) — cheap pass
        db = new_db
        phi_count += len(db)
        phi_weight += sum(len(c) for c in db)
        n_steps += 1
        if len(db) > MAX_DB:
            break

    return phi_count, phi_weight, n_steps, derived_empty


# ---------- Separator (cheap balanced-ish) ----------

def approx_separator_size(n: int, edges: list) -> int:
    """Cheap proxy for balanced separator size: min vertices whose removal
    splits the graph ~in half. We use a simple BFS-layer cut."""
    adj = {v: set() for v in range(n)}
    for (u, v) in edges:
        adj[u].add(v); adj[v].add(u)
```

```python
    # BFS from 0, cut at the layer crossing the median
    from collections import deque
    seen = {0}; layer = {0: 0}; q = deque([0])
    while q:
        x = q.popleft()
        for y in adj[x]:
            if y not in seen:
                seen.add(y); layer[y] = layer[x] + 1; q.append(y)
    if len(seen) < n:  # disconnected
        return 0
    half = n // 2
    # vertices on the boundary between the first ~half and the rest
    order = sorted(range(n), key=lambda v: layer.get(v, 0))
    side_a = set(order[:half])
    cut = set()
    for (u, v) in edges:
        if (u in side_a) != (v in side_a):
            cut.add(u if u not in side_a else v)
    return len(cut)


# ---------- Trial protocol ----------

def run_trial(seed: int) -> dict:
    rng = random.Random(seed)
    # sweep several small sizes; report the scaling exponent of Phi vs n
    ns = [6, 8, 10, 12, 14]
    data = []
    for n0 in ns:
        n, edges = random_regular_graph(n0, 3, rng)
        charge = {v: 0 for v in range(n)}
        charge[0] = 1  # odd total -> UNSAT
        clauses = tseitin_cnf(n, edges, charge)
        phi_c, phi_w, steps, empty = dp_refutation_phi(clauses, rng)
        sep = approx_separator_size(n, edges)
        data.append({"n": n, "m_edges": len(edges), "sep": sep,
                     "phi_count": phi_c, "phi_weight": phi_w,
                     "steps": steps, "derived_empty": empty})
    # scaling: log-log slope of phi_count vs n
    xs = [math.log(d["n"]) for d in data if d["phi_count"] > 0]
    ys = [math.log(d["phi_count"]) for d in data if d["phi_count"] > 0]
    if len(xs) >= 2:
        mx = sum(xs) / len(xs); my = sum(ys) / len(ys)
        num = sum((x - mx) * (y - my) for x, y in zip(xs, ys))
        den = sum((x - mx) ** 2 for x in xs)
        slope = num / den if den else 0.0
    else:
        slope = 0.0
    biggest = data[-1]
    # Sub-conjecture under test (SC1): Phi >= sep^2 on the largest instance
    # (a concrete, falsifiable scaling claim derived from the C-003b thesis
    # that cumulative entropy is forced by the separator).
    holds = biggest["phi_count"] >= max(1, biggest["sep"]) ** 2
    return {
        "metric_name": "phi_count_loglog_slope_vs_n",
        "metric_value": round(slope, 4),
```

```
        "instances_tested": len(ns),
        "n_max": max(ns),
        "conjecture_holds": holds,
        "counterexample": "" if holds else
            f"n={biggest['n']} sep={biggest['sep']} phi={biggest['phi_count']} < sep^2",
        "detail": data,
    }


if __name__ == "__main__":
    seeds = [int(x) for x in sys.argv[1:]] or [11, 23, 37]
    results = []
    for s in seeds:
        r = run_trial(s)
        results.append(r)
        print("TRIAL: " + json.dumps(r))
    slopes = [r["metric_value"] for r in results]
    holds = sum(1 for r in results if r["conjecture_holds"])
    mean = sum(slopes) / len(slopes)
    if holds == len(results):
        print(f"RESULT: SUPPORTED mean_slope={mean:.4f} support_fraction=1.0")
    elif holds == 0:
        print(f"RESULT: FALSIFIED counterexample=\"phi < sep^2\" first_failing_seed={seeds[0]}")
    else:
        print(f"RESULT: INCONCLUSIVE mixed holds={holds}/{len(results)} mean_slope={mean:.4f}")
```

6. Per-seed results

Seed	Metric value	Holds?	Counterexample
?	2.4348	□	
?	2.0177	□	
?	2.0528	□	
?	2.4751	□	
?	2.4691	□	
?	2.2173	□	
?	2.2983	□	
?	2.7629	□	
?	2.3782	□	
?	2.7571	□	
?	2.6234	□	
?	2.5729	□	
?	2.3297	□	

Aggregate statistics:

Statistic	Value
n_seeds	13
metric_mean	2.4145615384615384
metric_std	0.23518233897149377
metric_ci95_half	0.13045568957619594
metric_min	2.0177
metric_max	2.7629
support_fraction	1.0

7. Test stdout (last 2KB)


```
"m_edges": 15, "sep": 3, "phi_count": 591, "phi_weight": 2826, "steps": 16, "derived_empty": true}, {'
TRIAL: {"metric_name": "phi_count_loglog_slope_vs_n", "metric_value": 2.2983, "instances_tested": 5,
TRIAL: {"metric_name": "phi_count_loglog_slope_vs_n", "metric_value": 2.7629, "instances_tested": 5,
TRIAL: {"metric_name": "phi_count_loglog_slope_vs_n", "metric_value": 2.3782, "instances_tested": 5,
```


8. Critic adversarial review

Critic verdict: `CHALLENGE`

Critic reasoning:

> The test code provided does not implement the conjecture's primitives accurately. The statement refers to 'minimal symplectic cohomology rank' and 'resolution proof width,' which are complex mathematical concepts that require specialized algorithms or theoretical analysis. The test code focuses on computing a metric called 'phi_count_loglog_slope_vs_n,' which is not directly related to either the symplectic cohomology rank or the resolution proof width. This suggests that the test may be measuri

9. Final verdict & safety rail

Verdict: `INCONCLUSIVE`

Reasoning:

> The test code does not accurately implement the conjecture's primitives, focusing on a metric unrelated to symplectic cohomology rank or resolution proof width. The critic has challenged the results. | next: Implement the conjecture's primitives correctly and retest with appropriate metrics.

11. Audit log (LLM calls)

Total LLM calls: 9

#	Phase	Provider	Model	Tokens in	out	Latency (ms)
1	propose	ollama_remote	glm4:latest	0	0	14834
2	propose	ollama_remote	glm4:latest	0	0	20391
3	propose	ollama_remote	glm4:latest	0	0	18348
4	propose	ollama_remote	glm4:latest	0	0	13773
5	preregistration	ollama_remote	glm4:latest	0	0	12395
6	novelty	ollama_remote	glm4:latest	0	0	8500
7	novelty	ollama_remote	glm4:latest	0	0	15509
8	critic	ollama_remote	glm4:latest	0	0	14628
9	judge	ollama_remote	glm4:latest	0	0	13687

Totals: 0 input tokens, 0 output tokens, ~$0.0000 cost, 132067 ms total latency. Provider mix: {'ollama_remote': 9}

(full prompt+response transcripts available in `research/audit/ebbbed487d42.jsonl`)

12. Reproducibility

To reproduce this cycle:

1. Apply the test harness in section 5.1 with seeds 11,23,37,53,71
2. The Python sandbox is pure-stdlib; any Python 3.11+ should suffice

3. The full LLM transcripts are in `research/audit/ebbbed487d42.jsonl` for verification of provenance
4. The pre-registration hash in section 2 commits to the test design before execution; tampering would be detectable.

Sandbox file: `research/pvsnp_sandbox/test_*.py` (per-cycle)
Replay tarball: `research/replay/ebbbed487d42.tar.gz` (if generated)