

Reviewer Pack — Minimal Rank of Noncrossing Partitions and Communication Com...

Entry 332e04ea302c · INCONCLUSIVE

SEC autonomous research engine — attribution: Ludovico Kubler

2026-06-03 02:12:00 UTC

Minimal Rank of Noncrossing Partitions and Communication Complexity Correlation via Partition Lattices

Entry ID: 332e04ea302c **Verdict:** INCONCLUSIVE **Recorded:** 2026-06-03 02:12:00 UTC

1. Conjecture

Field A (mathematical branch): Combinatorial Geometry (Noncrossing Partitions) **Field B** (complexity object): Communication Complexity

Statement:

For every n -input Boolean function f , the minimal rank of its noncrossing partition lattice is linearly correlated with its deterministic communication complexity $c(f)$, such that $\text{rank}(\text{lattice}(f)) = \Theta(c(f))$.

Rationale (proposer's reasoning):

Noncrossing partitions provide a combinatorial encoding of constraints in Boolean functions. This conjecture suggests that the structure of these partitions could reveal underlying complexities related to communication, potentially leading to new insights into circuit lower bounds.

Taxonomy category: `geometric_invariants` (status at proposal time:)

2. Pre-registration (Popper-style)

Hash (SHA-256 prefix): 79a43c7d3a53f0f3

This hash commits to the conjecture statement, acceptance criterion, and seed list **before** the empirical test runs. Tampering with the test or its data after this hash was computed would be detectable.

Acceptance criterion:

For an n -input Boolean function f , we accept that $\text{rank}(\text{lattice}(f)) = \Theta(c(f))$ if and only if the linear regression analysis performed on at least 30 random seeds yields a correlation coefficient ≥ 0.7 with $p\text{-value} < 0.05$.

3. Barrier filter (F1)

Final: PASS

Barrier	Verdict	Confidence	LLM ₁	LLM ₂
RELATIVIZATION	SAFE	0.50	UNCERTAIN	UNCERTAIN
NATURAL_PROOFS	SAFE	0.50	UNCERTAIN	UNCERTAIN
ALGEBRIZATION	SAFE	0.90	SAFE	UNCERTAIN
KARP_LIPTON	SAFE	1.00	SAFE	SAFE

4. Novelty audit

Verdict: NOVEL against 0 hits across arXiv + Semantic Scholar + ECCC

Search queries (3): - "noncrossing partitions" AND "communication complexity" - "partition lattices" IN title "combinatorial geometry" AND communication complexity - "minimal rank" AND noncrossing partitions AND communication complexity

5. Empirical test harness

Multi-seed protocol: 5 seeds (11, 23, 37, 53, 71)

Sandbox: isolated subprocess, stdlib-only, ≤90s wall time per cycle **Execution:** rc=0, elapsed=0.1s

5.1 Generated Python source

```
import random
import math
from fractions import Fraction

def run_trial(seed: int) -> dict:
    random.seed(seed)

    def generate_boolean_function(n):
        return [random.choice([0, 1]) for _ in range(2**n)]

    def compute_noncrossing_partition_lattice(f):
        n = len(f)
        lattice = {frozenset(): frozenset()}
        for i in range(n):
            new_partitions = set()
            for partition in lattice:
                for subset in partition:
                    if all(f[j] == f[k] for j, k in zip(subset, subset[1:]]):
                        continue
                    new_subset = subset | {i}
                    if new_subset not in partition:
                        new_partitions.add(new_subset)
            lattice[frozenset(new_partitions)] = frozenset()
        return lattice

    def compute_deterministic_communication_complexity(f):
        n = len(f)
        # Simplified version for demonstration
        return n # This should be replaced with actual communication complexity computation

    f = generate_boolean_function(5) # Start with a small size to avoid timeout
    lattice = compute_noncrossing_partition_lattice(f)
    rank = len(lattice)
```


Critic reasoning:

The test only considers $n \leq 5$, which is too small to draw a conclusion about the conjecture’s validity. The metric does not scale with n , as it is fixed at $n = 5$ for all trials.

9. Final verdict & safety rail

Verdict: INCONCLUSIVE

Reasoning:

Safety rail: critic_challenge_falsified | original: The test results indicate that the conjecture does not hold for $n \leq 5$, as evidenced by the counterexample ‘mapping_undefined’. The critic’s challenge | next: Expand the range of n -values tested to at least 30 and perform linear regression analysis on each to verify the conjecture. Additionally, ensure that the correlation coefficient is ≥ 0.7 and the p -value < 0.05 for a valid test.

11. Audit log (LLM calls)

Total LLM calls: 10

#	Phase	Provider	Model	Tokens in	out	Latency (ms)
1	propose	ollama_remote	glm4:latest	0	0	13332
2	preregistration	ollama_remote	glm4:latest	0	0	9941
3	novelty	ollama_remote	glm4:latest	0	0	8348
4	novelty	ollama_remote	glm4:latest	0	0	12800
5	test_gen	ollama_remote	qwen2.5-coder:7b	0	0	10814
6	test_gen	ollama_remote	qwen2.5-coder:7b	0	0	37420
7	test_gen	ollama_remote	qwen2.5-coder:7b	0	0	8667
8	test_gen	ollama_remote	qwen2.5-coder:7b	0	0	54479
9	critic	ollama_remote	glm4:latest	0	0	66627
10	judge	ollama_remote	glm4:latest	0	0	36820

Totals: 0 input tokens, 0 output tokens, ~\$0.0000 cost, 259248 ms total latency. Provider mix: {'ollama_remote': 10}

(full prompt+response transcripts available in `research/audit/332e04ea302c.jsonl`)

12. Reproducibility

To reproduce this cycle:

1. Apply the test harness in section 5.1 with seeds 11,23,37,53,71
2. The Python sandbox is pure-stdlib; any Python 3.11+ should suffice
3. The full LLM transcripts are in `research/audit/332e04ea302c.jsonl` for verification of provenance
4. The pre-registration hash in section 2 commits to the test design before execution; tampering would be detectable.

Sandbox file: `research/pvsnp_sandbox/test_*.py` (per-cycle)

Replay tarball: `research/replay/332e04ea302c.tar.gz` (if generated)