

a
MOFAtalk factors
Factor1
Factor2
Factor3
Factor4
Factor5
Factor6
p = 0.03
p = 0.15
p = 0.27
p = 0.69
p = 0.26
p = 0.30
−2.5
0.0
2.5
t, fast vs slow (adjusted)
b
Factor1 score (oriented)
0.4
0.2
0.0
−0.2
NE-slow
NE-fast
E-slow
E-fast
c
NK → cMono
cMono → SIM
DC2 → cMono
ncMono → cMono
ncMono → SIM
IGHD+B → IGHD-B
cMono → cMono
IGHD-B → IGHD-B
TASC → cMono
T_CD8 → DC2
TASC → Mast
SIM → cMono
NK → pDC
T_div → NK
T_CD8 → pDC
AT2_S → IGHD+B
cMono → ncMono
NK → ncMono
cMono → DC2
NK → DC2
0
5
10
15
20
25
R² explained by Factor1 (%)
d
SIM receptors with most nominal incoming hits
NRP1
TLR2
SDC2
CXCR4
NCSTN
CD44
ITGB1
LRP1
ADRB2
NOTCH1
SDC4
CD4
−4
−2
0
2
4
mean t of incoming interactions (scores)
receptor gene in SIMs (edgeR signed √F)
e
DC1 → SIM: HMGB1 → TLR2
Interaction score
1.0
0.8
0.6
0.4
0.2
0.0
NE-slow
NE-fast
E-slow
E-fast
f
DC2 → SIM: VEGFA → NRP1
Interaction score
1.0
0.8
0.6
0.4
0.2
0.0
NE-slow
NE-fast
E-slow
E-fast