```
//create the database
create database myResidence DB;
//create a table for the residences
CREATE TABLE residence (
  residence ID
                         INTEGER NOT NULL,
  living style
                                            CHECK(living style = "Residence Hall" or
                         VARCHAR(255)
living_style = "Apartment" or living_style = "Townhouse"),
                         VARCHAR(225)
                                            CHECK(room type = "Double" or
  room type
room type = "Basic Single" or room type = "Single"),
  residence price
                         INTEGER NOT NULL,
  residence address
                         VARCHAR(255),
  has mealplan
                         BOOLEAN,
  student usernames
                         VARCHAR(255),
  PRIMARY KEY (residence ID)
  );
//create a table for the students
CREATE TABLE student (
  student username CHAR(8)
                               NOT NULL,
  student password VARCHAR(255) NOT NULL,
  student email
                         CHAR(21) NOT NULL,
  student name
                         VARCHAR(255) NOT NULL,
  year num
                         INTEGER NOT NULL,
  residence ID
                         INTEGER,
  PRIMARY KEY (student username),
  FOREIGN KEY (residence ID) REFERENCES residence (residence ID)
            ON UPDATE CASCADE ON DELETE SET NULL
  );
//create a table for the managers
CREATE TABLE manager (
  manager username
                         CHAR(8)
                                      NOT NULL,
  manager password
                         VARCHAR(255) NOT NULL,
  manager email
                               CHAR(21) NOT NULL,
                               VARCHAR(255) NOT NULL,
  manager name
  PRIMARY KEY (manager username)
  );
```

//insert values students into the table

INSERT INTO student VALUES ('lfederle', 'password', 'lfederle@lakeheadu.ca', 'Lukas Federle', 3, NULL);

INSERT INTO student VALUES ('jmwillia', 'joseph', 'jmwillia@lakeheadu.ca', 'Joseph Williams', 4, NULL);

INSERT INTO student VALUES ('paramsey', 'doglover2', 'paramsey@lakeheadu.ca', 'Paul Ramsey', 4 , NULL);

INSERT INTO student VALUES ('antburke', 'Up@efVf', 'antburke@lakeheadu.ca', 'Antonio Burke', 3, NULL);

INSERT INTO student VALUES ('stejones', 'anej772', 'stejones@lakeheadu.ca', 'Stuart Jones', 5, NULL);

INSERT INTO student VALUES ('mpawadis', '37pawMK4', 'mpawadis@lakeheadu.ca', 'Mark Pawadis', 3, NULL);

INSERT INTO student VALUES ('jasxnlui', 'soccer98', 'jasxnlui@lakeheadu.ca', 'Jason Lui', 5, NULL);

INSERT INTO student VALUES ('pelechoi', 'sunriseJX', 'pelechoi@lakeheadu.ca', 'Pearce Choi', 1, NULL);

INSERT INTO student VALUES ('vicayers', '99nitro39', 'vicayers@lakeheadu.ca', 'Victor Ayers', 1, NULL);

INSERT INTO student VALUES ('kmcguire', 'bestnail85', 'kmcguire@lakeheadu.ca', 'Kyle Mcguire', 2, NULL);

INSERT INTO student VALUES ('stjakhan', '=ancyLine49', 'stjakhan@lakeheadu.ca', 'Sterling Khan', 1, NULL);

INSERT INTO student VALUES ('amadhali', 'lo1ngsign3', 'amadhali@lakeheadu.ca', 'Ahmed Ali', 2, NULL);

INSERT INTO student VALUES ('sastephe', 'd@rkPanda95', 'sastephe@lakeheadu.ca', 'Sal Stephens', 2 , NULL);

INSERT INTO student VALUES ('byburnet', 'oldJ@guar56', 'byburnet@lakeheadu.ca', 'Bruno Burnett', 1 , NULL);

INSERT INTO student VALUES ('cmdpitts', 'wildLl@ma24', 'cmdpitts@lakeheadu.ca', 'Christopher Pitts', 2 , NULL);

INSERT INTO student VALUES ('lataimer', 'kin)Wing60', 'lataimer@lakeheadu.ca', 'Lauren Aimer', 5, NULL);

INSERT INTO student VALUES ('erjacobs', 'pass', 'erjacobs@lakeheadu.ca', 'Emily Jacobs', 3, NULL);

INSERT INTO student VALUES ('altlrios', 'annerios1', 'altlrios@lakeheadu.ca', 'Anne Rios', 4, NULL);

INSERT INTO student VALUES ('cjbolton', '20bolt01', 'cjbolton@lakeheadu.ca', 'Cecile Bolton', 3, NULL);

INSERT INTO student VALUES ('sajcorte', 'fifCZ8', 'sajcorte@lakeheadu.ca', 'Sue Cortez', 3, NULL);

INSERT INTO student VALUES ('jastyork', 'badPar<59', 'jastyork@lakeheadu.ca', 'Jasmine York', 3, NULL);

INSERT INTO student VALUES ('marleiyu', 'clxxd3shn', 'marleiyu@lakeheadu.ca', 'Marie Yu', 4 , NULL);

INSERT INTO student VALUES ('karpears', 'fntcpe1', 'karpears@lakeheadu.ca', 'Kayla Pearson', 4, NULL);

INSERT INTO student VALUES ('mglfishe', 'be\$tFish', 'mglfishe@lakeheadu.ca', 'Megean Fisher', 2, NULL);

INSERT INTO student VALUES ('hzcallah', 'hcally03', 'hzcallah@lakeheadu.ca', 'Hazel Callahan', 1, NULL);

INSERT INTO student VALUES ('llymchen', 'lillflow1', 'llymchen@lakeheadu.ca', 'Lily Chen', 2, NULL);

INSERT INTO student VALUES ('vwsavery', '11viv@', 'vwsavery@lakeheadu.ca', 'Vivian Avery', 1, NULL);

INSERT INTO student VALUES ('fpcarter', 'dar<S', 'fpcarter@lakeheadu.ca', 'Faith Carter', 1, NULL);

INSERT INTO student VALUES ('erbyoung', 'yyed83s', 'erbyoung@lakeheadu.ca', 'Erin Young', 1, NULL);

INSERT INTO student VALUES ('clxlsims', '>simbi20', 'clxlsims@lakeheadu.ca', 'Caitlyn Sims', 2, NULL);

//insert managers into the table

INSERT INTO manager VALUES ('manlfede', 'FEDmanager3', 'lukas.federle@gmail.com', 'Lukas Federle');

INSERT INTO manager VALUES ('mjrichar', '808<rich>', 'mjrichar@lakeheadu.ca', 'Matthew Richard');

INSERT INTO manager VALUES ('jmlavoie', 'xkqLAV20', 'jmlavoie@lakeheadu.ca', 'Jacob Lavoie');

INSERT INTO manager VALUES ('snsousa', 'SxSsousx', 'snsousa@lakeheadu.ca', 'Samuel Sousa');

//insert basic single rooms into the residence table

INSERT INTO residence VALUES (1001, 'Residence Hall', 'Basic Single', 11196, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1002, 'Residence Hall', 'Basic Single', 11196, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1003, 'Residence Hall', 'Basic Single', 11196, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1004, 'Residence Hall', 'Basic Single', 11196, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1101, 'Residence Hall', 'Basic Single', 11196, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1102, 'Residence Hall', 'Basic Single', 11196, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1103, 'Residence Hall', 'Basic Single', 11196, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

//insert single rooms into the residence table

INSERT INTO residence VALUES (1005, 'Residence Hall', 'Single', 12395, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1006, 'Residence Hall', 'Single', 12395, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1007, 'Residence Hall', 'Single', 12395, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1104, 'Residence Hall', 'Single', 12395, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1105, 'Residence Hall', 'Single', 12395, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1106, 'Residence Hall', 'Single', 12395, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1107, 'Residence Hall', 'Single', 12395, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

//insert double rooms into the residence table

INSERT INTO residence VALUES (1008, 'Residence Hall', 'Double', 10235, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1009, 'Residence Hall', 'Double', 10235, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1010, 'Residence Hall', 'Double', 10235, 'Bartley Residence Bartley Cir', TRUE, NULL);

INSERT INTO residence VALUES (1108, 'Residence Hall', 'Double', 10235, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

INSERT INTO residence VALUES (1109, 'Residence Hall', 'Double', 10235, 'Prettie Residence Lakehead University Dr N', TRUE, NULL);

//insert townhouses into the residence table

INSERT INTO residence VALUES (4001, 'Townhouse', 'Single', 7982, '100 Deer Lake Rd', FALSE, NULL);

INSERT INTO residence VALUES (4002, 'Townhouse', 'Single', 7982, '103 Deer Lake Rd', FALSE, NULL);

INSERT INTO residence VALUES (4003, 'Townhouse', 'Single', 7982, '105 Deer Lake Rd', FALSE, NULL);

//insert apartments into the residence table

INSERT INTO residence VALUES (4101, 'Apartment', 'Single', 7571, '223 North Spirit Rd', FALSE, NULL);

INSERT INTO residence VALUES (4102, 'Apartment', 'Single', 7571, '225 North Spirit Rd', FALSE, NULL);

INSERT INTO residence VALUES (4103, 'Apartment', 'Single', 7571, '227 North Spirit Rd', FALSE, NULL);