
ARCHIL · PRODUCT WALKTHROUGH

Giving AI agents a disk that remembers

How Archil turns an S3 bucket into a fast, shared file system

Luca Ficano Latimer

Today, every machine downloads its own copy



10 machines means 10 downloads and 2 TB of paid disk, before any work even starts.

Example numbers for illustration

AI agents start from zero every session

SESSION 1

Fresh sandbox

Download the data

Do the work

⚠ **Sandbox deleted**

SESSION 2

Fresh sandbox

Download the data

Do the work

⚠ **Sandbox deleted**

SESSION 3

Fresh sandbox


Download the data

Do the work

⚠ **Sandbox deleted**

Same download every time, and no memory of the last run.

Archil makes your bucket act like a fast disk



Sub-millisecond reads once cached

Only the data you use gets cached

Changes reach your bucket in minutes

Ten machines, one dataset

TODAY



10 full copies

10 downloads before work starts
Disk paid for, used or not

WITH ARCHIL



1 shared cache

No full downloads
Only the data being used

Example numbers for illustration

LIVE DEMO

An agent that remembers its work

RUN 1

Clean the taxi data

Saves its scripts and a report to the disk



Archil disk

```
clean.py
report.md
pylib/
```



RUN 2, NEW SANDBOX

Tipping by hour

Finds run 1's work and builds on it

Nearly 3 million NYC taxi trips. No servers. One disk.

What you can build with it

Agents with memory

Every session picks up where the last one left off, like in the demo.

One dataset, many machines

Training jobs and teams share one cache instead of ten copies.

Normal tools on S3 data

pandas, grep and git work on your bucket with no code changes.

No lock-in

Your files stay in your own bucket, readable by any other tool.

THE TAKEAWAY

Your data stays in your bucket.
Archil makes it act like a disk.

Try it at archil.com · Luca Ficano Latimer