

# Window innerWidth

[< Previous](#)[< Window Object Reference](#)[Next >](#)

## Example

Get window width:

```
let width = window.innerWidth;
```

[Try it Yourself »](#)

```
let width = innerWidth;
```

[Try it Yourself »](#)

More examples below.

---

## Description

The `innerWidth` property returns the width of a window's content area.

The `innerWidth` property is read-only.

## See Also:

[The innerHeight Property.](#)

# Syntax

```
window.innerWidth
```

or just:

```
innerWidth
```

## Return Value

Type	Description
A number	The the inner width of the browser window's content area in pixels.

## More Examples

All height and width properties:

```
let text =  
"<p>innerWidth: " + window.innerWidth + "</p>" +
```

[Try it Yourself »](#)

# Browser Support

`window.innerWidth` is supported in all browsers:

Chrome	Edge	Firefox	Safari	Opera	IE
Yes	Yes	Yes	Yes	Yes	9-11

[< Previous](#)[< Window Object Reference](#)[Next >](#)

Track your progress - it's free!

[Sign Up](#)[Log in](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

## COLOR PICKER

[PLUS](#)[SPACES](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

## Top Tutorials

[HTML Tutorial](#)  
[CSS Tutorial](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)[PHP Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)  
[jQuery Tutorial](#)

## Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[Angular Reference](#)  
[jQuery Reference](#)

## Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[Java Examples](#)  
[XML Examples](#)  
[jQuery Examples](#)

## Get Certified

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)  
[Java Certificate](#)  
[C++ Certificate](#)  
[C# Certificate](#)  
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).