

onmouseleave Event

Previous

Events Reference

Next >

Example

Call a function when moving the mouse pointer out of an image:

```
<img onmouseleave="normalImg(this)" src="smiley.gif" alt="Smiley">
```

Try it Yourself »

More examples below.

Description

The onmouseleave event occurs when the mouse pointer leaves an element.

The onmouseleave event is often used together with the <u>onmouseenter</u> event, which occurs when the mouse pointer enters an element.

The onmouseleave event is similar to the <u>onmouseout</u> event. The difference is that the <u>onmouseleave</u> event does not bubble (does not propagate up the document hierarchy). See "More Examples" at the bottom of this page to better understand the differences.

Mouse Events



CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS

<u>oncontextmenu</u>	The user right-clicks on an element
<u>ondblclick</u>	The user double-clicks on an element
<u>onmousedown</u>	A mouse button is pressed over an element
<u>onmouseenter</u>	The pointer is moved onto an element
<u>onmouseleave</u>	The pointer is moved out of an element
<u>onmousemove</u>	The pointer is moving over an element
<u>onmouseout</u>	The mouse pointer moves out of an element
<u>onmouseover</u>	The mouse pointer is moved over an element
<u>onmouseup</u>	The mouse button is released over an element

See Also:

The Mouse Event Object

Tutorial:


JavaScript Events

Syntax

In HTML:

<element onmouseleave="myScript">

Try it Yourself »



Try it Yourself »

Technical Details

Bubbles:	No
Cancelable:	No
Event type:	MouseEvent
HTML tags:	All HTML elements, EXCEPT: <base/> , <bdo>, , <head>, <html>, <iframe>, <meta/>, <param/>, <script>, <style>, and <title></th></tr><tr><th>DOM Version:</th><th>Level 2 Events</th></tr></tbody></table></script></iframe></html></head></bdo>



Services **▼**

Sign Up

Log in

= .

CSS

JAVASCRIPT SQL PYTHON JAVA

PHP

HOW TO

W3.CSS

Example

This example demonstrates the difference between the onmousemove, onmouseleave and onmouseout events:

```
<div onmousemove="myMoveFunction()">
 I will demonstrate onmousemove!
</div>
<div onmouseleave="myLeaveFunction()">
 I will demonstrate onmouseleave!
</div>
<div onmouseout="myOutFunction()">
 I will demonstrate onmouseout!
</div>
```

Try it Yourself »

Browser Support

onmouseleave is a DOM Level 2 (2001) feature.

It is fully supported in all browsers:

Chrome	Edge	Firefox	Safari	Opera	IE
Yes	Yes	Yes	Yes	Yes	9-11

< Previous

Events Reference

Next >



CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C



COLOR PICKER















PLUS SPACES



 \equiv

CSS JAVASCRIPT

SQL PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

FOR BUSINESS

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate













CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.