




```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 410.0  Y= -65.0  yaw=  15.0°
protex_2    X= 485.0  Y=  65.0  yaw= 100.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.




```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 410.0  Y= -75.0  yaw=  90.0°
beach_2     X= 490.0  Y=  75.0  yaw=  60.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 450.0  Y=  62.0  yaw=  90.0°
beach_1     X= 415.0  Y= -52.0  yaw=  90.0°
beach_2     X= 488.0  Y= -52.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 390.0  Y= -85.0  yaw=  25.0°
protex_2    X= 490.0  Y=   0.0  yaw= 110.0°
beach_1     X= 420.0  Y= 110.0  yaw=  65.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 416.0  Y= -49.0  yaw=  90.0°
protex_2    X= 484.0  Y= -49.0  yaw=  90.0°
protex_3    X= 450.0  Y=  53.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 410.0  Y=-105.0  yaw=  75.0°
beach_2     X= 490.0  Y=  10.0  yaw= 105.0°
beach_3     X= 410.0  Y= 130.0  yaw=  65.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 489.0  Y= -58.0  yaw=  90.0°
beach_2     X= 489.0  Y=  58.0  yaw=  90.0°
protex_1    X= 416.0  Y= -51.0  yaw=  90.0°
protex_2    X= 416.0  Y=  51.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 489.0  Y=  65.0  yaw=  90.0°
protex_1    X= 416.0  Y= -51.0  yaw=  90.0°
protex_2    X= 483.0  Y= -51.0  yaw=  90.0°
protex_3    X= 416.0  Y=  55.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 489.0  Y= -58.0  yaw=  90.0°
beach_2     X= 416.0  Y=  58.0  yaw=  90.0°
beach_3     X= 489.0  Y=  58.0  yaw=  90.0°
protex_1    X= 416.0  Y= -58.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
beach_1     X= 416.0  Y= -58.0  yaw=  90.0°
beach_2     X= 489.0  Y= -58.0  yaw=  90.0°
beach_3     X= 416.0  Y=  58.0  yaw=  90.0°
beach_4     X= 489.0  Y=  58.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.





```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 417.0  Y= -49.0  yaw=  90.0°
protex_2    X= 483.0  Y= -49.0  yaw=  90.0°
protex_3    X= 417.0  Y=  49.0  yaw=  90.0°
protex_4    X= 483.0  Y=  49.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.




```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 416.0  Y= -51.0  yaw=  90.0°
protex_2    X= 416.0  Y=  51.0  yaw=  90.0°
protex_3    X= 416.0  Y= 153.0  yaw=  90.0°
beach_1     X= 489.0  Y= -58.0  yaw=  90.0°
beach_2     X= 489.0  Y=  58.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.




```
Nominal reference centres (mm) and long-side yaw:
protex_1    X= 416.0  Y= -51.0  yaw=  90.0°
protex_2    X= 416.0  Y=  51.0  yaw=  90.0°
protex_3    X= 416.0  Y= 153.0  yaw=  90.0°
protex_4    X= 365.0  Y=-165.0  yaw=   0.0°
beach_1     X= 489.0  Y= -58.0  yaw=  90.0°
beach_2     X= 489.0  Y=  58.0  yaw=  90.0°
```

Reference only: not a robot trajectory or a required detected layout.
Boxes lie flat: Protex height 28 mm; BEACH height 25 mm.
P/B numbers label the drawing; automatic names can differ.