



National Enquiry Point for Customs

 Submit an Enquiry

Your direct connection to customs support

Relational Schema (ERD)

Table of contents

1 announcements	Page number: 2
2 category	Page number: 3
3 comment	Page number: 4
4 enquiry	Page number: 5
6 groups	Page number: 6
7 log	Page number: 7
8 reminder	Page number: 8
9 reply	Page number: 9
10 status	Page number: 10
11 supervisors_officer	Page number: 11
12 users	Page number: 12
13 users_categories	Page number: 13
14 users_groups	Page number: 14
15 Relational schema (ERD)	Page number: 15

1 announcements

This table contains announcement files and file location information.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
file_title	varchar(200)		No					
file_url	varchar(200)		No					

2 category

This table contains all categories of enquiry.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
category	varchar(255))		No					
description	varchar(255))		Yes	NULL				

3 comment

This table will contain comment for a particular enquiry.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
enquiry_id	int(11)		No					
user_id	int(11)		Yes	NULL				
status_id	smallint(6)		No					
comment	text		No					
author	varchar(255)		No					
)							
email	varchar(255)		No					
)							
phone	varchar(64)		Yes	NULL				
company	varchar(255)		Yes	NULL				
)							
is_reply	tinyint(1)		No	0				
is_escalated	tinyint(1)		No	0				
created_on	int(10)		No					
modified_on	timestamp		No	CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP			

4 enquiry

This table will contain all enquiry

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
user_id	int(11)		Yes	NULL				
category_id	int(11)		No	0				
status_id	smallint(6)		No					
enquiry	text		No					
author	varchar(255)		No					
email	varchar(255)		No					
phone	varchar(64)		Yes	NULL				
company	varchar(255)		Yes	NULL				
is_public	tinyint(1)		No	0				
is_escalated	tinyint(1)		No	0				
views	int(11)		No					
created_on	int(10)		No					
assigned_on	varchar(100)		Yes	NULL				
re_enquiry	int(100)		Yes	NULL				
modified_on	timestamp		No	CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP			

5 groups

This table contains all user groups.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	mediumint(8)	UNSIGNED	No		auto_increment			
name	varchar(20)		No					
description	varchar(100)		No					

6 log

This table contains all Log information

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
user	varchar(100)		No					
task	varchar(200)		No					
date	varchar(100)		No					

7 reply

This table contains all replies for an enquiry

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
user_id	int(11)		Yes	NULL				
enquiry_id	int(11)		No			-> enquiry.id		
reply	text		No					
email_flag	int(1)		No	0				
created_on	int(10)		No					
modified_on	timestamp		No	CURRENT_TIMESTAMP				

8 status

This table contains all enquiry status

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	smallint(6)		No		auto_increment			
status	varchar(32)		No					

9 supervisors_officer

This table contains all supervisors and officers user ID.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
supervisor_user_id	int(11)		No					
officer_user_id	int(11)		No					

10 users

This table contains all user information

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)	UNSIGNED	No		auto_increment			
ip_address	varchar(45)		No					
username	varchar(100)		Yes	NULL				
password	varchar(255)		No					
salt	varchar(255)		Yes	NULL				
email	varchar(100)		No					
activation_code	varchar(40)		Yes	NULL				
forgotten_pass	varchar(40)		Yes	NULL				
word_code								
forgotten_pass	int(11)	UNSIGNED	Yes	NULL				
word_time								
remember_code	varchar(40)		Yes	NULL				
created_on	int(11)	UNSIGNED	No					
last_login	int(11)	UNSIGNED	Yes	NULL				
active	tinyint(1)	UNSIGNED	Yes	NULL				
first_name	varchar(50)		Yes	NULL				
last_name	varchar(50)		Yes	NULL				
nickname	varchar(100)		No					
company	varchar(100)		Yes	NULL				
phone	varchar(20)		Yes	NULL				

11 users_categories

This table contains relation between user and category using user ID and category ID.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		No		auto_increment			
user_id	int(11)		No					
category_id	int(11)		No					

12 users_groups

This table contains relation between user and group using user ID and group ID.

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)	UNSIGNED	No		auto_increment			
user_id	int(11)	UNSIGNED	No					
group_id	mediumint(8)	UNSIGNED	No					

Relational Schema (ERD)

nep_db site_visits	
id	int(11)
ip	varchar(15)
page_view	varchar(255)
user_agent	varchar(255)
date	int(11)

nep_db supervisors_officer	
id	int(11)
supervisor_user_id	int(11)
officer_user_id	int(11)

nep_db category	
id	int(11)
category	varchar(255)
description	varchar(255)

nep_db users_categories	
id	int(11)
user_id	int(11)
category_id	int(11)

nep_db ci_sessions	
id	varchar(40)
ip_address	varchar(45)
timestamp	int(10) unsigned
data	blob

nep_db announcements	
id	int(11)
file_title	varchar(200)
file_url	varchar(200)

nep_db status	
id	smallint(6)
status	varchar(32)

nep_db groups	
id	mediumint(8) unsigned
name	varchar(20)
description	varchar(100)

nep_db log	
id	int(11)
user	varchar(100)
task	varchar(200)
date	varchar(100)

nep_db login_attempts	
id	int(11) unsigned
ip_address	varchar(15)
login	varchar(100)
time	int(11) unsigned

nep_db comment	
id	int(11)
enquiry_id	int(11)
user_id	int(11)
status_id	smallint(6)
comment	text
author	varchar(255)
email	varchar(255)
phone	varchar(64)
company	varchar(255)
is_reply	tinyint(1)
is_escalated	tinyint(1)
created_on	int(10)
modified_on	timestamp

nep_db users	
id	int(11) unsigned
ip_address	varchar(45)
username	varchar(100)
password	varchar(255)
salt	varchar(255)
email	varchar(100)
activation_code	varchar(40)
forgotten_password_code	varchar(40)
forgotten_password_time	int(11) unsigned
remember_code	varchar(40)
created_on	int(11) unsigned
last_login	int(11) unsigned
active	tinyint(1) unsigned
first_name	varchar(50)
last_name	varchar(50)
nickname	varchar(100)
company	varchar(100)
phone	varchar(20)

nep_db reminder	
id	int(11)
enquiry_id	int(11)
officer_user_id	int(11)
status	tinyint(2)

nep_db users_groups	
id	int(11) unsigned
user_id	int(11) unsigned
group_id	mediumint(8) unsigned

nep_db enquiry	
id	int(11)
user_id	int(11)
category_id	int(11)
status_id	smallint(6)
enquiry	text
author	varchar(255)
email	varchar(255)
phone	varchar(64)
company	varchar(255)
is_public	tinyint(1)
is_escalated	tinyint(1)
views	int(11)
created_on	int(10)
assigned_on	varchar(100)
re_enquiry	int(100)
modified_on	timestamp

nep_db reply	
id	int(11)
user_id	int(11)
enquiry_id	int(11)
reply	text
email_flag	int(1)
created_on	int(10)
modified_on	timestamp