

1 Patients

Patient:

```
36.2
|
|--- not treat: 30
|   |
|   |--- die (0.8): 20
|   |
|   |--- live (0.2): 70
|
|--- Drug: 34.4
|   |
|   |--- die (0.2): 20
|   |
|   |--- survive drug (0.8) : 38
|       |
|       |--- Type I (0.4) : 50
|           |
|           |--- no effect (0.5) : 30
|               |
|               |--- die (0.8): 20
|               |
|               |--- live (0.2): 70
|           |
|           |--- cure (0.5): 70
|       |
|       |--- Type II (0.6) : 30
|           |
|           |--- die (0.8): 20
|           |
|           |--- live (0.2): 70
|
|--- Operate: 36.2
|   |
|   |--- die (0.5): 20
|   |
|   |--- survive operation (0.5) : 52.4
|       |
|       |--- Type I (0.4) : 62
|           |
|           |--- no effect (0.2) : 30
|               |
|               |--- die (0.8): 20
|               |
|               |--- live (0.2): 70
|           |
|           |--- cure (0.8): 70
|       |
|       |--- Type II (0.6) : 46
|           |
|           |--- no effect (0.6) : 30
|               |
|               |--- die (0.8): 20
|               |
|               |--- live (0.2): 70
|           |
|           |--- cure (0.4): 70
```

2 Prune Juice

Prune Juice:

```
6.6M
|
|--- Market Prunejuice (-1.0): 2M - 0 = 2M
|
|--- Market Pruneplus: 6.2M
|
|           |
|           |--- Successful R&D of Pruneplus (0.9): 10M - 3M = 7M
|           |
|           |--- Failed R&D of Pruneplus (0.1): 2M - 3M = -1M
|           |
|           |
|--- Market Superprune: 6.6M
|
|           |
|           |--- Successful R&D of Superprune (0.6): 18M - 5M = 13M
|           |
|           |--- Failed R&D of Superprune (0.4): 2M - 5M = -3M
|           |
|           |
|--- Market Pruneplus & Superprune: 6.48M
|
|           |
|           |--- Successful R&D of Pruneplus & Superprune (0.54): 18M - 8M = 10M
|           |
|           |--- Successful R&D of Pruneplus but not Superprune (0.36): 10M - 8M = 2
|           |
|           |--- Successful R&D of Superprune & Pruneplus (0.06): 18M - 8M = 10M
|           |
|           |--- Failed R&D of Pruneplus & Superprune (0.04): 10M - 8M = 2
```

3 Machines

Machine:

```
812.0
|--- fix (0.2) : 780
|   |--- faulty (0.2): 700
|   |--- not faulty (0.8): 800
|
|--- not fix (0.2) : 800
|   |--- faulty (0.2): 0
|   |--- not faulty (0.8): 1000
|
|--- one scanner: 812.0
|   |--- 0 / 1 alarms (0.5) : 910.0
|   |   |--- fix: 746.0
|   |   |   |--- faulty (0.04): 650.0
|   |   |   |--- not faulty (0.96): 750.0
|   |   |--- not fix: 910.0
|   |   |   |--- faulty (0.04): -50.0
|   |   |   |--- not faulty (0.96): 950.0
|   |--- 1 / 1 alarms (0.5) : 714.0
|   |   |--- fix: 714.0
|   |   |   |--- faulty (0.36): 650.0
|   |   |   |--- not faulty (0.64): 750.0
|   |   |--- not fix: 590.0
|   |   |   |--- faulty (0.36): -50.0
|   |   |   |--- not faulty (0.64): 950.0
|
|--- two scanner: 787.8
|   |--- 0 / 2 alarms (0.29) : 893.1
|   |   |--- fix: 699.31
|   |   |   |--- faulty (0.01): 600.0
|   |   |   |--- not faulty (0.99): 700.0
|   |   |--- not fix: 893.1
|   |   |   |--- faulty (0.01): -100.0
|   |   |   |--- not faulty (0.99): 900.0
|   |--- 1 / 2 alarms (0.42) : 814.29
|   |   |--- fix: 691.43
|   |   |   |--- faulty (0.09): 600.0
|   |   |   |--- not faulty (0.91): 700.0
|   |   |--- not fix: 814.29
|   |   |   |--- faulty (0.09): -100.0
|   |   |   |--- not faulty (0.91): 900.0
|   |--- 2 / 2 alarms (0.29) : 644.14
|   |   |--- fix: 644.14
|   |   |   |--- faulty (0.56): 600.0
|   |   |   |--- not faulty (0.44): 700.0
|   |   |--- not fix: 341.38
|   |   |   |--- faulty (0.56): -100.0
|   |   |   |--- not faulty (0.44): 900.0
```