

Model epit, Experiment *real_data - run1 - 1031 - 2301*

November 3, 2025

1 Model Description and Training

The epit is used with a channel dimension of 64. The model has an overall number of 1472960 of learnable parameters. The model was trained for 80 epochs with a batch size of 32. The adam optimizer was used with an initial learning rate of 0.0002. The learning rate is decreased every 15 epochs by a factor of 0.5.




Figure 1: Train Loss

2 Qualitative Results

3 Quantitative Results

3.1 PSNR

	Lab day	Lab night	Indoors day	Indoors night	Showroom	Outdoors
MAX	39.433	45.180	41.770	51.424	37.016	32.277
LAST	39.385	45.162	41.694	51.417	36.964	32.226

3.2 SSIM

	Lab day	Lab night	Indoors day	Indoors night	Showroom	Outdoors
MAX	0.956	0.967	0.954	0.988	0.956	0.918
LAST	0.955	0.967	0.953	0.988	0.956	0.917

3.3 SAM

	Lab day	Lab night	Indoors day	Indoors night	Showroom	Outdoors
MIN	0.043	0.046	0.026	0.065	0.049	0.068
LAST	0.044	0.046	0.027	0.065	0.049	0.069

3.4 SRE

	Lab day	Lab night	Indoors day	Indoors night	Showroom	Outdoors
MIN	5.630	4.147	4.507	2.003	7.130	10.039
LAST	5.656	4.159	4.575	2.005	7.174	10.093



Figure 2: Qualitative Results, from left to right, Bicubically upsampled, Super Resolved, Original Data




Figure 3: PSNR




Figure 4: SSIM




Figure 5: SAM




Figure 6: SRE