Index:

```
<html lang="pt-BR">
 <meta charset="UTF-8" />
 <title>Painel do Administrador</title>
href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;700&d
 <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all
 <link rel="stylesheet" href="style.css" />
      <h1>Painel do Administrador</h1>
    <section class="perfil-section">
      <h2>Informações da conta</h2>
          <div class="foto" id="foto-preview"></div>
          <button class="btn-alterar-foto"</pre>
id="btnAlterarFoto"><strong>Alterar foto</strong> </button>
          <input type="file" id="inputFoto" accept="image/*"</pre>
style="display: none;" />
        <div class="campos">
          <input type="text" placeholder="Administrador" />
          <label>Nome da Loja</label>
          <input type="text" placeholder="Minha Loja Exemplo" />
```

```
<label>CNPJ</label>
          <input type="text" placeholder="00.000.000/0000-00" />
          <label>E-mail</label>
          <input type="email" placeholder="admin@example.com" />
          <label>Telefone</label>
          <input type="text" placeholder="(00) 00000-0000" />
          <label>CEP</label>
          <input type="text" placeholder="00000-000" />
          <label>Endereço</label>
          <input type="text" placeholder="Rua, número, bairro..." />
    <section class="senha-section">
      <h2>Alterar senha</h2>
      <label>Senha atual</label>
       <input type="password" id="senhaAtual" placeholder="Digite sua</pre>
senha atual" />
        <button type="button" class="toggle-senha"</pre>
data-alvo="senhaAtual">
fill="none" viewBox="0 0 24 24" stroke="currentColor">
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
              d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
              d="M2.458 12C3.732 7.943 7.523 5 12 5c4.477 0 8.268 2.943
9.542 7-1.274 4.057-5.065 7-9.542 7-4.477 0-8.268-2.943-9.542-7z" />
      <label>Senha nova
      <div class="input-senha">
        <input type="password" id="senhaNova" placeholder="Digite sua</pre>
```

```
<button type="button" class="toggle-senha"</pre>
data-alvo="senhaNova">
          <svq class="icone-olho" xmlns="http://www.w3.org/2000/svq"</pre>
fill="none" viewBox="0 0 24 24" stroke="currentColor">
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
              d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
9.542 7-1.274 4.057-5.065 7-9.542 7-4.477 0-8.268-2.943-9.542-7z" />
      <small id="senhaForcaTexto" class="senha-texto"></small>
      <label>Confirmar nova senha
      <div class="input-senha">
        <input type="password" id="confirmaSenha" placeholder="Confirme</pre>
sua nova senha" />
        <button type="button" class="toggle-senha"</pre>
data-alvo="confirmaSenha">
fill="none" viewBox="0 0 24 24" stroke="currentColor">
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
              d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
            <path stroke-linecap="round" stroke-linejoin="round"</pre>
stroke-width="2"
9.542 7-1.274 4.057-5.065 7-9.542 7-4.477 0-8.268-2.943-9.542-7z" />
    <section class="produtos-section">
      <button class="btn-cadastrar" id="abrirModalProduto">+ Cadastrar
Novo Produto</button>
```

```
Imagem
           Preco
           Estoque
           Ações
   <div class="modal" id="modalProduto">
     <div class="modal-content">
       <span class="fechar" id="fecharModalProduto">&times;</span>
       <h3 id="tituloModalProduto">Cadastrar Novo Produto</h3>
       <form id="formProduto">
         <input type="hidden" id="produtoId">
         <label for="nomeProduto">Nome do Produto</label>
         <input type="text" id="nomeProduto" required>
         <label for="descriçaoProduto">Descrição</label>
         <textarea id="descricaoProduto" rows="3" required></textarea>
         <label for="precoProduto">Preço</label>
         <input type="number" id="precoProduto" step="0.01" min="0"</pre>
required>
         <label for="estoqueProduto">Estoque</label>
         <input type="number" id="estoqueProduto" min="0" required>
         <label for="imagemProduto">Imagem</label>
         <input type="file" id="imagemProduto" accept="image/*">
         <button type="submit" class="btn-primario">Salvar
Produto</button>
```

```
</form>
<h2>Gerenciamento de Pedidos</h2>
   ID do Pedido
   Data
   Cliente
   Valor Total
   Status
```

CSS:

```
Reset básico */
 margin: 0;
 padding: 0;
body {
  font-family: 'Inter', sans-serif;
 background-color: #021724;
 padding: 20px;
.container {
 margin: 0 auto;
 background-color: #fffafc;
 padding: 30px;
 border-radius: 10px;
 box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
header {
 background-color: #E5993B;
 padding: 15px;
 border-radius: 8px 8px 0 0;
 text-align: center;
 margin-bottom: 25px;
```

```
h1 {
 font-size: 24px;
  font-weight: 700;
section {
 margin-bottom: 30px;
 padding-bottom: 20px;
section h2 {
 border-bottom: 2px solid #E5993B;
 margin-bottom: 10px;
 padding-bottom: 5px;
 font-weight: 600;
.perfil-info {
 display: flex;
 gap: 20px;
  flex-wrap: wrap;
.foto-perfil {
 text-align: center;
.foto {
 width: 100px;
 height: 100px;
 background-color: #ccc;
 border-radius: 50%;
 margin-bottom: 8px;
 background-size: cover;
 background-position: center;
.btn-alterar-foto {
 background-color: #E5993B;
  border: none;
```

```
padding: 6px 12px;
  font-size: 14px;
 border-radius: 5px;
.campos {
 flex: 1;
 min-width: 250px;
label {
 display: block;
 margin-top: 10px;
 font-weight: 600;
input {
 width: 100%;
 padding: 10px 12px;
 margin-top: 0px;
 border: 1px solid rgb(161, 161, 161);
 border-radius: 6px;
input:disabled {
 background-color: #eee;
.botoes {
 display: flex;
 gap: 10px;
 justify-content: flex-end;
 margin-top: 20px;
.btn-primario {
 background-color: #E5993B;
 padding: 10px 16px;
 border: none;
 border-radius: 5px;
```

```
font-weight: 600;
.btn-secundario {
 background-color: #E5993B;
 border: 2px solid #E5993B;
 padding: 10px 16px;
 border-radius: 5px;
 font-weight: 600;
.input-senha {
 position: relative;
 display: flex;
 align-items: center;
.input-senha input {
 width: 100%;
 padding-right: 40px;
.toggle-senha {
 position: absolute;
 right: 8px;
 background: none;
 padding: 5px;
.icone-olho {
 height: 20px;
 stroke: #555;
.senha-fraca {
 border: 2px solid red !important;
```

```
border: 2px solid orange !important;
.senha-forte {
 border: 2px solid green !important;
 display: block;
 margin-top: 4px;
 font-size: 13px;
 font-weight: 600;
.senha-texto.fraca {
.senha-texto.media {
 margin-top: 40px;
.usuarios-section table {
 border-collapse: collapse;
 margin-top: 15px;
```

```
padding: 10px;
 text-align: left;
.usuarios-section th {
 background-color: #E5993B;
.usuarios-section tr:nth-child(even) {
 background-color: #f9f9f9;
.acoes {
 display: flex;
 align-items: center; /* Centraliza verticalmente os ícones */
 gap: 10px;
.acoes button {
 background: none;
 border: none;
.acoes svg {
 width: 20px;
 height: 20px;
 stroke: #021724;
table {
 width: 100%;
 border-collapse: collapse;
 margin-top: 10px;
 background-color: #fff;
 border-radius: 6px;
  overflow: hidden;
```

```
box-shadow: 0 1px 4px rgba(0,0,0,0.1);
table th, table td {
 padding: 10px 12px;
 text-align: left;
 border-bottom: 1px solid #ddd;
table th {
 background-color: #E5993B;
 font-weight: 600;
 font-size: 14px;
table tr:nth-child(even) {
 background-color: #f9f9f9;
table tr:hover {
 background-color: #f1f1f1;
/* Botão de editar (laranja no hover) */
.acao-btn.edit:hover svg {
 stroke: #E5993B;
/* Botão de deletar (vermelho no hover) */
.acao-btn.delete:hover svg {
 stroke: red;
.botoes-produtos {
 margin-bottom: 15px;
 text-align: right;
.botoes-produtos .btn-primario {
 background-color: #E5993B;
```

```
padding: 8px 14px;
 border: none;
 border-radius: 5px;
 font-weight: 600;
.botoes-produtos .btn-primario:hover {
 background-color: #cf832a;
 background-color: #E5993B;
 color: #021724;
 border-radius: 5px;
 font-weight: 600;
 margin-bottom: 15px;
 transition: 0.3s;
.btn-cadastrar:hover {
 background-color: #cf822f;
 display: none; /* escondido por padrão */
 position: fixed;
 left: 0; top: 0;
 width: 100%; height: 100%;
 background: rgba(0,0,0,0.6);
 justify-content: center;
 align-items: center;
.modal-content {
 background: #fffafc;
```

```
padding: 25px;
 border-radius: 10px;
 width: 400px;
 box-shadow: 0 2px 10px rgba(0,0,0,0.3);
 position: relative;
 margin-bottom: 15px;
 display: block;
 margin-top: 10px;
 font-weight: 600;
.modal-content input,
.modal-content textarea {
 width: 100%;
 padding: 8px;
 margin-top: 4px;
 border: 1px solid #ccc;
 border-radius: 4px;
.modal-content input[type=number]::-webkit-outer-spin-button,
.modal-content input[type=number]::-webkit-inner-spin-button {
 -webkit-appearance: none;
 margin: 0;
.modal-content input[type=number] {
 -moz-appearance: textfield; /* Firefox */
.modal-content input[type=number]::-webkit-inner-spin-button,
.modal-content input[type=number]::-webkit-outer-spin-button {
 -webkit-appearance: none; /* Chrome, Safari, Edge */
 margin: 0;
```

```
.modal-content button {
 margin-top: 15px;
 width: 100%;
.produtos-section table img {
 height: 50px;
 object-fit: cover;
 border-radius: 6px;
 position: absolute;
 top: 10px; right: 15px;
 font-size: 22px;
.fechar:hover {
td.acoes {
 display: flex;
 align-items: center;
 gap: 10px; /* espaçamento entre os ícones */
 height: 100%; /* garante que siga a altura da linha */
td.acoes button {
 display: flex;
 align-items: center;
 background: transparent;
 border: none;
 padding: 6px;
```

```
td.acoes svg,
td.acoes i {
    display: block;
    width: 20px;
    height: 20px;
    stroke: #021724;
    font-size: 18px;
    line-height: 1; /* remove desalinhamento vertical */
}

/* Hover: edição laranja, exclusão vermelha */
td.acoes .edit:hover svg,
td.acoes .edit:hover i {
    stroke: #E5993B;
    color: #E5993B;
}

td.acoes .delete:hover svg,
td.acoes .delete:hover i {
    stroke: red;
    color: red;
}
```

JS:

```
// Trocar foto de perfil
const btnAlterarFoto = document.getElementById("btnAlterarFoto");
const inputFoto = document.getElementById("inputFoto");
const fotoPreview = document.getElementById("foto-preview");

btnAlterarFoto.addEventListener("click", () => {
   inputFoto.click();
});

inputFoto.addEventListener("change", () => {
   const file = inputFoto.files[0];
   if (file) {
     const reader = new FileReader();
     reader.onload = (e) => {
        fotoPreview.style.backgroundImage = `url(${e.target.result})`;
```

```
fotoPreview.style.backgroundSize = "cover";
      fotoPreview.style.backgroundPosition = "center";
    reader.readAsDataURL(file);
 viewBox="0 0 24 24" stroke="currentColor">
   d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
   d="M2.458 12C3.732 7.943 7.523 5 12 5c4.477 0 8.268
   2.943 9.542 7-1.274 4.057-5.065 7-9.542
   7-4.477 0-8.268-2.943-9.542-7z" />
const svgOlhoFechado = `
   0-8.268-2.943-9.542-7a10.05 10.05 0
   012.153-3.592M6.634 6.634A9.956 9.956 0
   0112 5c4.477 0 8.268 2.943 9.542
   7-.458 1.459-1.241 2.763-2.247
   3.802M15 12a3 3 0 01-3 3m0-6a3 3
document.querySelectorAll(".toggle-senha").forEach(botao => {
 botao.addEventListener("click", () => {
   const campoId = botao.getAttribute("data-alvo");
   const campo = document.getElementById(campoId);
   if (campo.type === "password") {
```

```
campo.type = "text";
     botao.innerHTML = svgOlhoFechado;
     campo.type = "password";
     botao.innerHTML = svgOlhoAberto;
 });
function verificarForcaSenha(senha) {
 let forca = 0;
 if (senha.length >= 6) forca++;
 if (/[A-Z]/.test(senha)) forca++;
 if (/[a-z]/.test(senha)) forca++;
 return forca;
// Aplica cor e texto ao campo
const senhaNovaInput = document.getElementById("senhaNova");
const senhaTexto = document.getElementById("senhaForcaTexto");
senhaNovaInput.addEventListener("input", () => {
 const forca = verificarForcaSenha(valor);
 senhaNovaInput.classList.remove("senha-fraca", "senha-media",
 senhaTexto.textContent = "";
 if (valor.length === 0) return;
 if (forca <= 2) {
   senhaNovaInput.classList.add("senha-fraca");
   senhaTexto.textContent = "Senha fraca";
    senhaTexto.classList.add("fraca");
    senhaNovaInput.classList.add("senha-media");
   senhaTexto.textContent = "Senha média";
    senhaTexto.classList.add("media");
```

```
senhaTexto.textContent = "Senha forte";
    senhaTexto.classList.add("forte");
const confirmaSenhaInput = document.getElementById("confirmaSenha");
const senhaConfirmaTexto =
document.getElementById("senhaConfirmaTexto");
function validarConfirmacaoSenha() {
  senhaConfirmaTexto.textContent = "";
  senhaConfirmaTexto.classList.remove("fraca", "forte");
  confirmaSenhaInput.classList.remove("senha-fraca", "senha-forte");
   confirmaSenhaInput.style.border = "1px solid #ccc";
  if (confirmaSenhaInput.value === senhaNovaInput.value) {
    confirmaSenhaInput.classList.add("senha-forte");
    senhaConfirmaTexto.classList.add("forte");
    confirmaSenhaInput.classList.add("senha-fraca");
    senhaConfirmaTexto.classList.add("fraca");
confirmaSenhaInput.addEventListener("input", validarConfirmacaoSenha);
senhaNovaInput.addEventListener("input", validarConfirmacaoSenha);
let editandoLinha = null;
const abrirModalBtn = document.getElementById("abrirModalProduto");
const modal = document.getElementById("modalProduto");
const fecharModalBtn = document.getElementById("fecharModalProduto");
```

```
const tabelaProdutos = document.getElementById("produtos-tabela");
abrirModalBtn.addEventListener("click", () => {
 editandoLinha = null;
 document.getElementById("formProduto").reset();
 modal.style.display = "flex";
});
fecharModalBtn.addEventListener("click", () => {
 modal.style.display = "none";
});
window.addEventListener("click", (e) => {
   modal.style.display = "none";
});
document.getElementById("formProduto").addEventListener("submit",
function(e) {
 e.preventDefault();
 const nome = document.getElementById("nomeProduto").value;
 const descricao = document.getElementById("descricaoProduto").value;
parseFloat(document.getElementById("precoProduto").value);
parseInt(document.getElementById("estoqueProduto").value);
document.getElementById("imagemProduto").files[0];
 if (isNaN(preco) || isNaN(estoque)) {
   alert ("Por favor, insira valores válidos para preço e estoque.");
 const atualizarTabela = (imagemBase64) => {
   if (editandoLinha) {
      editandoLinha.querySelector("td:nth-child(1) img").src =
        imagemBase64 || editandoLinha.querySelector("td:nth-child(1)
```

```
editandoLinha.querySelector("td:nth-child(2)").textContent =
nome;
      editandoLinha.querySelector("td:nth-child(3)").textContent = `R$
${preco.toFixed(2)}`;
      editandoLinha.querySelector("td:nth-child(4)").textContent =
estoque;
      const novaLinha = document.createElement("tr");
     novaLinha.innerHTML = '
       <img src="${imagemBase64}" alt="${nome}">
       R$ ${preco.toFixed(2)}
         <button class="editar"><i class="fas fa-edit"></i></button>
      tabelaProdutos.appendChild(novaLinha);
     adicionarEventosAcoes(novaLinha);
   modal.style.display = "none";
   e.target.reset();
   reader.onload = function(event) {
     atualizarTabela(event.target.result);
    reader.readAsDataURL(imagemInput);
   atualizarTabela(null);
});
function adicionarEventosAcoes(linha) {
 const btnEditar = linha.querySelector(".editar");
 const btnExcluir = linha.querySelector(".excluir");
```

```
btnEditar.addEventListener("click", () => {
   editandoLinha = linha;
   document.getElementById("nomeProduto").value =
linha.querySelector("td:nth-child(2)").textContent;
   document.getElementById("precoProduto").value =
linha.querySelector("td:nth-child(3)").textContent.replace("R$ ",
"").replace(",", ".");
   document.getElementById("estoqueProduto").value =
linha.querySelector("td:nth-child(4)").textContent;
   document.getElementById("descricaoProduto").value = "Descrição
simulada (pode vir do backend)";
   modal.style.display = "flex";
 });
 btnExcluir.addEventListener("click", () => {
     linha.remove();
 });
document.querySelectorAll("#produtos-tabela
tr").forEach(adicionarEventosAcoes);
function renderizarPedidos(listaPedidos = []) {
 tabelaPedidos.innerHTML = "";
 listaPedidos.forEach((pedido) => {
   const row = document.createElement("tr");
   row.innerHTML =
     ${pedido.id}
     ${pedido.data}
     ${pedido.cliente}
     ${pedido.total}
     ${pedido.status}
onclick="editarPedido(${pedido.id})">
```

```
tabelaPedidos.appendChild(row);
});
}
```