


Crear cuenta e inciiar sesión:



Crear repositorio:



prueba-1

Public

En el git bash:

```
USER@PC MINGW64 ~ (master)
$ cd desktop

USER@PC MINGW64 ~/desktop (main)
$ cd git

USER@PC MINGW64 ~/desktop/git (main)
$ cd ..

USER@PC MINGW64 ~/desktop (main)
$ git init
Reinitialized existing Git repository in C:/Users/USER/Desktop/.git/

USER@PC MINGW64 ~/desktop (main)
$ git add git

USER@PC MINGW64 ~/desktop (main)
$ git commit -m "mi primer commit"
[main 3be4091] mi primer commit
24 files changed, 739 insertions(+), 11 deletions(-)
create mode 100644 git/css/home.css
create mode 100644 git/css/producto.css
create mode 100644 git/css/sxsa.css
create mode 100644 git/flexvsgrid.html
create mode 100644 git/home.html
create mode 100644 git/imgs/fondo-pantalla-login-register.jpg
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 193844.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 193924.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 194022.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 194311.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 194638.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 202727.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 202736.png
create mode 100644 git/imgs/galletas/Captura de pantalla 2024-09-15 202816.png
create mode 100644 git/imgs/image.png
create mode 100644 git/imgs/logo pan.webp
create mode 100644 git/imgs/logo.jpg
create mode 100644 git/imgs/logocompra.png
create mode 100644 git/imgs/logomensajero.png
create mode 100644 git/imgs/pan 2.jpg
create mode 100644 git/imgs/pan 3.jpg
create mode 100644 git/imgs/panadero.png
delete mode 100644 git/index.html
create mode 100644 git/producto.html

USER@PC MINGW64 ~/desktop (main)
$ git branch -M main

USER@PC MINGW64 ~/desktop (main)
$ git remote add origin https://github.com/luis1000120756/prueba-1.git
error: remote origin already exists.
```

```
USER@PC MINGW64 ~/desktop (main)
$ git push origin main
Enumerating objects: 41, done.
Counting objects: 100% (41/41), done.
Delta compression using up to 12 threads
Compressing objects: 100% (33/33), done.
Writing objects: 100% (41/41), 1.69 MiB | 934.00 KiB/s, done.
Total 41 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), done.
To https://github.com/luis1000120756/prueba-1.git
 * [new branch]      main -> main
```

Archivos en la carpeta git subidos al repositorio:

The screenshot shows the GitHub interface for a repository named 'prueba-1' by user 'luis1000120756'. The repository is public and has 1 branch (main) and 0 tags. The main branch is selected, showing a commit history with 4 commits. The commit history table lists the following details:

Commit Hash	Author	Message	Time	Commits
3be4091	luis1000120756	mi primer commit	27 minutes ago	4
git	git	mi primer commit	27 minutes ago	

The repository has a README file, which is currently empty. A large green button labeled 'Add a README' is visible. The right sidebar shows the repository's activity, including 0 stars, 1 watching, and 0 forks. The 'Releases' section indicates no releases have been published, and the 'Packages' section indicates no packages have been published. The 'Languages' section shows a bar chart for HTML (40%) and CSS (60%).