
w3schools.com

THE WORLD'S LARGEST WEB DEVELOPER SITE



JavaScript Popup Boxes



JavaScript has three kind of popup boxes: Alert box, Confirm box, and Prompt box.

Alert Box

An alert box is often used if you want to make sure information comes through to the user.

When an alert box pops up, the user will have to click "OK" to proceed.

Syntax

```
window.alert("sometext");
```

The window.alert() method can be written without the window prefix.

```
Example
    alert("I am an alert box!");
    Try it Yourself »
```

Confirm Box

A confirm box is often used if you want the user to verify or accept something.

When a confirm box pops up, the user will have to click either "OK" or "Cancel" to proceed.

If the user clicks "OK", the box returns **true**. If the user clicks "Cancel", the box returns **false**.

Syntax

```
window.confirm("sometext");
```

1 de 5 27/04/18 17:48

```
Example

if (confirm("Press a button!")) {
   txt = "You pressed OK!";
  } else {
   txt = "You pressed Cancel!";
  }

Try it Yourself »
```



Prompt Box

A prompt box is often used if you want the user to input a value before entering a page.

When a prompt box pops up, the user will have to click either "OK" or "Cancel" to proceed after entering an input value.

If the user clicks "OK" the box returns the input value. If the user clicks "Cancel" the box returns null.

Syntax

```
window.prompt("sometext","defaultText");
```

The window.prompt() method can be written without the window prefix.

```
Example


var person = prompt("Please enter your name", "Harry Potter");

if (person == null || person == "") {
    txt = "User cancelled the prompt.";
} else {
    txt = "Hello " + person + "! How are you today?";
}
Try it Yourself »
```

Line Breaks

To display line breaks inside a popup box, use a back-slash followed by the character n.

2 de 5 27/04/18 17:48





COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Convert Weights
Animated Buttons
Side Navigation

3 de 5 27/04/18 17:48