
w3schools.com

HTML Text Formatting



HTML Formatting Elements

In the previous chapter, you learned about the HTML **style attribute**.

HTML also defines special **elements** for defining text with a special **meaning**.

HTML uses elements like **(b)** and **(i)** for formatting output, like **bold** or *italic* text.

Formatting elements were designed to display special types of text:

- Bold text
- Important text
- <i> Italic text
- Emphasized text
- <mark> Marked text
- <small> Small text
- Deleted text
- <ins> Inserted text
- <sub> Subscript text
- <sup> Superscript text

HTML and Elements

The HTML **(b)** element defines **bold** text, without any extra importance.

```
Example

<br/>
<b>This text is bold</b>

Try it Yourself »
```

The HTML element defines strong text, with added semantic "strong" importance.

```
Example

<strong>This text is strong</strong>

Try it Yourself »
```

HTML <i> and Elements

The HTML <i> element defines italic text, without any extra importance.

```
Example

<i>>Try it Yourself >>
```

The HTML element defines emphasized text, with added semantic importance.

Example	
This text is emphasized	
Try it Yourself »	

Note: Browsers display as , and as <i>. However, there is a difference in the meaning of these tags: and <i> defines bold and italic text, but and means that the text is "important".

HTML <small> Element

The HTML <small> element defines smaller text:

```
Example

<h2>HTML <small>Small</small> Formatting</h2>

Try it Yourself »
```

HTML <mark> Element

The HTML <mark> element defines marked or highlighted text:

```
Example

<h2>HTML <mark>Marked</mark> Formatting</h2>

Try it Yourself »
```

HTML Element

The HTML element defines deleted (removed) text.

```
Example
  My favorite color is <del>blue</del> red.
Try it Yourself >>
```

HTML <ins> Element

The HTML $\langle ins \rangle$ element defines $\underline{inserted}$ (added) text.

```
Example
  My favorite <ins>color</ins> is red.
Try it Yourself >>
```

HTML <sub> Element

The HTML $\langle sub \rangle$ element defines subscripted text.

```
Example

This is <sub>subscripted</sub> text.
Try it Yourself »
```

HTML <sup> Element

The HTML <sup> element defines superscripted text.

```
Example

This is <sup>superscripted</sup> text.

Try it Yourself »
```

Test Yourself with Exercises!

```
Exercise 1 » Exercise 2 » Exercise 3 » Exercise 4 » Exercise 5 »
```

HTML Text Formatting Elements

Tag	Description
<u></u>	Defines bold text
<u></u>	Defines emphasized text
<u><i>></i></u>	Defines italic text
<small></small>	Defines smaller text
	Defines important text
	Defines subscripted text
	Defines superscripted text
<ins></ins>	Defines inserted text
	Defines deleted text



COLOR PICKER



HOW TO

Tabs Dropdowns Accordions Convert Weights **Animated Buttons** Side Navigation Top Navigation Modal Boxes **Progress Bars** Parallax Login Form HTML Includes Google Maps Range Sliders Tooltips Slideshow Filter List Sort List

SHARE









CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

Read More »