

1 2 3 4 5 6

A

A

B


B

C

C

D

D



Sheet: /LS/
File: LS4.kicad_sch

Title:

Size: A4 | Date:

KiCad E.D.A. 8.0.9

Rev:
Id: 3/6

1 2 3 4 5 6

A

A

B

B


C

C

D

D

Remove R20–R22, R26–R28, and install Q7–Q12 for use with dumb coils




Sheet: /Ignition/
File: IGN6.kicad_sch

Title:

Size: A4 | Date:
KiCad E.D.A. 8.0.9

Rev:
Id: 5/6




Sheet: /Injector/
File: INJ6.kicad_sch

Title:

Size: A4 | Date:
KiCad E.D.A. 8.0.9

Rev:
Id: 6/6



Sheet: /LS HOT/
File: LS_HOT.kicad_sch

Title:

Size: A4 Date:
KiCad E.D.A. 8.0.9

Rev:
Id: 8/6

1 2 3 4 5 6

A

A

B


B

C

C

D

D



NUP2105L is optional, used for protection

Sheet: /EGT/
File: egt.kicad_sch


Title:

Size: A4 | Date:
KiCad E.D.A. 8.0.9


Rev:
Id: 9/6

1 2 3 4 5 6

A




B



C

D


A



B

C

D





Sheet: /
File: hellen1-vr-discrete.kicad_sch

Title:

Size: A4 | Date:
KiCad E.D.A. kicad 7.0.9

Rev:
Id: 1/1





A

A

B


B

C

C

D

D



A

A

B


B

C

C

D

D



A

A

B


B

C

C

D

D



A

A

B


B


C

C

D

D









A

A

B

B

See pullups replacement file for actual values



A

A

B


B

C

C

D


D



A

A

See pullups replacement file for actual values



A

A

B


B


C

C

D

D





A

A

B

B


C

C


D

D

More accurate threshold for "raw" connection of VR sensors




A



Title		
Size	Number	Revision
A4		
Date: 5.03.2025	Sheet of	
File: C:\Work...\power.SchDoc		Drawn By:


A

A



B

B





C

C

A

A



B

B

