

```
import math
def Luisa_al_cuadrado(x):
    y=x**2
    return y
```

```
Luisa_al_cuadrado(1)
```

```
1
```

```
def Luisa2(x):
    y=math.pi*x+1
    return y
Luisa2(2)
```

```
7.283185307179586
```

```
def Luisa3(x):
    y=(x+3)/(x**2+1)
    return y
Luisa3(5)
```

```
0.3076923076923077
```

```
math.log10(1)
```

```
0.0
```

```
def Luisa4(x):
    y=math.log((x+3*x**2)/(2+5*math.pi))
    return y
Luisa4(2)
```

```
-0.23495711093290958
```

```
math.exp(1)
```

```
2.718281828459045
```

```
def Luisa5(x):
    num=5*x+4
    den=math.pi
    y=math.exp(num/den)
    return y
Luisa5(2)
```

```
86.17140607505623
```

```
x1 = [1,2,3,40,5,-30]
print (x1)
print(x1[0])
print(x1[1])
```

```
[1, 2, 3, 40, 5, -30]
```

```
1
```

```
2
```

```
for x in x1:
    # Bloque de código a repetir
    print(x)
```

```
1
```

```
2
```

```
3
40
5
```

```
for x in x1:
    print(Luisa4(x))
```

```
-1.4877200794282774
-0.23495711093290958
0.5271829411139872
5.61065555916251
1.5080121941257134
5.015819310846127
```

```
for x in range(5):
    print(x)
```

```
0
1
2
3
4
```

```
for x in range(5):
    print(Luisa3(x))
```

```
3.0
2.0
1.0
0.6
0.4117647058823529
```

```
for x in range(-5,5):
    print(Luisa2(x))
```

```
-14.707963267948966
-11.566370614359172
-8.42477796076938
-5.283185307179586
-2.141592653589793
1.0
4.141592653589793
7.283185307179586
10.42477796076938
13.566370614359172
```

```
abs(-1)
```

```
1
```

```
def Luisa_valor_absoluto(x):
    if x>0:
        y=x
    elif x<0:
        y=-x
    else:
        y= 0
    return y
```

```
Luisa_valor_absoluto(-1)
```

```
1
```

```
for x in range(-5,5):
    print(Luisa_valor_absoluto(x))
```

```
5
4
3
2
1
0
1
2
3
4
```

```
# El mayor numero entre 3
def numero_mayor(a,b,c):
    if a>b and a>c:
        y=a
    elif b>c and b>a:
        y=b
    else:
        y=c
    return y

numero_mayor(-1,-3,5)
```

```
5
```