



BRAND BOOK

LIVELIVE is an entertainment and eSports medium. Its identity is a typographic reel: four columns, two lines, boxes that change height while the letters keep their construction.

This draft documents the mark, its grid, the fixed safe area, the palette, the height rules and examples of use. Every figure is drawn by LIVELIVE Lab, the instrument that generates the pieces.

Status: working draft generated on 2026-09-29. Brand content needs approval. The reference typeface (Akzidenz-Grotesk Condensed) has no confirmed web licence; the Lab draws its own constructed letters.

FOUR COLUMNS, TWO LINES

The mark is LIVE written twice, one line above the other, in four columns. Each column has one brand colour; each box is either a **frame** (coloured line, white interior, coloured letter) or a **block** (solid colour, white letter).

The dividing line of every column is the position of a reel. At rest it sits in the middle; in motion it moves, and the boxes change height. The letters never scale: they are built again at every height.

- Colour order: blue · green · yellow · red.
- Frame over block is the reference state; inverted, checker, all frames and all blocks are allowed variants.
- Single line: neighbouring frames share one line. Double line: every frame keeps its four borders.



FRAME / BLOCK · SINGLE LINE



DOUBLE LINE



INVERTED · MOVING LINE



MONO · CHECKER


ONE MODULE: THE COLUMN WIDTH U

MEASURE	VALUE	AT U = 178 PX
Column width	u	178
Line weight	0.09 u	16
Letter stem (vertical stroke)	0.124 u	22
Letter arm (horizontal stroke)	0.112 u	20
Diagonal stroke (perpendicular)	0.118 u	21
Natural cap height	0.79 u	140
Safe area, top and bottom	0.20 u — fixed	36
Side margin	0.08 u	14

Safe area rule. Inside every box (a frame's white interior or a whole block) the sign keeps an empty band of 0.20 u above and below it. The measure is the same for every sign, every box and every frame of the animation. The sign lives only between the bands and never touches them.



HATCHED BANDS: ALWAYS 0.20 U




NATURAL HEIGHT, CENTRED

LETTERS GROW IN THEIR OWN SEGMENTS

A sign is never scaled or distorted as a whole. Width and stroke are fixed by the column; only specific segments lengthen: straight stems, the counters between arms, the straight parts of bowls, and the diagonals (whose perpendicular stroke stays constant).

Each sign has a height range in which it keeps its construction. Motion and layout always leave every box enough room for its sign; a short canvas makes the mark narrower, never the letters smaller.

SIGN	RANGE	SIGN	RANGE	SIGN	RANGE
Most signs	0.5–6 u	2	0.62–6 u	3	0.64–6 u
5	0.62–6 u	6	0.62–6 u	8	0.64–6 u
9	0.62–6 u	A	0.72–6 u	S	0.6–5 u
J	0.64–6 u	G	0.58–6 u	C	0.52–6 u
Q	0.56–6 u	B	0.62–6 u	R	0.58–6 u
M	0.56–6 u	W	0.56–6 u	K	0.54–6 u
Y	0.55–6 u				



ONE, TWO OR THREE LINES

Two lines is the reference lockup. One line keeps the boxes still and lets the letters breathe inside them; three lines repeat the reel with an extra box per column. The rules of the letters and the safe area do not change.



1 LINE

2 LINES

3 LINES

FOUR PRIMARIES, WITH TINTS, TONES AND SHADES

BLUE	Primary #027AB4	Tint #D1E7F2	Tone #4083A7	Shade #014F75
GREEN	Primary #349F7E	Tint #DAEEE8	Tone #5C9789	Shade #226752
YELLOW	Primary #E1BC3A	Tint #FAF3DC	Tone #BBA763	Shade #927A26
RED	Primary #C7435E	Tint #F5DDE2	Tone #AC6477	Shade #812C3D
NEUTRALS	White #FFFFFF	Paper #FCF5F2	Charcoal #40424F	Ink #1B1D24

The artwork uses the four primaries on white, paper, charcoal or ink. Tints (with white), tones (with grey) and shades (with black) organise the interface and secondary material; the tints are also offered as backgrounds.

- Never place blocks on a background of their own colour: they disappear.
- No magenta, no gradients, no transparency.
- Charcoal #40424F for text and lines; white for frame interiors.



BLUE TINT BACKGROUND (PROPOSAL)



YELLOW TINT (PROPOSAL)

FORMATS FOR SOCIAL MEDIA



1:1



4:5



9:16



16:9

Export from LIVELIVE Lab: PNG at the exact size of the format, or MP4 (H.264, 30 fps, 1–30 s). Pieces can be saved, copied as a code and opened again exactly.

KEEP THE CONSTRUCTION

DO

- Keep the four columns and their order.
- Change box heights, colours by column, lines and formats with the Lab.
- Keep the safe area free.
- Use frames with white interiors.

DON'T

- Stretch, squash or rescale letters.
- Put blocks on a background of the same colour.
- Add effects, gradients or transparency.
- Replace the constructed letters with another typeface.

PENDING

- Approval of this draft.
- Web licence for Akzidenz-Grotesk Condensed (weight to confirm against the original slides).
- Final version of digits and punctuation.