User Interface Evaluation of the CP's Website (Proposal)

Luís Cruz¹

¹MAP-i, Joint Doctoral Programme in Computer Science

January 4, 2014

Abstract

This document proposes an usability evaluation for the website of the company CP – Comboios de Portugal. The company and the website are briefly described, as well as the users focused by the evaluation and the supported tasks. One analytical method and one empirical method are going to be applied in this evaluation: Heuristic Evaluation and the Usability Test, respectively, both described in this document.

1 Introduction

This project aims to evaluate the user interface of $CP.pt^1$ — the official website of CP - $Comboios\ de\ Portugal,\ E.P.E.$

CP is a public portuguese company responsible for rendering national and international passenger rail services. In the year 2012, CP had 4690 employees, transported 122 million passengers and almost 8713 thousand metric tons (CP - Comboios de Portugal, 2012). They provide 3 main kinds of rail transportation services: *urban* in the cities of Oporto and Lisbon; *National* with regional services and the fast lines of *Alfa Pendular* and *Intercidades*; and *International*.

Through the website, CP's customers can check the timetables, buy tickets, get information about the available lines and special offers and read some news related with CP services. In order to buy tickets, the website provides the netTicket service, which requires the customers to have an account in their myCP service and it is only available for the long distance trains Intercidades and $Alfa\ Pendular$.

According to the website the graphical interface was optimally designed for windows with 800×600 pixels of resolution. A view of the website is depicted in the figure 1, using a window with the same resolution.

2 Users and Context

CP customers vary according to the service provided. Many college students, workers and pensioners use the regional and urban services for small and medium distances. Long distance services are more used by college students that are away from home, tourists, and executive workers. Unfortunately, no official document stating the segmentation of the CP.pt website's users was found.

It is noticeable that CP services have a lot more passengers during school time, which means that students are an important segment of CP's customers. Besides, most of the students have good experience with the WEB, so the CP.pt website is expected to be a great tool to them. Therefore, this usability evaluation will focus in the segment of college students, which might be portuguese citizens as well as foreigners that study or want to study in Portugal and are able to speak English.

Many scenarios can apply for the use of the website by students. Some times they leave the classes earlier and need a way of quickly check if there are other alternative trains that can take them home earlier. Also sometimes there is no direct train to their destination, so they have to catch another in the the middle of the travelling. Another scenario is when the weekend is over and the student has to buy his/her ticket from home to his/her university city. Buying it from the website is more convenient since

¹Available at: http://www.cp.pt




Figure 1: View of the main page of CP.pt website in a window with resolution 800×600 pixels, using the internet browser Safari Version 7.0.1.

the student can avoid wasting time in the ticket lines and can grant a seat for his/her trip. Therefore, the following two contexts are considered the most important in terms of usability:

- Check the timetable to find any suitable train for the trip and the respective prices.
- Buy a ticket for long distance trains with reserved seats.

3 Usability Evaluation Methodology

The evaluation will be taken using two paradigms: Analytical and Empirical.

Analytical methods do not need to involve users — they are based on inspection methods. Some well known analytical methods are the *Heuristic Evaluation* (HE) proposed by Nielsen and Molich (1990), the *Cognitive Walkthrough* (Wharton et al., 1994) and its variant *Streamlined Cognitive Walkthrough* (Spencer, 2000).

Empirical methods involve the user in the evaluation process through Usability tests, involving observation and query techniques, through controlled experiments, in a more scientific approach, or even questionnaires, focus groups, etc.

In this evaluation, the used analytical method will be the $Heuristical\ Evaluation$ and the empirical method will be the $Usability\ Test.$ These methods are described in the next sections.

4 Heuristic Evaluation

The elected analytical method for this evaluation was the *Heuristic Evaluation*, because it is cheap, intuitive, easy to motivate people to do it and provides that useful results can be obtained (Nielsen and Molich, 1990).

4.1 Methodology

This method proceeds by having a small set of evaluators judging the system according to some general principles of interaction design, *usability heuristics*. It has been shown that a number of evaluators between 3 and 5 provides good results and that there is no point in having more than 10 evaluators (Nielsen and Molich, 1990). Nielsen (1995a) proposed the 10 most important usability heuristics for User Interface Design:

- Visibility of system status
- Match between system and the real world
- User control and freedom
- Consistency and standards
- Error prevention
- Recognition rather than recall
- Flexibility and efficiency of use
- Aesthetic and minimalist design
- Help users recognise, diagnose, and recover from errors
- Help and documentation.

Heuristic evaluation was originally developed for evaluators who had some knowledge in usability but who were not necessarily usability experts (Nielsen and Molich, 1990), however, it has been showed that the method is also very effective for expert evaluators (Nielsen, 1992).

In order to group the findings of this heuristic evaluation, the severity ranking proposed by Nielsen (1995b) with a scale from 0 to 4:

- 0 I don't agree that this is a usability problem at all;
- 1 Cosmetic problem only: need not be fixed unless extra time is available on project;
- 2 Minor usability problem: fixing this should be given low priority;
- 3 Major usability problem: important to fix, so should be given high priority;
- 4 Usability catastrophe: imperative to fix this before product can be released.

In this evaluation, two experienced evaluators participated.

4.2 Results

After completing the heuristic evaluation \underline{XX} problems were found. They were sorted in table 1 according to the severity rating.

number of problems

5 Usability Test

The usability test was carefully reported using the Common Industry Format (CIF) (Stanton, 2006). The

#	Problem	Severity Rating	Violated Heuristic(s)
1	The "Timetable and Prices" form is very similar with the form for buying tickets. Non expert users might not notice the difference.	3	Error prevention.
2	There is an auto complete feature in the "Timetable and Prices" and NetTicket forms, which whenever the user misspells a letter of the station name, the system may complete with another station's name, and the user has to hit the backspace button one more time than usual.	3	Error prevention; Help users recognize, diagnose, and recover from errors.
3	The seat selection is made in a uncommon way. One has to first click on the previous seat and then on the desired seat.	3	Consistency and standards.
4	The services of trains are defined as acronyms which are not used by the users (eg., IC means Intercidades)	2	Consistency and standards; Match between system and the real world.
5	When an unregistered user wants to buy a ticket after choosing a specific train, the system asks him/her to register but after finishing the registration, he/she has to search again for the same train.	2	Recognition rather than recall.
6	In order to check the price in the timetable it is necessary to click in a link which when clicked replaces itself into the respective price, but only for one train at a time.	2	Flexibility and efficiency of use.
7	When searching for a travelling ticket to buy, the user selects whether is travelling in first or second class in the beginning of the search. It is defined as second class by default and might not be perceptible. Through the next steps the user cannot change it.	2	User control and freedom.
8	In the buying process there is no back button, besides the one provided by the browser that is not recommended by the system since he presents an alert warning that the user is about to leave the page.	2	User control and freedom.
9	In the timetable results, there is a clickable down arrow that does not do anything	1	Aesthetic and minimalist design; Consistency and standards.
10	There is a Time input field when in the form "Timetables and Prices", which might be unnecessary and provides no useful filtering in the results.	1	Aesthetic and minimalist design.
11	In the timetable results there is a number identifying the row that does not provide any useful information	1	Aesthetic and minimalist design.

Table 1: Problems found in the Heuristic Evaluation.

5.1 Experimental Design

In order to guide the moderator during the experiment, a script was elaborated providing the moderator with a clear description of the all steps that that are necessary to efficiently accomplish all the tasks.

As suggested in (Mitchell, 2007) it is beneficial for the moderator to get the participant's opinion during the test session. The usability test combined both observation and query.

The participant will be asked to think aloud, describing every step he/she makes during the tasks. The moderator will be directly observing the participant and taking some notes using the Data Logging Form, provided in appendix C, and after each task the moderator makes a short interview focusing in the questions provided in the Usability Test Plan (see appendix B). The screen and the audio is also recorded for indirect observation.

After the completion of each task the participants answer a short questionnaire, as well as after the whole test they answer a post-test questionnaire. Also, they are interviewed by the moderator in an informal way, trying to answer some questions clearly stated in the Usability Test Plan document (see B).

independen and dependent variables and usability measures to be used.

5.2 Workplace

It is important to create a workplace regarding features that might affect the results.

According to (?), the most common resolution used in WEB is 1366×768 , so in this experiment a screen with approximately the same resolution is used: 1440×990 .

For accessing the application, the browser Safari 7.0.1 with default settings is used. The internet connection has an average download and upload speeds of 4Mbit/s and 1Mbit/s, respectively. The screen and audio is recorded using the tool QuickTime Player 10.3. During the test, the moderator stands next to the participant which has free access to the laptop, taking in account that the participant feels comfortable.

6 Results

The reports of the usability test comply with the Common Industry Format (CIF) supporting a summative usability evaluation (Stanton, 2006).

A Consent and Recording Release Form

reference

Consent and Recording Release Form

I agree to participate in the study conducted and recorded by the MAP-i student Luís Cruz.

I understand and consent to the use and release of the recording by Luís Cruz. I understand that the information and recording is for research purposes only and that my name and image will not be used for any other purpose. I relinquish any rights to the recording and understand the recording may be copied and used by Luís Cruz without further permission.

I understand that participation in this usability study is voluntary and I agree to immediately raise any concerns or areas of discomfort during the session with the study administrator.

Please sign below to indicate that you have read and you understand the information on this form and that any questions you might have about the session have been answered.

Date:
Please print your name:
Please sign your name:
Fhank you!
Your participation is kindly appreciated.

Usability Test Plan \mathbf{B}

The plain original document can be accessed at http://paginas.fe.up.pt/~luiscruz/cp_usability/

Usability Test Plan for CP's Website

Luís Cruz¹

 1MAP -i, Joint Doctoral Programme in Computer Science

January 22, 2014

1 Introduction

This document serves as the session moderator's script, outlining the series of activities participants undertake during the usability test. This document was iteratively designed through some pilot tests, in order to get the most from the participants. Four tasks are described with the detailed steps for completing them, and for each of them the outlines for the post-task interviews are provided.

The computer is recording the screen and audio and set with an open browser to: http://www.cp.pt/.

In this section the tasks are detailed with all the necessary steps in order to help the moderator to help the user. However, unless the user needs some help be/she is not supposed to read in the During each task, the moderator reports some variables in the provided Logging Form Sheet, and whenever a task completes a small interview is proceeded between the moderator and the participant.

Task 1 - Select the English Version In this task the user has to change the language of the

- i. Go to the CP.pt homepage (url: http://www.cp.pt/)
- ii. Select the british flag on the top bar

Completion Criteria: The website has to be in the English language.

- 1.2. Please give me your first impressions about the layout and design of the website.
- 1.3. How easy or difficult was it for you to accomplish this task?
- 1.4. Was there something specific that made this task easy or difficult?

Task 2 - Going from Braga to Aveiro In this task the user is asked to find when is the next train from Braga to Aveiro, how much is the ticket and where is it necessary to switch lines. In order to accomplish this task, the user has to:

- i. Go to the CP.pt homepage
- ii. Find the form through the tab "Timetables and Prices" of the right panel.
- iii. Introduce the details of the trip, from Braga to Aveiro in the present day. Optionally, the time can be set, and it is not necessary to specify the return trip.
- iv. Select one of the listed trips, by selecting "see" and/or "detail" links.
- v. Report the time of departure, the price of the ticket, the duration and how long will the passenger have to wait in the station, and when is the departure of the second train.

Completion Criteria: The user is able to say when is the departure, when the train arrives to the destination and where is the train scale

Post-task Interview:

- 2.1. How easy or difficult was it for you to accomplish this task?
- 2.2. Was it easy to find the form?
- 2.3. Did you like the way you had to input the trip details?
- 2.4. Did you clearly understand the results table?
- 2.5. Which part of the task you found more confusing?
- 2.6. When you clicked in the details of your trip, did you find it easy to check when you have to switch trains?
- 2.7. Do you feel that you need to ask some extra information to the ticket officer?

Task 3 - Find a cheap ticket from Braga to Aveiro This task is similar to the previous task 2 but this time, the passenger only has 10 euros to spend in the trip. The steps are the same, but in this case the user cannot select a fact train IC or AP, because they are more expensive.

Post-task Interview:

- 3.2. Which part of the task you found more confusing?
- 3.3. When you clicked in the details of your trip, did you find it easy to check when you have to switch
- 3.4. What is your opinion of how price information is displayed?

Completion Criteria: The user chose a train from Inter-regional or Urban services and he/she is able to say when is the departure, when the train arrives to the destination, and how much is it going to cost.

Task 4 - Buy a ticket from Braga to Porto In this task the user will be using the netTicket feature to buy a ticket for the train intercidades (IC) from Braga to Porto. This will include the registration in myCP service and the task ends before the payment step in order to simplify the test seving. This task intends to analyse how an unregistered user manages to buy a ticket. This might be a difficult task. The steps are the following:

- i. Go to the CP.pt homepage
- ii. Find the form netTicket in the right panel.
- iii. Insert in the from field, the value Braga, and in the field To the value Porto Campanhā. Specify the dates for the trip, including return.
- iv. Choose the two trains for the round trip and click "continue" to proceed to the next step.
- v. Since the user is not registered vet, the user clicks on the link "Register"
- vi. The user fills the registration form submits.
- vii. A new form asking for Preferred/Most used Service appears. It is optional, the user can skip it.
- viii. A new form asking if CP can use the email for newsletter. The user can now finish the registration
- ix. The user has to resubmit the trip information.
- x. Now the user identifies the passenger with his/her name and ID Card number xi. Select one seat different from the default when available. In the end click "Confirm"

- 4.1. How easy or difficult was it for you to accomplish this task?
- 4.2. Which part of the task you found more confusing?
- 4.3. What did you think about the registration process?
- 4.4. When you had to select the seat for your ticket, the interface was familiar? Did you have any trouble understanding how it works?
- 4.5. What is your about opinion how the price information is displayed?
- 4.6. In the whole task was there any steps that you found unnecessary? Which

3 System Usability Scale

After all the tasks have been completed, the moderator asks the participant to answer the $System\ Usability\ Scale\ (SUS)$, trying to record his/her immediate response to each item.

4 Post-test Questionnaire

In order to have a more detailed impression of the participants, the Post-Test Questionnaire is given to the participants.

C Data Logging Form

The moderator of the usability test observes the behavior of the participant while taking notes in the Data Logging Form. Each task needs one Data Logging Form.

Logging Form Sheet CP.pt Usability Test MAP-i Doctoral Programme Responsible Moderator: Luís 22 January 2014	Cruz		
Participant ID: Date: Time:			
Task	Performance	Observations and Comments	
Completeness	Correct / Incorrect		
Assists	Tally		
Negative Remarks	Tally		
Back Button Hits	Tally		
# of steps made differently	Tally		
# of Errors	Tally		
Task start trigger:		Time to complete:	ent, the
ollowing notes were taken:			

D Usability Test Report

The original document is available at http://paginas.fe.up.pt/~luiscruz/cp_usability/

Usability Test Report of CP's Website (Proposal)

TESTED BY: Luís Cruz¹

¹MAP-i, Joint Doctoral Programme in Computer Science

Tested: January 20, 2014

Common Industry Format for Usability Test Report v1.1

Date prepared: January 27, 2014

Prepared by: Luís Cruz (luiscruz@fe.up.pt)

Executive Summary

vthe identity and a description of the product

va summary of the method(s) of the test including the number of and type of participants and their tasks.

vresults expressed as mean scores or other suitable measure of central tendency

w the reason for and nature of the test

w tabular summary of performance results.

1 Introduction

1.1 Product Description

CP.pt is the official website of emphCP - Comboios de Portugal, E.P.E, the public portuguese company responsible for rendering national and international passenger rail services.

CP customers vary according to the service provided. Many college students, workers and pensioners use the regional and urban services for small and medium distances. Long distance services are more used by college students that are away from home, tourists, and executive workers. Unfortunately, no official document stating the segmentation of the CP.pt website's users was found.

It is noticeable that CP services have a lot more passengers during school time, which means that students are an important segment of CP's customers. Besides, most of the students have good experience with the WEB, so the CP.pt website is expected to be a great tool to them. Therefore, this usability evaluation will focus in the segment of college students, which might be portuguese citizens as well as foreigners that study or want to study in Portugal and are able to speak English.

Many scenarios can apply for the use of the website by students. Some times they leave the classes earlier and need a way of quickly check if there are other alternative trains that can take them home earlier. Also sometimes there is no direct train to their destination, so they have to catch another in the the middle of the travelling. Another scenario is when the weekend is over and the student has to buy his/her ticket from home to his/her university city. Buying it from the website is more convenient since the student can avoid wasting time in the ticket lines and can grant a seat for his/her trip.

From the features implemented in the website, the following were tested:

- Choose between Portuguese or English versions
- $\bullet\,$ Check time tables for a trip.
- Buy fast train tickets, being the features that were tested.

1

1.2 Test Objectives

vThis section describes all of the objectives for the test and any areas of specific interest. Possible objectives include testing user performance of work tasks and subjective satisfaction in using the product. This section should include: vThe functions and components of the product with which the user directly and indirectly interacted includes the product with the product with which the user directly and indirectly interacted

this test.

Will the product component or functionality that was tested is a subset of the total product, explain
reason for focusing on the subset.

2 Method

The aim of the test was to validate the usability of the main features of the CP pt — finding the most suitable train and buying tickets. It is important that these tasks are easy to learn. Representative users were asked to complete typical tasks, measures were taken of effectiveness, efficiency and astifaction, and some notes about the users' opinion were taken in order to have ideas for some improvements that can be made.

2.1 Participants

This test had 2 participants. Both were college students with ages between 21 and 26 years old. They are intermediate level users, that frequently use WEB applications. They already have experience in

Students are used to get things fast and with an attractive design. Usually they have a laptop with a 13 or 15 inches screen, and use the Eduroam network when studying in the university.

${\bf 2.2}\quad {\bf Context\ of\ Product\ Use\ in\ The\ Test}$

2.2.1 Tasks

The tasks that the participant has to accomplish are the following:

- 1. Select the English Version of the application
- Find the schedule for a trip from Braga to Aveiro.
- 3. Find a cheap trip from Braga to Aveiro.
- 4. Buy a ticket from Braga to Porto.

These tasks are described in more detail in the Usability Test Plan, available in the appendix ??. For each task, all the steps were defined in order to describe how the task can be efficiently accomplished. These tasks were selected for being the features that are expected to be of the most important use. Every transportation website has these features and add great value to the customers, so it is important that they meet the users needs.

All the completion and performance criterias are also described in the Usability Test Plan (see appendix ??).

2.2.2 Test Facility

The test was made in a study room at the faculty. The moderator is sitting next to the participant in order to make the observation and query and give assistance. The screen and audio were recorded using the tool QuickTime Player 10.3 which is invisible to the user and does not affect the user experience.

2.2.3 Participant's Computing Environment

2.2.3 Participants 'Computing Environment a 13 according to (?), the most common resolution used in WEB is 1366 × 768. In this experiment a 13 inches RGB screen with approximately the same resolution was used: 1440 × 990. For interaction with the application the participant used an Apple large mouse. Some other devices were available if the user didn't feel comfortable with these devices, however, they were not used. The browser Safart 7.0.1 with default settings was used with an internet connection which had an average download and upload speeds of 4Mbit/s and 1Mbit/s, respectively.

2.2.4 Test Administrator Tools

A Data Logging Formwas designed providing the moderator with a tool to record some notes about each task of each participant. The form has some variables, and a generic questionnaire to be asked to the user. It also provides a space to take some notes while the moderator conducts a small post-task



interview.

All the task information is provided in the Usability Test Plan, available in the appendix ??. Some script about how the moderator should conduct the experiment is provided. All the steps that are necessary to finish a task are clearly described as well as some guidelines with the important questions for the post-task interview.

After the test the participants were asked to answer a post-test questionnaire based on (?).

As it was already mentioned, during the experiments, the screen and voice were recorded using the tool QuickTime Player 10.3.

2.3 Experimental Design

vDescribe the logical design of the test. Define independent variables and control variables. Briefly describe the measures for which data were recorded for each set of conditions.

2.3.1 Procedure

2.3.1 Procedure
The participants were informed that the usability of CP's website was being tested, to find out whether it met the needs of users such as themselves. They were stold that it was not a test of their abilities. They were about 0 sign a consent form.
Participants were given introductory instructions. The evaluator reset the state of the computer before each task, and provided instructions for the next task. The participant could ask for assistance and make questions whenever they find necessary, in order clarify any part of the task. All assistances were logged by the noderator. Also there was no time limit for the tests completions, but if the moderator feels that the participant is stuck in some part, he was allowed to give some hints if properly logged. After each task the moderator conducted a small interview trying to answer some curical questions. The participant were non temmerated voluntaries and cluring each test session only the moderator and participant were present.

2.3.2 Participant General Instructions

The instructions were given personally by the moderator to each participant. The test session proceeds by having only one user in the room with a moderator. Whenever the user needed help he/she could simply ask for help.

2.3.3 Participant Task Instructions

Before starting each task the moderator explained what it was expected to accomplish in the following task. The task instructions are very simple, being described in a short sentence, as stated in section 2.2.1.

2.4 Usability Metrics

v
Explain what measures have been used for each category of usability metrics: effectiveness, efficiency
and satisfaction. Conceptual descriptions and examples of the metrics are given below.

2.4.1 Effectiveness

suring effectiveness the following measures were considered:

Completion Rate the percentage of participants that correctly finished each task.

Unassisted Completion Rate the percentage of participants that correctly finished each task without

Number of Assistances The average of assurances given in each task

Back Button hits The average of times the user hit the Back Button in the browser.

Errors The number of times a user had to repeat parts of the task.

2.4.2 Efficiency

Efficiency was accessed by measuring the following parameters:

Task time The average time the users took to correctly complete each task. Completion rate efficiency mean completion rate/mean task time

Satisfaction is a subjective measure that correlates with the user's motivation to use a product. The standardized instrument System Usability Scale (SUS) provides a 10 item questionnaire with five-scale responses that can be converted into a score. After the test the users answered this questionnaire.

Also a post-test questionnaire based on was given to the participants (available in appendix ??). This questionnaire intended to provide some insights about the way the design should be changed to make it more suitable to the user.



3 Results

3.1 Data Analysis

3.1.1 Data Scoring

The method by which the data collected were scored should be described in sufficient detail to allow replication of the data scoring methods by another organization if the test is repeated. Particular items that should be addressed include the exclusion of outliers, categorization of error data, and criteria for scoring assisted or unassisted completion.

3.1.2 Data Reduction

The method by which the data were reduced should be described in sufficient detail to allow replication of the data reduction methods by another organization if the test is repeated. Particular items that should be addressed include how data were collapsed across tasks or task categories.

3.2 Presentation of the Results

Effectiveness. Efficiency and Satisfaction results must always be reported

3.2.1 Performance Results

TABLE

References

References

- CP Comboios de Portugal (2012). Relatório e contas consolidadas do grupo CP de 2012. Available at: http://cp.pt/cp/displayPage.do?vgnextoid=360a4ff42133f310VgnVCM100000be01a8c0RCRD. Accessed: January 4, 2014.
- Mitchell, P. P. (2007). A step-by-step guide to usability testing. iUniverse, Inc.
- Nielsen, J. (1992). Finding usability problems through heuristic evaluation. In *Proceedings of the SIGCHI* conference on Human factors in computing systems, pages 373–380. ACM.
- Nielsen, J. (1995a). 10 usability heuristics for user interface design. Nielsen Norman Group, available at http://www.nngroup.com/articles/ten-usability-heuristics/.
- Nielsen, J. (1995b). Severity ratings for usability problems. Nielsen Norman Group, available at http://www.nngroup.com/articles/how-to-rate-the-severity-of-usability-problems/.
- Nielsen, J. and Molich, R. (1990). Heuristic evaluation of user interfaces. In *Proceedings of the SIGCHI* conference on Human factors in computing systems, pages 249–256. ACM.
- Spencer, R. (2000). The streamlined cognitive walkthrough method, working around social constraints encountered in a software development company. In *Proceedings of the SIGCHI conference on Human factors in computing systems*, pages 353–359. ACM.
- Stanton, B. (2006). What is the cif? Industry USability Reporting, available at http://zing.ncsl.nist.gov/iusr/documents/whatistheCIF.html. Accessed: January 4, 2014.
- Wharton, C., Rieman, J., Lewis, C., and Polson, P. (1994). The cognitive walkthrough method: A practitioner's guide. In *Usability inspection methods*, pages 105–140. John Wiley & Sons, Inc.