



Laravel Cheat Sheet

**** Folder Structure ****

my-laravel-app/



Laravel Cheat Sheet



**** Basic Required & Type Rules ****

`required`

Field must be present and not empty.

```
```php
'required'
```
```

`nullable`

Field can be `null`.

```
```php
'nullable'
```
```

`string`

Must be a string.

```
```php
```

# Laravel Cheat Sheet

```
'string'
...
```

```
`integer`
```

Must be an integer.

```
```php  
'integer'  
...
```

```
#### `numeric`
```

Must be a number (integer or float).

```
```php  
'numeric'
...
```

```
`boolean`
```

Must be true/false, 1/0, "yes"/"no".

```
```php  
'boolean'  
...
```

Length & Size Rules

```
#### `min`
```

Minimum value or length.

```
```php  
'min:3'
...
```

```
`max`
```

Maximum value or length.

```
```php
```

Laravel Cheat Sheet

```
'max:255'  
...
```

```
### `size`
```

Exact size.

```
```php  
'size:10'
...
```

```

```

## ## Format & Pattern Rules

```
`email`
```

Valid email format.

```
```php  
'email'  
...
```

```
### `url`
```

Valid URL.

```
```php  
'url'
...
```

```
`regex`
```

Match a regular expression.

```
```php  
'regex:/^[A-Za-z]+$/'  
...
```

```
### `alpha`, `alpha_num`, `alpha_dash`
```

Only letters, letters + numbers, or letters + numbers + dashes.

```
```php
```

# Laravel Cheat Sheet

```
'alpha'
'alpha_num'
'alpha_dash'
...
```

---

## ## Database-Related Rules

### ### `unique`

Value must be unique in database.

```
```php  
'unique:users,email'  
...
```

Ignore current record (update):

```
```php  
'unique:users,email,' . $user->id
...
```

### ### `exists`

Value must exist in database.

```
```php  
'exists:users,id'  
...
```

Confirmation & Comparison

`confirmed`

Requires a matching `\_confirmation` field.

```
```php  
'password' => 'confirmed'
...
```

### ### `same`

# Laravel Cheat Sheet

Must match another field.

```
```php
'same:password'
```
```

```
`different`
```

Must be different from another field.

```
```php
'different:username'
```
```

---

## ## Date & Time Rules

```
`date`
```

Valid date.

```
```php
'date'
```
```

```
`after` / `before`
```

Date comparison.

```
```php
'after:today'
'before:end_date'
```
```

---

## ## File & Image Rules

```
`file`
```

Must be a file.

# Laravel Cheat Sheet

```
```php
'file'
```
```

### `image`

Must be an image (jpeg, png, etc.).

```
```php
'image'
```
```

### `mimes`

Allowed file types.

```
```php
'mimes:jpg,png,pdf'
```
```

### `max` (files)

Maximum size in KB.

```
```php
'max:2048' // 2MB
```
```

---

## Array & Collection Rules

### `array`

Must be an array.

```
```php
'array'
```
```

### `in`

Must be one of given values.

# Laravel Cheat Sheet

```
```php
'in:admin,user,editor'
```
```

#### `not\_in`

Must not be one of given values.

```
```php
'not_in:banned,deleted'
```
```

---

## Conditional Validation

#### `sometimes`

Validate only if field is present.

```
```php
'sometimes|required'
```
```

#### `required\_if`

Required based on another field.

```
```php
'required_if:role,admin'
```
```

#### `required\_unless`

Required unless another field has value.

```
```php
'required_unless:type,guest'
```
```

---

## Example: Common Validation Set



# Laravel Cheat Sheet

```
```php
$request->validate([
    'name' => 'required|string|min:3|max:100',
    'email' => 'required|email|unique:users,email',
    'password' => 'required|min:8|confirmed',
    'age' => 'nullable|integer|min:18',
    'role' => 'required|in:admin,user',
    'avatar' => 'nullable|image|mimes:jpg,png|max:2048',
]);
```

** HTTP Methods (Verbs) **

Method	Purpose	Example
GET	Retrieve data	GET /users
POST	Create new data	POST /users
PUT	Replace data	PUT /users/5
PATCH	Update part of data	PATCH /users/5
DELETE	Remove data	DELETE /users/5

** HTTP Status Codes **

Code	Meaning
200	OK
201	Created
204	No Content
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not Found
500	Server Error

** Query Methods **

1. Basic Retrieval Methods

```
### `all()`
```

Get all records from a table.

Laravel Cheat Sheet

```
```php
$users = User::all();
```
```

`find()`

Find a record by primary key.

```
```php
$user = User::find(1);
```
```

`findOrFail()`

Throws a 404 error if not found.

```
```php
$user = User::findOrFail(1);
```
```

`first()`

Get the first record.

```
```php
$user = User::where('email', 'test@example.com')->first();
```
```

`firstOrFail()`

Throws an exception if no record exists.

```
```php
$user = User::where('email', 'test@example.com')->firstOrFail();
```
```

Laravel Cheat Sheet

2. Where Conditions

`where()`

```
```php
$users = User::where('status', 'active')->get();
```
```

`orWhere()`

```
```php
$users = User::where('role', 'admin')
 ->orWhere('role', 'editor')
 ->get();
```
```

`whereIn()`

```
```php
$users = User::whereIn('id', [1, 2, 3])->get();
```
```

`whereBetween()`

```
```php
$orders = Order::whereBetween('price', [100, 500])->get();
```
```

`whereNull()` / `whereNotNull()`

```
```php
$users = User::whereNull('deleted_at')->get();
```
```

Laravel Cheat Sheet

3. Selecting Columns

`select()`

```
```php
$users = User::select('id', 'name')->get();
```
```

`pluck()`

Retrieve a single column.

```
```php
$emails = User::pluck('email');
```
```

4. Ordering, Limiting & Pagination

`orderBy()`

```
```php
$users = User::orderBy('created_at', 'desc')->get();
```
```

`latest()` / `oldest()`

```
```php
$users = User::latest()->get();
```
```

`limit()` / `take()`

```
```php
```

# Laravel Cheat Sheet

```
$users = User::take(5)->get();
...
```

---

```
`paginate()`
```

```
```php  
$users = User::paginate(10);  
...
```

5. Insert, Update & Delete

```
### `create()`
```

```
```php  
User::create([
 'name' => 'John',
 'email' => 'john@example.com',
]);
...
```

---

```
`update()`
```

```
```php  
User::where('id', 1)->update(['name' => 'Updated Name']);  
...
```

```
### `delete()`
```

```
```php  
User::where('id', 1)->delete();
...
```

---

## ## 6. Aggregates

# Laravel Cheat Sheet

### `count()`

```
```php
$totalUsers = User::count();
```
```

---

### `sum()`

```
```php
$totalSales = Order::sum('amount');
```
```

---

### `avg()`

```
```php
$averageAge = User::avg('age');
```
```

---

## 7. Relationships (Very Common)

### `with()` (Eager Loading)

```
```php
$posts = Post::with('comments')->get();
```
```

---

### `has()`

```
```php
$users = User::has('posts')->get();
```
```

---

## 8. Conditional Queries

# Laravel Cheat Sheet

### `when()`

```php

```
$users = User::when($request->role, function ($query, $role) {  
    return $query->where('role', $role);  
})->get();  
```
```

---

## 9. Raw Queries (When Needed)

### `whereRaw()`

```php

```
$users = User::whereRaw('age > ?', [18])->get();  
```
```

---

## Summary (Most Used Daily)

- \* `all()`, `find()`, `first()`
- \* `where()`, `orWhere()`
- \* `get()`, `pluck()`
- \* `orderBy()`, `latest()`
- \* `create()`, `update()`, `delete()`
- \* `paginate()`
- \* `with()`