Vulnerability Report

Archivo: jquery.dataTables.min.js

Code Analyzed:

```
/*! DataTables 1.13.4
     * ©2008-2023 SpryMedia Ltd - datatables.net/license
 !function(n){"use strict"; var a; "function" == type of
define&&define.amd?define(["jquery"],function(t){return
n(t,window,document)}):"object"==typeof exports?(a=require("jquery"),"undefined"!=typeof
 window?module.exports=function(t,e){return
 t = t \mid | window, e = e \mid | a(t), n(e,t,t.document) \} : n(a,window,window.document)) : window.DataTable = n(jQuery,window,document)) \{ (function(P,j,y,N) \} \| use strict \| function(C) \} 
 e=parseInt(t,10);return!isNaN(e)&&isFinite(t)?e:null}function l(t,e,n){var a=typeof
t,r="string"==a;return"number"==a||"bigint"==a||!!h(t)||(e\&\&r\&\&(t=G(t,e)),n\&\&r\&\&(t=t.replace(q,"")),!isNaN(parseFloat(t))\&\&isFinite(t))\}function a(t,e,n){var}
 a; return! ! h(t) \big| \big| \big( h(a=t) \big| \big| "string" == typeof \ a) \& \& ! ! l(t.replace(V, ""), e, n) \big| \big| null \big\} function
m(t,e,n,a) {var
for(;o<i;o++)r.push(t[e[o]][n]);return rfunction f(t,e){var
\label{eq:na} $$n,a=[]$ : e==N?(e=0,n=t): (n=e,e=t)$ ; for(var'r=e;r<n;r++)a.push(r)$ ; return a $$function _(t) $$ for(var'e=[],n=0,a=t.length;n<a;n++)t[n]&&e.push(t[n])$ ; return e $$function s(t,e)$ {$return-terms}$ .
 1! = \texttt{this.indexOf(t,e=e===N?0:e)} \  \, \text{var p,e,t,w=function(t,v)} \\ \{ if(w.factory(t,v)) return w; if(this this terms of the property of
 instanceof w)return P(t).DataTable(v);v=t,this.$=function(t,e){return this.api(!0).$(t,e)},this._=function(t,e){return}
 this.api(!0).rows(t,e).data()},this.api=function(t){return new
 B(t?ge(this[p.iApiIndex]):this)},this.fnAddData=function(t,e){var
n=this.api(!0),t=(Array.isArray(t)&&(Array.isArray(t[0])||P.isPlainObject(t[0]))?n.rows:n.row)
 .add(t);return
 e!==N&&!e||n.draw(),t.flatten().toArray()},this.fnAdjustColumnSizing=function(t){var
 e=this.api(!0).columns.adjust(),n=e.settings()[0],a=n.oScroll;t===N||t?e.draw(!1):""===a.sX&&"
 "===a.sY||Qt(n)},this.fnClearTable=function(t){var
 e=this.api(!0).clear(); t!==N\&\&!t | |e.draw()|, this.fnClose=function(t) \\ \{this.api(!0).row(t).child(this.api(!0).row(t))| \\ (this.api(!0).row(t))| \\ (this.api(!0).row(
 .hide()},this.fnDeleteRow=function(t,e,n){var
 a=this.api(!0),t=a.rows(t),r=t.settings()[0],o=r.aoData[t[0][0]];return
 t.remove(),e&&e.call(this,r,o),n!==N&&!n||a.draw(),o},this.fnDestroy=function(t){this.api(!0)
destroy(t), this.fnDraw=function(t){this.api(!0).draw(t)}, this.fnFilter=function(t,e,n,a,r,o){
 i=this.api(!0);(null===e||e==N?i:i.column(e)).search(t,n,a,o),i.draw()},this.fnGetData=functi
 on(t,e) {var n,a=this.api(!0);return
 ow(t).data()||null):a.data().toArray()\}, this.fnGetNodes=function(t)\{var e=this.api(!0);return t!==N?e.row(t).node():e.rows().nodes().flatten().toArray()\}, this.fnGetPosition=function(t)\{var e=this.api(!0);return t!==N?e.row(t).node():e.rows().nodes().flatten().toArray()\}, this.fnGetPosition=function(t)\{var e=this.api(!0);return t!=N?e.row(t).node():e.rows().nodes().flatten().toArray()\}, this.fnGetPosition=function(t)[var e=this.api(!0);return t!=N?e.row(t).node():e.rows().nodes().flatten().toArray()], this.fnGetPosition=function(t)[var e=this.api(!0);return t!=N?e.row(t).node():e.rows().nodes().flatten().toArray()], this.fnGetPosition=function(t)[var e=this.api(!0);return t!=N?e.row(t).node():e.rows().nodes().flatten().toArray()], this.fnGetPosition=function(t)[var e=this.api(!0);return t!=N?e.row(t).nodes().flatten().toArray()], this.fnGetPosition=function(t)[var e=this.api(!0);return t], this.fnGetPosition=function(t)[var e=this.
 e=this.api(!0),n=t.nodeName.toUpperCase();return"TR"==n?e.row(t).index():"TD"==n||"TH"==n?[(n=
 this.api(!0).row(t).child.isShown()},this.fnOpen=function(t,e,n){return
 this.api(!0).row(t).child(e,n).show().child()[0]\}, this.fnPageChange=function(t,e)\{t=this.api(!0), this.fnPageChange=function(t,e), the first api(!0), the first api(!0),
 0).page(t);e!==N&&!e||t.draw(!1)|,this.fnSetColumnVis=function(t,e,n)|\\ t=this.api(!0).column(t)|
 .visible(e);n!==N&&!n||t.columns.adjust().draw()},this.fnSettings=function(){return
 \tt ge(this[p.iApiIndex])\}, this.fnSort=function(t)\{this.api(!0).order(t).draw()\}, this.fnSortListen
 er=function(t,e,n){this.api(!0).order.listener(t,e,n)},this.fnUpdate=function(t,e,n,a,r){var
 o=this.api(!0);return(n===N||null===n?o.row(e):o.cell(e,n)).data(t),r!==N&&!r||o.columns.adjus
 t(),a!==N\&\&!a||o.draw(),0, this.fnVersionCheck=p.fnVersionCheck;var
 e,y=this,D=v===N,_=this.length;for(e in
\label{eq:decomposition} \texttt{D\&\&(v=\{\}),this.oApi=this.internal=p.internal,w.ext.internal)e\&\&(this[e]=Ge(e));return}
 this.each(function(){var
 r=1<_?be({}),v,!0):v,o=0,t=this.getAttribute("id"),i=!1,e=w.defaults,l=P(this);if("table"!=this)
 .nodeName.toLowerCase())W(null, 0, "Non-table node initialisation
  ("+this.nodeName+")",2); else \\ \{K(e),Q(e.column),C(e,e,!0),C(e.column,e.column,!0),C(e,P.extend(r,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,e.column,
  ,1.data()),!0);for(var n=w.settings,o=0,s=n.length;o<s;o++){var</pre>
 a=n[0];if(a.nTable==this||a.nTHead&&a.nTHead.parentNode==this||a.nTFoot&&a.nTFoot.parentNode==
 this) \{ var \ u = (r.bRetrieve! = = N?r:e) . bRetrieve, c = (r.bDestroy! = = N?r:e) . bDestroy; if (D | | u) return ret
 a.oInstance;if(c){a.oInstance.fnDestroy();break}return void W(a,0,"Cannot reinitialise
DataTable ", 3) \\ if (a.sTable Id == this.id) \\ \{n.splice(o,1); break\} \\ null! == t&& ""! == t \\ | (t = "DataTables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tables_Tab
ble_"+w.ext._unique++,this.id=t);var
 f,d,h=P.extend(!0,{},w.models.oSettings,{sDestroyWidth:1[0].style.width,sInstance:t,sTableId:t
 }),p=(h.nTable=this,h.oApi=y.internal,h.oInit=r,n.push(h),h.oInstance=1===y.length?y:l.dataTab
 \verb|le(),K(r),Z(r.oLanguage),r.aLengthMenu&\&!r.iDisplayLength&&(r.iDisplayLength=(Array.isArray(r.ioLanguage)),r.aLengthMenu&&:\\
 a Length Menu[0])?r.a Length Menu[0]:r.a Length Menu)[0]), r=be(P.extend(!0,{},e),r), F(h.oFeatures,r,e), r=be(P.extend(!0,{},e),r), r=be(P.extend(!0,{},e
["bPaginate", "bLengthChange", "bFilter", "bSort", "bSortMulti", "bInfo", "bProcessing", "bAutoWidth", "bSortClasses", "bServerSide", "bDeferRender"]), F(h,r,["asStripeClasses", "ajax", "fnServerData", "fnFormatNumber", "sServerMethod", "aaSorting", "aaSortingFixed", "aLengthMenu", "sPaginationType",
 "sAjaxSource", "sAjaxDataProp", "iStateDuration", "sDom", "bSortCellsTop", "iTabIndex", "fnStateLoad
```

```
Callback", "fnStateSaveCallback", "renderer", "searchDelay", "rowId", ["iCookieDuration", "iStateDur
 ation"],["oSearch","oPreviousSearch"],["aoSearchCols","aoPreSearchCols"],["iDisplayLength","_i
 DisplayLength"]]),F(h.oScroll,r,[["sScrollX","sX"],["sScrollXInner","sXInner"],["sScrollY","sY
   ],["bScrollCollapse","bCollapse"]]),F(h.oLanguage,r,"fnInfoCallback"),L(h,"aoDrawCallback",r.
  fn Draw Callback, "user"), \\ L(h, "ao Server Params", r. fn Server Params, "user"), \\ L(h, "ao State Save Params", r. fn Server Params, "user"), \\ L(h, "ao State Save Params", r. fn Server Params, "user"), \\ L(h, "ao State Save Params, "user"), \\ L(
   . fnStateSaveParams, "user"), \\ L(h, "aoStateLoadParams", r.fnStateLoadParams, "user"), \\ L(h, "aoStateLoadParams, "user"), \\ L(h, "ao
 ded",r.fnStateLoaded,"user"),L(h,"aoRowCallback",r.fnRowCallback,"user"),L(h,"aoRowCreatedCall
back",r.fnCreatedRow,"user"),L(h,"aoHeaderCallback",r.fnHeaderCallback,"user"),L(h,"aoFooterCa
 llback", r.fnFooterCallback, "user"), \\ L(h, "aoInitComplete", r.fnInitComplete, "user"), \\ L(h, "aoPreDrance of the complete", r.fnInitComplete, "user"), \\ L(h, "aoPreDrance of the complete", r.fnInitComplete, "user"), \\ L(h, "aoPreDrance of the complete, "user"), \\ L(h, "aoPreDrance of the complete of the compl
 wCallback",r.fnPreDrawCallback,"user"),h.rowIdFn=A(r.rowId),tt(h),h.oClasses),g=(P.extend(p,w.
 ext.classes,r.oClasses),l.addClass(p.sTable),h.iInitDisplayStart===N&&(h.iInitDisplayStart=r.i
 DisplayStart,h._iDisplayStart=r.iDisplayStart),null!==r.iDeferLoading&&(h.bDeferLoading=!0,t=A
rray.isArray(r.iDeferLoading),h._iRecordsDisplay=t?r.iDeferLoading[0]:r.iDeferLoading,h._iRecordsTotal=t?r.iDeferLoading[1]:r.iDeferLoading),h.oLanguage),t=(P.extend(!0,g,r.oLanguage),g.sU
 rl?(P.ajax({dataType:"json",url:g.sUrl,success:function(t){C(e.oLanguage,t),Z(t),P.extend(!0,g
   , t, h.oInit.oLanguage), \\ R(h, null, "i18n", [h]), \\ Jt(h)\}, error: function() \\ \{Jt(h)\}\}), \\ i=!0): \\ R(h, null, "i18n", [h]), \\ Jt(h), \\ R(h, null, "i18n", [h]), \\ R(h, null, "i1
 8n",[h]),null===r.asStripeClasses&&(h.asStripeClasses=[p.sStripeOdd,p.sStripeEven]),h.asStripe
 Classes),b=1.children("tbody").find("tr").eq(0),m=(-
 1!==P.inArray(!0,P.map(t,function(t,e){return b.hasClass(t)}))&&(P("tbody
 tr",this).removeClass(t.join("
  \verb|t(h.aoHeader,t[0]),m=Ct(h)),null===r.aoColumns) for (f=[],o=0,s=m.length;o<s;o++)f.push(null);ellower (f=[],o=0,s=m.length;o<s;o++)f.push(null
se
 f=r.aoColumns;for(o=0,s=f.length;o<s;o++)nt(h,m?m[o]:null);st(h,r.aoColumnDefs,f,function(t,e)
  {at(h,t,e)}),b.length&&(d=function(t,e){return null!==t.getAttribute("data-
 "+e)?e:nul1, P(b[0]).children("th, td").each(function(t,e){var
\label{eq:naccolumns} $$n,a=h.aoColumns[t];a||W(h,0,"Incorrect column count",18),a.mData===t&&(n=d(e,"sort")||d(e,"order"),e=d(e,"filter")||d(e,"search"),null===n&& (n=d(e,"sort"))||d(e,"order"),e=d(e,"filter")||d(e,"search"),null===n&& (n=d(e,"sort"))||d(e,"search"),null===n&& (n=d(e,"sort"))||d(e,"search"),null==n&& (n=d(e,"search"))||d(e,"search"),null==n&& (n=d(e,"search"))||d(e,"search"),null=
null===e||(a.mData={_:t+".display",sort:null!==n?t+".@data-"+n:N,type:null!==n?t+".@data-
  "+n:N,filter:null!==e?t+".@data-"+e:N},a._isArrayHost=!0,at(h,t)))}));var
 S=h.oFeatures,t=function(){if(r.aaSorting===N){var
 t=h.aaSorting;for(o=0,s=t.length;o<s;o++)t[o][1]=h.aoColumns[o].asSorting[0]}ce(h),S.bSort&&L(
h, "aoDrawCallback", function() {var
 t,n;h.bSorted\&\&(t=I(h),n={},P.each(t,function(t,e)\{n[e.src]=e.dir\}),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,null,"order",[h,t,n]),R(h,t,n]),R(h,t,n),R(h,t,n)),R(h,t,n),R(h,t,n),R(h,t,n)),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n)),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n)),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R(h,t,n),R
 le(h))\}), \\ L(h, "aoDrawCallback", function()\{(h.bSorted|| "ssp" === E(h)|| S.bDeferRender) \& (e(h))\}, \\ "scorted|| Le(h)|| 
"); var e=1.children("caption").each(function(){this._captionSide=P(this).css("caption-side")}),n=1.children("thead"),a=(0===n.length&&(n=P("<thead/>").appendTo(1)),h.nTHead=n[0],1.
 children("tbody")),n=(0==a.length&&(a=P("").insertAfter(n)),h.nTBody=a[0],l.children(
  />").appendTo(1):n).length||0===n.children().length?1.addClass(p.sNoFooter):0<n.length&&(h.nTF
 oot=n[0],wt(h.aoFooter,h.nTFoot)),r.aaData)for(o=0;o<r.aaData.length;o++)x(h,r.aaData[o]);else
 !h.bDeferLoading\&\&"dom"!=E(h) | |ut(h,P(h.nTBody).children("tr"));h.aiDisplay=h.aiDisplayMaster.\\ slice(),!(h.bInitialised=!0)===i\&\&Jt(h)\};L(h,"aoDrawCallback",de,"state_save"),r.bStateSave?(Save)=:i&&Jt(h),"aoDrawCallback",de,"state_save=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSave=:i&BtateSav
.bStateSave=!0,he(h,0,t)):t()}}),y=null,this},c={},U=/[\r\n\u2028]/g,V=/<.*?>/g,X=/^\d{2,4}[\.\/-]\d{1,2}[\.\/-]\d{1,2}[[T]{1}\d{1,2}[:]\d{2})?)?$/,J=new

RegExp("(\\"+["/","","*","+","?","|","(",")","[","]","\\","$","^","-
"].join("|\\")+")","g"),q=/['\u00A0,$fe\%\u2009\u202F\u20BD\u20a9\u20BArfk??
 \label{eq:continuous} \begin{tabular}{ll} ||g|, h=function(t) & return ||g|, h=function(t,e) & return ||g|, h=function(t,e
RegExp(Ot(e), "g")), "string"==typeof
 t\&\&"."!==e?t.replace(/\./g,"").replace(c[e],"."):t, H=function(t,e,n) {var
 a=[\ ], r=0, o=t.length; if (n!==N) for (;r<o;r++) t[r] \&\&t[r][e] \&\&a.push(t[r][e][n]); elset for the context of the context
 for(;r<o;r++)t[r]&&a.push(t[r][e]);return a},$=function(t){if(!(t.length<2))for(var</pre>
 e=t.slice().sort(),n=e[0],a=1,r=e.length;a<r;a++){if(e[a]===n)return!1;n=e[a]}return!0},z=func
 tion(t){if($(t))return t.slice();var
 e,n,a,r=[],o=t.length,i=0;t:for(n=0;n<0;n++)\{for(e=t[n],a=0;a<i;a++)if(r[a]===e)continue\}
 t;r.push(e),i++}return r},Y=function(t,e){if(Array.isArray(e))for(var
n=0; n < e.length; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t\}; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t]; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t]; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t]; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t]; function i(n) \{varelength; n++) Y(t,e[n]); else t.push(e); return t]; function i(n) Y(t,e[n]); else t.push(e); e
 m o s ".indexOf(a[1]+"
  ")&&(r=t.replace(a[0],a[2].toLowerCase()),o[r]=t,"o"===a[1])&&i(n[t])}),n._hungarianMap=ofunc
 tion C(n,a,r) {var
 o;n._hungarianMap||i(n),P.each(a,function(t,e){(o=n._hungarianMap[t])===N||!r&&a[o]!==N||("o"=n)||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e))||i(n),P.each(a,function(t,e
 = o. charAt(0)?(a[o] | | (a[o] = {}), P. extend(!0, a[o], a[t]), C(n[o], a[o], r)) : a[o] = a[t]) \}) \} function
 Z(t)\{var\}
 \verb|e,n=w.defaults.oLanguage,a=n.sDecimal| | a \& \& Me(a), t \& \& (e=t.sZeroRecords,!t.sEmptyTable \& \& \& & "Normal Foundation of the content of
data available in
 "===n.sLoadingRecords&&F(t,t,"sZeroRecords","sLoadingRecords"),t.sInfoThousands&&(t.sThousands
 =t.sInfoThousands),e=t.sDecimal)&&a!==e&&Me(e)}Array.isArray||(Array.isArray=function(t){retur
n"[object
\label{lem:array} \ "===0bject.prototype.toString.call(t)\}), Array.prototype.includes \ |\ (Array.prototype.includes)| \ |\ (Array
totype.includes=s),w.util={throttle:function(a,t){var r,o,i=t!==N?t:200;return function(){var
 t=this,e=+new
 Date,n=arguments;r&&e<r+i?(clearTimeout(o),o=setTimeout(function(){r=N,a.apply(t,n)},i)):(r=e,
 a.apply(t,n))\}\}, escapeRegex:function(t)\{return\ t.replace(J,"\\$1")\}, set:function(a)\{varnormaliset for the context of the 
d; return P.isPlainObject(a)?w.util.set(a._): null == a?function() {}: "function" == type of a?function(t,e,n) {a(t,"set",e,n)}: "string"! = type of a | |-1 == a.indexOf(".") &&-
1 == a.indexOf("[")\&\&-1 == a.indexOf("(")?function(t,e)\{t[a] = e\}: (d=function(t,e,n)\{for(varantesize for the content of the
```

```
a,r,o,i,l=dt(n),n=l[l.length-1],s=0,u=l.length-
  1; s < u; s + +) \\ \left\{ if ("\_proto\_" = = = l[s] \middle| | "constructor" = = = l[s]) throw new Error ("Cannot set prototype like the prototype like the
  values"); if (a=1[s].match(ft), r=1[s].match(g), a) \\ \{if(1[s]=1[s].replace(ft, ""), t[1[s]]=[], (a=1.sl)\} \\ \{if(1[s]=1[s].replace(ft, ""), t[1[s])=[], (a=1.sl)\} \\ \{if(1[s]=1
  ice()).splice(0,s+1),i=a.join("."),Array.isArray(e))for(var
  c=0, f=e.length; c< f; c++)d(o={}, e[c], i), t[l[s]].push(o); else
  t[l[s]] = e; return \} r \& (l[s] = l[s]. replace(g, ""), t = t[l[s]](e)), null! = t[l[s]] \& \& t[l[s]]! = N \\ | (t[l[s]] = e; return) \} r \& (l[s] = l[s]) \} | (t[l[s]] = e; return) \} | (t[l[s]] = e; re
  ]]={}),t=t[1[s]]n.match(g)?t[n.replace(g,"")](e):t[n.replace(ft,"")]=e},function(t,e){return}
 d(t,e,a)})},get:function(r){var o,d;return
 P.isPlainObject(r)?(o=\{\},P.each(r,function(t,e)\{e\&\&(o[t]=w.util.get(e))\}),function(t,e,n,a)\{vanction(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n,a)\},function(t,e,n
 r = o[e] | o._; return r! = N?r(t,e,n,a):t) : null = = r?function(t) {return t} : "function" = = type of the function of the
 r? function(t,e,n,a) \{ return \ r(t,e,n,a) \} : "string"! = type of \ r | |-1 == r.indexOf(".") \& -1 == r.indexOf("(")) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf("(")) \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : "string"! = type of \ r | |-1 == r.indexOf(".") & -1 == r.indexOf(".") \} : (d=function(t,e,n)) \} : (d=function
  a,r,o;if(""!==n)for(var
 u=0,c=t.length;u< c;u++)r.push(d(t[u],e,o));var f=f[0].substring(1,f[0].length-u=0,c=t.length;u< c;u++)r.push(d(t[u],e,o));var f=f[0].substring(1,f[0].length-u=0,c=t.length;u< c;u++)r.push(d(t[u],e,o));var f=f[0].substring(1,f[0].length-u=0,c=t.length;u< c;u++)r.push(d(t[u],e,o));var f=f[0].substring(1,f[0].length-u=0,c=t.length;u< c;u++)r.push(d(t[u],e,o));var f=f[0].substring(1,f[0].length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length-u=0,c=t.length
  1);t=""===f?r:r.join(f);break}if(a)i[l]=i[l].replace(g,""),t=t[i[l]]();else{if(null===t||t[i[l]
  ]] == N) return \ N; t = t[i[1]] \} return \ t \}, function(t,e) \{ return \ d(t,e,r) \}) \} \}; var
  r=function(t,e,n)\{t[e]!==N&&(t[n]=t[e])\};function
K(t){r(t, "ordering", "bSort"),r(t, "orderMulti", "bSortMulti"),r(t, "orderClasses", "bSortClasses"),r(t, "orderCellsTop", "bSortCellsTop"),r(t, "order", "aaSorting"),r(t, "orderFixed", "aaSortingFixe")
d"),r(t,"paging","bPaginate"),r(t,"pagingType","sPaginationType"),r(t,"pageLength","iDisplayLength"),r(t,"searching","bFilter"),"boolean"==typeof
 t.sScrollX&&(t.sScrollX=t.sScrollX?"100%":""), "boolean"==typeof
t.scrollX&&(t.scrollX=t.scrollX?"100%":""); var e=t.aoSearchCols; if(e)for(var
 n=0, a=e.length; n<a;n++)e[n]&&C(w.models.oSearch,e[n]) function
 Q(t){r(t, "orderable", "bSortable"),r(t, "orderData", "aDataSort"),r(t, "orderSequence", "asSorting"),r(t, "orderDataType", "sortDataType");var e=t.aDataSort; "number"!=typeof
  e | Array.isArray(e) | | (t.aDataSort=[e]) } function tt(t) {var
  e,n,a,r;w.\_browser \mid | (w.\_browser=e=\{\},r=(a=(n=P("<div/>").css(\{position:"fixed",top:0,left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-left:-
  1*P(j).scrollLeft(), height:1, width:1, overflow: "hidden" \}).append(P("<div/>").css(\{position: "absident appendix of the property of the pr
  olute",top:1,left:1,width:100,overflow:"scroll"}).append(P("<div/>").css({width:"100%",height:
  10}))).appendTo("body")).children()).children(),e.barWidth=a[0].offsetWidth-
  a[0].clientWidth,e.bScrollOversize=100===r[0].offsetWidth&&100!==a[0].clientWidth,e.bScrollbar
 \label{lem:left-left} Left=1!==Math.round(r.offset().left), e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBounding=!!n[0].getBoundingClientRect().width, n.remove().e.bBoundingClientRect().width, n.remove().e.bBound().e.bBound().e.bBound().e.bBound().e.bBound().e.bBound().e.bBou
  ()),P.extend(t.oBrowser,w.__browser),t.oScroll.iBarWidth=w.__browser.barWidth}function
  et(t,e,n,a,r,o){var
  i,l=a,s=!1:for(n!==N&&(i=n,s=!0):l!==r:)t.hasOwnProperty(1)&&(i=s?e(i,t[1],l,t):t[1],s=!0,l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1],l+=o(i,t[1
  );return i}function nt(t,e){var
 n=w.defaults.column, a=t.aoColumns.length, n=P.extend(\{\}, w.models.oColumn, n, \{nTh:e \mid | y.createElember | a top of the column | 
  ent("th"),sTitle:n.sTitle||(e?e.innerHTML:""),aDataSort:n.aDataSort||[a],mData:n.mData||a,idx:
  a \}) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , \texttt{at(t,a,Plance)} \} ) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , n = (\texttt{t.aoColumns.push(n)}, \texttt{t.aoPreSearchCols}); n [\texttt{a}] = \texttt{P.extend(} \{ \} \ , \texttt{w.models.oSearch,} n [\texttt{a}]) \ , n = (\texttt{a.aoColumns.push(n)}, \texttt{a.aoColumns.push(n)}, \texttt{a.aoColumns.push(n)}, n = (\texttt{a.aoColumns.push(n)}, \texttt{a.aoColumns.push(n)}, n = (\texttt{a.aoColumns.push(n)}, n = (
  (e).data())}function at(t,e,n){function a(t){return"string"==typeof t&&-1!==t.indexOf("@")}var
  e=t.aoColumns[e],r=t.oClasses,o=P(e.nTh),i=(!e.sWidthOrig&&(e.sWidthOrig=o.attr("width")||null
 , u = (0.attr("style")||"").match(/width:\s*(\d+[pxem%]+)/))\&\&(e.sWidthOrig=u[1]), n! == N\&\&null! == n\&\&(Q(n),C(w.defaults.column,n,!0),n.mDataProp==N||n.mData||(n.mData=n.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp),n.sType&&(e.mDataProp
        _sManualType=n.sType),n.className&&!n.sClass&&(n.sClass=n.className),n.sClass&&o.addClass(n.sC
  lass), u = e.sClass, P.extend(e,n), F(e,n,"sWidth","sWidthOrig"), u! == e.sClass\&(e.sClass = u+1) + (e,n,m) + (e,n
    "+e.sClass), n.iDataSort! == N\&\&(e.aDataSort = [n.iDataSort]), F(e,n, "aDataSort")), e.mData), l=A(i), s=A(i), l=A(i), l=A(i
  = e.mRender?A(e.mRender):null,u=(e.\_bAttrSrc=P.isPlainObject(i)\&\&(a(i.sort))||a(i.type)|||a(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)||||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)|||u=(i.fill)||u=(i.fill)|||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fill)||u=(i.fi
  \texttt{ter)),e.\_setter=null,e.fnGetData=function(t,e,n)} \\ \{var\ a=l(t,e,N,n); return\ a=l(
  s\&\&e?s(a,e,t,n):a\}, e.fnSetData=function(t,e,n)\{return\ b(i)(t,e,n)\}, "number"==typeoffice of the context of 
  i | | e._isArrayHost | | (t._rowReadObject=!0), t.oFeatures.bSort | | (e.bSortable=!1, o.addClass(r.sSort
  ableNone)),-1!==P.inArray("asc",e.asSorting)),n=-
  1!=P.inArray("desc",e.asSorting);e.bSortable&&(u||n)?u&&!n?(e.sSortingClass=r.sSortableAsc,e.asSortingClass=r.sSortableAsc,e.asSortingClass=r.sSortableAsc,e.asSortingClass=r.sSortableAsc,e.asSortingClass=r.sSortableAsc,e.asSortingClass=r.sSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e.asSortableAsc,e
  sSortingClassJUI=r.sSortJUIAscAllowed):!u&&n?(e.sSortingClass=r.sSortableDesc,e.sSortingClassJ
  UI=r.sSortJUIDescAllowed):(e.sSortingClass=r.sSortable,e.sSortingClassJUI=r.sSortJUI):(e.sSort
  ingClass=r.sSortableNone,e.sSortingClassJUI="")}function
  O(t){if(!1!==t.oFeatures.bAutoWidth){var e=t.aoColumns;ee(t);for(var
 n=0,a=e.length;n<a;n++)e[n].nTh.style.width=e[n].sWidth}var
 r=t.oScrolli""===r.sY\&\&""===r.sX||Qt(t),R(t,null,"column-sizing",[t])\} function
  rt(t,e){t=it(t,"bVisible");return"number"==typeof t[e]?t[e]:null}function
  \texttt{ot(t,e)} \\ \{\texttt{t=it(t,"bVisible"),e=P.inArray(e,t);return-1!==e?e:null} \\ \\ \text{function T(t)} \\ \{\texttt{var n=0;return-1!==e?e:null} \\ \} \\ \text{function T(t)} \\ \text{function
  P. each(\dot{t}. aoColumns, function(t, e) \\ \{e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& \& n++ \}), n \} function(t, e) \\ \{e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none"! == P(e.nTh). css("display") \\ \& (e.b Visible \& "none") \\ \& (e.b Visible \& "no
 n it(t,n){var a=[];return P.map(t.aoColumns,function(t,e)\{t[n]&&a.push(e)\}),a\}function
 lt(t){for(var
  e,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoColumns,u=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoData,c=w.ext.type.detect,f=0,d=s.length;f<d;f++)if(l=[],!(o=t,n,a,r,o,i,l,s=t.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=w.ext.type.detect,f=0,d=s.aoData,c=0,d=s.aoD
  s[f]).sType&&o._sManualType)o.sType=o._sManualType;else
  if(!o.sType) \\ \{for(e=0,n=c.length;e< n;e++) \\ \{for(a=0,r=u.length;a< r\&\&(1[a]===N\&\&(1[a]=S(t,a,f,"typ)) \\ \} \\ \{for(a=0,r=u.length;a< r\&\&(1[a]==N\&\&(1[a]=S(t,a,f,"typ)) \\ \} \\ \{for(a=0,r=u.length;a< r\&\&(1[a]==N\&\&(1[a]=S(t,a,f,"typ)) \\ \} \\ \{for(a=0,r=u.length;a< r\&\&(1[a]==N\&\&(1[a]=S(t,a,f,"typ)) \\ \} \\ \{for(a=0,r=u.length;a< r\&\&(1[a]=S(t,a,f,"typ)) \\
  e")),(i=c[e](l[a],t))||e===c.length-
  1) \& ("html"!==i||h(l[a])); a++); if(i) o.sType=i; break} o.sType=||(o.sType="string")| function of the context of the conte
  st(t,e,n,a) {var r,o,i,l,s=t.aoColumns;if(e)for(r=e.length-1;0<=r;r--)for(var)
  u,c=(u=e[r]).target!==N?u.target:u.targets!==N?u.targets:u.aTargets,f=0,d=(c=Array.isArray(c)?
  c:[c]).length;f<d;f++)if("number"==typeof</pre>
   c[f] \&\&0 <= c[f]) \{for(;s.length <= c[f];) nt(t); a(c[f],u) \} else if("number" == type of the context of the
  c[f]&&c[f]<0)a(s.length+c[f],u);else if("string"==typeof</pre>
  ,o=n.length;r<o;r++)a(r,n[r])function x(t,e,n,a){for(var)}
  r=t.aoData.length,o=P.extend(!0,\{\},w.models.oRow,\{src:n?"dom":"data",idx:r\}),i=(o.\_aData=e,t.ab)
 oData.push(o),t.aoColumns),l=0,s=i.length;l<s;l++)i[l].sType=null;t.aiDisplayMaster.push(r);e=
```

```
t.rowIdFn(e); return e!=N&&(t.aIds[e]=o), !n&&t.oFeatures.bDeferRender | <math>|St(t,r,n,a),r| function
  ut(n,t){var a;return(t=t instanceof P?t:P(t)).map(function(t,e){return
  a=mt(n,e),x(n,a.data,e,a.cells)})}function
  S(t,e,n,a) {"search"===a?a="filter":"order"===a&&(a="sort");var
 r=t.iDraw,o=t.aoColumns[n],i=t.aoData[e]._aData,l=o.sDefaultContent,s=o.fnGetData(i,a,{setting
 s:t,row:e,col:n\}); if (s===N) return \ t.iDraw \ error!=r\&\&null===l\&\&(W(t,0), "Requested unknown parameter "+("function"==typeof o.mData?" \{function\}":"'"+o.mData+"'")+" for row "+e+", column parameter "+("function"==typeof o.mData?" \ error \ 
    "+n,4),t.iDrawError=r),1;if(s!==i&&null!==s||null===1||a===N){if("function"==typeof s)return}
  s.call(i)}else s=1;return
  null===s&&"display"===a?"":"filter"===a&&(e=w.ext.type.search)[o.sType]?e[o.sType](s):s}functi
  on ct(t,e,n,a){var
  r=t.aoColumns[n],o=t.aoData[e]._aData;r.fnSetData(o,a,{settings:t,row:e,col:n})}var
  ft=/[.*?]$/,g=/(())$/;function dt(t){return
  P.map(t.match(/(\\.|[^\.])+/g)||[""],function(t){return t.replace(/\\./g,".")})}var
  A=w.util.get,b=w.util.set;function ht(t){return H(t.aoData,"_aData")}function
 \texttt{pt(t)} \\ \{\texttt{t.aoData.length=0,t.aiDisplayMaster.length=0,t.aiDisplay.length=0,t.aIds=\{}\} \\ \{\texttt{function} \\ \texttt{pt(t)} \\ \{\texttt{t.aoData.length=0,t.aiDisplayMaster.length=0,t.aiDisplay.length=0,t.aIds=\{}\} \\ \{\texttt{function} \\ \texttt{pt(t)} \\ \texttt{function} \\ \texttt{pt(t)} \\ \texttt{pt(t
  gt(t,e,n)\{for(var a=-1,r=0,o=t.length;r<o;r++)t[r]==e?a=r:t[r]>e&&t[r]--;-
  1!=a\&n===N\&t.splice(a,1) function bt(n,a,t,e) {function
 r(t,e){for(;t.childNodes.length;)t.removeChild(t.firstChild);t.innerHTML=S(n,a,e,"display")}va
 r o,i,l=n.aoData[a];if("dom"!==t&&(t&&"auto"!==t||"dom"!==1.src)){var
  s=1.anCells; if(s)if(e!=N)r(s[e],e); else for(o=0,i=s.length;o<i;o++)r(s[o],o)else
  1._aData=mt(n,1,e,e===N?N:1._aData).data;1._aSortData=null,1._aFilterData=null;var
   u=n.aoColumns; if (e!==N)u[e].sType=null; else \\  \{for (o=0,i=u.length; o< i; o++)u[o].sType=null; vt(n,l) \} 
  \label{lem:condition} $$ \int_{\mathbb{R}^n} \int_{\mathbb{R}^n} f(t,e,n,a) \left\{ \int_{\mathbb{R}^n} f(t,e) \left\{ var \ n; string = typeof \ t_{\infty} \right\} \right\} $$
  1!==(n=t.indexOf("@"))&&(n=t.substring(n+1),b(t)(a,e.getAttribute(n))) function
  o(t) \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ AttrSrc?(b(l.mData.\_)(a,s), r(l.mData.so)\} \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ AttrSrc?(b(l.mData.\_)(a,s), r(l.mData.so)\} \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ AttrSrc?(b(l.mData.\_)(a,s), r(l.mData.so)] \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ AttrSrc?(b(l.mData.\_)(a,s), r(l.mData.so)] \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ AttrSrc?(b(l.mData.\_)(a,s), r(l.mData.so)] \\ \{n! == N\&\&n! == f \mid | (1 = d[f], s = t.inner \\ HTML.trim(), l\&\&l.\_b\\ HTMLtrim(), l\&\&l.\_b\\ HTMLtrim(), l\&\&l.\_b\\ HTMLtrim(), l\&\&l.\_b\\ HTMLtrim(), l\&\&l.\_b\\ HTMLtrim(), l\&\&l
  \texttt{rt,t)}, \texttt{r(1.mData.type,t)}, \texttt{r(1.mData.filter,t))} : \texttt{h?(1.\_setter} | | (\texttt{1.\_setter=b(1.mData)}), \texttt{1.\_setter(a,t)} | \texttt{h?(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.mData))}, \texttt{h.(1.\_setter=b(1.
  s)):a[f]=s),f++}var
  i,l,s,u=[],c=e.firstChild,f=0,d=t.aoColumns,h=t._rowReadObject;a=a!==N?a:h?{}:[];if(c)for(;c;)
  "TD"!=(i=c.nodeName.toUpperCase())\&\&"TH"!=i\,\big|\,\big|\,(o(c),u.push(c)),c=c.nextSibling;else\ for (varance),c=c.nextSibling;else\ for (varanc
  p=0,g=(u=e.anCells).length;p<g;p++)o(u[p]);var e=e.firstChild?e:e.nTr;return
  e\&\&(e=e.getAttribute("id"))\&\&b(t.rowId)(a,e),{data:a,cells:u}}function St(t,e,n,a){var}
  \texttt{r,o,i,l,s,u,c=t.aoData[e],f=c.\_aData,d=[];if(null===c.nTr)} \\ \{ \texttt{for(r=n} \, | \, \texttt{y.createElement("tr"),c.nTr} \} \\ = \texttt{for(r=n)} \\ \{ \texttt{for(r=n)} \, | \, \texttt{y.createElement("tr"),c.nTr} \} \\ = \texttt{for(r=n)} \\ \{ \texttt{for(r=n)} \, | \, \texttt{y.createElement("tr"),c.nTr} \} \\ = \texttt{for(r=n)} \\ = \texttt{for(
  r=r,c.anCells=d,r._DT_RowIndex=e,vt(t,c),l=0,s=t.aoColumns.length;l<s;l++)i=t.aoColumns[1],(o=
  count",18),o._DT_CellIndex={row:e,column:1},d.push(o),!u&&(!i.mRender&&i.mData===1||P.isPlainObject(i.mData)&&i.mData._===1+".display")||(o.innerHTML=S(t,e,l,"display")),i.sClass&&(o.class
   "+i.sClass),i.bVisible&&!n?r.appendChild(o):!i.bVisible&&n&&o.parentNode.removeChild(o),i.fnCr
  \verb| eatedCell&\&i.fnCreatedCell.call(t.oInstance,o,S(t,e,l),f,e,l); R(t, @aoRowCreatedCallback@,null, oInstance,o,S(t,e,l),f,e,l); R(t, @aoRowCreatedCallbac
  [r,f,e,d])}}function vt(t,e){var
 n=e.nTr, a=e.\_aData; n\&\&((t=t.rowIdFn(a))\&\&(n.id=t), a.DT\_RowClass\&\&(t=a.DT\_RowClass.split("t=t.rowIdFn(a))) & (t=t.rowIdFn(a)) & (t=t.rowIdFn(a
   "),e.__rowc=e.__rowc?z(e.__rowc.concat(t)):t,P(n).removeClass(e.__rowc.join("
  ")).addClass(a.DT_RowClass)),a.DT_RowAttr&&P(n).attr(a.DT_RowAttr),a.DT_RowData)&&P(n).data(a.
  td",r).length,l=t.oClasses,s=t.aoColumns;for(i&&(n=P("").appendTo(r)),c=0,f=s.length;c<f;
  c++)a=s[c],e=P(a.nTh).addClass(a.sClass),i&&e.appendTo(n),t.oFeatures.bSort&&(e.addClass(a.sSo
  rtingClass),!1!==a.bSortable)&&(e.attr("tabindex",t.iTabIndex).attr("aria-
  \verb|controls", t.sTableId||, ue(t, a.nTh, c)||, a.sTitle! = e[0].innerHTML\&\&e.html(a.sTitle)||, ve(t, "header")||, ue(t, a.nTh, c)||, a.sTitle!||, ue(t, a.nTh, c)||, ue(t, a.nTh, 
  (t,e,a,l);if(i&&wt(t.aoHeader,r),P(r).children("tr").children("th,
  td").addClass(1.sHeaderTH),P(o).children("tr").children("th,
  td").addClass(l.sFooterTH),null!==o)for(var
  u=t.aoFooter[0],c=0,f=u.length;c<f;c++)(a=s[c])?(a.nTf=u[c].cell,a.sClass&&P(a.nTf).addClass(a
  a,r,o,i,l,s,u,c,f,d=[],h=[],p=t.aoColumns.length;if(e){for(n===N&&(n=!1),a=0,r=e.length;a<r;a+b.def}
  +){for(d[a]=e[a].slice(),d[a].nTr=e[a].nTr,o=p-1;0<=o;o-
  ) t.aoColumns[o].bVisible | |n| | d[a].splice(o,1); h.push([]) } for (a=0,r=d.length; a < r; a + +) { if (u=d[a] = 0, r=d.length; a < r; a + +) } } for (a=0,r=d.length; a < r; a + +) } } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a + +) } | for (a=0,r=d.length; a < r; a < r; a + +) } | for (a=0,r=d.length; a < r; a < 
       .nTr)for(;s=u.firstChild;)u.removeChild(s);for(o=0,i=d[a].length;o<i;o++)if(f=c=1,h[a][o]===N)
  \{for(u.appendChild(d[a][o].cell),h[a][o]=1;d[a+c]!==N&&d[a][o].cell==d[a+c][o].cell;)h[a+c][o]
  =1,c++;for(;d[a][o+f]!==N&&d[a][o].cell==d[a][o+f].cell;){for(l=0;l<c;l++)h[a+l][o+f]=1;f++}P(
  d[a][o].cell).attr("rowspan",c).attr("colspan",f)}}}function
  v(t,e){n="ssp"==E(s=t),(l=s.iInitDisplayStart)!==N&&
  1!==l&&(s._iDisplayStart=!n&&l>=s.fnRecordsDisplay()?0:1,s.iInitDisplayStart=-1);var
  a=[],r=0,o=t.asStripeClasses,i=o.length,l=t.oLanguage,s="ssp"==E(t),u=t.aiDisplay,n=t._iDispla
 yStart,c=t.fnDisplayEnd();if(t.bDrawing=!0,t.bDeferLoading)t.bDeferLoading=!1,t.iDraw++,D(t,!1
  );else if(s){if(!t.bDestroying&&!e)return void xt(t)}else t.iDraw++;if(0!==u.length)for(var
  f=s?t.aoData.length:c,d=s?0:n;d<f;d++){var
 \label{eq:hpull} $$h,p=u[d],g=t.aoData[p],b=(null===g.nTr&&St(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g.nTr);0!==i&&(h=o[r*i],g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStripe!=h)&&(P(t,p),g._sRowStrip
 b). remove {\tt Class(g.\_sRowStripe).addClass(h),g.\_sRowStripe=h),R(t,"aoRowCallback",null,[b,g.\_aDatalback])}, remove {\tt Class(g.\_sRowStripe).addClass(h),g.\_sRowStripe=h),R(t,"aoRowCallback",null,[b,g.\_aDatalback])}, remove {\tt Class(g.\_sRowStripe).addClass(h),g.\_sRowStripe=h),R(t,"aoRowCallback])}, remove {\tt Class(h),g.\_sRowStripe=h),R(t,"aoRowCallback])}, remove {\tt Class(h),g.\_sRowStripe=h)}, remove {\tt Class(h),g
  a,r,d,p]),a.push(b),r++\} else\{e=1.sZeroRecords;1==t.iDraw\&\&"ajax"==E(t)?e=1.sLoadingRecords:1.supersonal context of the cont
  \label{eq:matter} EmptyTable\&\&0 === t.fnRecordsTotal()\&\&(e=1.sEmptyTable), a[0] = P("", \{class:i?o[0]:""\}).appended to the context of 
  \label{eq:colspan:T(t),class:t.oClasses.sRowEmpty}).html(e))[0]\\ R(t,"aoHeaderCallback")\\ R(t,
     ,"header",[P(t.nTHead).children("tr")[0],ht(t),n,c,u]),R(t,"aoFooterCallback","footer",[P(t.nT
  Foot).children("tr")[0], ht(t), n, c, u]); s=P(t.nTBody); s.children().detach(), s.append(P(a)), R(t, with the context of th
  aoDrawCallback", "draw",[t]),t.bSorted=!1,t.bFiltered=!1,t.bDrawing=!1}}function u(t,e){var
  n=t.oFeatures,a=n.bSort,n=n.bFilter;a&&ie(t),n?Rt(t,t.oPreviousSearch):t.aiDisplay=t.aiDisplay
\label{local_master} \texttt{Master.slice(),!0!==e\&\&(t.\_iDisplayStart=0),t.\_drawHold==,v(t),t.\_drawHold=!1} \\ \texttt{function} \\ \texttt{Master.slice(),l.} \\ \texttt{Master.s
_t(t){for(var
```

```
e,n,a,r,o,i,l,s=t.oClasses,u=P(t.nTable),u=P("<div/>").insertBefore(u),c=t.oFeatures,f=P("<div
  />",{id:t.sTableId+"_wrapper",class:s.sWrapper+(t.nTFoot?"":"
   "+s.sNoFooter)\}), d=(\overline{t}.nHolding=u[0],t.nTableWrapper=f[0],t.nTableReinsertBefore=t.nTable.nextS]
  ibling, t.sDom.split("")), h=0; h< d.length; h++) \\ \{if(e=null, "<"==(n=d[h])) \\ \{if(a=P("<div/>")[0], "'"==(n=d[h])\} \\ \{if(a=P("<div/")[0], "'"==(n=d[h])\} \\ \{if(a=P(">(a=P(">(a=h(h))[n])[n])\} \\ \{if(a=P(">(a=h(h))[n])[n], "'"==(n=d[h])] \\ \{if(a=P(")[n])[n], "'"==(n=d[h])] \\ \{if(a=P(")[n])[n], "'"==(n=d[h])[n] \\ \{if(a
  sJUIFooter),-1!=0.indexOf(".")?(l=o.split("."),a.id=1[0].substr(1,1[0].length-
  1),a.className=1[1]):"#"==o.charAt(0)?a.id=o.substr(1,o.length-
  1):a.className=o,h+=i}f.append(a),f=P(a)}else if(">"==n)f=f.parent();else
  if("r"==n&&c.bProcessing)e=Zt(t);else if("t"==n)e=Kt(t);else if("i"==n&&c.bInfo)e=Ut(t);else
  if("p"==n&&c.bPaginate)e=zt(t);else if(0!==w.ext.feature.length)for(var
  p=w.ext.feature,g=0,b=p.length;g<b;g++)if(n==p[g].cFeature)\{e=p[g].fnInit(t);break\}e\&\&((l=t.aa),g)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0,f(length)=0
  nFeatures)[n]||(1[n]=[]),1[n].push(e),f.append(e))\underlined u.replaceWith(f),t.nHolding=null\underlined function
  wt(t,e){var
  n,a,r,o,i,l,s,u,c,f,d=P(e).children("tr"); for(t.splice(0,t.length),r=0,l=d.length;r<l;r++)t.pu
  e() | | "TH" == a.nodeName.toUpperCase()) for(u=(u=+a.getAttribute("colspan"))&&0!=u&&1!=u?u:1,c=(c=
  + a.getAttribute("rowspan")) \& \& 0! = c \& \& 1! = c?c: 1, s = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ \{for(var \ a = t[e]; a[n];) n + +; return \} \\ = function(t,e,n) \\ = fun
 n (t,r,0), f=1=u, i=0; i< u; i++) for (o=0; o< c; o++) t[r+o][s+i]={cell:a,unique:f}, t[r+o].nTr=n; a=a.ne
 xtSibling}}function Ct(t,e,n)\{var a=[];n \mid | (n=t.aoHeader,e\&wt(n=[],e));for(var a=[],e)\}
  r=0,o=n.length;r<o;r++)for(var
  i=0,l=n[r].length;i<1;i++)!n[r][i].unique \\ ||a[i]&&t.bSortCellsTop\\ ||(a[i]=n[r][i].cell);return
  a}function Tt(r,t,n){function e(t){var
  e=r.jqXHR?r.jqXHR.status:null;(null===t|| "number"==typeof
   e\&\&204 == e)\&\&Ft(r,t = \{\},[]), (e=t.error | t.sError)\&\&W(r,0,e),r.json = t,R(r,null,"xhr",[r,t,r.jqXHR]),n(t)\}R(r,"aoServerParams","serverParams",[t]),t&&Array.isArray(t)&&(a={},o=/(.*?)\[\]$/,P.e
  ach(t,function(t,e){var
  n=e.name.match(o);n?(n=n[0],a[n]||(a[n]=[]),a[n].push(e.value)):a[e.name]=e.value}),t=a);var
  a,o,i,l=r.ajax,s=r.oInstance,u=(P.isPlainObject(1)&&l.data&&(u="function"==typeof(i=l.data)?i(
  t,r):i,t="function"==typeof i&&u?u:P.extend(!0,t,u),delete
  1.data), \\ \{data:t,success:e,dataType:"json",cache:!1,type:r.sServerMethod,error:function(t,e,n) \\ \{data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,data:t,success:e,da
  var a=R(r,null, "xhr",[r,null,r.jqXHR]);-1===P.inArray(!0,a)&&("parsererror"==e?W(r,0,"Invalid")
  JSON response",1):4===t.readyState&&W(r,0,"Ajax
  error",7)),D(r,!1)}});r.oAjaxData=t,R(r,null,"preXhr",[r,t]),r.fnServerData?r.fnServerData.cal
  l(s,r.sAjaxSource,P.map(t,function(t,e){return{name:e,value:t}}),e,r):r.sAjaxSource||"string"=
  =typeof l?r.jqXHR=P.ajax(P.extend(u,{url:1||r.sAjaxSource})):"function"==typeof
  1?r.jqXHR=1.call(s,t,e,r):(r.jqXHR=P.ajax(P.extend(u,l)),1.data=i) function
  xt(e) {e.iDraw++,D(e,!0),Tt(e,At(e),function(t){It(e,t)})} function At(t){for(var)}
  \verb|e,n,a,r=t.aoColumns,o=r.length,i=t.oFeatures,l=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oFeatures,l=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oFeatures,l=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreSearchCols,u=[],c=I(length,i=t.oPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPreviousSearch,s=t.aoPrev
  t),f=t._iDisplayStart,d=!1!==i.bPaginate?t._iDisplayLength:-
  1,h=function(t,e){u.push({name:t,value:e})},p=(h("sEcho",t.iDraw),h("iColumns",o),h("sColumns"
  ,H(r,"sName").join(",")),h("iDisplayStart",f),h("iDisplayLength",d),{draw:t.iDraw,columns:[],order:[],start:f,length:d,search:{value:l.sSearch,regex:l.bRegex}}),g=0;g<o;g++)n=r[g],a=s[g],e</pre>
  ="function"==typeof
  \verb|n.mData| = \texttt| function = \texttt| in.mData, \verb|p.columns.push| ( ata : e, name : n.sName, searchable : n.bSearchable, order a transfer of the following states and the following states are transfer of the following states are transfer of
  ble:n.bSortable, search: \\ \{value:a.sSearch, regex:a.bRegex\}\}), h("mDataProp\_"+g,e), i.bFilter&&(h("salue:a.sSearch, regex:a.bRegex)\}), h("mDataProp\_"+g,e), i.bFilter&&(h("salue:a.sSearch, regex:a.bRegex)\}), h("mDataProp\_"+g,e), i.bFilter&&(h("salue:a.sSearch, regex:a.bRegex)\}), h("mDataProp\_"+g,e), i.bFilter&&(h("salue:a.sSearch, regex:a.bRegex)]), h("mDataProp\_"+g,e), i.bFilter&&(h("salue:a.sSearch, regex)), i.bFilter&&(h("salue:a.sSearch
  Search_"+g,a.sSearch),h("bRegex_"+g,a.bRegex),h("bSearchable_"+g,n.bSearchable)),i.bSort&&h("b
  Sortable_"+g,n.bSortable);i.bFilter&&(h("sSearch",l.sSearch),h("bRegex",l.bRegex)),i.bSort&&(P
   . \texttt{each}(\texttt{c}, \texttt{function}(\texttt{t}, \texttt{e}) \\ \{\texttt{p}. \texttt{order}. \texttt{push}(\{\texttt{column} : \texttt{e}. \texttt{col}, \texttt{dir} : \texttt{e}. \texttt{dir}\}), \texttt{h}(\texttt{"iSortCol}\_\texttt{"} + \texttt{t}, \texttt{e}. \texttt{col}), \texttt{h}(\texttt{"sSortDir}) \}
  r_"+t,e.dir)}),h("iSortingCols",c.length));f=w.ext.legacy.ajax;return
  null==f?t.sAjaxSource?u:p:f?u:p}function It(t,n){function e(t,e){return}}
  n[t]!==N?n[t]:n[e]var
  a=Ft(t,n),r=e("sEcho","draw"),o=e("iTotalRecords","recordsTotal"),i=e("iTotalDisplayRecords","
  recordsFiltered");if(r!==N){if(+r<t.iDraw)return;t.iDraw=+r}a=a||[],pt(t),t._iRecordsTotal=par
  seInt(o,10),t._iRecordsDisplay=parseInt(i,10);for(var
  l=0, s=a.length; l< s; l++)x(t,a[1]); t.aiDisplay=t.aiDisplayMaster.slice(), v(t,!0), t.\_bInitComplet
  e | qt(t,n),D(t,!1) function
  Ft(t,e,n){t=P.isPlainObject(t.ajax)&&t.ajax.dataSrc!==N?t.ajax.dataSrc:t.sAjaxDataProp;if(!n)r
  eturn"data"===t?e.aaData||e[t]:""!==t?A(t)(e):e;b(t)(e,n)}function Lt(n){function e(t){i.f;var}}
  r t=n.oClasses,a=n.sTableId,r=n.oLanguage,o=n.oPreviousSearch,i=n.aanFeatures,l='<input
  type="search"
  class="'+t.sFilterInput+'"/>',s=(s=r.sSearch).match(/_INPUT_/)?s.replace("_INPUT_",1):s+1,1=P(
   "<div/>",{id:i.f?null:a+"_filter",class:t.sFilter}).append(P("<label/>").append(s)),t=null!==n
  .searchDelay?n.searchDelay:"ssp"===E(n)?400:0,u=P("input",1).val(o.sSearch).attr("placeholder"
,r.sSearchPlaceholder).on("keyup.DT search.DT input.DT paste.DT
  cut.DT",t?ne(e,t):e).on("mouseup",function(t){setTimeout(function(){e.call(u[0],t)},10)}).on("
  keypress.DT",function(t){if(13==t.keyCode)return!1}).attr("aria-controls",a);return
  P(n.nTable).on("search.dt.DT",function(t,e) \\ \{if(n===e)try\{u[0]!==y.activeElement\&u.val(o.sSear,u)\} \\ = (0.sSear,u) \\ = (0.
  ch) {catch(t){}}),1[0]} function Rt(t,e,n){function
  a(t){o.sSearch=t.sSearch,o.bRegex=t.bRegex,o.bSmart=t.bSmart,o.bCaseInsensitive=t.bCaseInsensi
  tive,o.return=t.return}function r(t){return t.bEscapeRegex!==N?!t.bEscapeRegex:t.bRegex}var
  o=t.oPreviousSearch,i=t.aoPreSearchCols;if(lt(t),"ssp"!=E(t)){Nt(t,e.sSearch,n,r(e),e.bSmart,e
  .bCaseInsensitive,e.return),a(e);for(var l=0;l<i.length;l++)jt(t,i[1].sSearch,l,r(i[1]),i[1].bSmart,i[1].bCaseInsensitive);Pt(t)}else
  a(e);t.bFiltered=!0,R(t,null,"search",[t]) function Pt(t) {for(var)
  e,n,a=w.ext.search,r=t.aiDisplay,o=0,i=a.length;o<i;o++){for(var
  l=[], s=0, u=r.length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) \&\&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData[n], a[o](t,e.\_aFilterData,n,e.\_aData,s) &&l.push(n) = length; s< u; s++) n=r[s], e=t.aoData,s = length; s++) n=r[s], e=t.aoDa
);r.length=0,P.merge(r,l)}}function jt(t,e,n,a,r,o){if(""!==e){for(var)}
```

```
i,l=[],s=t.aiDisplay,u=Ht(e,a,r,o),c=0;c<s.length;c++)i=t.aoData[s[c]]._aFilterData[n],u.test(</pre>
  i) \&\&l.push(s[c]); t.aiDisplay=l\} \} function \ Nt(t,e,n,a,r,o) \{varantee for each of the context of the conte
 0!==e.indexOf(r)||t.bSorted)&&(t.aiDisplay=o.slice()),i=t.aiDisplay,s=0;s<i.length;s++)u.test(
 t.aoData[i[s]].\_sFilterRow)\&\&c.push(i[s]); t.aiDisplay=c} \\ function Ht(t,e,n,a) \\ \{return t=e?t:Ot(t),n\&\&(t="^(?=.*?"+P.map(t.match(/"[^"]+"|[^ ]+/g)||[""],function(t)) \\ \{varn t=e?t:Ot(t),n\&\&(t="^(?=.*?"+P.map(t.match(/"[^"]+"]+"|[^ ]+/g)||[""],function(t)) \\ \{varn t=e?t:Ot(t),n\&\&(t="^(?=.*?"+P.map(t.match(/"[^"]+"]+"|[^ ]+/g)||[""],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+"]+"|[^ ]+/g)||[""],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+"]+")],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+")]+"],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+")]+"],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+")],function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="^(?=.*?"+P.map(t.match(/"[^"]+")]),function(t)) \\ \{varn t=e?t:Ot(t),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(-.*),n\&(t="(
  e;return(t='"'===t.charAt(0)?(e=t.match(/^"(.*)"$/))?e[1]:t:t).replace('"',"")}).join(")(?=.*?")+").*$"),new RegExp(t,a?"i":"")}var
  Ot=w.util.escapeRegex,kt=P("<div>")[0],Mt=kt.textContent!==N;function Wt(t){for(var
  e,n,a,r,o,i=t.aoColumns,l=!1,s=0,u=t.aoData.length;s<u;s++)if(!(o=t.aoData[s])._aFilterData){f}
  or(a=[],e=0,n=i.length;e<n;e++)i[e].bSearchable?"string"!=typeof(r=null===(r=S(t,s,e,"filter")
  )?"":r)&&r.toString&&(r=r.toString()):r="",r.indexOf&&-
 1!==r.indexOf("&")&&(kt.innerHTML=r,r=Mt?kt.textContent:kt.innerText),r.replace&&(r=r.replace(/[\r\n\u2028]/g,"")),a.push(r);o._aFilterData=a,o._sFilterRow=a.join(" "),l=!0}return
  1}function
  Et(t){return{search:t.sSearch,smart:t.bSmart,regex:t.bRegex,caseInsensitive:t.bCaseInsensitive
  }}function
  Bt(t){return{sSearch:t.search,bSmart:t.smart,bRegex:t.regex,bCaseInsensitive:t.caseInsensitive
  }}function Ut(t){var
  e=t.sTableId,n=t.aanFeatures.i,a=P("<div/>",{class:t.oClasses.sInfo,id:n?null:e+"_info"});retu
 \begin{tabular}{ll} rn & n & | & (t.aoDrawCallback.push(\{fn:Vt,sName:"information"\}),a.attr("role","status").attr("arialive","polite"),P(t.nTable).attr("aria-describedby",e+"_info")),a[0] & (t.aoDrawCallback.push(\{fn:Vt,sName:"information"\}),a.attr("role","status").attr("aria-describedby",e+"_info")),a[0] & (t.aoDrawCallback.push(\{fn:Vt,sName:"information"\}),a.attr("role","status").attr("aria-describedby",e+"_information")),a[0] & (t.aoDrawCallback.push(\{fn:Vt,sName:"information"\}),a.attr("role","status").attr("aria-describedby",e+"_information")),a[0] & (t.aoDrawCallback.push(\{fn:Vt,sName:"information"\}),a.attr("role","status").attr("aria-describedby",e+"_information")),a[0] & (t.aoDrawCallback.push([fn:Vt,sName:"information"])),a[0] & (t.aoDrawCallback.push([fn:Vt,sName:
  e,n,a,r,o,i,l=t.aanFeatures.i;0!==l.length&&(i=t.oLanguage,e=t._iDisplayStart+1,n=t.fnDisplayE
 nd(),a=t.fnRecordsTotal(),o=(r=t.fnRecordsDisplay())?i.sInfo:i.sInfoEmpty,r!==a&&(o+="
  "+i.sInfoFiltered),o=Xt(t,o+=i.sInfoPostFix),null!==(i=i.fnInfoCallback)&&(o=i.call(t.oInstanc
  e,t,e,n,a,r,o)),P(1).html(o))function Xt(t,e){var
 n=t.fnFormatNumber,a=t._iDisplayStart+1,r=t._iDisplayLength,o=t.fnRecordsDisplay(),i=-
 1===r;return
  e.replace(/_START_/g,n.call(t,a)).replace(/_END_/g,n.call(t,t.fnDisplayEnd())).replace(/_MAX_/
  g,n.call(t,t.fnRecordsTotal())).replace(/_TOTAL_/g,n.call(t,o)).replace(/_PAGE_/g,n.call(t,i?1
  :Math.ceil(a/r))).replace(/_PAGES_/g,n.call(t,i?1:Math.ceil(o/r)))}function Jt(n){var
  a,t,e,r=n.iInitDisplayStart,o=n.aoColumns,i=n.oFeatures,l=n.bDeferLoading;if(n.bInitialised) \\ \{fine transfer for the first or the fi
  or(t(n),yt(n),Dt(n,n.aoHeader),Dt(n,n.aoFooter),D(n,!0),i.bAutoWidth&&ee(n),a=0,t=0.length;a<
  t; a++) (e=o[a]).sWidth\&\&(e.nTh.style.width=M(e.sWidth)); R(n,null,"preInit",[n]), u(n); i=E(n); "ssize of the context of th
  p"==i\&\&!l||("ajax"==i?Tt(n,[],function(t){var}
  e=Ft(n,t): for(a=0:a<e.length;a++) \times (n,e[a]): n.iInitDisplayStart=r,u(n),D(n,!1),qt(n,t)): (D(n,!1);a++) \times (n,e[a]): (D(n,e[a]): (D(n,e[a]);a++) \times (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): (D(n,e[a]): 
  1),qt(n)))}else setTimeout(function(){Jt(n)},200)}function
  qt(t,e)\{t.\_bInitComplete=!0,(e||t.oInit.aaData)\&&O(t),R(t,null,"plugin-qt(t,e)\}
  init",[t,e]),R(t, "aoInitComplete", "init",[t,e])}function
  Gt(t,e){e=parseInt(e,10);t._iDisplayLength=e,Se(t),R(t,null,"length",[t,e])}function
  $t(a){for(var
  t=a.oClasses, e=a.sTableId, n=a.aLengthMenu, r=Array.isArray(n[0]), o=r?n[0]:n, i=r?n[1]:n, l=P("<sending and incomplete the context of the
  lect/>",{name:e+"_length","aria-
  controls":e,class:t.sLengthSelect}),s=0,u=o.length;s<u;s++)1[0][s]=new Option("number"==typeof
  i[s]?a.fnFormatNumber(i[s]):i[s],o[s]);var
  c=P("<div><label/></div>").addClass(t.sLength);return
  a.aanFeatures.l||(c[0].id=e+"_length"),c.children().append(a.oLanguage.sLengthMenu.replace("_M
 this).val()),v(a)\}),P(a.nTable).on("length.dt.DT",function(t,e,n)\{a===e\&P("select",c).val(n)\})
 ),c[0]}function zt(t){function c(t){v(t)}var e=t.sPaginationType,f=w.ext.pager[e],d="function"==typeof
  f,e=P("<div/>").addClass(t.oClasses.sPaging+e)[0],h=t.aanFeatures;return
d||f.fnInit(t,e,c),h.p||(e.id=t.sTableId+"_paginate",t.aoDrawCallback.push({fn:function(t){if(d)for(var e=t._iDisplayStart,n=t._iDisplayLength,a=t.fnRecordsDisplay(),r=-
  1 == \texttt{n,o=r?0:} \\ \texttt{Math.ceil(e/n),i=r?1:} \\ \texttt{Math.ceil(a/n),l=f(o,i),s=0,u=h.p.length;s<u;s++)} \\ \texttt{ve(t,"pageBu,s)} \\ \texttt{ve(t,"pag
  \texttt{tton"})(\texttt{t}, \texttt{h}.\texttt{p[s]}, \texttt{s}, \texttt{l}, \texttt{o}, \texttt{i}); \texttt{else } \texttt{f}.\texttt{fnUpdate}(\texttt{t}, \texttt{c})\}, \texttt{sName} : \texttt{"pagination"}\})), \texttt{e} \\ \texttt{function } \texttt{Yt}(\texttt{t}, \texttt{e}, \texttt{n}) \\ \{\texttt{var}, \texttt{o}, \texttt{o
  a=t._iDisplayStart,r=t._iDisplayLength,o=t.fnRecordsDisplay(),o=(0===o||-
  1 = = r?a = 0 : "number" = = typeof e?o < (a = e*r) & & (a = 0) : "first" = = e?a = 0 : "previous" = = e? (a = 0 < = r?a - 0
 r:0) < 0 \& \& (a=0): "next" == e?a + r < o \& (a+=r): "last" == e?a = Math.floor((o-1)/r) * r: W(t,0,"Unknown paging = e?a + r < o \& (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r < o & (a+=r): "last" == e?a + r
  action: "+e,5),t._iDisplayStart!==a);return
  t._iDisplayStart=a,o?(R(t,null,"page",[t]),n&v(t)):R(t,null,"page-nc",[t]),o}function
  Zt(t){return
   \texttt{P("-div/-", \{id:t.aanFeatures.r?null:t.sTableId+"\_processing", class:t.oClasses.sProcessing, role = t.aanFeatures.r.) } \\
   /div></div>").insertBefore(t.nTable)[0]}function
  rocessing",[t,e])}function Kt(t){var
e,n,a,r,o,i,l,s,u,c,f,d,h=P(t.nTable),p=t.oScroll;return""===p.sX&&""===p.sY?t.nTable:(e=p.sX,n=p.sY,a=t.oClasses,o=(r=h.children("caption")).length?r[0]._captionSide:null,s=P(h[0].cloneNo
  de(!1)),i=P(h[0].cloneNode(!1)),u=function(t){return
t?M(t):null},(l=h.children("tfoot")).length||(l=null),s=P(f="<div/>",{class:a.sScrollWrapper})
.append(P(f,{class:a.sScrollHead}).css({overflow: "hidden",position: "relative",border:0,width:e
?u(e):"100%"}).append(P(f,{class:a.sScrollHeadInner}).css({"box-sizing":"content-
box",width:p.sXInner||"100%"}).append(s.removeAttr("id").css("margin-left",0).append("top"===o?r:null).append(h.children("thead"))))).append(P(f,{class:a.sScrollBo
  dy}).css({position:"relative",overflow:"auto",width:u(e)}).append(h)),l&&s.append(P(f,{class:a
   .sScrollFoot}).css({overflow:"hidden",border:0,width:e?u(e):"100%"}).append(P(f,{class:a.sScro
  llFootInner}).append(i.removeAttr("id").css("margin-
left",0).append("bottom"===o?r:null).append(h.children("tfoot"))))),u=s.children(),c=u[0],f=u[
```

```
1],d=1?u[2]:null,e&&P(f).on("scroll.DT",function(t){var
 e=this.scrollLeft;c.scrollLeft=e, l&&(d.scrollLeft=e)}),P(f).css("max-
 \label{lem:height",n),p.bCollapse} \verb| | P(f).css("height",n),t.nScrollHead=c,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollFoot=d,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f,t.nScrollBody=f
  . aoDrawCallback.push(\{fn:Qt,sName:"scrolling"\}),s[0])\} function \ Qt(n)\{function \ Action 
 t(t){(t=t.style).paddingTop="0",t.paddingBottom="0",t.borderTopWidth="0",t.borderBottomWidth="
 0",t.height=0}var
 e,a,r,o,i,l=n.oScroll,s=1.sX,u=1.sXInner,c=1.sY,l=1.iBarWidth,f=P(n.nScrollHead),d=f[0].style,
h=f.children(\,\verb"div"\,)\,,p=h[\,0\,]\,.style\,,h=h.children(\,\verb"table"\,)\,,g=n.nScrollBody\,,b=P(g)\,,m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody\,,b=P(g),m=g.style\,,S=P(n.nScrollBody
nScrollFoot).children("div"),v=S.children("table"),y=P(n.nTHead),D=P(n.nTable),_=D[0],w=_.styl
 e,C=n.nTFoot?P(n.nTFoot):null,T=n.oBrowser,x=T.bScrollOversize,A=(H(n.aoColumns,"nTh"),[]),I=[
 ],F=[],L=[],R=g.scrollHeight>g.clientHeight;n.scrollBarVis!==R&&n.scrollBarVis!==N?(n.scrollBa
rVis=R,O(n)):(n.scrollBarVis=R,D.children("thead,
 tfoot").remove(),C&&(R=C.clone().prependTo(D),i=C.find("tr"),a=R.find("tr"),R.find("[id]").rem
oveAttr("id")),R=y.clone().prependTo(D),y=y.find("tr"),e=R.find("tr"),R.find("th,
td").removeAttr("tabindex"),R.find("[id]").removeAttr("id"),s||(m.width="100%",f[0].style.widt
 h="100\%"), P. each(Ct(n,R), function(t,e) \\ \{r=rt(n,t), e.style.width=n.aoColumns[r].sWidth\}), C&&k(full of the context of t
\texttt{nction(t)} \\ \{\texttt{t.style.width=""}\}, \texttt{a}), \texttt{f=D.outerWidth()}, \texttt{""===s?(w.width="100\%", x\&\&(D.find("tbody").heilder(b), the loop of 
ght()>g.offsetHeight | | "scroll" == b.css("overflow-y")) \&\&(w.width=M(D.outerWidth()-1)), f=D.outerWidth()): ""! == u\&\&(w.width=M(u), f=D.outerWidth()), k(t,e), k(function(t) {var} | variable | v
 e=j.getComputedStyle?j.getComputedStyle(t).width:M(P(t).width());F.push(t.innerHTML),A.push(e)
\label{eq:local_problem} $$ ,e) ,k(function(t,e)\{t.style.width=A[e]\},y),P(e).css("height",0),C&&(k(t,a),k(function(t)\{L.push(t.innerHTML),I.push(M(P(t).css("width")))\},a),k(function(t,e)\{t.style.width=I[e]\},i),P(a).h $$
 eight(0)),k(function(t,e){t.innerHTML='<div
 class="dataTables_sizing">'+F[e]+"</div>",t.childNodes[0].style.height="0",t.childNodes[0].sty
le.overflow="hidden", t.style.width=A[e]\}, e), C\&\&k(function(t,e)\{t.innerHTML='<div class="dataTables_sizing">'+L[e]+"</div>", t.childNodes[0].style.height="0", t.childNodes[
 le.overflow="hidden",t.style.width=I[e]},a),Math.round(D.outerWidth())<Math.round(f)?(o=g.scro
 llHeight>g.offsetHeight|| "scroll" == b.css("overflow-
y")?f+1:f,x&&(g.scrollHeight>g.offsetHeight||"scroll"==b.css("overflow-y"))&&(w.width=M(o-y)) & (w.width=M(o-y)) & (w.width=M
1)), ""!==s&&""===u||W(n,1,"Possible column misalignment",6)):o="100%", m.width=M(o),d.width=M(o),C&&(n.nScrollFoot.style.width=M(o)),c||x&
 &(m.height=M(_.offsetHeight+1)),R=D.outerWidth(),h[0].style.width=M(R),p.width=M(R),y=D.height
 ()>g.clientHeight||"scroll"==b.css("overflow-
 y"),p[i="padding"+(T.bScrollbarLeft?"Left":"Right")]=y?l+"px":"0px",C&&(v[0].style.width=M(R)
 S[0].style.width=M(R),S[0].style[i]=y?l+"px":"0px"),D.children("colgroup").insertBefore(D.chil
 dren("thead")),b.trigger("scroll"),!n.bSorted&&!n.bFiltered||n._drawHold||(g.scrollTop=0))}fun
 ction k(t,e,n)\{for(var)\}
 a,r,o=0,i=0,l=e.length;i<1;) {for(a=e[i].firstChild,r=n?n[i].firstChild:null;a;)1===a.nodeType&
 &(n?t(a,r,o):t(a,o),o++),a=a.nextSibling,r=n?r.nextSibling:null;i++}var te=/<.*?>/g;function
 ee(t){var
 e,n,a=t.nTable,r=t.aoColumns,o=t.oScroll,i=o.sY,l=o.sX,o=o.sXInner,s=r.length,u=it(t,"bVisible
  "),c=P("th",t.nTHead),f=a.getAttribute("width"),d=a.parentNode,h=!1,p=t.oBrowser,g=p.bScrollOv
 ersize, b=a.style.width; for (b&&-
 1! = b.indexOf("%") \& \& (f=b), D=0; D< u.length; D++) null! = (e=r[u[D]]).sWidth \& \& (e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.sWidth=ae(e.
m=rt(t,D);null!==m&&(r[m].sWidth=M(c.eq(D).width()))}else{var}
b=P(a).clone().css("visibility", "hidden").removeAttr("id"),S=(b.find("tbody
 tr").remove(),P("").appendTo(b.find("tbody")));for(b.find("thead,
 tfoot").remove(),b.append(P(t.nTHead).clone()).append(P(t.nTFoot).clone()),b.find("tfoot th,
 td").css("width",""),c=Ct(t,b.find("thead")[0]),D=0;D<u.length;D++)e=r[u[D]],c[D].style.width=0
 null!==e.sWidthOrig&&""!==e.sWidthOrig?M(e.sWidthOrig):"",e.sWidthOrig&&l&&P(c[D]).append(P("<
 div/>").css({width:e.sWidthOrig,margin:0,padding:0,border:0,height:1}));if(t.aoData.length)for
 (D=0;D<u.length;D++)e=r[n=u[D]],P(re(t,n)).clone(!1).append(e.sContentPadding).appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("appendTo(S);P("
 [name]",b).removeAttr("name");for(var
 v=P("<div/>").css(1||i?{position: "absolute", top:0, left:0, height:1, right:0, overflow: "hidden"}:{\{position: "absolute", top:0, left:0, height:1, right:0, overflow: "hidden"\}:{\{position: "absolute", top:0, left:0, height:1, right:0, overflow: "hidden", top:0, left:0, height:1, right:0, left:0, height:1, right:0, height:1, right:0, height:1, right:0, height:1, right:1, height:1, 
 }).append(b).appendTo(d),y=(l&&o?b.width(o):l?(b.css("width","auto"),b.removeAttr("width"),b.w
 idth()<d.clientWidth&&f&&b.width(d.clientWidth)):i?b.width(d.clientWidth):f&&b.width(f),0),D=0
 ;D<u.length;D++){var _=P(c[D]),w=_.outerWidth()-
        .width(),_=p.bBounding?Math.ceil(c[D].getBoundingClientRect().width):_.outerWidth();y+=_,r[u[
D]].sWidth=M(_-
 w)a.style.width=M(y),v.remove()f&&(a.style.width=M(f)),!f&&!1|t._reszEvt||(o=function()f(j)
 ).on("resize.DT-
   "+t.sInstance,ne(function()\{O(t)\}))\},g?setTimeout(o,1e3):o(),t._reszEvt=!0)\}var
 ne=w.util.throttle;function ae(t,e){return
 t?(e=(t=P("<div/>").css("width",M(t)).appendTo(e||y.body))[0].offsetWidth,t.remove(),e):0} function for the property of the 
 tion re(t,e){var n,a=oe(t,e);return
 a<0?null:(n=t.aoData[a]).nTr?n.anCells[e]:P("<td/>").html(S(t,a,e,"display"))[0]\\ \} function
 oe(t,e) {for(var n,a=-1,r=-
 ;/g," ")).length>a&&(a=n.length,r=o);return r}function M(t){return
I(t) \{function \ e(t) \{t.length\&\&!Array.isArray(t[0])?h.push(t):P.merge(h,t)\} \\ varable function \ e(t) \{t.length\&\&!Array(t[0])?h.push(t):P.merge(h,t)\} \\ varable function \ e(t) \{t.length\&\&!Array(t[
n,a,r,o,i,l,s,u=[],c=t.aoColumns,f=t.aaSortingFixed,d=P.isPlainObject(f),h=[];for(Array.isArra
=P.inArray(h[n][1],c[i].asSorting)),u.push({src:s,col:i,dir:h[n][1],index:h[n]._idx,type:l,for
matter:w.ext.type.order[l+"-pre"]});return u}function ie(t){var
 e,n,a,r,c,f=[],u=w.ext.type.order,d=t.aoData,o=(t.aoColumns,0),i=t.aiDisplayMaster;for(lt(t),e
 =0, n = (c = I(t)). length; e < n; e + +) (r = c[e]). formatter \& o + +, fe(t, r. col); if("ssp"! = E(t) \& \& 0! = = c.length) = (c = I(t)). length; e < n; e + +) (r = c[e]). formatter & e < n; e < t, r = c.length = (c = I(t)). length; e < n; e < t, r = c.length = (c = I(t)). length; e < n; e < t, r = c.length = (c = I(t)). length; e < n; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length; e < t, r = c.length = (c = I(t)). length = (c
```

```
\{for(e=0,a=i.length;e< a;e++)f[i[e]]=e;o===c.length?i.sort(function(t,e)\{for(vareal)ensemble ensemble ensembl
\dot{n},a,r,o,i=c.length,l=d[t]._aSortData,s=d[e]._aSortData,u=0;u<i;u++)if(0!=(r=(n=1[(o=c[u]).col])
 )<(a=s[o.col])?-1:a<n?1:0))return"asc"===o.dir?r:-r;return(n=f[t])<(a=f[e])?-
 1:a<n?1:0}):i.sort(function(t,e){for(var
\label{eq:naccont} n,a,r,o=c.length,i=d[t].\_aSortData,l=d[e].\_aSortData,s=0;s<o;s++)if(n=i[(r=c[s]).col],a=l[r.col],0!==(r=(u[r.type+"-"+r.dir])|u["string-"+r.dir])(n,a)))return r;return(n=f[t])<(a=f[e])?-length,i=d[t].\_aSortData,l=d[e].\_aSortData,s=0;s<o;s++)if(n=i[(r=c[s]).col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l[r.col],a=l
 1:a<n?1:0})}t.bSorted=!0}function le(t){for(var
 e=t.aoColumns,n=I(t),a=t.oLanguage.oAria,r=0,o=e.length;r<o;r++){var
 i = e[r], l = i.asSorting, s = i.ariaTitle | | i.sTitle.replace(/<.*?>/g, ""), u = i.nTh; u.removeAttribute("all the content of the content
 ria-sort"),i=i.bSortable?s+("asc"===(0<n.length&&n[0].col==r&&(u.setAttribute("aria-
 sort", "asc"==n[0].dir?"ascending": "descending"), l[n[0].index+1]) | | l[0])?a.sSortAscending:a.sSo
 n=t._idx;return(n=n===N?P.inArray(t[1],s):n)+1<s.length?n+1:e?null:0}var
 o,i=t.aoColumns[e],l=t.aaSorting,s=i.asSorting;"number"==typeof
1[0]&&(l=t.aaSorting=[1]),n&&t.oFeatures.bSortMulti?-
 1! = (i = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0))&&1 = = 1.length?0:o)?1.splice(i, 1) + (i = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0))&&1 = = 1.length?0:o)?1.splice(i, 1) + (i = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0))&&1 = = 1.length?0:o)?1.splice(i, 1) + (i = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0)))&&1 = = 1.length?0:o)?1.splice(i, 1) + (o = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0)))&&1 = = 1.length?0:o)?1.splice(i, 1) + (o = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0)))&&1 = = 1.length?0:o)?1.splice(i, 1) + (o = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0)))&&1 = = 1.length?0:o)?1.splice(i, 1) + (o = P.inArray(e, H(1, "0")))?null = = (o = null = = (o = r(1[i], !0)))&&1 = = 1.length?0:o)?1.splice(i, 1) + (o = P.inArray(e, H(1, "0")))?null = (o = P.inArray(
 :(1[i][1]=s[o],1[i]._idx=o):(1.push([e,s[0],0]),1[1.length-
1].\_idx=0):1.length\&\&l[0][0]==e?(o=r(l[0]),l.length=1,l[0][1]=s[o],l[0].\_idx=o):(l.length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,length=0,l...,l
 push([e,s[0]]),l[0]._idx=0),u(t),"function"==typeof a&&a(t)function ue(e,t,n,a){var
r=e.aoColumns[n]; me(t,\{\},function(t)\{!1!==r.bSortable\&\&(e.oFeatures.bProcessing?(D(e,!0),setTinum)\}) and the context of the
meout(function()\{se(e,n,t.shiftKey,a),"ssp"!==E(e)\&\&D(e,!1)\},0)):se(e,n,t.shiftKey,a))\})\}function()
 ion ce(t){var
 e,n,a,r=t.aLastSort,o=t.oClasses.sSortColumn,i=I(t),l=t.oFeatures;if(l.bSort&&l.bSortClasses){
 r(e=0,n=i.length;e<n;e++)a=i[e].src,P(H(t.aoData,"anCells",a)).addClass(o+(e<2?e+1:3))}t.aLast
 Sort=i}function fe(t,e){for(var
n,a,r,o=t.aoColumns[e],i=w.ext.order[o.sSortDataType],l=(i&&(n=i.call(t.oInstance,t,e,ot(t,e))
 ), w.ext.type.order[o.sType+"-
pre"]),s=0,u=t.aoData.length;s<u;s++)(a=t.aoData[s])._aSortData||(a._aSortData=[]),a._aSortDat
 a[e]\&\&!i||(r=i?n[s]:S(t,s,e,"sort"),a.\_aSortData[e]=l?l(r):r)\}function \ de(n)\{var_{i},i=1,2,\ldots,n\}function \ de(n)[var_{i},i=1,2,\ldots,n]\}function \ de(n)[var_{i},i=1,2,\ldots,n]
 t;n._bLoadingState||(t={time:+new
 Date, start:n._iDisplayStart,length:n._iDisplayLength,order:P.extend(!0,[],n.aaSorting),search:
 \texttt{Et}(\texttt{n.oPreviousSearch}), \texttt{columns:P.map}(\texttt{n.aoColumns,function}(\texttt{t,e}) \\ \{\texttt{return}\{\texttt{visible:t.bVisible}, \texttt{search}\} \\ \texttt{search}\} \\ \texttt{tolumns:P.map}(\texttt{n.aoColumns,function}(\texttt{t,e})) \\ \texttt{tolumns:P.map}(\texttt{n.aoColumns,function}(\texttt{t,e})) \\ \texttt{tolumns:P.map}(\texttt{n.aoColumns,function}(\texttt{t,e})) \\ \texttt{tolumns:P.map}(\texttt{tolumns:P.map}(\texttt{n.aoColumns,function}(\texttt{t,e}))) \\ \texttt{tolumns:P.map}(\texttt{tolumns:P.map}(\texttt{tolumns,function}(\texttt{t,e}))) \\ \texttt{tolumns:P.map}(\texttt{tolumns,function}(\texttt{t,e})) \\ \texttt{tolumns:P.map}(\texttt{tolumns,f
 :Et(n.aoPreSearchCols[e])}})},n.oSavedState=t,R(n,"aoStateSaveParams","stateSaveParams",[n,t])
   he(e,t,n) {var
 a; if(e.oFeatures.bStateSave)return(a=e.fnStateLoadCallback.call(e.oInstance,e,function(t){pe(e
 \{t,n\}\}))!==N&&pe(e,a,n),!0;n()}function pe(n,t,e){var
 a,r,o=n.aoColumns,i=(n.\_bLoadingState=!0,n.\_bInitComplete?new w.Api(n):null);if(t&&t.time) \\  \{varl=R(n,"aoStateLoadParams","stateLoadParams",[n,t]);if(-aoStateLoadParams","stateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadParams",[n,t]);if(-aoStateLoadP
 1!==P.inArray(!1,1))n._bLoadingState=!1;else{1=n.iStateDuration;if(0<1&&t.time<+new Date-
1e3*1)n._bLoadingState=!1;else
 if (t.columns\&o.length! = t.columns.length) n.\_bLoadingState = !1; else \\ \{if (n.oLoadedState = P.extend(length)) for the life of the length of the length
 !0,{},t),t.length!==N&&(i?i.page.len(t.length):n._iDisplayLength=t.length),t.start!==N&&(null=
 ==i?(n._iDisplayStart=t.start,n.iInitDisplayStart=t.start):Yt(n,t.start/n._iDisplayLength)),t.
 order! == N\&\& (n.aaSorting = [\ ], P. each (t.order, function (t,e) \\ \{n.aaSorting.push (e[\ 0\ ] >= o.length? [\ 0,e[\ 1\ ], e[\ 1\ ]) \\ \{n.aaSorting.push (e[\ 0\ ] >= o.length? [\ 0,e[\ 1\ ], e[\ 1\ ], 
 ]]:e)})),t.search!==N&&P.extend(n.oPreviousSearch,Bt(t.search)),t.columns){for(a=0,r=t.columns
  .length;a<r;a++){var
 \verb|s=t.columns[a]|; s.visible! = \verb|s=N&&(i?i.column(a).visible(s.visible,!1):o[a].bVisible=s.visible), s. |s=t.columns[a]|; s.visible! = \verb|s=N&&(i?i.column(a).visible(s.visible,!1):o[a].bVisible=s.visible), s. |s=t.columns[a]|; s.visible! = \verb|s=N&&(i?i.column(a).visible(s.visible,!1):o[a].bVisible=s.visible), s. |s=t.column(a).visible|; s.visible|; s.
 search! == N\&\&P.extend(n.aoPreSearchCols[a],Bt(s.search))\} i\&\&i.columns.adjust()\} n.\_bLoadingState
 = !1, \\ R(n, "aoStateLoaded", "stateLoaded", [n,t]) \} \} \\ else n.\_bLoadingState \\ = !1; \\ e() \} \\ function ge(t) \\ \{varelember | varelember | vare
 e=w.settings,t=P.inArray(t,H(e,"nTable"));return-1!==t?e[t]:null}function
 W(t,e,n,a)\{if(n="DataTables warning: "+(t?"table id="+t.sTableId+" - ":"")+n,a&&(n+=". For more identified in the content of the content of
more information about this error, please see
http://datatables.net/tn/"+a),e)j.console&&console.log(n);else{e=w.ext,e=e.sErrMo
 \label{eq:condition} \begin{split} & \texttt{Error(n);"function"==typeof e\&\&e(t,a,n)} \} \} \\ & \texttt{function} \end{split}
 e)e.hasOwnProperty(r)&&(a=e[r],P.isPlainObject(a)?(P.isPlainObject(t[r])||(t[r]={}),P.extend(!
 0,t[r],a)):n\&\&"data"!=r\&\&"aaData"!==r\&\&Array.isArray(a)?t[r]=a.slice():t[r]=a);return
 t}function
nction L(t,e,n,a) \{n&&t[e].push(\{fn:n,sName:a\})\} function R(n,t,e,a) \{var r=[];return function R(n,t,e,a)\} \}
 t\&\&(r=P.map(n[t].slice().reverse(),function(t,e){return}
 \texttt{t.fn.apply(n.oInstance,a)})), \texttt{null!} == e\&\&(\texttt{t=P.Event(e+".dt"),(e=P(n.nTable)).trigger(t,a),0===e.}
parents("body").length&&P("body").trigger(t,a),r.push(t.result)),r}function Se(t){var
e=t._iDisplayStart,n=t.fnDisplayEnd(),a=t._iDisplayLength;n<=e&&(e=n-a),e-
=e%a,t._iDisplayStart=e=-1===a||e<0?0:e}function ve(t,e){var</pre>
 t=t.renderer,n=w.ext.renderer[e];return P.isPlainObject(t)&&t[e]?n[t[e]]||n._:"string"==typeof
 t&&n[t]||n._}function E(t){return
 t.oFeatures.bServerSide?"ssp":t.ajax||t.sAjaxSource?"ajax":"dom"}function ye(t,n){var a;return
 Array.isArray(t)?P.map(t,function(t){return ye(t,n)}):"number"==typeof
 t?[n[t]]: (a=P.map(n,function(t,e)\{return\ t.nTable\}), P(a).filter(t).map(function(t)\{varner(t,e)\}, P(a).filter(t).map(function(t),e)\}
 e=P.inArray(this,a); return n[e]).toArray())}function De(r,o,t){var e,n;t&&(e=new)}
 B(r)).one("draw",function()\{t(e.ajax.json())\}),"ssp"==E(r)?u(r,o):(D(r,!0),(n=r.jqXHR)&&4!==n.
 readyState&&n.abort(),Tt(r,[],function(t){pt(r);for(var
 o,i,l,s,u=[],c=typeof
```

```
\&\&e[f].split\&\&!e[f].match(/[\[\(:]/)?e[f].split(","):[e[f]]).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).length;l<s;l++)(o=n("string"==typ)).len
 eof i[1]?i[1].trim():i[1]))&&o.length&&(u=u.concat(o));var
 h=p.selector[t]; if(h.length)for(f=0,d=h.length)f< d;f++)u=h[f](a,r,u); return z(u) function
 we(t) \{ return(t=t | | \{\}) . filter \& t.search === N\& \& (t.search = t.filter), P.extend(\{search : "none", order : "current", page: "all"\}, t) \} function Ce(t) \{ for(var e=0, n=t.length; e< n; e++) if(0< t[e].length) return | t.search == N\& & (t.search = t.filter), P.extend(\{search : "none", order : "current", page: "all"\}, t) \} function Ce(t) \{ for(var e=0, n=t.length; e< n; e++) if(0< t[e].length) return | t.search == N\& & (t.search = t.filter), P.extend(\{search : "none", order : "current", page: "all", t) \} function Ce(t) \{ for(var e=0, n=t.length; e< n; e++) if(0< t[e].length) return | t.search = t.sear
 t[0]=t[e],t[0].length=1,t.length=1,t.context=[t.context[e]],t;return t.length=0,t}function
Te(o,t,e,n)\{function\ i(t,e)\}\{var\ n;if(Array.isArray(t))\}t instanceof P)for(var)
 a=0,r=t.length;a<r;a++)i(t[a],e);else
 ("td",n).addClass(e).html(t)[0].colSpan=T(o),l.push(n[0]))var
 l=[];i(e,n),t._details&&t._details.detach(),t._details=P(1),t._detailsShow&&t._details.insertA
 fter(t.nTr)}function xe(t,e){var n=t.context;if(n.length&&t.length){var
 a=n[0].aoData[t[0]]; if(a._details){(a._detailsShow=e)?(a._details.insertAfter(a.nTr),P(a.nTr).
 addClass("dt-hasChild")):(a._details.detach(),P(a.nTr).removeClass("dt-
 hasChild")),R(n[0],null,"childRow",[e,t.row(t[0])]);var s=n[0],r=new
B(s),a=".dt.DT_details",e="draw"+a,t="column-sizing"+a,a="destroy"+a,u=s.aoData;if(r.off(e+"
 " + t. + "
"+a), H(u, "\_details").length>0) {r.on(e,function(t,e){if(s!==e)return;r.rows({page:"current"}).eq(0).each(function(t){var})}
 e=u[t];if(e._detailsShow)e._details.insertAfter(e.nTr)})});r.on(t,function(t,e,n,a){if(s!==e)r
 eturn; var r,o=T(e); for(var
 i=0,l=u.length;i<l;i++){r=u[i];if(r._details)r._details.children("td[colspan]").attr("colspan"
 ,o)}});r.on(a,function(t,e){if(s!==e)return;for(var
 n=0,a=u.length;n<a;n++)if(u[n].\_details)Re(r,n)})}Le(n)}}function Ae(t,e,n,a,r){for(var)}
 o=[],i=0,l=r.length;i<1;i++)o.push(S(t,r[i],e));return of var
n(t) {var e,n,a,r;t=t,a=w.settings,r=P.map(a,function(t,e){return}
 t.nTable}),(t=t?t.nTable&&t.oApi?[t]:t.nodeName&&"table"===t.nodeName.toLowerCase()?-
1!==(e=P.inArray(t,r))?[a[e]]:null:t&&"function"==typeof
 t.settings?t.settings().toArray():("string"==typeof t?n=P(t):t instanceof
 P&&(n=t),n?n.map(function(t){return-1!==(e=P.inArray(this,r))?a[e]:null}).toArray():void
 0):[])&&o.push.apply(o,t)}var o=[];if(Array.isArray(t))for(var
 a=0,r=t.length;a<r;a++)n(t[a]);else
n(t); this.context=z(o), e&&P.merge(this,e), this.selector={rows:null,cols:null,opts:null}, B.exte
this.flatten().length},each:function(t){for(var
 e=0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this\}, eq:function(t) \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this\}, eq:function(t) \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this\}, eq:function(t) \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this\}, eq:function(t) \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this); return this \\ \{vareleft e = 0, n=this.length; e<n; e++)t.call(this, this[e], e, this[e], e, this[e], e<n; e++)t.call(this[e], e<n; e++)t.call(t
 e=this.context;return e.length>t?new B(e[t],this[t]):null},filter:function(t){var
 e=[];if(o.filter)e=o.filter.call(this,t,this);else for(var
n=0, a=this.length; n < a; n++) t. call(this, this[n], n, this) \& \& e.push(this[n]); return new and the call (this, this[n], n, this) & e.push(this[n]); return new and the call (this, this[n], n, this) & e.push(this[n]); return new and the call (this, this[n], n, this) & e.push(this[n]); return new and this (this, this[n], n, this) & e.push(this[n]); return new and this (this, this[n], n, this) & e.push(this[n]); return new and this (this, this[n], n, this) & e.push(this[n]); return new and this (this, this[n], n, this) & e.push(this[n], n, this] & e.push(this[n], n, this[n], n, this[n], n, this[n], this[n
 B(this.context,e)},flatten:function(){var t=[];return new
for(var n=e | 0,a=this.length;n<a;n++)if(this[n]===t)return n;return-
 1},iterator:function(t,e,n,a){var
r,o,i,l,s,u,c,f,d=[],h=this.context,p=this.selector;for("string"==typeof
 t&&(a=n,n=e,e=t,t=!1),o=0,i=h.length;o<i;o++){var g=new}
B(h[o]); if("table" === e)(r=n.call(g,h[o],o))! == N\&\&d.push(r); else
 \begin{array}{lll} & \text{if} (\texttt{"columns"===e} | \texttt{"rows"===e}) (\texttt{r=n.call}(\texttt{g},\texttt{h[o]},\texttt{this[o]},\texttt{o})) ! == \texttt{N\&\&d.push}(\texttt{r}) ; \texttt{else} \\ & \text{if} (\texttt{"column"===e} | \texttt{"column-rows"===e} | \texttt{"row"===e} | \texttt{"cell"===e}) \texttt{for} (\texttt{c=this[o]},\texttt{"column-rows"===e}) \\ & \text{if} (\texttt{"column"===e}) \text{for} (\texttt{c=this[o]},\texttt{"column-rows"===e}) \\ & \text{for} (\texttt{c=this[o]},\texttt{
 rows" = = e\&\&(u = Fe(h[o], p.opts)), l = 0, s = c.length; l < s; l + +) f = c[l], (r = "cell" = = e?n.call(g, h[o], f.row)] = e.f. f.row for the context of the context o
  f.column.o.1):n.call(g.h[o],f.o.l.u))!==N&&d.push(r)return d.length||a?((t=(a=new))|=n.call(g.h[o],f.o.l.u))|
B(h,t?d.concat.apply([],d):d)).selector).rows=p.rows,t.cols=p.cols,t.opts=p.opts,a):this},last IndexOf:o.lastIndexOf||function(t,e){return
 this.indexOf.apply(this.toArray.reverse(),arguments)},length:0,map:function(t){var
 e=[];if(o.map)e=o.map.call(this,t,this);else for(var
 n=0,a=this.length;n<a;n++)e.push(t.call(this,this[n],n));return new
B(this.context,e)},pluck:function(t){var e=w.util.get(t);return this.map(function(t){return
 e(t)})},pop:o.pop,push:o.push,reduce:o.reduce||function(t,e){return
 et(this,t,e,0,this.length,1)},reduceRight:o.reduceRight||function(t,e){return
 et(this,t,e,this.length-1,-1,-
 1)},reverse:o.reverse,selector:null,shift:o.shift,slice:function(){return new
B(this.context,this)},sort:o.sort,splice:o.splice,toArray:function(){return
 o.slice.call(this)},to$:function(){return P(this)},toJQuery:function(){return
P(this)},unique:function(){return new
B(this.context,z(this))\}, unshift:o.unshift\}), B.extend=function(t,e,n)\{if(n.length&&e&(e,a,b,b,b,c)\}\}
 instanceof B||e.__dt_wrapper))for(var
 a,r=0,o=n.length;r<o;r++)e[(a=n[r]).name]="function"===a.type?function(e,n,a){return}
 function(){var t=n.apply(e,arguments);return
B.extend(t,t,a.methodExt),t}}(t,a.val,a):"object"===a.type?{}:a.val,e[a.name].__dt_wrapper=!0,
B. extend(t, e[a.name], a.propExt)\}, B. register = e=function(t, e) \\ \{if(Array.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray.isArray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for(varray(t))for
n=0,a=t.length;n<a;n++)B.register(t[n],e);else for(var</pre>
r=t.split("."),o=Ie,i=0,l=r.length;i<1;i++){var s,u,c=function(t,e){for(var s,u,c=function)}}
n=0,a=t.length;n<a;n++)if(t[n].name===e)return t[n];return null}(o,u=(s=
1! = r[i].indexOf("()"))?r[i].replace("()",""):r[i]);c||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name:u,val:\{\},methodExt:[],pr]||o.push(c=\{name
 opExt:[],type:"object"}),i===l-1?(c.val=e,c.type="function"==typeof
 e?"function":P.isPlainObject(e)?"object":"other"):o=s?c.methodExt:c.propExt}},B.registerPlural
 =t=function(t,e,n){B.register(t,n),B.register(e,function(){var
t=n.apply(this,arguments);return t===this?this:t instanceof B?t.length?Array.isArray(t[0])?new
```

```
B(t.context,t[0]):t[0]:N:t)), e("tables()",function(t){return t!==N&&null!==t?new}
B(ye(t,this.context)):this),e("table()",function(t){var t=this.tables(t),e=t.context;return})
 e.length?new B(e[0]):t}),t("tables().nodes()","table().node()",function(){return
 this.iterator("table",function(t){return
 t.nTable{},1)}),t("tables().body()","table().body()",function(){return
 this.iterator("table",function(t){return
 t.nTBody},1)}),t("tables().header()","table().header()",function(){return
 this.iterator("table",function(t){return
 t.nTHead},1)}),t("tables().footer()","table().footer()",function(){return
 this.iterator("table",function(t){return
 t.nTFoot},1)}),t("tables().containers()","table().container()",function(){return
this.iterator("table",function(t) \{return\ t.nTableWrapper\},1)\}),e("draw()",function(e) \{return\ this.iterator("table",function(t) \{"page"===e?v(t):u(t,!1===(e="string"==typeof\ e?"full-hold"!==e:e))\})),e("page()",function(e) \{return\ t.nTableWrapper\},1)\}),e("page()",function(e) \{return\ t.nTableWrapper,1)\}),e("page()",function(e) \{return\ t.nTableWrapper,1)\}),e("draw()",function(e) \{return\ t.nTab
 e = = N? this.page.info().page: this.iterator("table",function(t) \{Yt(t,e)\})\}), e("page.info()",function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),function(t),func
 tion(t){var e,n,a,r,o;return
 0===this.context.length?N:(n=(e=this.context[0])._iDisplayStart,a=e.oFeatures.bPaginate?e._iDi
 splayLength:-1,r=e.fnRecordsDisplay(),{page:(o=-
 1===a)?0:Math.floor(n/a),pages:o?1:Math.ceil(r/a),start:n,end:e.fnDisplayEnd(),length:a,record
 sTotal:e.fnRecordsTotal(),recordsDisplay:r,serverSide:"ssp"===E(e)})}),e("page.len()",function
 (e){return
 e==N?0!==this.context.length?this.context[0]._iDisplayLength:N:this.iterator("table",function
 (t) \{Gt(t,e)\})\}), e("ajax.json()",function() \{var \ t=this.context; if(0 < t.length) return \})
 t[0].json}),e("ajax.params()",function(){var t=this.context;if(0<t.length)return
 t[0].oAjaxData}),e("ajax.reload()",function(e,n){return
 this.iterator("table",function(t){De(t,!1===n,e)})}),e("ajax.url()",function(e){var
 t=this.context; return
 e===N?0===t.length?N:(t=t[0]).ajax?P.isPlainObject(t.ajax)?t.ajax.url:t.ajax:t.sAjaxSource:thi
 s.iterator("table",function(t){P.isPlainObject(t.ajax)?t.ajax.url=e:t.ajax=e})})),e("ajax.url()
 .load()",function(e,n){return
 this.iterator("table",function(t)\{De(t,!1===n,e)\}),function(t,e)\{var\}
n,a=[],r=t.aiDisplay,o=t.aiDisplayMaster,i=e.search,l=e.order,e=e.page;if("ssp"==E(t))return"r
emoved"===i?[]:f(0,o.length);if("current"==e)for(u=t._iDisplayStart,c=t.fnDisplayEnd();u<c;u++
)a.push(r[u]);else if("current"==1||"applied"==1){if("none"==i)a=o.slice();else</pre>
 if("applied"==i)a=r.slice();else if("removed"==i){for(var
 s=\{\}\,, u=0\,, c=r\,.\,length\,; u< c\,; u++\,)\,s[r[u]]=null\,; a=P\,.\,map(o\,,function(t)\,\{return\,, u=0\,, c=r\,.\,length\,; u< c\,; u++\,)\,s[r[u]]=null\,; a=P\,.\,map(o\,,function(t)\,, u< c\,; u< c\,; u++\,)\,s[r[u]]=null\,; a=P\,.\,map(o\,,function(t)\,, u< c\,; u< c\,;
 s.hasOwnProperty(t)?null:t})}}else
 if("index"==1||"original"==1)for(u=0,c=t.aoData.length;u<c;u++)("none"==i||-
1 == (\texttt{n=P.inArray}(\texttt{u,r})) \& \texttt{"removed"} == \texttt{i} \mid \texttt{0} < = \texttt{n\&\& "applied"} == \texttt{i}) \& \& \texttt{a.push}(\texttt{u}); \texttt{return}
 a\}), \\ Le=(e("rows()",function(e,n)\{e==-N?e="":P.isPlainObject(e)\&\&(n=e,e=""),n=we(n);var)\})
 t=this.iterator("table",function(t){return _e("row",e,function(n){var
 t=d(n), a=r.aoData; if (null!==t\&\&!o)return[t]; if (i=i \mid |Fe(r,o),null!==t\&-left) = f(r,o) = f(r,o)
 1! = P.inArray(t,i)) return[t]; if(null = = n | |n = = N| | ||n| = = n) return i; if(||function|| = = type of fine type 
n)return P.map(i,function(t){var e=a[t];return
n(t,e._aData,e.nTr)?t:null});if(n.nodeName)return
 t=n._DT_RowIndex,e=n._DT_CellIndex,t!==N?a[t]&&a[t].nTr===n?[t]:[]:e?a[e.row]&&a[e.row].nTr===
n.parentNode?[e.row]:[]:(t=P(n).closest("*[data-dt-row]")).length?[t.data("dt-
\label{limits} $$ row")]:[]; if("string"==typeof n\&\&"\#"===n.charAt(0)) \{vare=r.aIds[n.replace(/^#/,"")]; if(e!==N)return[e.idx]\}t=_(m(r.aoData,i,"nTr")); return[e.idx], the string is a simple of the
 P(t).filter(n).map(function(){return this._DT_RowIndex}).toArray()},r=t,o=n);var
r,o,i},1);return t.selector.rows=e,t.selector.opts=n,t}),e("rows().nodes()",function(){return
 this.iterator("row",function(t,e){return
 t.aoData[e].nTr|N,1),e("rows().data()",function(){return}
this.iterator(!0, "rows", function(t,e){return
m(t.aoData,e,"_aData")},1)}),t("rows().cache()","row().cache()",function(n){return
 this.iterator("row",function(t,e) \\ \{t=t.aoData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"===n?t.\_aFilterData:t.\_aSortData[e]; return"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search"search
 },1)}),t("rows().invalidate()","row().invalidate()",function(n){return
 this.iterator("row",function(t,e)\{bt(t,e,n)\}),t("rows().indexes()","row().index()",function()
 ){return this.iterator("row",function(t,e){return
 e},1)}),t("rows().ids()","row().id()",function(t){for(var
 e=[],n=this.context,a=0,r=n.length;a<r;a++)for(var o=0,i=this[a].length;o<i;o++){var
 l=n[a].rowIdFn(n[a].aoData[this[a][o]]._aData);e.push((!0===t?"\""")+1)}return new
 B(n,e)),t("rows().remove()","row().remove()",function(){var f=this;return}
 this.iterator("row",function(t,e,n){var
 a,r,o,i,l,s,u=t.aoData,c=u[e];for(u.splice(e,1),a=0,r=u.length;a< r;a++)if(s=(l=u[a]).anCells,n
 ull!==l.nTr&&(l.nTr._DT_RowIndex=a),null!==s)for(o=0,i=s.length;o<i;o++)s[o]._DT_CellIndex.row
 =a;gt(t.aiDisplayMaster,e),gt(t.aiDisplay,e),gt(f[n],e,!1),0<t._iRecordsDisplay&&t._iRecordsDi
 splay--,Se(t);n=t.rowIdFn(c._aData);n!==N&&delete
 t.aIds[n]}),this.iterator("table",function(t){for(var
 e=0, n=t.aoData.length; e<n; e++)t.aoData[e].idx=e)), this)), e("rows.add()", function(o) {varance} = 0, n=t.aoData.length; e<n; e++)t.aoData[e].idx=e), this in the context of the cont
 t=this.iterator("table",function(t){for(var
 e,n=[],a=0,r=o.length;a<r;a++)(e=o[a]).nodeName&&"TR"===e.nodeName.toUpperCase()?n.push(ut(t,e
 )[0]):n.push(x(t,e));return n},1),e=this.rows(-1);return
 e.pop(),P.merge(e,t),e}),e("row()",function(t,e){return
 Ce(this.rows(t,e))}),e("row().data()",function(t)(var e,n=this.context;return
 t===N?n.length&&this.length?n[0].aoData[this[0]]._aData:N:((e=n[0].aoData[this[0]])._aData=t,A
 rray.isArray(t)\&\&e.nTr\&\&e.nTr.id\&\&b(n[0].rowId)(t,e.nTr.id),bt(n[0],this[0],"data"),this)\}),e(t,e.nTr.id)
 "row().node()",function(){var t=this.context;return
 t.length\&\&this.length\&\&t[0].aoData[this[0]].nTr||null\}),e("row.add()",function(e)\\ \{e\ instance of\ instance\ 
P&&e.length&&(e=e[0]); var t=this.iterator("table", function(t) {return
```

```
e.nodeName\&"TR"===e.nodeName.toUpperCase()?ut(t,e)[0]:x(t,e)); return
   this.row(t[0])\}), P(y).on("plugin-init.dt",function(t,e) \\ \{var n=new B(e),a="on-plugin-init",r="stateSaveParams."+a,o="destroy." +a,a=(n.on(r,function(t,e,n)) \\ \{for(var n=new B(e),a="on-plugin-init",r="stateSaveParams." +a,a=(n.on(r,function(t,e,n)) \\ \{for(var n=new B(e),a="on-plugin-init",r="stateSaveParams." +a,a=(n.on(r,function(t,e,n)) \\ \{for(var n=new B(e),a="on-plugin-init",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSaveParams",r="stateSavePara
   a=e.rowIdFn,r=e.aoData,o=[],i=0;i<r.length;i++)r[i].\_detailsShow&&o.push("#"+a(r[i].\_aData));n
    .childRows=o}),n.on(o,function(){n.off(r+"
    "+o) \}), n.state.loaded()); a \& a.child Rows \& a.rows (P.map(a.child Rows, function(t) \{return a continuous (P.map(a.child Rows, function(t) (P.map(a.child Rows))) | P.map(a.child Rows) | P.map(a.
   function(t) \{de(t[0])\}, 500), Re=function(t,e) \{var\}
  n=t.context;n.length&&(e=n[0].aoData[e!==N?e:t[0]])&&e._details&&(e._details.remove(),e._detai
   lsShow=N,e._details=N,P(e.nTr).removeClass("dt-
 hasChild"),Le(n)},Pe="row().child",je=Pe+"()",Ne=(e(je,function(t,e)\{var)\}
  n=this.context;return
   t===N?n.length&&this.length?n[0].aoData[this[0]]._details:N:(!0===t?this.child.show():!1===t?R
   e(this):n.length\&\&this.length\&\&Te(n[0],n[0].aoData[this[0]],t,e),this)\}),e([Pe+".show()",je+".show()"],function(t)\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function()\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function()\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function()\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function()\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function()\{return xe(this,!0),this\}),e([Pe+".hide()",je+".hide()"],function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function(),function
   xe(this,!1),this),e([Pe+".remove()",je+".remove()"],function(){return}
  \label{eq:recursion} \texttt{Re(this),this})\,, \texttt{e(Pe+".isShown()",function()}\\ \{\texttt{var t=this.context}; \texttt{return}\}
   \verb|t.length\&\&this.length\&\&t[0].aoData[this[0]].\_detailsShow||!1|),/^([^:]+):(name|visIdx|visible)|
   $/), He=(e("columns()",function(n,a){n===N?n="":P.isPlainObject(n)&&(a=n,n=""),a=we(a);var)
   t=this.iterator("table",function(t){return
   e=n,l=a,s=(i=t).aoColumns,u=H(s,"sName"),c=H(s,"nTh"),_e("column",e,function(n){var})
   a,t=d(n);if(""===n)return
   f(s.length);if(null!==t)return[0<=t?t:s.length+t];if("function"==typeof n)return</pre>
   a=Fe(i,l), P.map(s,function(t,e) \\ \{return n(e,Ae(i,e,0,0,a),c[e])?e:null\}); var r="string"==typeof(a,b), return n(e,Ae(i,e,0,0,a),c[e])?e:null\}); var r="string"==typeof(a,b), return n(e,Ae(i,e,0,0,a),c[e])?e:null\}); var r="string"==typeof(a,b), return n(e,Ae(i,e,0,0,a),c[e])?e:null\}); var r="string"==typeof(a,b), return n(e,Ae(i,e,0,0,a),c[e])?e:null); var r="string"==typeof(a,b), return n(e,Ae(i,e,0,a),c[e])?e:null); var r="string"==typeof(a,b), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,Ae(i,e,a),c[e]); var r="string"==typeof(a,e,a), return n(e,a,a), return n(e,a,a), return n(e,a,a), return n(e,a,a), return n(e,a,a), return n(e,a,a), return n(e,
   n?n.match(Ne):""; if(r)switch(r[2]) \\ \{case"visIdx": case"visible": var e,o=parseInt(r[1],10); return \} \\ \{case"visIdx": case"visible": var e,o=parseInt(r[1],10); return \} \\ \{case"visIdx": case"visIdx": case visIdx": case v
  o<0?[(e=P.map(s,function(t,e){return
   t.bVisible?e:null}))[e.length+o]]:[rt(i,o)];case"name":return P.map(u,function(t,e){return
   t===r[1]?e:null});default:return[]}return
 \verb|n.nodeName&&n._DT_CellIndex?[n._DT_CellIndex.column]: (t=P(c).filter(n).map(function() freturn) | (t=P(c).
 \verb|t.selector.cols=n,t.selector.opts=a,t||), \verb|t("columns().header()","column().header()", ||function(t,t)||| ||function(t,t)|
   e) \\ \{ return \ this.iterator("column",function(t,e) \\ \{ return \ this.iterator("column",function(t,e)) \\ \} \} \\ [ return \ this.iterator("column",function(t,e)) \\ [ return \ this.iterator("column",function(t,
   t.aoColumns[e].nTh},1)}),t("columns().footer()","column().footer()",function(t,e){return
   this.iterator("column",function(t,e){return
   \verb|t.aoColumns[e].nTf|,1)|), \verb|t("columns().data()","column().data()",function()||
   this.iterator("column-
   rows",Ae,1)}),t("columns().dataSrc()","column().dataSrc()",function(){return
   this.iterator("column",function(t,e){return
   t.aoColumns[e].mData\},1)\}),t("columns().cache()","column().cache()",function(o){return}),tolumn().cache()",function(o){return}),tolumn().cache()",function(o){return}),tolumn().cache()",function(o){return}),tolumn().cache()",function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function(o){function
this.iterator("column-rows", function(t,e,n,a,r){return
m(t.aoData,r,"search"===o?"_aFilterData":"_aSortData",e)},1)}),t("columns().nodes()","column()
.nodes()",function(){return this.iterator("column-rows",function(t,e,n,a,r){return
m(t.aoData,r,"anCells",e)},1)}),t("columns().visible()","column().visible()",function(f,n){var
   e=this, t=this.iterator("column",function(t,e) \\ \{if(f===N)return\ t.aoColumns[e].bVisible; variation(t,e), terms(t,e), term
  n,a,r=e,e=f,o=t.aoColumns,i=o[r],l=t.aoData;if(e===N)i.bVisible;else
  if(i.bVisible! == e) \{if(e)for(var)\}
  s=P.inArray(!0,H(o,"bVisible"),r+1),u=0,c=l.length;u<c;u++)a=l[u].nTr,n=l[u].anCells,a&a.insertBefore(n[r],n[s]||null);else P(H(t.aoData,"anCells",r)).detach();i.bVisible=e}\});return 
   f!==N&\&this.iterator("table",function(t){Dt(t,t.aoHeader),Dt(t,t.aoFooter),t.aiDisplay.length|}
     P(t.nTBody).find("td[colspan]").attr("colspan",T(t)),de(t),e.iterator("column",function(t,e){}
  R(t,null, "column-
   visibility", [t,e,f,n]) \}), n! == N&&!n | |e.columns.adjust() \}), t("columns().indexes()", "column() \} | |e.columns() | |e.
     .index()",function(n){return
   this.iterator("column",function(t,e){return"visible"===n?ot(t,e):e},1)}),e("columns.adjust()",
   function(){return
   this.iterator("table",function(t)\{0(t)\},1)\}),e("column.index()",function(t,e)\{varanterator("table",function(t),e)\}),e("column.index()",function(t),e)\}
   n;if(0!==this.context.length)return
  n=this.context[0], "fromVisible"===t||"toData"===t?rt(n,e):"fromData"===t||"toVisible"===t?ot(n
    ,e):void 0}),e("column()",function(t,e){return
   Ce(this.columns(t,e))}),e("cells()",function(g,t,b){var a,r,o,i,l,s,e;return
  P.isPlainObject(g)&&(g.row===N?(b=g,g=null):(b=t,t=null)),P.isPlainObject(t)&&(b=t,t=null),nul
  l===t \mid |t===N?this.iterator("table",function(t){return}
   a=t,t=g,e=we(b),f=a.aoData,d=Fe(a,e),n=\_(m(f,d,"anCells")),h=P(Y([],n)),p=a.aoColumns.length,\_aet,t=g,e=we(b),f=a.aoData,d=Fe(a,e),n=\_(m(f,d,"anCells")),h=P(Y([],n)),p=a.aoColumns.length,\_aet,t=g,e=we(b),f=a.aoData,d=Fe(a,e),n=\_(m(f,d,"anCells")),h=P(Y([],n)),p=a.aoColumns.length,\_aet,t=g,e=we(b),f=a.aoData,d=Fe(a,e),n=\_(m(f,d,"anCells")),h=P(Y([],n)),p=a.aoColumns.length,\_aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we(b),f=aet,t=g,e=we
   e("cell",t,function(t) {var e,n="function"==typeof
   t; if (null ===t \mid |t ===N| \mid n) \\ \{for(o = [], i = 0, l = d. length; i < l; i ++) \\ for(r = d[i], s = 0; s < p; s ++) \\ u = \\ \{row: r, column = 1, i + 1,
  n:s, (!n||(c=f[r],t(u,S(a,r,s),c.anCells?c.anCells[s]:null)))&o.push(u);return o}return
   P.isPlainObject(t)?t.column!==N&&t.row!==N&&-
  1!==P.inArray(t.row,d)?[t]:[]:(e=h.filter(t).map(function(t,e){return{row:e._DT_CellIndex.row,
   column:e._DT_CellIndex.column}}).toArray()).length||!t.nodeName?e:(c=P(t).closest("*[data-dt-
  row]")).length?[{row:c.data("dt-row"),column:c.data("dt-column")}]:[]},a,e);var
 a,e,r,o,i,l,s,u,c,f,d,n,h,p\}): (e=b?\{page:b.page,order:b.order,search:b.search\}: \{\},a=this.columns(t,e),r=this.rows(g,e),e=this.iterator("table",function(t,e)\{varantered:action(t,e),r=this.rows(g,e),e=this.iterator("table",function(t,e),r=this.rows(g,e),e=this.iterator("table",function(t,e),r=this.rows(g,e),e=this.iterator("table",function(t,e),r=this.rows(g,e),e=this.rows(g,e),r=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,e),e=this.rows(g,
  n=[]; for(o=0,i=r[e].length;o< i;o++)for(l=0,s=a[e].length;l< s;l++)n.push(\{row:r[e][o],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],column:a[e],
   el[1]});return
   n},1),e=b&&b.selected?this.cells(e,b):e,P.extend(e.selector,{cols:t,rows:g,opts:b}),e)}),t("ce
   lls().nodes()","cell().node()",function(){return
   this.iterator("cell",function(t,e,n) \\ \{t=t.aoData[e];return \\ t&&t.anCells?t.anCells[n]:N\},1)\}),e("cells().data()",function() \\ \{return tells (), tells (
 this.iterator("cell",function(t,e,n){return
```

```
S(t,e,n),1)}),t("cells().cache()","cell().cache()",function(a){return}
 a="search"===a?"_aFilterData":"_aSortData",this.iterator("cell",function(t,e,n){return
 t.aoData[e][a][n]},1)}),t("cells().render()","cell().render()",function(a){return
 this.iterator("cell",function(t,e,n){return
 S(t,e,n,a),1)}),t("cells().indexes()","cell().index()",function(){return}
 this.iterator("cell",function(t,e,n){return{row:e,column:n,columnVisible:ot(t,n)}},1)}),t("cel
 ls().invalidate()", "cell().invalidate()", function(a){return
this.iterator("cell",function(t,e,n){bt(t,e,a,n)})),e("cell()",function(t,e,n){return Ce(this.cells(t,e,n))}),e("cell().data()",function(t){var e=this.context,n=this[0];return})
 t == = N?e.length\&&n.length?S(e[0],n[0].row,n[0].column):N:(ct(e[0],n[0].row,n[0].column,t),bt(e[0].row,n[0].column,t))
 0],n[0].row, "data",n[0].column),this)}),e("order()",function(e,t){var n=this.context;return
 e===N?0!==n.length?n[0].aaSorting:N:("number"==typeof
 e?e=[[e,t]]:e.length&&!Array.isArray(e[0])&&(e=Array.prototype.slice.call(arguments)),this.ite
rator("table",function(t)\{t.aaSorting=e.slice()\}))\}), e("order.listener()",function(e,n,a)\{return this.iterator("table",function(t)\{ue(t,e,n,a)\})\}), e("order.fixed()",function(e)\{varanter.fixed()",function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e)
 e?this.iterator("table",function(t){t.aaSortingFixed=P.extend(!0,{},e)}):(t=(t=this.context).l
ength?t[0].aaSortingFixed:N,Array.isArray(t)?\{pre:t\}:t)\}),e(["columns().order()","column().order()"],function(a)\{var r=this;return this.iterator("table",function(t,e)\{var r=this;return this.iterator("table",function(t,e)])\}
n=[\,]; \texttt{P.each}(\texttt{r[e]}, \texttt{function}(\texttt{t,e}) \big\{ \texttt{n.push}(\texttt{[e,a]}) \big\}) \,, \texttt{t.aaSorting=n} \big\}) \big\}) \,, \texttt{e("search()"}, \texttt{function}(\texttt{e,n,a,r}) \,, \texttt{func
 ){var t=this.context;return
 e==N?0!==t.length?t[0].oPreviousSearch.sSearch:N:this.iterator("table",function(t){t.oFeature
 s.bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bSmart:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null!==n\&\&n,bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===a,bFilter\&Rt(t,P.extend(\{\},t.oPreviousSearch,\{sSearch:e+"",bRegex:null===
n[e].sSearch;t.oFeatures.bFilter&&(P.extend(n[e], {sSearch:a+"",bRegex:null!==r&&r,bSmart:null=
 == 0 \mid |0,bCaseInsensitive:null===i \mid |i|), Rt(t,t.oPreviousSearch,1)) \mid |0,bCaseInsensitive:null===i \mid |i|), Rt(t,t.oPreviousSearch,1) \mid |i|
 turn
 this.context.length?this.context[0].oSavedState:null}),e("state.clear()",function(){return
 this.iterator("table",function(t)\{t.fnStateSaveCallback.call(t.oInstance,t,\{\})\}))),e("state.looners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallooners,totallo
 aded()",function(){return
 this.context.length?this.context[0].oLoadedState:null}),e("state.save()",function(){return
 !t.document||(y=(j=t).document)}, w.factory=function(t,e){var n=!1;return
 t\&\&t.document\&\&(y=(j=t).document), e\&\&e.fn\&\&e.fn.jquery\&\&(P=e,n=!0), n\}, w.versionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w.fnVersionCheck=w
onCheck=function(t){for(var
e,n,a=w.version.split("."),r=t.split("."),o=0,i=r.length;o<i;o++)if((e=parseInt(a[o],10)||0)!=
=(n=parseInt(r[o],10)||0))return n<e;return!0},w.isDataTable=w.fnIsDataTable=function(t){var r=P(t).get(0),o=!1;return t instanceof w.Api||(P.each(w.settings,function(t,e){var
n=e.nScrollHead?P("table",e.nScrollHead)[0]:null,a=e.nScrollFoot?P("table",e.nScrollFoot)[0]:n
ull;e.nTable!==r\&a!==r[(o=!0)],o),w.tables=w.fnTables=function(e){var}
 t=!1, n=(P.isPlainObject(e)\&\&(t=e.api,e=e.visible), P.map(w.settings,function(t)\{if(!e||P(t.nTable e.visible), P.map(w.settings,function(t), fif(!e||P(t.nTable e.visible))\}
 le).is(":visible"))return t.nTable}));return t?new
 B(n):n},w.camelToHungarian=C,e("$()",function(t,e){e=this.rows(e).nodes(),e=P(e);return
 ,n){e(n+"()",function(){var
 t=Array.prototype.slice.call(arguments), e=(t[0]=P.map(t[0].split(/\s/),function(t)\{returnder(arguments), e=(t[0]=P.map(t[0].split(/\s/),function(t)\{returnder(
t.match(/\.dt\b/)?t:t+".dt"}).join(" "),P(this.tables().nodes()));return
e[n].apply(e,t),this})}),e("clear()",function(){return
 this.iterator("table",function(t)\{pt(t)\})\}), e("settings()",function()\{return\ new artiful and the property of the property 
{\tt B(this.context,this.context)}), {\tt e("init()",function()} \\ \{ var\ t=this.context; return \} \\ (this.context,this.context) \\ (this.context,this.context)
 t.length?t[0].oInit:null}),e("data()",function(){return
 this.iterator("table",function(t){return
H(t.aoData, "_aData") }).flatten() }),e("destroy()",function(c) {return
c=c||!1,this.iterator("table",function(e) {var
\verb|n,t=e.oClasses,a=e.nTable,r=e.nTBody,o=e.nTHead,i=e.nTFoot,l=P(a),r=P(r),s=P(e.nTableWrapper),|
u=P.map(e.aoData,function(t){return
 \verb|t.nTr||, i=(e.bDestroying=!0,R(e,"aoDestroyCallback","destroy",[e]),c||new|| \\
 B(e).columns().visible(!0),s.off(".DT").find(":not(tbody *)").off(".DT"),P(j).off(".DT-
  "+e.sInstance),a!=o.parentNode&&(l.children("thead").detach(),l.append(o)),i&&a!=i.parentNode&
  \& (1.children("tfoot").detach(), 1.append(i)), e.aaSorting=[], e.aaSortingFixed=[], ce(e), P(u).remore all of the content o
 veClass(e.asStripeClasses.join(" ")),P("th, td",o).removeClass(t.sSortable+"
  "+t.sSortableAsc+" "+t.sSortableDesc+"
  "+t.sSortableNone),r.children().detach(),r.append(u),e.nTableWrapper.parentNode),o=c?"remove":
 "detach", u = (1[o](), s[o](), !c\&\&i\&\&(i.insertBefore(a, e.nTableReinsertBefore), l.css("width", e.sDefore(a, e.nTableReinsertBefore(a, e.nTab
 stroyWidth).removeClass(t.sTable), n=e.asDestroyStripes.length) \&\&r.children().each(function(t) \{formula for the formula for
 P(this).addClass(e.asDestroyStripes[t%n])}),P.inArray(e,w.settings));-
 1!=u\&\&w.settings.splice(u,1)\}), P.each(["column", "row", "cell"], function(t,s){e(s+"s().every())}
 ) ", function(o) {var i=this.selector.opts, l=this; return
 this.iterator(s,function(t,e,n,a,r)\{o.call(l[s](e,"cell"===s?n:i,"cell"===s?i:N),e,n,a,r)\})\})
 ),e("i18n()",function(t,e,n)\{var a=this.context[0],t=A(t)(a.oLanguage);return\}
 t == N\&\&(t = e), (t = n! == N\&\&P.isPlainObject(t)?t[n]! == N?t[n]:t.\_:t).replace("%d",n)}), w.version == 1.
 13.4", w.settings=[], w.models={}, w.models.oSearch={bCaseInsensitive:!0,sSearch:"",bRegex:!1,bSm
 art:!0,return:!1},w.models.oRow={nTr:null,anCells:null,_aData:[],_aSortData:null,_aFilterData:
null,_sFilterRow:null,_sRowStripe:"",src:null,idx:-
 1},w.models.oColumn={idx:null,aDataSort:null,asSorting:null,bSearchable:null,bSortable:null,bV
 ata:null,mRender:null,nTh:null,nTf:null,sClass:null,sContentPadding:null,sDefaultContent:null,
 \verb|sName:null,sSortDataType:"std",sSortingClass:null,sSortingClassJUI:null,sTitle:null,sType:null,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,sInull,s
,sWidth:null,sWidthOrig:null},w.defaults={aaData:null,aaSorting:[[0,"asc"]],aaSortingFixed:[],
```

```
ajax:null,aLengthMenu:[10,25,50,100],aoColumns:null,aoColumnDefs:null,aoSearchCols:[],asStripe
Classes:null,bAutoWidth:!0,bDeferRender:!1,bDestroy:!1,bFilter:!0,bInfo:!0,bLengthChange:!0,bP
aginate:!0,bProcessing:!1,bRetrieve:!1,bScrollCollapse:!1,bServerSide:!1,bSort:!0,bSortMulti:!
0,bSortCellsTop:!1,bSortClasses:!0,bStateSave:!1,fnCreatedRow:null,fnDrawCallback:null,fnFoote
rCallback:null,fnFormatNumber:function(t){return
t.toString().replace(/\B(?=(\d{3})+(?!\d))/g,this.oLanguage.sThousands), fnHeaderCallback:null
 ,fnInfoCallback:null,fnInitComplete:null,fnPreDrawCallback:null,fnRowCallback:null,fnServerDat
a:null,fnServerParams:null,fnStateLoadCallback:function(t){try{return JSON.parse((-
1===t.iStateDuration?sessionStorage:localStorage).getItem("DataTables_"+t.sInstance+"_"+locati
on.pathname))}catch(t){return{}}},fnStateLoadParams:null,fnStateLoaded:null,fnStateSaveCallbac
k:function(t,e){try{(-
1===t.iStateDuration?sessionStorage:localStorage).setItem("DataTables_"+t.sInstance+"_"+locati
on.pathname, JSON.stringify(e))}catch(t){}},fnStateSaveParams:null,iStateDuration:7200,iDeferLo
ading:null,iDisplayLength:10,iDisplayStart:0,iTabIndex:0,oClasses:{},oLanguage:{oAria:{sSortAs}
cending: ": activate to sort column ascending ", sSortDescending: ": activate to sort column
descending"},oPaginate:{sFirst:"First",sLast:"Last",sNext:"Next",sPrevious:"Previous"},sEmptyT
able: "No data available in table", sInfo: "Showing _START_ to _END_ of _TOTAL_
entries", sInfoEmpty: "Showing 0 to 0 of 0 entries", sInfoFiltered: "(filtered from _MAX_ total entries)", sInfoPostFix: "", sDecimal: "", sThousands: ", ", sLengthMenu: "Show _MENU_ entries", sLoadingRecords: "Loading...", sProcessing: "", sSearch: "Search: ", sSearchPlaceholder: "", s
Url:"",sZeroRecords:"No matching records
found"},oSearch:P.extend({},w.models.oSearch),sAjaxDataProp:"data",sAjaxSource:null,sDom:"lfrt
ip",searchDelay:null,sPaginationType:"simple_numbers",sScrollX:"",sScrollXInner:"",sScrollY:""
 ,sServerMethod:"GET",renderer:null,rowId:"DT_RowId"},i(w.defaults),w.defaults.column={aDataSor
1,asSorting:["asc","desc"],bSearchable:!0,bSortable:!0,bVisible:!0,fnCreatedCell:null,mData:nu
ll, mRender: null, sCellType: "td", sClass: "", sContentPadding: "", sDefaultContent: null, sName: "", sSor
tDataType: "std", sTitle:null, sType:null, sWidth:null}, i(w.defaults.column), w.models.oSettings={o
Features: {bAutoWidth:null,bDeferRender:null,bFilter:null,bInfo:null,bLengthChange:null,bPagina
te:null,bProcessing:null,bServerSide:null,bSort:null,bSortMulti:null,bSortClasses:null,bStateS
ave:null},oScroll:{bCollapse:null,iBarWidth:0,sX:null,sXInner:null,sY:null},oLanguage:{fnInfoC
allback:null},oBrowser:{bScrollOversize:!1,bScrollbarLeft:!1,bBounding:!1,barWidth:0},ajax:nul
1,aanFeatures:[],aoData:[],aiDisplay:[],aiDisplayMaster:[],aIds:{},aoColumns:[],aoHeader:[],aoFooter:[],oPreviousSearch:{},aoPreSearchCols:[],aaSorting:null,aaSortingFixed:[],aoFooterCallback:[],aoHeaderCallback:[],aoFooterCallb
ack:[],aoDrawCallback:[],aoRowCreatedCallback:[],aoPreDrawCallback:[],aoInitComplete:[],aoStateSaveParams:[],aoStateLoadParams:[],aoStateLoaded:[],sTableId:"",nTable:null,nTFoo
t:null,nTBody:null,nTableWrapper:null,bDeferLoading:!1,bInitialised:!1,aoOpenRows:[],sDom:null
 ,searchDelay:null,sPaginationType:"two_button",iStateDuration:0,aoStateSave:[],aoStateLoad:[],
oSavedState:null,oLoadedState:null,sAjaxSource:null,sAjaxDataProp:null,jqXHR:null,json:N,oAjax
Data:N,fnServerData:null,aoServerParams:[],sServerMethod:null,fnFormatNumber:null,aLengthMenu:
null, iDraw: 0, bDrawing: !1, iDrawError: -
1,_iDisplayLength:10,_iDisplayStart:0,_iRecordsTotal:0,_iRecordsDisplay:0,oClasses:{}, bFiltere
d:!1,bSorted:!1,bSortCellsTop:null,oInit:null,aoDestroyCallback:[],fnRecordsTotal:function(){r
eturn"ssp"==E(this)?+this._iRecordsTotal:this.aiDisplayMaster.length},fnRecordsDisplay:functio
n(){return"ssp"==E(this)?+this._iRecordsDisplay:this.aiDisplay.length},fnDisplayEnd:function()
{var
t=this._iDisplayLength,e=this._iDisplayStart,n=e+t,a=this.aiDisplay.length,r=this.oFeatures,o=
r.bPaginate;return r.bServerSide?!1===o||
1===t?e+a:Math.min(e+t,this._iRecordsDisplay):!o||a<n||-
1 == \pm ?a:n \}, oInstance:null, sInstance:null, iTabIndex:0, nScrollHead:null, nScrollFoot:null, aLastSooting and the standard of the standar
rt:[],oPlugins:{},rowIdFn:null,rowId:null},w.ext=p={buttons:{},classes:{},builder:"-source-
 ",errMode:"alert",feature:[],search:[],selector:{cell:[],column:[],row:[]},internal:{},legacy:
{ajax:null},pager:{},renderer:{pageButton:{},header:{}},order:{},type:{detect:[],search:{},ord
er:{}},_unique:0,fnVersionCheck:w.fnVersionCheck,iApiIndex:0,oJUIClasses:{},sVersion:w.version
},P.extend(p,{afnFiltering:p.search,aTypes:p.type.detect,ofnSearch:p.type.search,oSort:p.type.
order,afnSortData:p.order,aoFeatures:p.feature,oApi:p.internal,oStdClasses:p.classes,oPaginati
on:p.pager}),P.extend(w.ext.classes,{sTable:"dataTable",sNoFooter:"no-
footer", sPageButton: "paginate_button", sPageButtonActive: "current", sPageButtonDisabled: "disable d", sStripeOdd: "odd", sStripeEven: "even", sRowEmpty: "dataTables_empty", sWrapper: "dataTables_wrapper", sFilter: "dataTables_filter", sInfo: "dataTables_info", sPaging: "dataTables_paginate
paging_",sLength:"dataTables_length",sProcessing:"dataTables_processing",sSortAsc:"sorting_asc
",sSortDesc:"sorting_desc",sSortable:"sorting",sSortableAsc:"sorting_desc_disabled",sSortableDesc:"sorting_asc_disabled",sSortableNone:"sorting_disabled",sSortColumn:"sorting_",sFilterInpu
t:"",sLengthSelect:"",sScrollWrapper:"dataTables_scroll",sScrollHead:"dataTables_scrollHead",s
ScrollHeadInner: "dataTables_scrollHeadInner", sScrollBody: "dataTables_scrollBody", sScrollFoot: "dataTables_scrollFoot", sScrollFootInner: "dataTables_scrollFootInner", sHeaderTH: "", sFooterTH: ""
 ,sSortJUIAsc:"",sSortJUIDesc:"",sSortJUI:"",sSortJUIAscAllowed:"",sSortJUIDescAllowed:"",sSortJUIDescAllowed:"",
JUIWrapper: "", sSortIcon: "", sJUIHeader: "", sJUIFooter: ""}), w.ext.pager); function Oe(t,e) {var
n=[],a=He.numbers\_length,r=Math.floor(a/2);return e<=a?n=f(0,e):t<=r?((n=f(0,a-return e)))
2)).push("ellipsis"),n.push(e-1)):((e-1-r <= t?n = f(e-(a-2),e):((n = f(t-r+2,t+r-1))))
1)).push("ellipsis"),n.push(e-
1)\,,n)\,)\,. \\ \texttt{splice}(\,0\,,0\,,\,"ellipsis\,"\,)\,,n\,. \\ \texttt{splice}(\,0\,,0\,,0\,)\,)\,,n\,. \\ \texttt{DT\_el="span"}\,,n\\ \texttt{P.extend}(\,\texttt{He}\,,\,\{\texttt{simple:function}(\,\texttt{totals}),\,\texttt{totals})\,)\,,n\,. \\ \texttt{Simple:function}(\,\texttt{totals}),\,\texttt{totals})\,,n\,. \\ \texttt{Simple:function}
 , e) \\ \{ return["previous", "next"] \\ \}, full: function(t,e) \\ \{ return["first", "previous", "next", "last"] \\ \}, nu \\ \}, nu \\ \{ return["previous", "next", "last"] \\ \}, nu \\ \{ return["previous", "next", "next"
mbers: function(t,e) \\ \{return[Oe(t,e)]\}, simple\_numbers: function(t,e) \\ \{return["previous",Oe(t,e),"nexting of the context of the context
\verb|ext"]$, full_numbers:function(t,e){return["first","previous",Oe(t,e),"next","last"]}, first_last_{last}
n,a,r,o=m.sPageButtonDisabled,i=function(t){Yt(c,t.data.action,!0)},l=0,s=e.length;l<s;l++)if(length)
n=e[1],Array.isArray(n)){var
```

```
 u=P("<"+(n.DT_el||"div")+"/>").appendTo(t); p(u,n) \\ else \\ \{switch(g=null,b=n,a=c.iTabIndex,n) \\ \{case(u,n),b=n,a=c.iTabIndex,n\} \\ \{case(u
 "ellipsis":t.append('<span
class="ellipsis">\&\#x2026;</span>'); break; case"first":g=S.sFirst,0===d\&\&(a=-1,b+="allow black) = first = fi
 "+o);break;case"previous":g=S.sPrevious,0===d&&(a=-1,b+="
"+o);break;case"next":g=S.sNext,0!==h&&d!==h-1||(a=-1,b+="
 "+o);break;case"last":g=S.sLast,0!==h&&d!==h-1||(a=-1,b+="
 "+o);break;default:g=c.fnFormatNumber(n+1),b=d===n?m.sPageButtonActive:""}null!==g&&(u=c.oInit
 . pagingTag \ | \ "a", r=-1! == b.indexOf(o), me(P("<"+u+">", \{class: m.sPageButton+" \ "+b, "aria-", [class: m.sPageButton+" \ "+b, "aria-", [class: m.sPageButton+"] \ "+b, "+b, "aria-", [class: m.sPageButton+"] \ "+b, "aria-", [class: m.s
controls":c.sTableId, "aria-disabled":r?"true":null, "aria-label":v[n], "aria-role":"link", "aria-
current":b===m.sPageButtonActive?"page":null, "data-dt-
idx":n,tabindex:a,id:0===f&&"string"==typeof
n?c.sTableId+"\_"+n:null)).html(g).appendTo(t), action:n),i))})var
g,b,n,m=c.oClasses,S=c.oLanguage.oPaginate,v=c.oLanguage.oAria.paginate||{};try{n=P(t).find(y.
activeElement).data("dt-idx")}catch(t){}p(P(t).empty(),e),n!==N&&P(t).find("[data-dt-idx="+n+"]").trigger("focus")}}),P.extend(w.ext.type.detect,[function(t,e){e=e.oLanguage.sDecimal;return 1(t,e)?"num"+e:null},function(t,e){var n;return(!t||t instanceof
Language.sDecimal; return 1(t,e,!0)? "num-
fmt"+e:null},function(t,e){e=e.oLanguage.sDecimal;return a(t,e)?"html-
num"+e:null \( \), function(t,e) \( \) e=e.oLanguage.sDecimal; return a(t,e,!0)? "html-num-
fmt"+e:null, function(t,e){return h(t)||"string"==typeof t&&-
1!==t.indexOf("<")?"html":null}]),P.extend(w.ext.type.search,{html:function(t){return
h(t)?t:"string"==typeof t?t.replace(U,"
").replace(V,""):""},string:function(t){return!h(t)&&"string"==typeof t?t.replace(U,"
"):t}});function ke(t,e,n,a){var r;return 0===t||t&&"-"!==t?"number"==(r=typeof
t)||"bigint"==r?t:+(t=(t=e?G(t,e):t).replace&&(n&&(t=t.replace(n,"")),a)?t.replace(a,""):t):-
1/0 \} \\ function \ Me(n) \\ \{ P. each(\{num:function(t)\{return\ ke(t,n)\}, "num-fmt":function(t)\{return\ ke(t,n)\}, "num-fmt":fu
ke(t,n,q), "html-num":function(t){return ke(t,n,V)}, "html-num-fmt":function(t){return
ke(t,n,\overline{V},q)}, function(t,e){p.type.order[t+n+"-pre"]=e,t.match(/^html\-
\label{local_property} $$ / \&(p.type.search[t+n]=p.type.search.html))).extend(p.type.order,{"date-property}). $$
pre":function(t){t=Date.parse(t);return isNaN(t)?-1/0:t},"html-pre":function(t){return
h(t)?"":t.replace?t.replace(/<.*?>/g,"").toLowerCase():t+""},"string-pre":function(t){return
h(t)?"":"string"==typeof t?t.toLowerCase():t.toString?t.toString():""},"string-asc":function(t,e){return t<e?-1:e<t?-1.0},"string-desc":function(t,e){return t<e?-1:e<t?-1.0}
1:0}}), Me(""), P.extend(!0, w.ext.renderer, {header:{_:function(r,o,i,1)}{P(r.nTable).on("order.dt
.DT",function(t,e,n,a){r===e&&(e=i.idx,o.removeClass(1.sSortAsc+"
"+1.sSortDesc).addClass("asc"==a[e]?1.sSortAsc:"desc"==a[e]?1.sSortDesc:i.sSortingClass))})},j
queryui:function(r,o,i,l){P("<div/>").addClass(l.sSortJUIWrapper).append(o.contents()).append(
P("<span/>").addClass(1.sSortIcon+"
 "+i.sSortingClassJUI)).appendTo(o),P(r.nTable).on("order.dt.DT",function(t,e,n,a){r===e&&(e=i.
idx,o.removeClass(1.sSortAsc+"
 "+1.sSortDesc).addClass("asc"==a[e]?1.sSortAsc:"desc"==a[e]?1.sSortDesc:i.sSortingClass),o.fin
d("span."+1.sSortIcon).removeClass(1.sSortJUIAsc+" "+1.sSortJUIDesc+" "+1.sSortJUI+"
 "+1.sSortJUIAscAllowed+"
"+1.sSortJUIDescAllowed).addClass("asc"==a[e]?1.sSortJUIAsc:"desc"==a[e]?1.sSortJUIDesc:i.sSor
tingClassJUI))})});function
We(t){return"string"==typeof(t=Array.isArray(t)?t.join(","):t)?t.replace(/&/g,"&").replace
a;if(j.moment){if(!(a=j.moment.utc(t,e,n,!0)).isValid())return null}else
if(j.luxon){if(!(a=e&&"string"==typeof
t?j.luxon.DateTime.fromFormat(t,e):j.luxon.DateTime.fromISO(t)).isValid)return
null;a.setLocale(n)}else e?(Be||alert("DataTables warning: Formatted date without Moment.js or
Luxon - https://datatables.net/tn/17"),Be=!0):a=new Date(t);return a}function Ve(s){return
function(a,r,o,i){0===arguments.length?(o="en",a=r=null):1===arguments.length?(o="en",r=a,a=nu
11):2===arguments.length&&(o=r,r=a,a=null);var l="datetime-"+r;return
t===1&&1}),w.ext.type.order[l+"-asc"]=function(t,e){t=t.valueOf(),e=e.valueOf();return
Date(Date.UTC(n.getFullYear(),n.getMonth(),n.getDate(),n.getHours(),n.getMinutes(),n.getSecond
s()))):""),"type"===e?1:""===t?"sort"!==e?"":Ue("0000-01-01
00:00:00",null,o):!(null===r||a!==r||"sort"===e||"type"===e||t instanceof
Date)||null==(n=Ue(t,a,o))?t:"sort"===e?n:(t=null===r?Ee(n,"toDate","toJSDate","")[s]():Ee(n,
"format","toFormat","toISOString",r),"display"===e?We(t):t)}}}var
Xe=",",Je=".";if(Intl)try{for(var qe=(new
Intl.NumberFormat).formatToParts(100000.1),n=0;n<qe.length;n++) "group"===qe[n].type?Xe=qe[n].v</pre>
alue: "decimal ===qe[n].type&&(Je=qe[n].value)}catch(t){}function Ge(e){return function(){var
t=[ge(this[w.ext.iApiIndex])].concat(Array.prototype.slice.call(arguments));return
w.ext.internal[e].apply(this,t)}}return w.datetime=function(n,a){var r="datetime-detect-
"+n; a=a \mid | "en", w.ext.type.order[r] \mid | (w.ext.type.detect.unshift(function(t) \{ vart.type.detect.unshift(function(t) \} \} = (v.ext.type.detect.unshift(function(t) + v.ext.type.detect.unshift(function(t) + v.ext.type.detect.unshift(function(t
"toLocaleTimeString"), number: function(a,r,o,i,l) {return
 \begin{array}{lll} & \text{null!} = = a\&\&a! = = N \, \big| \, (a=Xe) \, , \\ & \text{null!} = = r\&\&r! = = N \, \big| \, (r=Je) \, , \\ & \text{display:function(t)} \big\{ \text{if("number"!=typeof t&\&"string"!=typeof t)} \, return \, \, t; \\ & \text{if(""===t)} \, \big| \, \text{null===t)} \, return \, \, t; \\ & \text{var e=t<0?"-} \end{array} 
 ":"",n=parseFloat(t);if(isNaN(n))return
We(t); n=n.toFixed(o),t=Math.abs(n); n=parseInt(t,10),t=o?r+(t-
n).toFixed(o).substring(2):"";return(e=0===n&&0===parseFloat(t)?"":e)+(i||"")+n.toString().rep
lace(\B(?=(\d{3})+(?!\d))/g,a)+t+(1||"")\}\}, text:function()\{return\{display:We,filter:We\}\}\}, P.
```

izing:0,_fnVisibleToColumnIndex:rt,_fnColumnIndexToVisible:ot,_fnVisbleColumns:T,_fnGetColumns $\verb|e._DT_RowIndex!==N?e._DT_RowIndex:null|, = fnNodeToColumnIndex:function(t,e,n) | freturn | fnNodeToColumnIndex:function(t,e,n) | freturn | fnNodeToColumnIndex:function(t,e,n) | fnN$ P.inArray(n,t.aoData[e].anCells)},_fnGetCellData:S,_fnSetCellData:ct,_fnSplitObjNotation:dt,_f nGetObjectDataFn:A,_fnSetObjectDataFn:b,_fnGetDataMaster:ht,_fnClearTable:pt,_fnDeleteIndex:gt ,_fnInvalidate:bt,_fnGetRowElements:mt,_fnCreateTr:St,_fnBuildHead:yt,_fnDrawHead:Dt,_fnDraw:v ,_fnReDraw:u,_fnAddOptionsHtml:_t,_fnDetectHeader:wt,_fnGetUniqueThs:Ct,_fnFeatureHtmlFilter:L h:Ht,_fnEscapeRegex:Ot,_fnFilterData:Wt,_fnFeatureHtmlInfo:Ut,_fnUpdateInfo:Vt,_fnInfoMacros:X $\verb|t,_fnInitialise:Jt,_fnInitComplete:qt,_fnLengthChange:Gt,_fnFeatureHtmlLength:\$t,_fnFeatureHtmlLength:\$t,_fnFeatureHtmlfen$ lPaginate:zt,_fnPageChange:Yt,_fnFeatureHtmlProcessing:Zt,_fnProcessingDisplay:D,_fnFeatureHtm $lTable: Kt, _fnScrollDraw: Qt, _fnApplyToChildren: k, _fnCalculateColumnWidths: ee, _fnThrottle: ne, _fnCalculateColumnWidths: ee, _fn$ ConvertToWidth:ae,_fnGetWidestNode:re,_fnGetMaxLenString:oe,_fnStringToCss:M,_fnSortFlatten:I, _fnSort:ie,_fnSortAria:le,_fnSortListener:se,_fnSortAttachListener:ue,_fnSortingClasses:ce,_fn $SortData: fe, _fnSaveState: de, _fnLoadState: he, _fnImplementState: pe, _fnSettingsFromNode: ge, _fnLogenstate: fe, _fnSaveState: de, _fnSaveState:$:W,_fnMap:F,_fnBindAction:me,_fnCallbackReg:L,_fnCallbackFire:R,_fnLengthOverflow:Se,_fnRender er:ve,_fnDataSource:E,_fnRowAttributes:vt,_fnExtend:be,_fnCalculateEnd:function(){}}),((P.fn.d ataTable=w).\$=P).fn.dataTableSettings=w.settings,P.fn.dataTableExt=w.ext,P.fn.DataTable=functi on(t){return P(this).dataTable(t).api()},P.each(w,function(t,e){P.fn.DataTable[t]=e}),w});

Analysis: ```html Code Analysis Report

This report analyzes the provided JavaScript code, identifies potential security vulnerabilities, and suggests improvements to code quality. The code appears to be the source code for DataTables 1.13.4. Due to the large amount of the code, this analysis will be limited to general areas where vulnerabilities are commonly found.

Security Vulnerabilities

Cross-Site Scripting (XSS)

Type: XSS Vulnerability

Approximate Location: Throughout the code, specifically where data from external sources (e.g., user input, AJAX responses) is inserted into the DOM.

Description: The code uses string concatenation or other methods to directly insert untrusted data into HTML without proper sanitization or encoding. This allows an attacker to inject malicious scripts that will be executed in the user's browser. The we function seems to be an attempt to sanitize output, but is not always used.

Mitigation:

- 1. **Contextual Output Encoding:** Always encode data before inserting it into HTML, JavaScript, CSS, or URLs. For HTML, use HTML entity encoding (e.g., <, >, &). For JavaScript, use JavaScript encoding. Use appropriate encoding for CSS and URLs.
- 2. **Input Sanitization:** Sanitize untrusted input to remove or escape potentially malicious characters. However, avoid relying solely on input sanitization, as it is often incomplete and can be bypassed. Output encoding is preferred.
- 3. **Content Security Policy (CSP):** Implement CSP to restrict the sources from which the browser can load resources, reducing the impact of XSS attacks.

Prototype Pollution

Type: Prototype Pollution

Approximate Location: The be function (extend) and C function (Hungarian map) are identified as potential sources.

Description: Prototype pollution occurs when an attacker can modify the properties of JavaScript's Object.prototype. This affects all objects in the application, leading to denial of service, unexpected behavior, or even remote code execution. The deep merge logic in extend functions may be vulnerable if not carefully implemented.

Mitigation:

- 1. **Avoid Deep Merge:** Minimize the use of deep merge operations, especially when dealing with untrusted data. If deep merging is necessary, carefully validate the structure and content of the objects being merged to prevent malicious properties from being injected.
- 2. **Object.freeze:** Freeze critical objects or prototypes to prevent modification.
- 3. **Use Maps:** Where appropriate use Maps instead of Objects, since Maps do not inherit from Object.prototype.

Regular Expression Denial of Service (ReDoS)

Type: ReDoS Vulnerability

Approximate Location: The regular expressions J, q, and within Ht function.

Description: Complex regular expressions can be exploited to cause excessive CPU consumption, leading to a denial of service. An attacker can craft input strings that trigger worst-case backtracking behavior in the regex engine.

Mitigation:

- 1. Simplify Regular Expressions: Use simpler regular expressions that are less prone to backtracking.
- 2. **Limit Input Length:** Restrict the length of input strings that are processed by regular expressions.
- 3. **Use a Regular Expression Analyzer:** Use tools to analyze regular expressions for potential ReDoS vulnerabilities.
- 4. **Timeouts:** Implement timeouts for regex execution to prevent long-running expressions from consuming excessive resources.

DOM-based XSS

Type: DOM-based XSS

Approximate Location: Potentially within event handlers and functions that directly manipulate the DOM based on URL parameters or fragment identifiers.

Description: This occurs if the application reads data from the client-side (e.g., URL) and writes it to the DOM without proper sanitization.

Mitigation:

- 1. **Avoid Direct DOM Manipulation:** Use safer methods for manipulating the DOM, and always encode data before writing it to the DOM.
- 2. Validate Input: Ensure that any data read from the URL is properly validated before being used.

Code Quality Metrics

Complexity

Description: The code exhibits high complexity, especially in functions like w, Dt, Tt, and several other large functions. This complexity makes the code harder to understand, maintain, and debug. Functions are long and deeply nested.

Improvement:

- 1. **Function Decomposition:** Break down large functions into smaller, more manageable functions with well-defined responsibilities. Adhere to the Single Responsibility Principle.
- 2. **Reduce Nesting:** Reduce the level of nesting in conditional statements and loops. Use techniques like early returns, guard clauses, and refactoring to flatten the code structure.
- 3. **Use Design Patterns:** Employ design patterns (e.g., strategy, observer) to manage complexity and improve code organization.

Duplication

Description: There are instances of code duplication, particularly in repetitive tasks like checking variable types and applying settings.

Improvement:

- 1. Extract Common Logic: Identify and extract common logic into reusable functions or modules.
- 2. **Use Loops and Iterators:** Use loops and iterators to avoid repeating similar code blocks.

Readability

Description: The code is difficult to read due to its complexity, inconsistent naming conventions, and lack of comments. The heavy use of minified variable names (e.g. t, e, n, a, r, o) hinder understanding the code logic and makes debugging difficult.

Improvement:

- 1. Meaningful Names: Use descriptive and consistent names for variables, functions, and classes.
- 2. **Comments:** Add comments to explain complex logic, algorithms, and design decisions.
- 3. Code Formatting: Use consistent code formatting (e.g., indentation, spacing) to improve readability.
- 4. **Avoid Minified Names:** Refactor the code to use full, descriptive names for variables and functions. While minified names might save space, they severely hinder readability and maintainability. Consider using a build process that minifies the code for production while preserving readability in the source code.

Coupling

Description: The code exhibits high coupling between different components, making it difficult to modify or test individual parts of the system without affecting other parts.

Improvement:

- 1. Loose Coupling: Design components with loose coupling, minimizing dependencies between them.
- 2. **Dependency Injection:** Use dependency injection to provide dependencies to components, making them more flexible and testable.
- 3. **Interfaces:** Define interfaces to decouple components from concrete implementations.

Proposed Solution

To address the identified security vulnerabilities and code quality issues, consider the following steps:

- 1. **Security Audit:** Conduct a thorough security audit of the code to identify all potential vulnerabilities. Use automated scanning tools and manual code review techniques.
- 2. **Refactoring:** Refactor the code to reduce complexity, eliminate duplication, improve readability, and decrease coupling. Prioritize refactoring the largest, most complex, and most frequently modified functions.
- 3. **Output Encoding:** Implement comprehensive output encoding throughout the codebase to prevent XSS vulnerabilities. Ensure that all data inserted into HTML, JavaScript, CSS, and URLs is properly encoded.
- 4. **Prototype Pollution Mitigation:** Review the deep merge logic in the be function and similar functions to prevent prototype pollution. Consider using alternative methods for merging objects or validating the structure and content of the objects being merged.
- 5. **Regular Expression Analysis:** Analyze all regular expressions for potential ReDoS vulnerabilities. Simplify complex regular expressions or implement timeouts to prevent excessive CPU consumption.
- 6. **Automated Testing:** Implement automated unit tests, integration tests, and security tests to ensure the code functions correctly and is free from vulnerabilities.
- 7. **Continuous Integration/Continuous Deployment (CI/CD):** Set up a CI/CD pipeline to automatically build, test, and deploy the code. Integrate security scanning tools into the CI/CD process to detect vulnerabilities early.
- 8. **Code Reviews:** Conduct regular code reviews to identify potential security vulnerabilities and code quality issues. Encourage collaboration and knowledge sharing among developers.