# **Vulnerability Report**

Archivo: jquery-3.6.0.min.js

### **Code Analyzed:**

```
/*! jQuery v3.6.0 | (c) OpenJS Foundation and other contributors | jquery.org/license */
 !function(e,t){"use strict"; "object" == typeof module&& "object" == typeof
 module.exports?module.exports=e.document?t(e,!0):function(e){if(!e.document)throw new
 Error("jQuery requires a window with a document");return t(e)}:t(e)}("undefined"!=typeof
 window?window:this,function(C,e){"use strict";var
 t=[],r=Object.getPrototypeOf,s=t.slice,g=t.flat?function(e){return
 t.flat.call(e)}:function(e){return
 \texttt{t.concat.apply([],e)}, \texttt{u=t.push,i=t.indexOf,n=} \{\}, \texttt{o=n.toString,v=n.hasOwnProperty,a=v.toString,lambda} \}
 =a.call(Object),y={},m=function(e){return"function"==typeof e&&"number"!=typeof
 e.nodeType&&"function"!=typeof e.item},x=function(e){return
null!=e&&e==e.window},E=C.document,c={type:!0,src:!0,nonce:!0,noModule:!0};function
b(e,t,n) {var r,i,o=(n=n | E).createElement("script");if(o.text=e,t)for(r in
 c)(i=t[r]||t.getAttribute&&t.getAttribute(r))&&o.setAttribute(r,i);n.head.appendChild(o).paren
 tNode.removeChild(o)}function w(e){return null==e?e+"":"object"==typeof e||"function"==typeof
 e?n[o.call(e)]||"object":typeof e}var f="3.6.0",S=function(e,t){return new
 S.fn.init(e,t)};function p(e){var t=!!e&&"length"in
 e\&\&e.length,n=\dot{w}(e); return!m(e)\&\&!x(e)\&\&("array"===n||0===t||"number"==typeof t&&0<t&&t-1 in
 e)}S.fn=S.prototype={jquery:f,constructor:S,length:0,toArray:function(){return
 s.call(this)},get:function(e){return
 null==e?s.call(this):e<0?this[e+this.length]:this[e]},pushStack:function(e){var
 t=S.merge(this.constructor(),e);return t.prevObject=this,t},each:function(e){return
 S. each (this, e) \}, \\ map: function(n) \\ \{return\ this.pushStack (S.map(this, function(e, t) \\ \{ret
 n.call(e,t,e)}))},slice:function(){return
 this.pushStack(s.apply(this,arguments))\}, first:function() \{return
 this.eq(0)},last:function(){return this.eq(-1)},even:function(){return
 this.pushStack(S.grep(this,function(e,t){return(t+1)*2}))),odd:\hat{function}(){return(t+1)*2}))),odd:\hat{function}(){return(t+1)*2}))),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2})),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){return(t+1)*2}),odd:\hat{function}(){r
 t=this.length,n=+e+(e<0?t:0);return
 this.pushStack(0<=n&&n<t?[this[n]]:[])},end:function(){return
 this.prevObject||this.constructor()},push:u,sort:t.sort,splice:t.splice},S.extend=S.fn.extend=
 function() {var
 e,t,n,r,i,o,a=arguments[0]||{},s=1,u=arguments.length,l=!1;for("boolean"==typeof
 a\&\&(1=a,a=arguments[s]||\{\},s++),"object"==typeof a||m(a)||(a=\{\}),s===u\&\&(a=this,s--1)
 );s<u;s++)if(null!=(e=arguments[s]))for(t in
 e)r=e[t],"__proto__"!==t&&a!==r&&(1&&r&&(S.isPlainObject(r)||(i=Array.isArray(r)))?(n=a[t],o=i
 &&!Array.isArray(\overline{n})?[]:i||S.isPlainObject(n)?n:{},i=!1,a[t]=S.extend(1,o,r)):void
 0!==r&&(a[t]=r));return
 a},S.extend({expando:"jQuery"+(f+Math.random()).replace(/\D/g,""),isReady:!0,error:function(e)
 {throw new Error(e)},noop:function(){},isPlainObject:function(e){var t,n;return!(!e||"[object
 Object]"!==o.call(e))\&\&(!(t=r(e))||"function"==typeof(n=v.call(t,"constructor")\&\&t.constructor")\\
 )&&a.call(n)===1)},isEmptyObject:function(e){var t;for(t in
 e)return!1;return!0},globalEval:function(e,t,n){b(e,{nonce:t&&t.nonce},n)},each:function(e,t){
 \label{eq:var_n,r=0:if(p(e))} \\ \{for(n=e.length;r < n;r + +) if(!1 = = t.call(e[r],r,e[r])) \\ break\}else \ for(r \ in the interval of the in
 e)if(!1===t.call(e[r],r,e[r]))break;return e},makeArray:function(e,t){var n=t||[];return
null!=e&&(p(Object(e))?S.merge(n, "string"==typeof
 e?[e]:e):u.call(n,e)),n, inArray:function(e,t,n){return null==t?-}
 1:i.call(t,e,n)},merge:function(e,t){for(var
n=+t.length,r=0,i=e.length;r<n;r++)e[i++]=t[r];return
 e.length=i,e},grep:function(e,t,n){for(var
 r=[],i=0,o=e.length,a=!n;i<0;i++)!t(e[i],i)!==a&&r.push(e[i]);return
r},map:function(e,t,n){var
 r,i,o=0,a=[]:if(p(e))for(r=e.length:o<r:o++)null!=(i=t(e[o],o,n))&a.push(i):else for(o in the context of the 
 e)null!=(i=t(e[o],o,n))&&a.push(i);return g(a)},guid:1,support:y}),"function"==typeof
 Symbol&&(S.fn[Symbol.iterator]=t[Symbol.iterator]),S.each("Boolean Number String Function
 Array Date RegExp Object Error Symbol".split(" "),function(e,t){n["[object]]}
 "+t+"]"]=t.toLowerCase()});var d=function(n){var
 e,d,b,o,i,h,f,g,w,u,l,T,C,a,E,v,s,c,y,S="sizzle"+1*new
\texttt{Date,p=n.document}, \texttt{k=0,r=0,m=ue(),x=ue(),A=ue(),N=ue(),j=function(e,t)} \\ \{\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{return},\texttt{re
 e===t\&\&(1=!0),0, D=\{\}. hasOwnProperty,t=[],q=t.pop,L=t.push,H=t.push,O=t.slice,P=function(e,t){
 for(var n=0,r=e.length;n<r;n++)if(e[n]===t)return n;return-</pre>
 1},R="checked|selected|async|autofocus|autoplay|controls|defer|disabled|hidden|ismap|loop|mult
| Interior 
 RegExp("^"+I+"$"),G={iD:new RegExp("^#("+I+")"),CLASS:new RegExp("^\\.("+I+")"),TAG:new
```

```
RegExp("^("+I+"|[*])"),ATTR:new RegExp("^"+W),PSEUDO:new RegExp("^"+F),CHILD:new
  RegExp("^:(only|first|last|nth|nth-last)-(child|of-type)(?:\\("+M+"*(even|odd|(([+-
  |||| (d^*)n||^* + M^* (?:([+-]|)^* + M^* (d^*)|^* )^* + M^* (d^*)|^* )^* + M^* (d^*)|^* )^* + M^* (?:([+-]|)^* + M^* (d^*)|^* )^* + M^* (?:([+-]|)^* + M^* (d^*)|^* )^* + M^* (?:([+-]|)^* + M^* (d^*)|^* )^* + M^* (d^*)|^* )^* + M^* (?:([+-]|)^* + M^* (d^*)|^* )^* )^* + M^* (d^*)|^* )^* )^* + M^* 
 RegExp("^(?:"+R+")$","i"),needsContext:new
RegExp("^"+M+"*[>+~]|:(even|odd|eq|gt|lt|nth|first|last)(?:\\("+M+"*((?:-
   \\d)?\\d*)"+M+"*\\)|)(?=[^-
  ], ":"), Y=/HTML$/i,Q=/^(?:input|select|textarea|button)$/i,J=/^h\d$/i,K=/^[^{}+\{\s*\[nativerset{Particle}], The particle of the particle 
 ve \w/,Z=/^(?:#([\w-]+)|(\w+)|\.([\w-]+))$/,ee=/[+~]/,te=new RegExp("\\\[\da-fA-F]{1,6}"+M+"?|\\\([^\\r\\n\\f])","g"),ne=function(e,t){var n="0x"+e.slice(1)-65536;return
  t \mid (n<0?String.fromCharCode(n+65536):String.fromCharCode(n>>10|55296,1023&n|56320))\}, re=/([\0-6816])
   \dot{x}ifx7f]^-?\dot{d}^-$[^0-\dot{x}ifx7f-\dot{x}ie=function(e,t){return}
  t?"\\0"===e?"\\ufffd":e.slice(0,-1)+"\\"+e.charCodeAt(e.length-1).toString(16)+"
  ":"\\"+e},oe=function(){T()},ae=be(function(e){return!0==e.disabled&&"fieldset"==e.nodeName.toLowerCase()},{dir:"parentNode",next:"legend"});try{H.apply(t=0.call(p.childNodes),p.childNodes)}
  es), t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){L.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){d.apply(e,0.call(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){d.apply(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length?function(e,t){d.apply(e,b),t[p.childNodes.length].nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}catch(e){H={apply:t.length}.nodeType}cat
  t))): function(e,t) {var n=e.length,r=0;while(e[n++]=t[r++]);e.length=n-1}}} function
  se(t,e,n,r){var}
  t | | | t | | 1! == p&89! == p&11! == p)return
 n; if(!r\&\&(T(e), e=e \mid C,E)) \\ \{if(11!==p\&\&(u=Z.exec(t))) \\ if(i=u[1]) \\ \{if(9===p) \\ \{if(!(a=e.getElementByI)\} \\ (i=u[1]) \\ \{if(12!=e)\} \\ (i=u[1]) \\ (i=u[1]
  d(i)))return n;if(a.id===i)return n.push(a),n}else
  if(f\&\&(a=f.getElementById(i))\&\&y(e,a)\&\&a.id==i)return\ n.push(a),n\}else\{if(u[2])return\ n.push(a)
 \label{lem:happly(n,e.getElementsByTagName(t)),n;if((i=u[3])&d.getElementsByClassName&e.getElementsByClassName(actions and action of the context of the co
  lassName) return \ H.apply(n,e.getElementsByClassName(i)),n \} if (d.qsa\&\&!N[t+"] for the context of the conte
   [] \& (|v| | v.test(t)) \& (1!==p| | bject"!==e.nodeName.toLowerCase())) if (c=t,f=e,1===p&&(U.test(b)) | f(c=t,f=e,1===p) | f(c=t,f=e,1===p) | f(c=t,f=e,1===p) | f(c=t,f=e,1==p) | f(c=t,f=e,1=p) | f(c=t,f=e,1
  t) ||z.test(t)| { (f=ee.test(t)\&\&ye(e.parentNode)||e)===e\&\&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id"))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))?s==ek&d.scope||((s=e.getAttribute("id")))]
  s.replace(re,ie):e.setAttribute("id",s=S)),o=(l=h(t)).length;while(o--
  )1[0]=(s?"#"+s:":scope")+" "+xe(1[0]);c=1.join(",")ttrytreturn
   \text{H.apply(n,f.querySelectorAll(c)),n} \\ \text{catch(e)} \\ \{\text{N(t,!0)} \\ \text{finally} \\ \{\text{s===S\&e.removeAttribute("id")} \} \\ \} \\ \text{removeAttribute("id")} \\ \\ \text{removeAttrib
   eturn \ g(t.replace(\$,"\$1"),e,n,r)\} function \ ue() \\ \{var \ r=[]; return \ function \ e(t,n) \\ \{return \ function \ e(t,n), return \ function \ f
  e[S]=!0,e}function ce(e){var
  t=C.createElement("fieldset"); try\{return!!e(t)\}catch(e)\{return!1\}finally\{t.parentNode&&t.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNode&&c.parentNo
  tNode.removeChild(t),t=null}}function fe(e,t){var n=e.split("|"),r=n.length;while(r--
  )b.attrHandle[n[r]]=t}function pe(e,t){var
  n=t\&\&e,r=n\&\&1===e.nodeType\&\&1===t.nodeType\&\&e.sourceIndex-t.sourceIndex;if(r)return
  r;if(n)while(n=n.nextSibling)if(n===t)return-1;return e?1:-1}function de(t){return
  function(e){return"input"===e.nodeName.toLowerCase()&&e.type===t}}function he(n){return
  function(e) {var
  t=e.nodeName.toLowerCase();return("input"===t||"button"===t)&&e.type===n}}function
  ge(t){return function(e){return"form"in e?e.parentNode&&!1==e.disabled?"label"in e?"label"in
  e.parentNode?e.parentNode.disabled===t:e.disabled===t:e.isDisabled===t||e.isDisabled!==!t&&ae(
  e) = = \pm : e.disabled = = \pm : "label"in e&&e.disabled = = \pm \} \\ function ve(a) \\ \{return le(function(o) | return le(function
  o=+o,le(function(e,t){var n,r=a([],e.length,o),i=r.length;while(i-
  ) = [n=r[i]] \& \& (e[n]=!(t[n]=e[n])) \}) \} function ye(e) \{ return e \& \& "undefined"!=type of left for each of the property o
  e.getElementsByTagName&&e}for(e in d=se.support={},i=se.isXML=function(e){var
  \texttt{t=e\&\&e.namespaceURI,n=e\&\&(e.ownerDocument||e).documentElement;return!Y.test(t||n\&\&n.nodeName||endocumentElement;return!Y.test(t||n\&&n.nodeName||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElement||endocumentElementElement||endocumentElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementElementEle
   r!=C\&\&9===r.nodeType\&\&r.documentElement\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(n=C.defaultVi)=r!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).documentElement,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&\&(a=(C=r).document,E=!i(C),p!=C\&(a=(C=r).document,E=!i(C),p!=C\&(a=(C=r).document,E=!i(C),p!=C\&(a=(C=r).d
  \verb|ew|) \& \& n. top! == n \& (n. add Event Listener? n. add Event Listener("unload", oe,!1): n. attach Event \& \& n. attach Event Listener? n. add Event Listener("unload", oe,!1): n. attach Event Listener? n. add Event Listener. Add Event Listene
  Event("onunload",oe)),d.scope=ce(function(e){return
  a.appendChild(e).appendChild(C.createElement("div")), "undefined"!=typeof
  e.querySelectorAll&&!e.querySelectorAll(":scope fieldset
 div").length}),d.attributes=ce(function(e){return
 e.className="i",!e.getAttribute("className")}),d.getElementsByTagName=ce(function(e){return e.appendChild(C.createComment("")),!e.getElementsByTagName("*").length}),d.getElementsByClassN
  a.appendChild(e).id=S,!C.getElementsByName||!C.getElementsByName(S).length}),d.getById?(b.filt
  er.ID=function(e){var t=e.replace(te,ne);return function(e){return
  \verb|e.getAttribute("id")===t|}|, \verb|b.find.ID=function(e,t)| \{ if ("undefined"!=type of the index of the index
  t.getElementById\&E) \\ \{var n=t.getElementById(e); return n?[n]:[]\} \}) : (b.filter.ID=function(e) \\ \{var n=t.getElementById(e); return n?[n]:[]\} \}) : (b.filter.ID=function(e)) \\ \{var n=t.getElementById(e); return n?[n]:[]\} \}
 n=e.replace(te,ne);return function(e) {var t="undefined"!=typeof
  e.getAttributeNode&&e.getAttributeNode("id");return
  t\&\&t.value===n\}\}, b.find.ID=function(e,t)\{if("undefined"!=typeof t.getElementById\&\&E)\{varalle fined 
 n,r,i,o=t.getElementById(e);if(o){if((n=o.getAttributeNode("id"))&&n.value===e)return[o];i=t.g
  etElementsByName(e),r=0;while(o=i[r++])if((n=o.getAttributeNode("id"))&&n.value===e)return[o]
  return[]}}),b.find.TAG=d.getElementsByTagName?function(e,t){return"undefined"!=typeof
  t.getElementsByTagName?t.getElementsByTagName(e):d.qsa?t.querySelectorAll(e):void
  0}:function(e,t){var
  n,r=[],i=0,o=t.getElementsByTagName(e);if("*"===e){while(n=o[i++])1===n.nodeType&&r.push(n);re}
  turn r}return o},b.find.CLASS=d.getElementsByClassName&&function(e,t){if("undefined"!=typeof
  t.getElementsByClassName&&E)return
  t.getElementsByClassName(e)\}, s=[\ ], v=[\ ], (d.qsa=K.test(C.querySelectorAll)) \& (ce(function(e)\{varrequerySelectorAll)) | (d.qsa=K.test(C.querySelectorAll)) | (d.qsa=K.test(C.querySelectorAll
  t; a.appendChild(e).innerHTML="<a id='"+S+"'></a><select id='"+S+"-\r\\'
  msallowcapture=''><option
 ")"),e.querySelectorAll("[id~="+S+"-
  ]").length||v.push("~="),(t=C.createElement("input")).setAttribute("name",""),e.appendChild(t)
,e.querySelectorAll("[name='']").length||v.push("\\["+M+"*name"+M+"*="+M+"*(?:''|\"\")"),e.que
```

```
.push(".#.+[+~]"),e.querySelectorAll("\\\f"),v.push("[\\r\n\\f]")}),ce(function(e){e.innerHTM
L="<a href='' disabled='disabled'></a><select disabled='disabled'>ption/></select>";var
   t=C.createElement("input");t.setAttribute("type","hidden"),e.appendChild(t).setAttribute("name
    ","D"),e.querySelectorAll("[name=d]").length& ev.push("name"+M+"*[*^$|!~]?="),2!==e.querySelect
  orAll(":enabled").length&&v.push(":enabled",":disabled"),a.appendChild(e).disabled=!0,2!==e.querySelectorAll(":disabled").length&&v.push(":enabled",":disabled"),e.querySelectorAll("*,:x"),
   v.push(",.*:")})),(d.matchesSelector=K.test(c=a.matches||a.webkitMatchesSelector||a.mozMatches
   {\tt Selector} | | \texttt{a.oMatchesSelector} | | \texttt{a.msMatchesSelector}) \\ \texttt{0.0} \\ \texttt{0.
   (e,"*"),c.call(e,"[s!='']:x"),s.push("!=",F))),v=v.length&&new
  RegExp(v.join("|")),s=s.length&&new
  RegExp(s.join("|")),t=K.test(a.compareDocumentPosition),y=t||K.test(a.contains)?function(e,t){
   var n=9===e.nodeType?e.documentElement:e,r=t&&t.parentNode;return
   e==r||!(!r||1!==r.nodeType||!(n.contains?n.contains(r):e.compareDocumentPosition&l6&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocumentPosition&lf&e.compareDocument
   eDocumentPosition(r)))}:function(e,t){if(t)while(t=t.parentNode)if(t===e)return!0;return!1},j=
   t?function(e,t){if(e===t)return l=!0,0;var n=!e.compareDocumentPosition-
   !t.compareDocumentPosition; return
   \\ n \mid (1\&(n=(e.ownerDocument \mid |e)==(t.ownerDocument \mid |t)?e.compareDocumentPosition(t):1) \mid |!d.sortDellorerDocumentPosition(t):1) \mid ||d.sortDellorerDocumentPosition(t):1) \mid ||d.sortDellorerDocumen
   tached \& \texttt{t.compareDocumentPosition(e)} = = = = \texttt{C} \mid \texttt{e.ownerDocument} = = \texttt{p\&\&y(p,e)?} - \texttt{p.ownerDocument} = \texttt{p.ownerDocument
   1:t==C||t.ownerDocument==p&&y(p,t)?1:u?P(u,e)-P(u,t):0:4&n?-
  1:1)}:function(e,t){if(e===t)return l=!0,0;var
  n,r=0,i=e.parentNode,o=t.parentNode,a=[e],s=[t];if(!i||!o)return e==C?-1:t==C?1:i?-1
  1:0?1:u?P(u,e)-P(u,t):0;if(i===0)return
  pe(e,t);n=e;while(n=n.parentNode)a.unshift(n);n=t;while(n=n.parentNode)s.unshift(n);while(a[r]
   ===s[r])r++; return \ r?pe(a[r],s[r]):a[r]==p?-1:s[r]==p?1:0\}),C\}, se.matches=function(e,t) \{return \ return 
   se(e,null,null,t), se.matchesSelector=function(e,t)\{if(T(e),d.matchesSelector&&E&&!N[t+"], vertex = vertex 
    "]&&(!s||!s.test(t))&&(!v||!v.test(t)))try{var
  \verb|n=c.call(e,t)|; if (n | |d.disconnectedMatch| | e.document&&11! == e.document.nodeType) return | |d.disconnectedMatch| | | |d.disconnectedMatch| |
 n}catch(e){N(t,!0)}return
   0 < \texttt{se(t,C,null,[e]).length} \}, \texttt{se.contains=function(e,t)} \\ \{ \texttt{return(e.ownerDocument||e)} ! = \texttt{C\&\&T(e),y(e,t)} \\ \} \} \\ \{ \texttt{return(e.ownerDocument||e)} ! = \texttt{C\&\&T(e),y(e,t)} \\ \} \\ \{ \texttt{return(e.
   )},se.attr=function(e,t){(e.ownerDocument||e)!=C&&T(e);var
  n=b.attrHandle[t.toLowerCase()],r=n&&D.call(b.attrHandle,t.toLowerCase())?n(e,t,!E):void
   0;return void
   0!==r?r:d.attributes||!E?e.getAttribute(t):(r=e.getAttributeNode(t))&&r.specified?r.value:null
    },se.escape=function(e){return(e+"").replace(re,ie)},se.error=function(e){throw new
  Error("Syntax error, unrecognized expression: "+e)},se.uniqueSort=function(e){var
   ])t===e[i]&&(r=n.push(i));while(r--)e.splice(n[r],1)}return
  u=null,e},o=se.getText=function(e){var
   t,n="",r=0,i=e.nodeType;if(i){if(l===i||9===i||11===i){if("string"==typeof
   e.textContent)return e.textContent;for(e=e.firstChild;e;e=e.nextSibling)n+=o(e)}else
  if(3===i||4===i)return e.nodeValue}else while(t=e[r++])n+=o(t);return
  n},(b=se.selectors={cacheLength:50,createPseudo:le,match:G,attrHandle:{},find:{},relative:{">"
   :{dir:"parentNode",first:!0},"
    ": \{dir: "parentNode"\}, "+": \{dir: "previousSibling", first: !0\}, "~": \{dir: "previousSibling"\}\}, preFilt = (all the content of the content
   er:{ATTR:function(e){return
 e[1]=e[1].replace(te,ne),e[3]=(e[3]||e[4]||e[5]||"").replace(te,ne),"~="===e[2]&&(e[3]=" "+e[3]+" "),e.slice(0,4)},CHILD:function(e){return e[1]=e[1].toLowerCase(),"nth"===e[1].slice(0,3)?(e[3]||se.error(e[0]),e[4]=+(e[4]?e[5]+(e[6]||
   1):2*("even"===e[3]||"odd"===e[3])),e[5]=+(e[7]+e[8]||"odd"===e[3])):e[3]&&se.error(e[0]),e},P
   SEUDO:function(e) {var t,n=!e[6]&&e[2];return
    \text{G.CHILD.test(e[0])?null:(e[3]?e[2]=e[4]||e[5]||"":n&&X.test(n)&&(t=h(n,!0))&&(t=n.indexOf(")", and the context of the con
  n.length-t)-
 n.length) \& \& (e[0] = e[0].slice(0,t), e[2] = n.slice(0,t)), e.slice(0,3)) \} \}, filter: \{TAG: function(e), e.slice(0,3), e.sli
  r t=e.replace(te,ne).toLowerCase();return"*"===e?function(){return!0}:function(e){return
   e.nodeName&&e.nodeName.toLowerCase()===t}},CLASS:function(e){var t=m[e+" "];return t||(t=new
 RegExp("(^|"+M+")"+e+"("+M+"|$)"))\&&m(e,function(e){return t.test("string"==typeof)})
   e.className&&e.className||"undefined"!=typeof
   e.getAttribute&&e.getAttribute("class")||"")})},ATTR:function(n,r,i){return function(e){var
   t=se.attr(e,n);return
   null==t?"!="==r:!r||(t+="","="==r?t===i:"!="==r?t!==i:"^="==r?i&&0===t.indexOf(i):"*="===r
   ?i\&\&-1 < t.indexOf(i): "$="===r?i\&\&t.slice(-i.length)===i:"~="===r?-1 < (" "+t.replace(B," ")+") < (
   ").indexOf(i): | = = = x_{k(t==i)} | t.slice(0,i.length+1) = = i + = - "))}}, CHILD: function(h,e,t,g,v) {var y="nth"!==h.slice(0,3),m="last"!==h.slice(-4),x="of-10.5]}
   type"===e;return 1===g&&0===v?function(e){return!!e.parentNode}:function(e,t,n){var
   r, i, o, a, s, u, l = y! = m? "nextSibling" : "previousSibling", c = e.parentNode, f = x&&e.nodeName.toLowerCase (), p = !n&&!x, d = !1; if(c) {if(y) {while(1) {a = e; while(a = a[1]) if(x?a.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = = f : 1 = = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = x&&e.nodeName.toLowerCase() = f : 1 = a | e.parentNode, f = a | e.parentNode,
    .nodeType)return!1;u=l="only"===h&&!u&&"nextSibling"}return!0}if(u=[m?c.firstChild:c.lastChild
  \label{eq:condition} $$ \int_{\mathbb{R}^2} d^2s = (r = (i = (o = (a = c)[S] | | (a[S] = \{\}))[a.uniqueID] | | (o[a.uniqueID] = \{\}))[h] | | [])[0] = = k\&\&r[1])\&\&r[2], a = s\&\&c.childNodes[s]; while (a = + + s\&\&a\&\&a[1] | (d = s = 0) | | u.pop())if(1 = = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType&& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType\&\& + + d\&\&a&&a[1] | (d = s = 0) | | u.pop())if(1 = a.nodeType\&\& + + d\&\&a&&a[1] | u.pop()]if(1 = a.nodeType\&\&a) | u.pop()]if(1 = a.nodeType\&\&a) | u.pop() | u
   a===e){i[h]=[k,s,d];break}}else
  \label{eq:continuous} $$ ype) &&++d&&(p&&((i=(o=a[S]||(a[S]={}))[a.uniqueID]||(o[a.uniqueID]={}))[h]=[k,d]), a===e))$ break $$ ireturn(d-v)==g||d&g==0&&0<=d/g}}, $$ pSEUDO:function(e,o){var} $$ t,a=b.pseudos[e]||b.setFilters[e.toLowerCase()]||se.error("unsupported pseudo: "+e); return $$ $$ return(b.setFilters[e.toLowerCase()]||se.error("unsupported pseudo: "+e); return $$ return(b.setFilters[e.toLow
   a[S]?a(o):1<a.length?(t=[e,e,"",o],b.setFilters.hasOwnProperty(e.toLowerCase())?le(function(e,
   t) \\ \{ var \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \}) : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])]=!(t[n]=r[i]) \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])] \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,r[i])] \} : function(e) \\ \{ return \ n, r=a(e,o), i=r.length; while(i--)e[n=P(e,o), i=r.length; while(i--)e[n=P(e,o), i=r.length; while(i--)e[n=P(e,o), i=r.length; while(i--)e[n=P(e,o), i=r.length; while(i--)e[n=P(e,o), i=r.l
   a(e,0,t)\}):a\}\}, pseudos: \{not:le(function(e)\{var r=[],i=[],s=f(e.replace(\$,"\$1")); return r=[],i=[],s=f(e.replace(\$,"\$1")); return r=[],s=f(e.replace(\$,"\$1")); return r=[],
  s[S]?le(function(e,t,n,r){var i,o=s(e,null,r,[]),a=e.length;while(a--
```

```
(i=o[a])&&(e[a]=!(t[a]=i))):function(e,t,n){return
 r[0] = e, s(r, null, n, i), r[0] = null, !i.pop()) \}), has: le(function(t) \{return \ function(e) \}), has: le(function(e) \{return \ function(e) \}), has: le(fun
  0 < se(t,e).length \} ), contains: le(function(t) \{ return \ t=t.replace(te,ne), function(e) \{ return-t < textContent | | o(e)).indexOf(t) \} \}), lang: le(function(n) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}), lang: le(function(n)) \{ return-t < textContent | o(e)).indexOf(t) \} \}
 V.test(n||"")||se.error("unsupported lang:
   "+n),n=n.replace(te,ne).toLowerCase(),function(e){var
  t;do{if(t=E?e.lang:e.getAttribute("xml:lang")||e.getAttribute("lang"))return(t=t.toLowerCase()
  )===n \mid 0===t.indexOf(n+"-
  ")}while((e=e.parentNode)&&1===e.nodeType);return!1}}),target:function(e){var
  t=n.location&&n.location.hash;return t&&t.slice(1)===e.id},root:function(e){return
  e===a},focus:function(e){return
  e==C.activeElement&&(!C.hasFocus||C.hasFocus())&&!!(e.type||e.href||~e.tabIndex)},enabled:ge(
  !1),disabled:ge(!0),checked:function(e){var
  t=e.nodeName.toLowerCase();return"input ===t&&!!e.checked||"option"===t&&!!e.selected},selecte
  d:function(e){return
  e.parentNode\&e.parentNode.selectedIndex,!0 == e.selected\}, empty:function(e) \\ \{for(e=e.firstChilder, empty:function(e), for(e=e.firstChilder, empty:function(
  ;e;e=e.nextSibling)if(e.nodeType<6)return!1;return!0},parent:function(e){return!b.pseudos.empt</pre>
 y(e)},header:function(e){return J.test(e.nodeName)},input:function(e){return
  Q.test(e.nodeName)},button:function(e){var
  t=e.nodeName.toLowerCase();return"input"===t&&"button"===e.type||"button"===t},text:function(e
  ) { var
  t;return"input"===e.nodeName.toLowerCase()&&"text"===e.type&&(null==(t=e.getAttribute("type"))
          | "text" == t.toLowerCase())}, first:ve(function() {return[0]}), last:ve(function(e,t) {return[t-
  1]}),eq:ve(function(e,t,n){return[n<0?n+t:n]}),even:ve(function(e,t){for(var
 n=0;n<t;n+=2)e.push(n);return e}),odd:ve(function(e,t){for(var n=1;n<t;n+=2)e.push(n);return
  e}), lt:ve(function(e,t,n){for(var r=n<0?n+t:t<n?t:n;0<=--r;)e.push(r);return
  e}),gt:ve(function(e,t,n){for(var r=n<0?n+t:n;++r<t;)e.push(r);return
  e})}}).pseudos.nth=b.pseudos.eq,{radio:!0,checkbox:!0,file:!0,password:!0,image:!0})b.pseudos[
  e]=de(e);for(e in{submit:!0,reset:!0})b.pseudos[e]=he(e);function me(){}function xe(e){for(var
  t=0, n=e.length, r="";t< n;t++)r+=e[t].value;return r} function be(s,e,t) \{varetime temperaturn r = 0, n=e.length, r="";t< n;t++)r+=e[t].value;return r = 0, n=e.length, r=0, n=e.l
  u=e.dir,l=e.next,c=l||u,f=t&&"parentNode"===c,p=r++;return
  e.first?function(e,t,n){while(e=e[u])if(1===e.nodeType||f)return
  s(e,t,n); return!1}: function(e,t,n) {var
  r,i,o,a=[k,p];if(n)\{while(e=e[u])if((l==e.nodeType||f)&&s(e,t,n))return!0\}else
  while (e=e[u]) if (1==e.nodeType||f) if (i=(o=e[S]||(e[S]=\{\}))[e.uniqueID]||(o[e.uniqueID]=\{\}), l\&\& (i=e) if (i=e) if
  l == e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ \{if((r=i[c])\&\&r[0] == k\&\&r[1] == p) return \\ \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e.nodeName.toLowerCase()) e = e[u] \mid | e;else \\ = e[u] \mid 
  a[2]=r[2]; if((i[c]=a)[2]=s(e,t,n)) return!0 \} return!1 \} function we(i) \{return example for example
  1<i.length?function(e,t,n){var r=i.length;while(r-</pre>
 )if(!i[r](e,t,n))return!1;return!0}:i[0])function Te(e,t,n,r,i){for(var
o,a=[],s=0,u=e.length,l=null!=t;s<u;s++)(o=e[s])&&(n&&!n(o,r,i)||(a.push(o),l&&t.push(s)));ret</pre>
 urn afunction Ce(d,h,g,v,y,e){return
r=0,i=t.length;r<i;r++)se(e,t[r],n);return
n \} (h | \ | \ " * " \ , n . nodeType?[n] : n, []) \ , f = !d | \ | !e\&\&h?c : Te(c,s,d,n,r) \ , p = g?y | \ | \ (e?d : l | \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ | \ (e?d : l \ | \ v)?[] : t : f; if(g\&\&g(f,m,r),r) = g?y | \ 
p,n,r),v) {i=Te(p,u),v(i,[],n,r),o=i.length;while(o-
  ) (a=i[0]) \&\& (p[u[0]]=!(f[u[0]]=a)) \} \\ if(e) \\ \{if(y||d) \\ \{if(y) \\ \{i=[], o=p.length; while(o-density and one of the content of the cont
)(a=p[o])&&i.push(f[o]=a);y(null,p=[],i,r)}o=p.length;while(o--)(a=p[o])&&-1<(i=y?P(e,a):s[o])&&(e[i]=!(t[i]=a))}}else
 p = Te(p === t?p.splice(l,p.length):p), y?y(null,t,p,r):H.apply(t,p)\}) \} function \ \ Ee(e) \{for(varantee), for(varantee), f
 i,t,n,r=e.length,o=b.relative[e[0].type],a=o||b.relative[" "],s=o?1:0,u=be(function(e){return}
e===i},a,!0),l=be(function(e){return-1<P(i,e)},a,!0),c=[function(e,t,n){var}</pre>
  r=!0\&\&(n||t!==w)||((i=t).nodeType?u(e,t,n):l(e,t,n));return
 i=null,r\}]; s< r; s++) if (t=b.relative[e[s].type]) c=[be(we(c),t)]; else \{if ((t=b.filter[e[s].type].all type]) c=[be(we(c),t)]; else \{if ((t=b.filter[e[s].type].all type]) c=[be(we(c),t)]; else \{if ((t=b.filter[e[s].type]) c=[be(we(c),t)]; else \{if ((t=b.fi
  pply(null,e[s].matches))[S]){for(n=++s;n<r;n++)if(b.relative[e[n].type])break;return
  Ce(1 < s\&\&we(c), 1 < s\&\&xe(e.slice(0,s-1).concat(\{value: " "===e[s-1]\})
  \label{eq:continuous_prop_state} 2].type?"*":""})).replace(\$,"\$1"),t,s<n\&\&Ee(e.slice(s,n)),n<r\&\&Ee(e=e.slice(n)),n<r\&\&xe(e))\}c.
  push(t)}return we(c)}return me.prototype=b.filters=b.pseudos,b.setFilters=new
 me,h=se.tokenize=function(e,t){var n,r,i,o,a,s,u,l=x[e+"
                                                                                                                                                                                                                                                                                                                                                                                                                         "];if(1)return
t(),i.push({value:n,type:r[0].replace($,
   \label{prop:condition} \\ \mbox{ \{value:n,type:o,matches:r\}),a=a.slice(n.length));if(!n)break\} \\ \mbox{return} \\
t?a.length:a?se.error(e):x(e,s).slice(0)\}, f=se.compile=function(e,t) \\ \{varn,v,y,m,x,r,i=[],o=[],a=A[e+" "];if(!a)\{t | (t=h(e)),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;while(n-heat),n=t.length;whil
  (a=E(t[n]))[S]:i.push(a):o.push(a);(a=A(e,(v=o,m=0<(y=i).length,x=0<v.length,r=function(e,t,m=0))[S]
 n,r,i){var
  \texttt{o,a,s,u=0,l="0",c=e\&\&[],f=[],p=w,d=e} | x\&\&b.find.TAG("*",i),h=k+=null==p?1:Math.random()||.1,g=d.length;for(i\&\&(w=t==C||t||i);l!==g\&\&null!=(o=d[1]);l++) \\ \{if(x\&\&o)\{a=0,t||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|,b||o.ownerDocument==C||a|
   (T(0), n=!E); \\ while \\ (s=v[a++])if(s(0,t||C,n)) \\ \{r.push(0); break\}i&&(k=h)\}\\ \\ m&&((o=!s\&o)\&u-h) \\ \\ m&((o=!s\&o)\&u-h) \\
   ,e\&c.push(o))\} if(u+=1,m\&\&l!==u) \\ \{a=0; while(s=y[a++])s(c,f,t,n); if(e) \\ \{if(0<u)while(l--1)s(c,f,t,n); if(e) \\ \{if(0<u)while(l--1
  )c[l]||f[l]||(f[l]=q.call(r));f=Te(f)}H.apply(r,f),i&\&!e\&\&0<f.length\&\&1<u+y.length\&&se.uniqueS
  ort(r)}return i&&(k=h,w=p),c},m?le(r):r))).selector=e}return
 a},g=se.select=function(e,t,n,r){var i,o,a,s,u,l="function"==typeofe&ee,c=!r&&h(e=l.selector||e);if(n=n||[],1==c.length){if(2<(o=c[0]=c[0].slice(0)).length&&"ID
   "===(a=o[0]).type\&\&9===t.nodeType\&\&E\&\&b.relative[o[1].type])\\ \{if(!(t=(b.find.ID(a.matches[0]).relative[o[1]])\}\\ (if(!(t=(b.find.ID(a.matches[0]).relative[o[1]]))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.matches[0]))))\\ (if(!(t=(b.find.ID(a.match
 place(te,ne),t)||[])[0]))return
n;1&&(t=t.parentNode),e=e.slice(o.shift().value.length)}i=G.needsContext.test(e)?0:o.length;wh
ile(i--
```

```
){if(a=o[i],b.relative[s=a.type])break;if((u=b.find[s])&&(r=u(a.matches[0].replace(te,ne),ee.t
rtStable=S.split("").sort(j).join("")===S,d.detectDuplicates=!!1,T(),d.sortDetached=ce(functio
n(e){return 1&e.compareDocumentPosition(C.createElement("fieldset"))}),ce(function(e){return
 e.innerHTML="<a
href='#'></a>","#"===e.firstChild.getAttribute("href")})||fe("type|href|height|width",function
 (e,t,n){if(!n)return
 \verb|e.getAttribute(t,"type"===t.toLowerCase()?1:2)|), \verb|d.attributes&&ce(function(e)|{return}|)| \\
 e.innerHTML="<input/>",e.firstChild.setAttribute("value",""),""===e.firstChild.getAttribute("value","")
alue")})||fe("value",function(e,t,n){if(!n&&"input"===e.nodeName.toLowerCase())return
 e.defaultValue}),ce(function(e){return
null==e.getAttribute("disabled")})||fe(R,function(e,t,n){var
r;if(!n)return!0===e[t]?t.toLowerCase():(r=e.getAttributeNode(t))&&r.specified?r.value:null}),
se}(C);S.find=d,S.expr=d.selectors,S.expr[":"]=S.expr.pseudos,S.uniqueSort=S.unique=d.uniqueSo
 rt,S.text=d.getText,S.isXMLDoc=d.isXML,S.contains=d.contains,S.escapeSelector=d.escape;var
h=function(e,t,n) {var r=[],i=void
 0! == n; \\ \text{while((e=e[t])\&\&9! == e.nodeType)if(1===e.nodeType)} \\ \{ if(i\&\&S(e).is(n)) \\ break; \\ r.push(e) \} \\ returned \\ return
n r},T=function(e,t){for(var n=[];e;e=e.nextSibling)1===e.nodeType&&e!==t&&n.push(e);return
n},k=S.expr.match.needsContext;function A(e,t){return
 e.nodeName&e.nodeName.toLowerCase()===t.toLowerCase()}var N=/^<([a-
 z][^{//0}: x20\t^n\f]^*)[x20\t^n\f]^*/?>(?:<//1>|)$/i;function j(e,n,r){return}
\texttt{m(n)?S.grep(e,function(e,t)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,t,e)!==r\}):n.nodeType?S.grep(e,function(e)\{return!!n.call(e,function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[function(e)[funct
 e === n! == r \}) : "string"! = typeof n?S.grep(e,function(e) \{return-typeof n?S.grep(e,function(e)) \} 
 1<i.call(n,e)!==r}):S.filter(n,e,r)}S.filter=function(e,t,n){var r=t[0];return</pre>
tches(e,S.grep(t,function(e){return 1==e.nodeType}))},S.fn.extend({find:function(e){var
t,n,r=this.length,i=this;if("string"!=typeof e)return
 this.pushStack(S(e).filter(function(){for(t=0;t<r;t++)if(S.contains(i[t],this))return!0}));for
 (n=this.pushStack([]),t=0;t< r;t++)S.find(e,i[t],n);return
 1<r?S.uniqueSort(n):n},filter:function(e){return</pre>
this.pushStack(j(this,e||[],!1))},not:function(e){return this.pushStack(j(this,e||[],!0))},is:function(e){return!!j(this,"string"==typeof e&&k.test(e)?S(e):e||[],!1).length}});var D,q=/^(?:\s*(<[\w\W]+>)[^>]*|#([\w-
 ]+))$/;(S.fn.init=function(e,t,n){var r,i;if(!e)return this;if(n=n||D,"string"==typeof
 e) { if (!(r="<"===e[0]\&\&">"===e[e.length-
 1] & 3<=e.length?[null,e,null]:q.exec(e))||!r[1] & &t)return!t||t.jquery?(t||n).find(e):this.cons
 tructor(t).find(e);if(r[1]){if(t=t instanceof
 S?t[0]:t,S.merge(this,S.parseHTML(r[1],t\&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1])\&\&S(t):t,S.merge(this,S.parseHTML(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1])&\&S(t):t,S.merge(this,S.parseHTML(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1])&\&S(t):t,S.merge(this,S.parseHTML(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1])&\&S(t):t,S.merge(this,S.parseHTML(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1])&\&S(t):t,S.merge(this,S.parseHTML(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&\&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&t.nodeType?t.ownerDocument||t:E,!0)),N.test(r[1],t&t.nodeType?t.ownerDocument||t:E,!0)),N.test(
    isPlainObject(t))for(r in t)m(this[r])?this[r](t[r]):this.attr(r,t[r]);return
 this}return(i=E.getElementById(r[2]))&&(this[0]=i,this.length=1),this}return
 \verb|e.nodeType?(this[0]=e,this.length=1,this):m(e)?void|\\
 0!==n.ready?n.ready(e):e(S):S.makeArray(e,this)).prototype=S.fn,D=S(E);var
L=/^(?:parents|prev(?:Until|All))/,H={children:!0,contents:!0,next:!0,prev:!0};function
 t=S(e,this),n=t.length;return this.filter(function(){for(var
 e=0;e<n;e++)if(S.contains(this,t[e]))return!0})},closest:function(e,t){var
n,r=0,i=this.length,o=[],a="string"!=typeof
 e\&\&S(e); if(!k.test(e))for(;r<i;r++)for(n=this[r];n\&\&n!==t;n=n.parentNode)if(n.nodeType<11\&\&(a?))for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test(e)|)for(|k.test
 -1<a.index(n):1===n.nodeType&&S.find.matchesSelector(n,e))){o.push(n);break}return
 this.pushStack (1 < o.length?S.uniqueSort(o):o) \}, index:function(e) \{return \ e?"string" == type of the context of the cont
 e?i.call(S(e),this[0]):i.call(this,e.jquery?e[0]:e):this[0]&&this[0].parentNode?this.first().p
 revAll().length:-1},add:function(e,t){return
 this.pushStack(S.uniqueSort(S.merge(this.get(),S(e,t))))\}, addBack:function(e)\{returnder(S.merge(this.get(),S(e,t)))\}, addBack:function(e)\{returnder(S.merge(),S(e,t))\}, addBack:functio
 this.add(null==e?this.prev0bject:this.prev0bject.filter(e))}}),S.each({parent:function(e){var
 t=e.parentNode;return t&&11!==t.nodeType?t:null},parents:function(e){return
h(e,"parentNode")},parentsUntil:function(e,t,n){return
h(e,"parentNode",n)},next:function(e){return O(e,"nextSibling")},prev:function(e){return
O(e, "previousSibling")}, nextAll:function(e){return
h(e, "nextSibling")},prevAll:function(e){return
h(e, "previousSibling")}, nextUntil:function(e,t,n){return
h(e, "nextSibling", n)}, prevUntil: function(e,t,n) {return
h(e, "previousSibling",n)},siblings:function(e){return
T((e.parentNode||{}).firstChild,e)},children:function(e){return
T(e.firstChild) }, contents:function(e) {return
||e\rangle, S.merge([], e.childNodes))}, function(r,i){S.fn[r]=function(e,t){var}}
 n=S.map(this,i,e);return"Until"!==r.slice(-5)&&(t=e),t&&"string"==typeof
I(e,t,n,r){var
 i;try{e&&m(i=e.promise)?i.call(e).done(t).fail(n):e&&m(i=e.then)?i.call(e,t,n):t.apply(void
 0,[e].slice(r)) catch(e)n.apply(void 0,[e])S.Callbacks=function(r)var
 e,n;r="string"==typeof
 r?(e=r,n=\{\},S.each(e.match(P))||[],function(e,t)\{n[t]=!0\}),n):S.extend(\{\},r);vari,t,o,a,s=[],u=[],l=-1,c=function()\{for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.length;l=-1,c=function(),for(a=a||r.once,o=i=!0;u.le
 \label{eq:continuous} $$ r.memory | (t=!1), i=!1, a&&(s=t?[]:"") $, f={add:function()} {return s&&(t&&!i&&(l=s.length-1,u.push(t)), function } $$
n(e) \\ \{ S. each(e, function(e,t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& "string"! == w(t) \& \& n(t) \\ \{ m(t)?r.unique \& f.has(t) \\ | | s.push(t): t \& \& t.length \& \& (t) \\ \{ m(t)?r.unique \& f.has(t) \\ | s.push(t): t \& \& (t) \\ \{ m(t)?r.unique \& f.has(t) \\ | s.push(t): t \& \& (t) \\ \{ m(t)?r.unique \& f.has(t) \\ | s.push(t): t \& \& (t) \\ \{ m(t)?r.unique \& f.has(t) \\
```

```
(t)})}(arguments),t&&!i&&c()),this},remove:function(){return
 S. each (arguments, function(e,t) \\ \{var n; while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ label{eq:split} \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. splice(n,1), n < = 1 \\ \& l-1 \\ while(-1 < (n=S.inArray(t,s,n))) \\ s. split(-1 < (n=S.i
 }),this},has:function(e){return e?-1<S.inArray(e,s):0<s.length},empty:function(){return</pre>
 s&&(s=[]),this},disable:function(){return
a=u=[],s=t="",this},disabled:function(){return!s},lock:function(){return
a=u=[],t||i||(s=t=""),this},locked:function(){return!!a},fireWith:function(e,t){return
 a \mid (t=[e,(t=t)|[]).slice?t.slice():t],u.push(t),i||c()),this},fire:function(){return}
 f.fireWith(this,arguments),this},fired:function(){return!!o}};return
f},S.extend({Deferred:function(e){var
 o=[["notify", "progress", S.Callbacks("memory"), S.Callbacks("memory"), 2],["resolve", "done", S.Cal
 lbacks("once memory"),S.Callbacks("once
memory"),0,"resolved"],["reject","fail",S.Callbacks("once memory"),S.Callbacks("once
 memory"),1,"rejected"]],i="pending",a={state:function(){return i},always:function(){return
 s.done(arguments).fail(arguments),this}, "catch":function(e){return
 a.then(null,e)},pipe:function(){var i=arguments;return
 S.Deferred(function(r) \\ \{S.each(o,function(e,t) \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[1]](function()) \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[1]](function()) \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]\} \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]] \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]; s[t[4]]] \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]; s[t[4]]; s[t[4]]] \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]; s[t[4]]; s[t[4]]; s[t[4]]; s[t[4]]; s[t[4]]] \\ \{var\ n=m(i[t[4]])\&\&i[t[4]]; s[t[4]]; 
 \verb|e=n&&n.apply(this,arguments);e&&m(e.promise)?e.promise().progress(r.notify).done(r.resolve).fa|
 il(r.reject):r[t[0]+"With"](this,n?[e]:arguments)\}))), i=null\}).promise()), then:function(t,n,r)
 {var u=0;function l(i,o,a,s){return function(){var n=this,r=arguments,e=function(){var
 e,t;if(!(i<u)){if((e=a.apply(n,r))===o.promise())throw new TypeError("Thenable self-
 resolution");t=e&&("object"==typeof e||"function"==typeof
 e) \& e.then, m(t)?s?t.call(e,l(u,o,R,s),l(u,o,M,s)): (u++,t.call(e,l(u,o,R,s),l(u,o,M,s),l(u,o,R,s))
 o.notifyWith))):(a!==R&&(n=void
 0,r=[e]),(s||o.resolveWith)(n,r))},t=s?e:function(){try{e()}}catch(e){S.Deferred.exceptionHook}
&&S.Deferred.exceptionHook(e,t.stackTrace),u<=i+1&&(a!==M&&(n=void 0,r=[e]),o.rejectWith(n,r))}};i?t():(S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.stackTrace=S.Deferred.getStackHook&&(t.st
kHook()),C.setTimeout(t))}}return
 S.Deferred(function(e) \{o[0][3].add(1(0,e,m(r)?r:R,e.notifyWith)),o[1][3].add(1(0,e,m(t)?t:R)),\\
 o[2][3].add(1(0,e,m(n)?n:M))).promise()},promise:function(e){return
null!=e?S.extend(e,a):a}, s={}; return S.each(o,function(e,t){var})
n=t[2],r=t[5];a[t[1]]=n.add,r&n.add(function(){i=r},o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].disable,o[3-e][2].di
 e][3].disable,o[0][2].lock,o[0][3].lock),n.add(t[3].fire),s[t[0]]=function(){return}
 s[t[0]+"With"](this===s?void
 0:this,arguments),this},s[t[0]+"With"]=n.fireWith}),a.promise(s),e&&e.call(s,s),s},when:functi
 on(e){var
n = arguments.length, t = n, r = Array(t), i = s. call(arguments), o = S.Deferred(), a = function(t) \\ \{returned(t), t = t, r 
 function(e) \{r[t]=this,i[t]=1 < arguments.length?s.call(arguments):e,-
 n | o.resolveWith(r,i) \}; if (n <= 1&&(I(e,o.done(a(t)).resolve,o.reject,!n), "pending" === o.state() | o.resolve,o.reject,!n), "pending" == o.state() | o.resolve,o.rej
|m(i[t]&&i[t].then)))return o.then();while(t--)I(i[t],a(t),o.reject);return o.promise()}});var
W=/^(Eval|Internal|Range|Reference|Syntax|Type|URI)Error$/;S.Deferred.exceptionHook=function(e
 ,t){C.console&&C.console.warn&&e&&W.test(e.name)&&C.console.warn("jQuery.Deferred exception:
   "+e.message,e.stack,t)},S.readyException=function(e)\{C.setTimeout(function()\{throw e\})\};var
 F=S.Deferred(); function
 B(){E.removeEventListener("DOMContentLoaded",B),C.removeEventListener("load",B),S.ready()}S.fn
  .ready=function(e){return
 F.then(e)["catch"](function(e){S.readyException(e)}),this},S.extend({isReady:!1,readyWait:1,re
 ady:function(e){(!0===e?--S.readyWait:S.isReady)||(S.isReady=!0)!==e&&0<--
 ==E.readyState&&!E.documentElement.doScroll?C.setTimeout(S.ready):(E.addEventListener("DOMCont
 entLoaded",B),C.addEventListener("load",B));var $=function(e,t,n,r,i,o,a){var
 0! = r\&\&(i = !0, m(r) | | (a = !0), l\&\&(a?(t.call(e,r), t=null): (l = t, t=function(e,t,n) {return})
 1.call(S(e),n))),t))for(;s<u;s++)t(e[s],n,a?r:r.call(e[s],s,t(e[s],n)));return
i?e:1?t.call(e):u?t(e[0],n):o},_=/^-ms-/,z=/-([a-z])/g;function U(e,t){return
t.toUpperCase()}function X(e){return e.replace(_,"ms-").replace(z,U)}var V=function(e){return}
 1===e.nodeType||9===e.nodeType||!+e.nodeType};function
G(){this.expando=S.expando+G.uid++}G.uid=1,G.prototype={cache:function(e){var
 t=e[this.expando];return
 t \mid (t=\{\}, V(e)\&\&(e.nodeType?e[this.expando]=t:Object.defineProperty(e,this.expando,\{value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Value:t,condet.expando,Valu
 figurable:!0}))),t},set:function(e,t,n){var r,i=this.cache(e);if("string"==typeof
 t)i[X(t)]=n;else for(r in t)i[X(r)]=t[r];return i],get:function(e,t){return void}
 0 = = t?this.cache(e):e[this.expando]&&e[this.expando][X(t)], access:function(e,t,n){return void
0 == t \mid |t\&\&"string" == typeof t\&\&void 0 == n?this.get(e,t): (this.set(e,t,n), void 0! == n?n:t) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \{if(void 0! == r) \}, remove: function(e,t) \{var n,r = e[this.expando]; if(void 0! == r) \}
 0!==t) {n=(t=Array.isArray(t)?t.map(X):(t=X(t))in r?[t]:t.match(P)||[]).length; while(<math>n--)delete
 r[t[n]] \} (void 0 = = t | |S.isEmptyObject(r)) \&\& (e.nodeType?e[this.expando] = void 0: delete e[this.expando]) \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; return void e | var t = e[this.expando] \}, hasData:function(e) \{var t = e[this.expando]; var t = e[thi
 0! = t&&!S.isEmptyObject(t)}; var Y=new G,Q=new G,J=/^(?:\{[\w\W]*\}|\[[\w\W]*\])$/,K=/[A-
 Z]/g; function Z(e,t,n) \{ var r,i; if(void 0==n\&l==e.nodeType) if(r="data-"+t.replace(K,"-$\&").toLowerCase(), "string"==typeof(n=e.getAttribute(r))) \{ try\{n="true"===(i=n) \mid | "false"!==i&&(i=n) \mid | (i=n) \mid | (i=n
 "null"===i?null:i===+i+""?+i:J.test(i)?JSON.parse(i):i)}catch(e){}Q.set(e,t,n)}else n=void
 0;return n}S.extend({hasData:function(e){return}}
 Q.hasData(e) | | Y.hasData(e) } ,data:function(e,t,n) {return
 \\ Q.access(e,t,n)\\ \}, \\ removeData:function(e,t)\\ \{Q.remove(e,t)\}, \\ \_data:function(e,t,n)\\ \{returnderned | function(e,t), \\ function(e,t,n), \\ 
r t,r,i,o=this[0],a=o&&o.attributes;if(void
 0 === n) \\ \{ if(this.length\&\&(i=Q.get(o),1===o.nodeType\&\&!Y.get(o,"hasDataAttrs"))) \\ \{ t=a.length; while all of this length \\ \{ t=a.length; while all of this
 (t--)a[t]\&\&0===(r=a[t].name).indexOf("data-
  ")\&\&(r=X(r.slice(5)),Z(o,r,i[r])); Y.set(o,"hasDataAttrs",!0) \\ \} return \ i \\ \} return "object" == typeof(c,r,i[r])) \\ + (c,r,i[r]) \\ + (c
n?this.each(function(){Q.set(this,n)}):$(this,function(e){var t;if(o&&void 0===e)return void
```

```
0!==(t=Q.get(o,n))?t:void 0!==(t=Z(o,n))?t:void
 0:this.each(function(){Q.set(this,n,e)})},null,e,1<arguments.length,null,!0)},removeData:funct
 ion(e){return this.each(function(){Q.remove(this,e)})}}),S.extend({queue:function(e,t,n){var}})
 r;if(e)return
 t=(t|||fx||)+||queue||,r=Y.get(e,t),n&&(|r||Array.isArray(n)?r=Y.access(e,t,S.makeArray(n)):r.pus
h(n), r||[], dequeue: function(e,t){t=t||"fx"; var
n=S.queue(e,t),r=n.length,i=n.shift(),o=S._queueHooks(e,t);"inprogress"===i&&(i=n.shift(),r--
 ),i&&("fx"===t&&n.unshift("inprogress"),delete
e=2;return"string"!=typeof t&&(n=t,t="fx",e--),arguments.length<e?S.queue(this[0],t):void
 0===n?this:this.each(function(){var
 e=S.queue(this,t,n);S._queueHooks(this,t),"fx"===t&&"inprogress"!==e[0]&&S.dequeue(this,t)})},
 dequeue:function(e){return
 this.each(function()\{S.dequeue(this,e)\})\}, clearQueue:function(e)\{returnder(this,e)\}, clearQueue:function(e)\{returnder(this,e)\}, clearQueue(this,e)\}, clearQueue(this,e)\}, clearQueue(this,e), clearQueue(th
 this.queue(e||"fx",[])},promise:function(e,t){var
n,r=1,i=S.Deferred(),o=this,a=this.length,s=function(){--
r = (0, 1); "string"!=typeof e&&(t=e,e=void 0),e=e||"fx"; while(a--
 )(n=Y.get(o[a],e+"queue\acute{H}ooks"))\acute{k}\acute{k}n.empty\acute{k}(r++,n.empty.add(s));return s(),i.promise(t)}});var
ee=/[+-]?(?:\d*\.|)\d+(?:[eE][+-]?\d+|)/.source,te=new RegExp("^(?:([+-])=|)("+ee+")([a-z*]*)$","i"),ne=["Top","Right","Bottom","Left"],re=E.documentElement,ie=function(e){return S.contains(e.ownerDocument,e)},oe={composed:!0};re.getRootNode&&(ie=function(e){return
 S.contains(e.ownerDocument,e)||e.getRootNode(oe)===e.ownerDocument});var
 ae=function(e,t) \{return"none"===(e=t \mid |e).style.display \mid |""===e.style.display \& ie(e) \& \& "none"=== line function for the function function function for the function functin
 S.css(e, "display") }; function se(e,t,n,r) {var i,o,a=20,s=r?function() {return
r.cur()}:function(){return
 = 1 \& \& + u) \& \& te. exec(S.css(e,t)); if(c \& c[3]! = 1) \{u/=2, 1=1 \mid |c[3], c=+u| \mid 1; while(a-1) \}
 ) \\ S.style(e,t,c+1), \\ (1-o)*(1-(o=s()/u||.5)) \\ <= 0 \\ \& (a=0), \\ c/=o; \\ c*=2, \\ S.style(e,t,c+1), \\ n=n||[]] \\ \\ return(a,c+1), \\ return
n\&(c=+c||+u||0,i=n[1]?c+(n[1]+1)*n[2]:+n[2],r\&(r.unit=1,r.start=c,r.end=i)),ivar
ue={};function le(e,t){for(var
\label{eq:condition} n,r,i,o,a,s,u,l=[],c=0,f=e.length;c< f;c++)(r=e[c]).style&&(n=r.style.display,t?("none"===n&&(l=y,get(r,"display")||null,l[c]||(r.style.display="")),""===r.style.display&&ae(r)&&(l[c]=(u=0,get(r,u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=0,get(r),u=
 =a=o=void
 \texttt{0,a=(i=r).ownerDocument,s=i.nodeName,(u=ue[s])||(o=a.body.appendChild(a.createElement(s)),u=S.}\\
 css(o,"display"),o.parentNode.removeChild(o),"none"===u\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u)))):"none"!==n\&\&(u="block"),ue[s]=u))
l[c]="none", Y.set(r, "display", n)); for(c=0; c<f; c++)null!=l[c]&&(e[c].style.display=l[c]); returnull!=l[c]&&(e[c].style.display=l[c]); returnull!=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[c].display=l[
le(this)},toggle:function(e){return"boolean"==typeof
 e?e?this.show():this.hide():this.each(function(){ae(this)?S(this).show():S(this).hide()})}});v
ar ce,fe,pe=/^(?:checkbox|radio)$/i,de=/<([a-z][^\/\0>\x20\t\r\n\f]*)/i,he=/^$|^module$|\/(?:java|ecma)script/i;ce=E.createDocumentFragment
 ().appendChild(E.createElement("div")),(fe=E.createElement("input")).setAttribute("type","radi
 o"),fe.setAttribute("checked","checked"),fe.setAttribute("name","t"),ce.appendChild(fe),y.chec
kClone=ce.cloneNode(!0).cloneNode(!0).lastChild.checked,ce.innerHTML="<textarea>x</textarea>"
y.noCloneChecked=!!ce.cloneNode(!0).lastChild.defaultValue,ce.innerHTML="<option></option>",y.
 option=!!ce.lastChild;var
:[0,"",""]};function ve(e,t){var n;return n="undefined"!=typeof
 \verb|e.getElementsByTagName?e.getElementsByTagName(t||"*"):"undefined"!=typeofile of the content 
 e.querySelectorAll?e.querySelectorAll(t||"*"):[],void
 0 = = t \mid t \& \& A(e,t) ? S. merge([e],n) : n \} function ye(e,t) \{ for(var n=0,r=e.length;n < r;n++) Y. set(e[n], "globalEval",!t \mid Y. get(t[n], "globalEval")) \} ge.tbody=ge.tfoot | for the property of th
 =ge.colgroup=ge.caption=ge.thead,ge.th=ge.td,y.option||(ge.optgroup=ge.option=[1,"<select
\label{limit} \verb| multiple'>","</select>"]); \verb| var me=/<| &#? \\ \verb| w+;/; \verb| function xe(e,t,n,r,i) \\ \{for(var me), for(var me), for(v
 o,a,s,u,l,c,f=t.createDocumentFragment(),p=[],d=0,h=e.length;d<h;d++)if((o=e[d])||0===o)if("oblight of the context of the co
 ject"===w(o))S.merge(p,o.nodeType?[o]:o);else
if(me.test(o)){a=a||f.appendChild(t.createElement("div")),s=(de.exec(o)||["",""])[1].toLowerCa
se(),u=ge[s]||ge._default,a.innerHTML=u[1]+S.htmlPrefilter(o)+u[2],c=u[0];while(c--
 )a=a.lastChild;S.merge(p,a.childNodes),(a=f.firstChild).textContent=""}else
p.push(t.createTextNode(0));f.textContent="",d=0;while(o=p[d++])if(r&&-
 1<S.inArray(o,r))i&&i.push(o);else</pre>
 if(l=ie(o),a=ve(f.appendChild(o),"script"),l\&\&ye(a),n) \\  \{c=0;while(o=a[c++])he.test(o.type||"")\&\&n.push(o)\}return f\} \\  var be=/^([^.]*)(?:\.(.+)|)/;function we() \\  \{return!0\}function \\  \] 
 Te(){return!1}function Ce(e,t){return e===function(){try{return
 E.activeElement catch(e){}}()==("focus"===t)}function Ee(e,t,n,r,i,o){var
 a,s;if("object"==typeof t){for(s in"string"!=typeof n\&(r=r \mid \mid n,n=void)
 0),t)Ee(e,s,n,r,t[s],o);return e}if(null==r&&null==i?(i=n,r=n=void)
 0):null==i&&("string"==typeof n?(i=r,r=void 0):(i=r,r=n,n=void 0)),!1===i)i=Te;else
.add(this,t,i,r,n)})}function
 Se(e,i,o) \\ \{o? (Y.set(e,i,!1),S.event.add(e,i,\\ \{namespace:!1,handler:function(e)\} \\ \{varealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e),farealler:function(e)
 t,n,r=Y.get(this,i); if(1\&e.isTrigger\&\&this[i]) \\ \{if(r.length)(S.event.special[i]||\{\}). delegateTy \\ \{if(r.length)(S.event.special[i]||\{\}). \\ delegateTy \\ \{if(r.length)(S.event.special[i]), final properties for the properties of the properties
pe&&e.stopPropagation();else
 if(r=s.call(arguments), Y.set(this,i,r), t=o(this,i), this[i](), r!==(n=Y.get(this,i)) | | t?Y.set(this,i), this[i](), r!==(n=Y.get(this,i)) | | t?Y.set(this,i), this[i](), r!==(n=Y.get(this,i), t
 is,i,!1):n={},r!==n)return e.stopImmediatePropagation(),e.preventDefault(),n&&n.value}else
r.length&&(Y.set(this,i,{value:S.event.trigger(S.extend(r[0],S.Event.prototype),r.slice(1),thi
```

```
s)}),e.stopImmediatePropagation())}})):void
o,a,s,u,l,c,f,p,d,h,g,v=Y.get(t):if(V(t)) \\ \{n.handler&&(n=(o=n).handler,i=o.selector),i&&S.find.
matchesSelector(re,i),n.guid||(n.guid=S.guid++),(u=v.events)||(u=v.events=Object.create(null))
 ,(a=v.handle) \mid |(a=v.handle=function(e) \{return"undefined"!=typeof
S\&\&S.event.triggered! \verb| == e.type?S.event.dispatch.apply(t,arguments): void
0}),l=(e=(e||"").match(P)||[""]).length;while(l--)d=g=(s=be.exec(e[1])||[])[1],h=(s[2]||"").split(".").sort(),d&&(f=S.event.special[d]||{},d=(i
?f.delegateType:f.bindType) \mid |d,f=S.event.special[d]||\{\},c=S.extend(\{type:d,origType:g,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,data:r,h,dat
andler:n,guid:n.guid,selector:i,needsContext:i&&S.expr.match.needsContext.test(i),namespace:h.
dEventListener&&t.addEventListener(d,a)),f.add&&(f.add.call(t,c),c.handler.guid||(c.handler.gu
id=n.guid)),i?p.splice(p.delegateCount++,0,c):p.push(c),S.event.global[d]=!0)}},remove:functio
n(e,t,n,r,i) {var
.length; while(1-
) \\  \text{if} \\  (d = g = (s = be.exec(t[1]) \\ | \\  []) \\  [1], \\  h = (s[2] \\ | \\  "").split(".").sort(), \\  d) \\  \{f = S.event.special[d] \\ | \\  \{\}, \\  p = (s = be.exec(t[1]) \\ | \\  []) \\  [1], \\  h = (s[2] \\ | \\  "").split(".").sort(), \\  d) \\  \{f = S.event.special[d] \\ | \\  \{\}, \\  p = (s = be.exec(t[1]) \\ | \\  []) \\  [1], \\  [1], \\  [2], \\  [2], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3], \\  [3],
u[d=(r?f.delegateType:f.bindType)||d]||[],s=s[2]&&new
RegExp("(^|\\.)"+h.join("\\.(?:.*\\.|)")+"(\\.|$)"),a=o=p.length;while(o--
)c=p[o],!i&&g!==c.origType||n&&n.guid!==c.guid||s&&!s.test(c.namespace)||r&&r!==c.selector&&("
 **"!==r||!c.selector)||(p.splice(o,1),c.selector&&p.delegateCount--
 f.remove&&f.remove.call(e,c));a&&!p.length&&(f.teardown&&!1!==f.teardown.call(e,h,v.handle)||
S.removeEvent(e,d,v.handle),delete u[d])}else for(d in
u)S.event.remove(e,d+t[1],n,r,!0);S.isEmptyObject(u)&&Y.remove(e,"handle
events")}},dispatch:function(e){var t,n,r,i,o,a,s=new
Array(arguments.length),u=S.event.fix(e),l=(Y.get(this,"events")||Object.create(null))[u.type]
||[],c=S.event.special[u.type]||{};for(s[0]=u,t=1;t<arguments.length;t++)s[t]=arguments[t];if(
u.delegateTarget=this,!c.preDispatch||!1!==c.preDispatch.call(this,u)){a=S.event.handlers.call}
o=i.handlers[n++])\&\&!u.isImmediatePropagationStopped())u.rnamespace\&\&!1!==o.namespace\&\&!u.rnamespacebellering.
espace.test(o.namespace) | | (u.handleObj=o,u.data=o.data,void
0! == (r = ((S.event.special[o.origType] \mid | \{\}).handle \mid | o.handler).apply (i.elem,s)) \& \& !1 == (u.result = (
r)&&(u.preventDefault(),u.stopPropagation()))}return
c.postDispatch\&c.postDispatch.call(this,u),u.result}, handlers: function(e,t){var}
n,r,i,o,a,s=[],u=t.delegateCount,l=e.target;if(u&&l.nodeType&&!("click"===e.type&&1<=e.button)
) for (;1!==this;1=1.parentNode||this)if(1===1.nodeType&&("click"!==e.type||!0!==1.disabled)) {for (o=[],a={},n=0;n<u;n++)void 0===a[i=(r=t[n]).selector+" "]&&(a[i]=r.needsContext?-
1<S(i,this).index(1):S.find(i,this,null,[1]).length),a[i]&&o.push(r);o.length&&s.push({elem:1,
handlers:0})}return
l=this,u<t.length&&s.push({elem:1,handlers:t.slice(u)}),s},addProp:function(t,e){Object.define
Property(S.Event.prototype,t,{enumerable:!0,configurable:!0,get:m(e)?function(){if(this.origin
alEvent)return e(this.originalEvent)}:function(){if(this.originalEvent)return
this.originalEvent[t]},set:function(e){Object.defineProperty(this,t,{enumerable:!0,configurabl
e:!0,writable:!0,value:e})}})},fix:function(e){return e[S.expando]?e:new
S.Event(e)},special:{load:{noBubble:!0},click:{setup:function(e){var t=this||e;return
pe.test(t.type)&&t.click&&A(t,"input")&&Se(t,"click",we),!1},trigger:function(e){var
t=this||e;return
pe.test(t.type)&&t.click&&A(t,"input")&&Se(t,"click"),!0},_default:function(e){var
t=e.target;return
pe.test(t.type) \& t.click \& A(t,"input") \& Y.get(t,"click") | |A(t,"a") \} \}, beforeunload: \{postDispatcaller | A(t,"a") \} | A(t,"a") \} | A(t,"a") | A(t,
h:function(e){void
0!==e.result&&e.originalEvent&&(e.originalEvent.returnValue=e.result)}}}}},S.removeEvent=functi
on(e,t,n) {e.removeEventListener&&e.removeEventListener(t,n)},S.Event=function(e,t){if(!(this
instanceof S.Event))return new
S.Event(e,t);e&&e.type?(this.originalEvent=e,this.type=e.type,this.isDefaultPrevented=e.defaul
tPrevented||void
0===e.defaultPrevented&&!1==e.returnValue?we:Te,this.target=e.target&&3===e.target.nodeType?e
 .target.parentNode:e.target,this.currentTarget=e.currentTarget,this.relatedTarget=e.relatedTar
get):this.type=e,t&&S.extend(this,t),this.timeStamp=e&&e.timeStamp||Date.now(),this[S.expando]
=!0},S.Event.prototype={constructor:S.Event,isDefaultPrevented:Te,isPropagationStopped:Te,isIm
mediatePropagationStopped:Te,isSimulated:!1,preventDefault:function(){var
e=this.originalEvent; this.isDefaultPrevented=we,e&&!this.isSimulated&&e.preventDefault()},stop
Propagation:function(){var
e=this.originalEvent;this.isPropagationStopped=we,e&&!this.isSimulated&&e.stopPropagation()},s
topImmediatePropagation:function(){var
e=this.originalEvent;this.isImmediatePropagationStopped=we,e&&!this.isSimulated&&e.stopImmedia
tePropagation(),this.stopPropagation()}},S.each({altKey:!0,bubbles:!0,cancelable:!0,changedTou
ches:!0,ctrlKey:!0,detail:!0,eventPhase:!0,metaKey:!0,pageX:!0,pageY:!0,shiftKey:!0,view:!0,"c
har":!0,code:!0,charCode:!0,key:!0,keyCode:!0,button:!0,buttons:!0,clientX:!0,clientY:!0,offse
tX:!0,offsetY:!0,pointerId:!0,pointerType:!0,screenX:!0,screenY:!0,targetTouches:!0,toElement:
!0,touches:!0,which:!0},S.event.addProp),S.each({focus:"focusin",blur:"focusout"},function(e,t
) {S.event.special[e]={setup:function()}{return Se(this,e,Ce),!1}, trigger:function()}{return Se(this,e),!0}, _default:function(){return!0}, delegateType:t}}), S.each({mouseenter:"mouseover", function()}{return!0}, delegateType:t}}), function()
mouseleave: "mouseout", pointerenter: "pointerover", pointerleave: "pointerout"}, function(e,i){S.ev
ent.special[e]={delegateType:i,bindType:i,handle:function(e){var
t,n=e.relatedTarget,r=e.handleObj;return
n\&\&(n===this||S.contains(this,n))||(e.type=r.origType,t=r.handler.apply(this,arguments),e.type
=i),t}}}),S.fn.extend({on:function(e,t,n,r){return}
Ee(this,e,t,n,r), one: function(e,t,n,r) {return Ee(this,e,t,n,r,1)}, off: function(e,t,n) {var
r,i;if(e&&e.preventDefault&&e.handleObj)return
```

```
ctor, r.handler), this; if ("object" == typeof e) {for(i in e) this.off(i,t,e[i]); return
 this}return!1!==t&&"function"!=typeof t||(n=t,t=void
 0),!1===n&&(n=Te),this.each(function(){S.event.remove(this,e,n,t)})}});var
ke=/<script|<style|<link/i, Ae=/checked\s*(?:[^=]|=\s*.checked.)/i, Ne=/^\s*<!(?:\[CDATA\[|--
 )|(?:\]]|--)>\s*$/g;function je(e,t){return}
 A(e, "table") \& A(11! == t.nodeType?t:t.firstChild, "tr") \& & S(e).children("tbody")[0] | | e function
 De(e){return e.type=(null!==e.getAttribute("type"))+"/"+e.type,e}function
 qe(e){return"true/"===(e.type||"").slice(0,5)?e.type=e.type.slice(5):e.removeAttribute("type")
  ,e}function Le(e,t){var
n,r,i,o,a,s;if(1===t.nodeType){if(Y.hasData(e)&&(s=Y.get(e).events))for(i in
Y.remove(t, "handle
 events"),s) for (n=0,r=s[i].length;n<r;n++)S.event.add(t,i,s[i][n]);Q.hasData(e)\&\&(o=Q.access(e)),s(additional context of the context of th
  ,a=S.extend(\{\},o),Q.set(t,a))\}function He(n,r,i,o)\{r=g(r); var e,t,a,s,u,l,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.length,p=f-1,c=0,f=n.leng
1, d=r[0], h=m(d); if(h||1 < f\&\&"string"==typeof d\&\&!y.checkClone\&\&Ae.test(d)) return
n.each(function(e){var
  \texttt{t=n.eq(e);} \\ \texttt{h\&\&(r[0]=d.call(this,e,t.html())),} \\ \texttt{He(t,r,i,o)}); \\ \texttt{if(f\&\&(t=(e=xe(r,n[0].ownerDocument,accessed)))))))} \\ \texttt{t=n.eq(e);} \\ \texttt{h\&\&(r[0]=d.call(this,e,t.html()))),} \\ \texttt{He(t,r,i,o)}); \\ \texttt{if(f\&\&(t=(e=xe(r,n[0].ownerDocument,accessed)))))))} \\ \texttt{t=n.eq(e);} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed)))))} \\ \texttt{t=n.eq(e);} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed))))} \\ \texttt{t=n.eq(e);} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed))))} \\ \texttt{t=n.eq(e);} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed))))} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed)))} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed))} \\ \texttt{h\&\&(t=(e=xe(r,n[0].ownerDocument,accessed)))} \\ \texttt{h\&\&(t=(e=xe(t).ownerDocument,accessed)))} \\ \texttt{h\&\&(t=(e=xe(t).ownerDocument,accessed))} \\ \texttt{h\&\&(t=(e=xe(t
 !1,n,o).firstChild,1===e.childNodes.length&&(e=t),t|o)) for(s=(a=S.map(ve(e,"script"),De)).length
 \texttt{ength:} \texttt{c<f:c++}) \texttt{u=e,c!==p\&\&(u=S.clone(u,!0,!0),s\&\&S.merge(a,ve(u,"script"))),i.call(n[c],u,c):if}
 (s)for(l=a[a.length-
1].ownerDocument, S.map(a,qe), c=0; c<s; c++)u=a[c], he.test(u.type||"")&&!Y.access(u,"globalEval")&&S.contains(1,u)&&(u.src&&"module"!==(u.type||"").toLowerCase()?S._evalUrl&&!u.noModule&&S._e
valUrl(u.src, {nonce:u.nonce||u.getAttribute("nonce")},1):b(u.textContent.replace(Ne,""),u,1))}
 return n}function Oe(e,t,n){for(var
 r,i=t?S.filter(t,e):e,o=0;null!=(r=i[o]);o++)n||1!==r.nodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),r.parentNodeType||S.cleanData(ve(r)),
 e\&\&(n\&\&ie(r)\&\&ye(ve(r,"script")),r.parentNode.removeChild(r));return\\
 e \} S. extend( \{ html Prefilter: function(e) \{ return \ e \}, clone: function(e,t,n) \{ vareauthorseless extend(e,t,n) \} \} 
 r,i,o,a,s,u,l,c=e.cloneNode(!0),f=ie(e);if(!(y.noCloneChecked||1!==e.nodeType&&11!==e.nodeType
 |S.isXMLDoc(e))| for (a=ve(c), r=0, i=(o=ve(e)).length; r<i; r++) s=o[r], u=a[r], void
 0, "input" === (1 = u.nodeName.toLowerCase()) \& pe.test(s.type)? u.checked = s.checked: "input"! == 1 \& \& "test(s.type) = (1 = u.nodeName.toLowerCase()) & (1 = u.nodeName.toLowerCase()) & (2 = u.nodeName.toLowerCase()) & (3 = u.n
 xtarea"! == 1 \mid \mid (u.defaultValue=s.defaultValue); if (t) if (n) for (o=o| \mid ve(e), a=a \mid \mid ve(c), r=0, i=o.lengt \mid ve(e), a=a \mid ve(e), r=0, i=o.lengt \mid ve(e), a=a \mid ve(e), r=0, i=o.lengt \mid ve(e), a=a \mid ve(e), a
h;r<i;r++)Le(o[r],a[r]);else Le(e,c);return
 0<(a=ve(c,"script")).length\&\&ye(a,!f\&\&ve(e,"script")),c\},cleanData:function(e)\{for(varance), for(varance)\},cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),cleanData:function(e),c
 t,n,r,i=S.event.special,o=0;void
 0!=(n=e[o]);o++)if(V(n))\{if(t=n[Y.expando])\{if(t.events)for(r in f(v))\}\}
 t.events)i[r]?S.event.remove(n,r):S.removeEvent(n,r,t.handle);n[Y.expando]=void
 Oe(this,e,!0)},remove:function(e){return Oe(this,e)},text:function(e){return
 $(this,function(e){return void
 0===e?S.text(this):this.empty().each(function(){1!==this.nodeType&&11!==this.nodeType&&9!==thi
 He(this,arguments,function(e){1!==this.nodeType&&11!==this.nodeType&&9!==this.nodeType||je(thi
 s,e).appendChild(e)})},prepend:function(){return
 t=je(this,e);t.insertBefore(e,t.firstChild)}})},before:function(){return
He(this,arguments,function(e){this.parentNode&this.parentNode.insertBefore(e,this)})},after:f
unction(){return
He(this, arguments, function(e) { this.parentNode&this.parentNode.insertBefore(e, this.nextSibling
 )})},empty:function(){for(var
 e,t=0;null!=(e=this[t]);t++)1===e.nodeType&&(S.cleanData(ve(e,!1)),e.textContent="");return
 this \}, clone: function(e,t) \{return \ e=null! = e\&e, t=null = = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = e&e, t=null = t?e:t, this.map(function()) \{return \ e=null! = t?e:t, this.map(function()) \{return \
 S.clone(this,e,t)})},html:function(e){return $(this,function(e){var
 t=this[0]||{},n=0,r=this.length;if(void 0===e&&1===t.nodeType)return
 t.innerHTML; if ( "string " == type of
 e\&\&!ke.test(e)\&\&!ge[(de.exec(e))||["",""])[1].toLowerCase()])\\ \{e=S.htmlPrefilter(e);try\{for(;n<redset)\}, for(exec(e))\}\\ \{e=S.htmlPrefilter(e)\}, for(exec(e))\}
 (n++)1==(t=this[n]||\{\}).nodeType&&(S.cleanData(ve(t,!1)),t.innerHTML=e);t=0\}catch(e)\{\}\}t&&thickline(t,!1),t.innerHTML=e);t=0\}catch(e)\{\}
 \verb|s.empty().append(e)||, \verb|null,e||, \verb|arguments.length||)||, \verb|replaceWith:function()|| \{var \ n=[]; return \}||, to be a substitution of the context of t
 He(this,arguments,function(e){var
 t=this.parentNode;S.inArray(this,n)<0&&(S.cleanData(ve(this)),t&&t.replaceChild(e,this))},n)}}
),S.each({appendTo:"append",prependTo:"prepend",insertBefore:"before",insertAfter:"after",replaceWith"},function(e,a){S.fn[e]=function(e){for(var t,n=[],r=S(e),i=r.length-
1,o=0;o<=i;o++)t=o===i?this:this.clone(!0),S(r[o])[a](t),u.apply(n,t.get());return this.pushStack(n)});var Pe=new RegExp("^("+ee+")(?!px)[a-z%]+$","i"),Re=function(e){var}
 t=e.ownerDocument.defaultView;return
 t&&t.opener||(t=C),t.getComputedStyle(e)},Me=function(e,t,n){var r,i,o={};for(i in
t)o[i]=e.style[i],e.style[i]=t[i];for(i in r=n.call(e),t)e.style[i]=o[i];return r},Ie=new
RegExp(ne.join("|"),"i");function We(e,t,n){var
 r,i,o,a,s=e.style;return(n=n||Re(e))&&(""!==(a=n.getPropertyValue(t)||n[t])||ie(e)||(a=S.style)
 (e,t)),!y.pixelBoxStyles()&&Pe.test(a)&&Ie.test(t)&&(r=s.width,i=s.minWidth,o=s.maxWidth,s.min
 Width=s.maxWidth=s.width=a,a=n.width,s.width=r,s.minWidth=i,s.maxWidth=o)),void
 0!==a?a+"":a}function
 Fe(e,t){return{get:function(){if(!e())return(this.get=t).apply(this,arguments);delete
 this.get}}}!function(){function e(){if(1){u.style.cssText="position:absolute;left:-
 11111px; width: 60px; margin-
 top:1px;padding:0;border:0",1.style.cssText="position:relative;display:block;box-
 sizing:border-
box; overflow:scroll; margin:auto; border:1px; padding:1px; width:60%; top:1%", re.appendChild(u).app
 endChild(1); var
  \texttt{e=C.getComputedStyle(l);n="1\$"!==e.top,s=12===t(e.marginLeft),l.style.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36===t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60\$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==t(e.right="60$",o=36==
ight),r=36===t(e.width),l.style.position="absolute",i=12===t(l.offsetWidth/3),re.removeChild(u
```

```
),l=null}}function t(e){return Math.round(parseFloat(e))}var
  n,r,i,o,a,s,u=E.createElement("div"),l=E.createElement("div");l.style&&(l.style.backgroundClip
   ="content-box",l.cloneNode(!0).style.backgroundClip="",y.clearCloneStyle="content-
   box"===1.style.backgroundClip,S.extend(y,{boxSizingReliable:function(){return
   \texttt{e(),r} \texttt{,pixelBoxStyles:function()} \\ \{\texttt{return e(),o}\}, \texttt{pixelPosition:function()} \\ \{\texttt{return e(),o}\}, \texttt{pixelPosition()} \\ (\texttt{pixelPosition(),o}\}, \texttt{pixelPosition()} \\ (\texttt{pixelPosition(),o}\}, \texttt{pixelPosition(),o} \\ (\texttt{pixelPosition(),o}), \texttt{pixelPosition(),o} \\ 
   e(),n\}, reliable \texttt{MarginLeft:function()} \\ \{return\ e(),s\}, scrollboxSize:function()\} \\ \{return\ e(),s\}, scr
   e(),i},reliableTrDimensions:function(){var e,t,n,r;return
  null==a&&(e=E.createElement("table"),t=E.createElement("tr"),n=E.createElement("div"),e.style.
   cssText="position:absolute;left:-11111px;border-collapse:separate",t.style.cssText="border:1px
   solid",t.style.height="1px",n.style.height="9px",n.style.display="block",re.appendChild(e).app
   endChild(t).appendChild(n),r=C.getComputedStyle(t),a=parseInt(r.height,10)+parseInt(r.borderTo
   pWidth,10)+parseInt(r.borderBottomWidth,10)===t.offsetHeight,re.removeChild(e)),a}}))}();var
  t = e[0].toUpperCase() + e.slice(1), n = Be.length; while(n--)if((e = Be[n]+t)in $e)return e \}(e) | | e) \} vare for each of the context of 
   Ue=/^(none|table(?!-c[ea]).+)/,Xe=/^-
   /,Ve={position: absolute ,visibility: hidden,display: block},Ge={letterSpacing: 0, fontWeigh
   t:"400"; function Ye(e,t,n) {var r=te.exec(t); return r?Math.max(0,r[2]-
   (n||0)+(r[3]||"px"):tfunction Qe(e,t,n,r,i,o){var
   a="width"===t?1:0,s=0,u=0;if(n===(r?"border":"content"))return
   0: for(;a<4;a+=2) \\ "margin" ===n\&\&(u+=S.css(e,n+ne[a],!0,i)), \\ r?("content" ===n\&\&(u-ne(a),i)), \\ r?("content" ===ne(a),i)), \\ r?
   =S.css(e, "padding"+ne[a],!0,i)), "margin"!==n&&(u-
   = S.css(e,"border"+ne[a]+"Width",!0,i))):(u+=S.css(e,"padding"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding"!==n?u+=S.css(e,"border"+ne[a],!0,i),"padding":=ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne[a],"padding"+ne
   ss(e, "border"+ne[a]+"Width",!0,i):s+=S.css(e, "border"+ne[a]+"Width",!0,i));return!r&&0<=o&&(u+
   = Math.max(0,Math.ceil(e["offset"+t[0].toUpperCase()+t.slice(1)]-o-u-s-.5)) | | 0),u \} function
   Je(e,t,n) {var r=Re(e),i=(!y.boxSizingReliable()||n)&&"border-
  \texttt{box"===S.css(e,"boxSizing",!1,r),o=i,a=We(e,t,r),s="offset"+t[0].toUpperCase()+t.slice(1);if(P,t),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0),set(0
   e.test(a)){if(!n)return
   a;a="auto"}return(!y.boxSizingReliable()&&i||!y.reliableTrDimensions()&&A(e,"tr")||"auto"===a|
    | !parseFloat(a)\&\&"inline" == S.css(e,"display",!1,r))\&\&e.getClientRects().length\&\&(i="border-length," | length&&(i="border-length," | length&&(i="border-
  box"===S.css(e,"boxSizing",!1,r),(o=s in
   e)\&\&(a=e[s])),(a=parseFloat(a)||0)+Qe(e,t,n||(i?"border":"content"),o,r,a)+"px"}function
   Ke(e,t,n,r,i){return new
   Ke.prototype.init(e,t,n,r,i)}S.extend({cssHooks:{opacity:{get:function(e,t){if(t){var}}}
  n=We(e, "opacity"); return" "===n?"1":n}}}, cssNumber: {animationIterationCount:!0,columnCount:!0,
   :!0,gridColumnStart:!0,gridRow:!0,gridRowEnd:!0,gridRowStart:!0,lineHeight:!0,opacity:!0,order
   deType&&8!==e.nodeType&&e.style){var
   i,o,a,s=X(t),u=Xe.test(t),l=e.style;if(u||(t=ze(s)),a=S.cssHooks[t]||S.cssHooks[s],void(t=ze(s)),a=S.cssHooks[t]||S.cssHooks[s],void(t=ze(s)),a=S.cssHooks[t]||S.cssHooks[s],void(t=ze(s)),a=S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks[t]||S.cssHooks
   0 === n) \texttt{return a\&\&"get"in a\&\&void 0!} == (i = a.get(e,!1,r))? i : l[t]; "\texttt{string"} === (o = typeof) is also in the algorithm of the algo
  \begin{tabular}{ll} n) \&\& (i=te.exec(n)) \&\& i[1] \&\& (n=se(e,t,i),o="number"), null!=n\&\&n==n\&\& ("number"!==o||u||(n+=i\&\&i[3||u||(s.cssNumber[s]?"":"px")), y.clearCloneStyle||""!==n||0!==t.indexOf ("background")||(1[t]="indexOf(s))|| (||t|=s) || (||t|=s) ||t|=s ||t|=
   herit"),a&&"set"in a&&void
   0 === (n=a.set(e,n,r)) \mid \mid (u?1.setProperty(t,n):l[t]=n)) \rbrace \rbrace, css:function(e,t,n,r) \lbrace varroperty(t,n):l[t]=n) \rbrace \rbrace \rbrace, css:function(e,t,n,r) \rbrace \rbrace
   \label{eq:continuous} \verb|i,o,a,s=X(t)| : \texttt{return Xe.test(t)} | | (\texttt{t=ze(s)}), (\texttt{a=S.cssHooks[t]} | | \texttt{S.cssHooks[s]}) \& \texttt{``get"in S.cssHooks[s]} | \texttt{``get"in S.cssH
   a\&\&(i=a.get(e,!0,n)), void 0==i\&\&(i=We(e,t,r)), "normal"==i\&\&t in Ge\&\&(i=Ge[t]), ""===n||n?(o=parseFloat(i),!0===n||isFinite(o)?o||0:i):i}\}), S.each(["height","wind the context of the
  dth"],function(e,u){S.cssHooks[u]={get:function(e,t,n){if(t)return!Ue.test(S.css(e,"display"))
    ||e.getClientRects().length&&e.getBoundingClientRect().width?Je(e,u,n):Me(e,Ve,function(){retu
   rn Je(e,u,n)})},set:function(e,t,n){var
   r,i=Re(e),o=!y.scrollboxSize()&& "absolute"===i.position,a=(o | |n)&& "border-
   =Math.ceil(e["offset"+u[0].toUpperCase()+u.slice(1)]-parseFloat(i[u])-Qe(e,u,"border",!1,i)-
    .5)), s\&\&(r=te.exec(t))\&\&"px"!==(r[3]||"px")\&\&(e.style[u]=t,t=S.css(e,u)), Ye(0,t,s)}\}\}), S.cssHo
   oks.marginLeft = Fe(y.reliable MarginLeft,function(e,t) \\ \{if(t)return(parseFloat(We(e,"marginLeft"),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,t),function(e,
  )||e.getBoundingClientRect().left-Me(e,{marginLeft:0},function(){return
e.getBoundingClientRect().left}))+"px"}),S.each({margin:"",padding:"",border:"Width"},function
   n}},"margin"!==i&&(S.cssHooks[i+o].set=Ye)}),S.fn.extend({css:function(e,t){return
   $(this,function(e,t,n){var
   r,i,o=\{\},a=0;if(Array.isArray(t))\{for(r=Re(e),i=t.length;a<i;a++)o[t[a]]=S.css(e,t[a],!1,r);re\}
   turn o}return void
   0! = \texttt{en?S.style(e,t,n):S.css(e,t)}, \\ e,t,1 < \texttt{arguments.length)} \}), \\ ((S.Tween=Ke).prototype=\{construct, construct, construc
   .options=t,this.start=this.now=this.cur(),this.end=r,this.unit=o||(S.cssNumber[n]?"":"px")},cu
   r:function(){var e=Ke.propHooks[this.prop];return
   e&&e.get?e.get(this):Ke.propHooks._default.get(this)},run:function(e){var
   t,n=Ke.propHooks[this.prop];return
   this.options.duration?this.pos=t=S.easing[this.easing](e,this.options.duration*e,0,1,this.opti
   ons.duration):this.pos=t=e,this.now=(this.end-
   this.start)*t+this.start,this.options.step&&this.options.step.call(this.elem,this.now,this),n&
   &n.set?n.set(this):Ke.propHooks._default.set(this),this}}).init.prototype=Ke.prototype,(Ke.pro
  pHooks={_default:{get:function(e){var t;return}}
   1!==e.elem.nodeType||null!=e.elem[e.prop]&&null==e.elem.style[e.prop]?e.elem[e.prop]:(t=S.css(
   e.elem,e.prop,""))\&\&"auto"!==t?t:0\},set:function(e)\{S.fx.step[e.prop]?S.fx.step[e.prop](e):1!=tprop](e):0
   =e.elem.nodeType||!S.cssHooks[e.prop]&&null==e.elem.style[ze(e.prop)]?e.elem[e.prop]=e.now:S.s
   tyle(e.elem,e.prop,e.now+e.unit)\}\})).scrollTop=Ke.propHooks.scrollLeft=\{set:function(e)\{e.elem,e.prop,e.now+e.unit)\}\}))
  .nodeType&&e.elem.parentNode&&(e.elem[e.prop]=e.now)}},S.easing={linear:function(e){return
```

```
e}, swing: function(e) {return.5-
Math.cos(e*Math.PI)/2},_default:"swing"},S.fx=Ke.prototype.init,S.fx.step={};var
 Ze,et,tt,nt,rt=/^(?:toggle|show|hide)$/,it=/queueHooks$/;function
 \verb|ot()| \{ et \& \& (!1 == E.hidden \& C.request Animation Frame? C.request Animation Frame(ot): C.set Timeout(ot, S. Animation Frame) \} \\
   .fx.interval),S.fx.tick())}function at(){return C.setTimeout(function(){Ze=void}
 0\}), Ze=Date.now()\} function st(e,t) \{var n,r=0,i=\{height:e\}; for(t=t?1:0;r<4;r+=2-t|s|)\} function st(e,t) \{var n,r=0,i=\{height:e\}; for(t=t]; for(t=t), for(t=t]; for(t=t), for(t=t]; for(t=t), fo
 t)i["margin"+(n=ne[r])]=i["padding"+n]=e;return t&&(i.opacity=i.width=e),i}function
ut(e,t,n){for(var
 r,i=(lt.tweeners[t]||[]).concat(lt.tweeners["*"]),o=0,a=i.length;o<a;o++)if(r=i[o].call(n,t,e)
 )return r}function lt(o,e,t){var
n,a,r=0,i=lt.prefilters.length,s=S.Deferred().always(function(){delete
 u.elem \}), u=function() \{if(a)return!1; for(var e=Ze | |at(),t=Math.max(0,l.startTime+l.duration-e),n=1-(t/l.duration | |0),r=0,i=1.tweens.length; r<i; r++)l.tweens[r].run(n); return \} 
 s.notifyWith(o,[1,n,t]),n<1\&\&i?t:(i||s.notifyWith(o,[1,1,0]),s.resolveWith(o,[1]),!1)\},l=s.pro
\label{eq:mise} \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}(\{\},\texttt{e}),\texttt{opts:S.extend}(!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}(\{\},\texttt{e}),\texttt{opts:S.extend}(!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}(\{\},\texttt{e}),\texttt{opts:S.extend}(!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}(\{\},\texttt{e}),\texttt{opts:S.extend}([!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}(\{\},\texttt{e}),\texttt{opts:S.extend}([!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}([!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}([!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.easing.\_default}\}). \\ \texttt{mise}(\{\texttt{elem:o,props:S.extend}([!0,\{\texttt{specialEasing:}\{\},\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{easing:S.extend}([!0,[*],\texttt{ea
  ,t),originalProperties:e,originalOptions:t,startTime:Ze||at(),duration:t.duration,tweens:[],cr
 eateTween:function(e,t){var
n=S. Tween (o,l.opts,e,t,l.opts.special \texttt{Easing[e]||l.opts.easing)}; return
 1.tweens.push(n),n},stop:function(e) {var t=0,n=e?1.tweens.length:0;if(a)return
 this; for (a=!0;t<n;t++)1.tweens[t].run(1); return
 e?(s.notifyWith(o,[1,1,0]),s.resolveWith(o,[1,e])):s.rejectWith(o,[1,e]),this})),c=1.props;for
  (!function(e,t){var n,r,i,o,a;for(n in
 e) if(i=t[r=X(n)], o=e[n], Array.isArray(o)&&(i=o[1], o=e[n]=o[0]), n!==r&&(e[r]=o, delete)
 e[n]),(a=S.cssHooks[r])&&"expand"in a)for(n in o=a.expand(o),delete e[r],o)n in
 e \mid (e[n]=o[n],t[n]=i);else
 t[r]=i}(c,l.opts.specialEasing);r<i;r++)if(n=lt.prefilters[r].call(l,o,c,l.opts))return
S.map(c,ut,1),m(l.opts.start)\&\&l.opts.start.call(o,1),l.progress(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done(l.opts.progress).done
 done, l.opts.complete).fail(l.opts.fail).always(l.opts.always), S.fx.timer(S.extend(u, {elem:o,an
  \verb|im:l,queue:l.opts.queue||)), | 1 S. Animation = S. extend(||t, ||tweeners: || *": ||function(e,t)|| ||tweeners: ||function(e,t)|| |
n=this.createTween(e,t);return
 se(n.elem,e,te.exec(t),n),n]}, tweener: function(e,t)\{m(e)?(t=e,e=["*"]):e=e.match(P);for(var)\}
\label{eq:nreduced_nreduced} n, r=0, i=e.length; r<i; r++) n=e[r], lt.tweeners[n]=lt.tweeners[n]||[], lt.tweeners[n].unshift(t)}, prefilters:[function(e,t,n){var r,i,o,a,s,u,l,c,f="width"in t|| "height"in t|| "heig
 t,p=this,d={},h=e.style,g=e.nodeType&&ae(e),v=Y.get(e,"fxshow");for(r in
\label{eq:normalization} $$ n.queue \mid (null == (a = S.\_queue Hooks(e, "fx")).unqueued \& (a.unqueued = 0, s = a.empty.fire = function() \{a.unqueued \mid |s()\}), a.unqueued ++, p.always(function() \{p.always(function(), a.unqueued ++, p.always(function(), a.unqueued ++, p.always(), a.unqueued +
 ,S.queue(e, "fx").length||a.empty.fire()})))),t)if(i=t[r],rt.test(i)){if(delete
t[r], o=o||"toggle"===i, i===(g?"hide":"show")) \{if("show"!==i||!v||void 0===v[r]) continue; g=!0 \} d[r]=v&v[r]||S.style(e,r)||s.isEmptyObject(t))|||S.isEmptyObject(t)||s.isEmptyObject(t)|||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObject(t)||s.isEmptyObjec
 (d))for(r in
 f&&l==e.nodeType&&(n.overflow=[h.overflow,h.overflowX,h.overflowY],null==(l=v&&v.display)&&(l
 =Y.get(e, "display")), "none"===(c=S.css(e, "display"))&&(l?c=l:(le([e],!0),l=e.style.display||1,
 c=S.css(e, "display"), le([e]))), ("inline"===c||"inline-
block"===c\&null!=1)\&\&"none"===S.css(e,"float")\&\&(u||(p.done(function()\{h.display=1\}),null==1\&null + (b.display=1),null==1\&null + (
 &(c=h.display,l="none"===c?"":c)),h.display="inline-
block")), n. overflow \& (h. overflow = "hidden", p. always (function() \{h. overflow = n. overflow [0], h. overflow X = n. overflow [1], h. overflow Y = n. overflow [2] \})), u = !1, d) u | | (v? "hidden" in the context of the cont
 v\&\&(g=v.hidden): v=Y.access(e,"fxshow", \{display:1\}), o\&\&(v.hidden=!g), g\&\&le([e],!0), p.done(function()\{for(r in g||le([e]),Y.remove(e,"fxshow"),d)S.style(e,r,d[r])\})), u=ut(g?v[r]:0,r,p), r in the property of the prop
 v | | (v[r]=u.start,g\&\&(u.end=u.start,u.start=0)) \}], prefilter:function(e,t) \\ \{t?lt.prefilters.unshift(e):lt.prefilters.push(e)\} \}), S.speed=function(e,t,n) \\ \{var r=e\&\&"object"==typeof \} \} \} 
 e?S.extend(\{\},e):\{complete:n||!n&&t||m(e)&&e,duration:e,easing:n&&t||t&&!m(t)&&t\};return
 S.fx.off?r.duration=0:"number"!=typeof r.duration&&(r.duration in
 S.fx.speeds?r.duration=S.fx.speeds[r.duration]:r.duration=S.fx.speeds._default),null!=r.queue&
 &!0!==r.queue||(r.queue="fx"),r.old=r.complete,r.complete=function()\{m(r.old)\&xr.old.call(this)\}
 ),r.queue&&S.dequeue(this,r.queue)},r},S.fn.extend(\{fadeTo:function(e,t,n,r)\}
 this.filter(ae).css("opacity",0).show().end().animate(\{opacity:t\},e,n,r)\}, animate:function(t,e,filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),filter(ae),f
,n,r) {var i=S.isEmptyObject(t),o=S.speed(e,n,r),a=function() {var e=lt(this,S.extend(\{\},t),o);(i||Y.get(this,"finish"))&&e.stop(!0)};return
 a.finish=a,i||!1===o.queue?this.each(a):this.queue(o.queue,a)},stop:function(i,e,o){var
 a=function(e){var t=e.stop;delete e.stop,t(o)};return"string"!=typeof i&&(o=e,e=i,i=void
 0),e&&this.queue(i||"fx",[]),this.each(function(){var}
 e=!0, t=null!=i\&\&i+"\\ queueHooks", n=S.timers, r=Y.get(this); if(t)r[t]\&\&r[t].stop\&\&a(r[t]); elseting the context of the con
 ;) \\ n[t]. elem! == this | |null! = i\&&n[t]. \\ queue! == i | |(n[t].anim.stop(o), e=!1, n.splice(t,1)); \\ !e\&&o||S.d.stop(o), e=!1, n.splice(t,1)); \\ !e
 equeue(this,i)})},\dot{f}inish:function(a){return!1!==a&&(a=a||"fx"),this.each(function(){var})}
 e,t=Y.get(this),n=t[a+"queue"],r=t[a+"queueHooks"],i=S.timers,o=n?n.length:0;for(t.finish=!0,S
 .queue(this,a,[]),r&&r.stop&&r.stop.call(this,!0),e=i.length;e--
  [e].finish&&n[e].finish.call(this);delete
 t.finish})}}),S.each(["toggle","show","hide"],function(e,r){var
 i=S.fn[r];S.fn[r]=function(e,t,n){return null==e||"boolean"==typeof|}
 e:i.apply(this,arguments):this.animate(st(r,!0),e,t,n)}}),S.each(slideDown:st("show"),slideUp
:st("hide"),slideToggle:st("toggle"),fadeIn:{opacity:"show"},fadeOut:{opacity:"hide"},fadeTogg
le:{opacity:"toggle"}},function(e,r){S.fn[e]=function(e,t,n){return
 this.animate(r,e,t,n))),S.timers=[],S.fx.tick=function(){var
 e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Ze=Date.now();t< n.length;t++)(e=n[t])()||n[t]!==e||n.splice(t--insplice)||e,t=0,n=S.timers;for(Date.now();t< n.length;t++)(e=n[t])()||e,t=0,n=S.timers;for(Date.now();t< n.len
    ,1);n.length||S.fx.stop(),Ze=void
0},S.fx.timer=function(e){S.timers.push(e),S.fx.start()},S.fx.interval=13,S.fx.start=function(
```

```
){et||(et=!0,ot())},S.fx.stop=function(){et=null},S.fx.speeds={slow:600,fast:200,_default:400}
       ,S.fn.delay=function(r,e){return
      r=S.fx&&S.fx.speeds[r]||r,e=e||"fx",this.queue(e,function(e,t){var})
     n=C.setTimeout(e,r);t.stop=function(){C.clearTimeout(n)}})},tt=E.createElement("input"),nt=E.c
    reateElement("select").appendChild(E.createElement("option")),tt.type="checkbox",y.checkOn=""!
      ==tt.value,y.optSelected=nt.selected,(tt=E.createElement("input")).value="t",tt.type="radio",y
        .radioValue="t"===tt.value;var ct,ft=S.expr.attrHandle;S.fn.extend({attr:function(e,t){return}}
      $(this,S.attr,e,t,1<arguments.length)},removeAttr:function(e){return
      r,i,o=e.nodeType;if(3!==o&&8!==o&&2!==o)return"undefined"==typeof
      e.getAttribute?S.prop(e,t,n): (1 == 0 \&\&S.isXMLDoc(e) | | (i = S.attrHooks[t.toLowerCase()] | | (S.expr.mathribute) | (i = S.attrHooks[t.toLowerCase()] | | (i = S.attrHooks[t.toLowerCase()] | (i = S.attrHooks
      atch.bool.test(t)?ct:void 0)),void 0!==n?null===n?void S.removeAttr(e,t):i&&"set"in i&&void
      0!==(r=i.set(e,n,t))?r:(e.setAttribute(t,n+""),n):i&&"get"in
      i&&null!==(r=i.get(e,t))?r:null==(r=S.find.attr(e,t))?void
      \label{lem:condition} \verb|O:r|| attrHooks: \{type: \{set:function(e,t)\{if(!y.radioValue\&\&"radio"===t\&\&A(e,"input"))\} \} | type | for the condition of the conditio
      n=e.value;return e.setAttribute("type",t),n&&(e.value=n),t}}}},removeAttr:function(e,t){var
     \texttt{n,r=0,i=t\&\&t.match(P);if(i\&\&l===e.nodeType)while(n=i[r++])e.removeAttribute(n)}\}), \texttt{ct=} \\ \{\texttt{set:funcetallenee}, \texttt{set:funcetallenee}, \texttt{set:funceta
    \label{tion:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:co
      pt=/^(?:input|select|textarea|button)$/i,dt=/^(?:a|area)$/i;function
     ht(e){return(e.match(P)||[]).join(" ")}function gt(e){return
      e.getAttribute&&e.getAttribute("class")||""}function vt(e){return
     \label{lem:array.isArray(e)?e:"string"==typeof e&&e.match(P) | |[]} S.fn.extend(\{prop:function(e,t)\{return e, to extend(prop:function(e,t), to extend(e,t), to extend(prop:function(e,t), to extend(prop:function(e,t)
      $(this,S.prop,e,t,1<arguments.length)},removeProp:function(e){return
      this.each(function() \{delete\ this[S.propFix[e]||e]\})\}), S.extend(\{prop:function(e,t,n)\}) \} and the property of the property
     r,i,o=e.nodeType;if(3!==0\&8!==0\&2!==0)return
      l===o&&S.isXMLDoc(e)||(t=S.propFix[t]||t,i=S.propHooks[t]),void 0!==n?i&&"set"in i&&void
      0! == (r=i.set(e,n,t))?r:e[t]=n:i&&"get"in
      i\& null! == (r=i.get(e,t))?r:e[t] \}, propHooks: \{tabIndex: \{get:function(e)\} \} \}
      t=S.find.attr(e,"tabindex");return
     t?parseInt(t,10):pt.test(e.nodeName)||dt.test(e.nodeName)&&e.href?0:-
1}}},propFix:{"for":"htmlFor","class":"className"}}),y.optSelected||(S.propHooks.selected={get
      :function(e){var t=e.parentNode;return
      t&&t.parentNode&&t.parentNode.selectedIndex,null},set:function(e){var
      \texttt{t=e.parentNode:t\&\&(t.selectedIndex,t.parentNode\&t.parentNode.selectedIndex)}}), S. each(["tabIndex,t.parentNode:selectedIndex)]), S. each(["tabIndex,t.parentNode]), and the selectedIndex is the selectedIndex is the selectedIndex is the selectedIndex]), and the selectedIndex is 
      dex","readOnly","maxLength","cellSpacing","cellPadding","rowSpan","colSpan","useMap","frameBor
      der", "contentEditable"], function() {S.propFix[this.toLowerCase()]=this}), S.fn.extend({addClass:
     function(t) \\ \{var e, n, r, i, o, a, s, u=0; if(m(t))return \\ this.each(function(e) \\ \{S(this).addClass(t.call(this,e,gt(this)))\}); if((e=vt(t)).length)while(n=vt(t)).length) \\ = (e-vt(t)) \\ = (e-
      this[u++])if(i=gt(n),r=1===n.nodeType\&\&" "+ht(i)+" "){a=0;while(o=e[a++])r.indexOf(" "+o+" ")}
        ")<0&&(r+=o+" ");i!==(s=ht(r))&&n.setAttribute("class",s)}return
      this\},removeClass:function(t)\{var e,n,r,i,o,a,s,u=0;if(m(t))return
      this.each(function(e)\{S(this).removeClass(t.call(this,e,gt(this)))\}); if(!arguments.length) returned to the substitution of 
       \texttt{rn this.attr("class","");} if((\texttt{e=vt(t)}).length) \\ \texttt{while(n=this[u++])} if(i=\texttt{gt(n),r=1===n.nodeType\&\&"}) \\ \texttt{attr("class","");} if((\texttt{e=vt(t)}).length) \\ \texttt
        "+ht(i)+" "){a=0;while(o=e[a++])while(-1<r.indexOf(" "+o+" "))r=r.replace(" "+o+" ",'
      ");i!==(s=ht(r))&&n.setAttribute("class",s)}return this},toggleClass:function(i,t){var
      o=typeof i,a="string"===o||Array.isArray(i);return"boolean"==typeof
      t\&\&a?t?this.addClass(i):this.removeClass(i):m(i)?this.each(function(e) \\ \{S(this).toggleClass(i.c., a) \} \\
      all(this,e,gt(this),t),t)}):this.each(function(){var
      e,t,n,r; if (a) \{t=0,n=S(this),r=vt(i); while (e=r[t++])n.hasClass(e)?n.removeClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClass(e):n.addClas
      )}else void
      0!==i&&"boolean"!==o||((e=gt(this))&&Y.set(this,"__className_
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    _",e),this.setAttribute&&this.set
     ").indexOf(t))return!0;return!1}});var yt=/\r/g;S.fn.extend({val:function(n){var
      r,e,i,t=this[0];return arguments.length?(i=m(n),this.each(function(e){var
      \verb|t;1| == \verb|this.nodeType&&(null == (t=i?n.call(this,e,S(this).val()):n)?t="":"number" == typeof| | type
      t?t+="":Array.isArray(t)&&(t=S.map(t,function(e){return
     null==e?"":e+""})),(r=S.valHooks[this.type]||S.valHooks[this.nodeName.toLowerCase()])&&"set"in
      0!==r.set(this,t,"value")||(this.value=t))})):t?(r=S.valHooks[t.type]||S.valHooks[t.nodeName.t
      oLowerCase()])&&"get"in r&&void
      0!==(e=r.get(t,"value"))?e:"string"==typeof(e=t.value)?e.replace(yt,""):null==e?"":e:void
      0}}),S.extend({valHooks:{option:{get:function(e){var t=S.find.attr(e,"value");return}}}
     null!=t?t:ht(S.text(e))}},select:{get:function(e){var
      t,n,r,i=e.options,o=e.selectedIndex,a="select-
      one"===e.type,s=a?null:[],u=a?o+1:i.length;for(r=o<0?u:a?o:0;r<u;r++)if(((n=i[r]).selected||r=
      == 0) \&\&!n.disabled\&\&(!n.parentNode.disabled||!A(n.parentNode,"optgroup"))) \\ \{if(t=S(n).val(),a)re, to the content of the c
      turn t;s.push(t)}return s},set:function(e,t){var
     n,r,i=e.options,o=S.makeArray(t),a=i.length;while(a--)((r=i[a]).selected=-
      1<s.inArray(s.valHooks.option.get(r),o)) &&(n=!0); return \ n \mid | (e.selectedIndex=-1),o) \} \}), s.each(["radio","checkbox"],function() & s.valHooks[this] = (set:function(e,t) & fixed for the set of the set 
      isArray(t))return e.checked=-
     mt=/^(?:focusinfocus|focusoutblur)$/,xt=function(e){e.stopPropagation()};S.extend(S.event,{tri
     \label{eq:general} $\operatorname{gger:function}(e,t,n,r)_{\operatorname{var}} = \operatorname{unction}(e,t,n,r)_{\operatorname{var}} = \operatorname{u
("."):[];if(o=f=a=n=n||E,3!==n.nodeType&&8!==n.nodeType&&!mt.test(d+S.event.triggered)&&(-
```

```
1 < d.indexOf(".") \& \& (d = (h = d.split(".")).shift(), h.sort()), u = d.indexOf(":") < 0 \& \& "on" + d, (e = e[S.expallow for the context of the context o
ndo]?e:new S.Event(d, "object" == typeof
 e&&e)).isTrigger=r?2:3,e.namespace=h.join("."),e.rnamespace=e.namespace?new RegExp("(^|\.)"+h.join("^|\.(?:.*\.|)")+"(^|\.)"):null,e.result=void
 0,e.target | (e.target=n),t=null==t?[e]:S.makeArray(t,[e]),c=S.event.special[d]||{},r||!c.trigg
 er[!!!==c.trigger.apply(n,t))){if(!r&&!c.noBubble&&!x(n)){for(s=c.delegateType||d,mt.test(s+d)}
  ) | (o=o.parentNode);o;o=o.parentNode)p.push(o),a=o;a===(n.ownerDocument||E)&&p.push(a.defaultV
 iew||a.parentWindow||C)}i=0;while((o=p[i++])&&!e.isPropagationStopped())f=o,e.type=1<i?s:c.bin
 , (l=u\&\&o[u])\&\&1.apply\&\&V(o)\&\&(e.result=l.apply(o,t),!1==e.result\&\&e.preventDefault()); return \\
 e.type=d,r\big|\big|e.isDefaultPrevented()\big|\big|c.\_default&\&!1!==c.\_default.apply(p.pop(),t)\big|\big|!V(n)\big|\big|u&&m(lefault) \\
n[d]) \& \& !x(n) \& \& ((a=n[u]) \& \& (n[u]=null), S. event.triggered=d, e.is Propagation Stopped() \& \& f. add Event Leading to the standard of 
 istener(d,xt),n[d](),e.isPropagationStopped()&&f.removeEventListener(d,xt),S.event.triggered=v
 oid 0,a\&\&(n[u]=a)),e.result\}, simulate:function(e,t,n){var r=S.extend(new oid 0,a&&(n[u]=a)),e.result}
S.Event,n,\{type:e,isSimulated:!0\});S.event.trigger(r,null,t)\}),S.fn.extend(\{trigger:function(e,t)\}return this.each(function()\{S.event.trigger(e,t,this)\}),triggerHandler:function(e,t)\{varager:function(e,t)\}
n=this[0];if(n)return
 S.event.trigger(e,t,n,!0)}}),y.focusin||S.each({focus:"focusin",blur:"focusout"},function(n,r)
 i=function(e){S.event.simulate(r,e.target,S.event.fix(e))};S.event.special[r]={setup:function(
 ){var
 e=this.ownerDocument||this.document||this,t=Y.access(e,r);t||e.addEventListener(n,i,!0),Y.acce
 ss(e,r,(t||0)+1), teardown:function(){var
 e=this.ownerDocument||this.document||this,t=Y.access(e,r)-
 1;t?Y.access(e,r,t):(e.removeEventListener(n,i,!0),Y.remove(e,r))}}});var
bt=C.location,wt={guid:Date.now()},Tt=/\?/;S.parseXML=function(e){var
 t,n;if(!e||"string"!=typeof e)return null;try{t=(new
 C.DOMParser).parseFromString(e, "text/xml")}catch(e){}return
 n=t&&t.getElementsByTagName("parsererror")[0],t&&!n||S.error("Invalid XML:
  "+(n?S.map(n.childNodes,function(e) \{return\ e.textContent\}).join("\n"):e)),t\}; var
 Ct = / [\] \$/, Et = / r? \n/g, St = /^(?:submit|button|image|reset|file) \$/i, kt = /^(?:input|select|textare| file) \$/i, kt = /^(?:input|select|textare|
 a | keygen) / i; function At(n,e,r,i) {var
 t; if (Array.isArray(e)) S. each (e, function(e,t) \{r \mid | Ct.test(n)?i(n,t): At(n+"["+("object"==typeoft&&null!=t?e:"")+"]",t,r,i) \}); else if (r \mid | "object"!==w(e))i(n,e); else for (t in the context of the contex
e)At(n+"["+t+"]",e[t],r,i)}S.param=function(e,t){var n,r=[],i=function(e,t){var n=m(t)?t():t;r[r.length]=encodeURIComponent(e)+"="+encodeURIComponent(null==n?"":n)};if(null==e)return"";if(Array.isArray(e)||e.jquery&&!S.isPlainObject(e))S.each(e,function(){i(this.name,
 this.value)});else for(n in e)At(n,e[n],t,i);return
r.join("&")},S.fn.extend({serialize:function(){return}}
 S.param(this.serialize Array())\}, serialize Array: function() \{return\ this.map(function(), varable array(), varable array(
 e=S.prop(this, "elements");return e?S.makeArray(e):this}).filter(function(){var
 e=this.type;return
 this.name&&!S(this).is(":disabled")&&kt.test(this.nodeName)&&!St.test(e)&&(this.checked||!pe.t
 est(e))}).map(function(e,t){var n=S(this).val();return
null==n?null:Array.isArray(n)?S.map(n,function(e){return{name:t.name,value:e.replace(Et,"\r\n")}}):{name:t.name,value:n.replace(Et,"\r\n")}}):{name:t.name,value:n.replace(Et,"\r\n")}}):quadright()});var
Nt=/%20/g,jt=/#.*$/,Dt=/([?&])_=[^&]*/,qt=/^(.*?):[
\t]*([^\r\n]*)$/gm,Lt=/^(?:GET|HEAD)$/,Ht=/^\//,Ot={},Pt={},Rt="*/".concat("*"),Mt=E.createE
lement("a");function It(o){return function(e,t){"string"!=typeof e&&(t=e,e="*");var
 s=\{\}, u=t==Pt; function l(e) \{var r; return s[e]=!0, S.each(t[e]]|[], function(e,t) \{var r; return s[e]=!0, S.each(t[e])|[], function(e,t) \{var r; return s[e]=!0, S.each(t[e]
 n=t(i,o,a); return "string"!=typeof n||u||s[n]?u?!(r=n): void
 0: (i.dataTypes.unshift(n),l(n),!1)\}),r\} \\ return \ l(i.dataTypes[0]) \\ | | !s["*"] \\ \& \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ & \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ | \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | | !s["*"] \\ | \\ k \\ l("*") \\ \} \\ function \\ l(i.dataTypes[0]) \\ | \\ k \\ l(i.dataTypes[0]) \\ | \\ k \\ l("*") \\ k \\ k \\ l("*") \\ k \\ l("") \\ k \\ l(
Ft(e,t){var n,r,i=S.ajaxSettings.flatOptions||{};for(n in t)void
 0!==t[n]&&((i[n]?e:r||(r={}))[n]=t[n]);return
r&&S.extend(!0,e,r),e}Mt.href=bt.href,S.extend({active:0,lastModified:{},etag:{},ajaxSettings:{url:bt.href,type:"GET",isLocal:/^(?:about|app|app-storage|.+-
 extension|file|res|widget):$/.test(bt.protocol),global:!0,processData:!0,async:!0,contentType:
  "application/x-www-form-urlencoded; charset=UTF-
 8",accepts:{"*":Rt,text:"text/plain",html:"text/html",xml:"application/xml,
 text/xml", json: "application/json,
 text/javascript"},contents:{xml:/\bxml\b/,html:/\bhtml/,json:/\bjson\b/},responseFields:{xml:"
responseXML",text:"responseText",json:"responseJSON"},converters:{"* text":String,"text
 html":!0,"text json":JSON.parse,"text
xml":S.parseXML\(\) flatOptions:\{url:!0,context:!0\}\),ajaxSetup:function(e,t)\{return t?Ft(Ft(e,S.ajaxSettings),t):Ft(S.ajaxSettings,e)\},ajaxPrefilter:It(Ot),ajaxTransport:It(Pt),a
 jax:function(e,t){"object"==typeof e&&(t=e,e=void 0),t=t||{}};var
c,f,p,n,d,r,h,g,i,o,v=S.ajaxSetup({},t),y=v.context||v,m=v.context&&(y.nodeType||y.jquery)?S(y
):S.event,x=S.Deferred(),b=S.Callbacks("once
\label{eq:memory} $$ \text{memory"}, w=v.statusCode $$ | \{ \}, a= \{ \}, s= \{ \}, u="canceled", T= \{ readyState: 0, getResponseHeader: function (e) \{ var t; if(h) \{ if(!n) \{ n= \{ \}; while(t=qt.exec(p)) n[t[1].toLowerCase()+" "]=(n[t[1].toLowerCase()+" "]| | []).concat(t[2]) \} t=n[e.toLowerCase()+" "] \} return null==t?null:t.join(", ") \}, getAllResponseHeaders: function() \{ return | value | val
h?p:null},setRequestHeader:function(e,t){return
 \verb|null==h&&(e=s[e.toLowerCase()]=s[e.toLowerCase()]||e,a[e]=t), this|, overrideMimeType:function(e)||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a[e]=t||e,a
 ){return null==h&&(v.mimeType=e),this},statusCode:function(e){var
 t;if(e)if(h)T.always(e[T.status]);else for(t in e)w[t]=[w[t],e[t]];return
 this\},abort:function(e)\{var t=e||u;return
c\&\&c.abort(t),l(0,t),this}; if(x.promise(T),v.url=((e||v.url||bt.href)+"").replace(Ht,bt.proto)
```

```
col+"//"),v.type=t.method||t.type||v.method||v.type,v.dataTypes=(v.dataType||"*").toLowerCase(
 ).match(P) | [""], null==v.crossDomain) {r=E.createElement("a"); try{r.href=v.url,r.href=r.href,v.
 crossDomain=Mt.protocol+"//"+Mt.host!=r.protocol+"//"+r.host}catch(e){v.crossDomain=!0}}if(v.d
 ata&&v.processData&&"string"!=typeof
 v.data&&(v.data=S.param(v.data,v.traditional)),Wt(Ot,v,t,T),h)return T;for(i
 in(g=S.event&&v.global)&&0==S.active++&&S.event.trigger("ajaxStart"),v.type=v.type.toUpperCase
 (), v.hasContent=!Lt.test(v.type),f=v.url.replace(jt,""),v.hasContent?v.data&&v.processData&&0=
 ==(v.contentType||"").indexOf("application/x-www-form-
urlencoded")&&(v.data=v.data.replace(Nt,"+")):(o=v.url.slice(f.length),v.data&&(v.processData|
  |"string"==typeof v.data)&&(f+=(Tt.test(f)?"&":"?")+v.data,delete
 v.data), !1 === v.cache \& (f = f.replace(Dt, "$1"), o = (Tt.test(f)?"\&":"?") + "\_="+wt.guid+++o), v.url = f+o = (Pt.test(f)?"&":"?") + (Pt.test(f)?") + (Pt.tes
 ), v.ifModified&&(S.lastModified[f]&&T.setRequestHeader("If-Modified-
 Since", S.lastModified[f]), S.etag[f]&&T.setRequestHeader("If-None-
\verb|Match"|, S.etag[f]|), (v.data\&v.hasContent\&\&!1! == v.contentType | | t.contentType) \&T.setRequestHead|
 er("Content-
 Type", v.contentType), T.setRequestHeader("Accept", v.dataTypes[0]&&v.accepts[v.dataTypes[0]]?v.a
 ccepts[v.dataTypes[0]]+("*"!==v.dataTypes[0]?", "+Rt+";
q=0.01":""):v.accepts["*"]),v.headers)T.setRequestHeader(i,v.headers[i]);if(v.beforeSend&&(!1=
==v.beforeSend.call(y,T,v)||h))return
T.abort();if(u="abort",b.add(v.complete),T.done(v.success),T.fail(v.error),c=Wt(Pt,v,t,T)){if(
T.readyState=1,g&&m.trigger("ajaxSend",[T,v]),h)return
 T; v.async \& 0 < v.timeout \& (d=C.setTimeout(function() \\ \{T.abort("timeout")\}, v.timeout)); try \\ \{h=!1,c.moverement \\ \{top (d=C.setTimeout), try (d=C.
send(a,1) catch(e) {if(h)throw e;1(-1,e)}}else 1(-1,"No Transport");function 1(e,t,n,r){var
 i,o,a,s,u,l=t;h | | (h=!0,d\&\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=void) | (h=!0,d\&C.clearTimeout(d),c=voi
 0,p=r \mid | "",T.readyState=0 < e?4:0,i=200 < =e&e < 300 \mid | 304===e,n&& (s=function(e,t,n)  {var
r,i,o,a,s=e.contents,u=e.dataTypes; while("*"===u[0])u.shift(),void
 0===r&&(r=e.mimeType||t.getResponseHeader("Content-Type"));if(r)for(i in
 s) if (s[i] \&\&s[i].test(r)) \\ \{u.unshift(i);break\} \\ if (u[0]in n)o=u[0];else \\ \{for (i in n)o=u[0];
\label{eq:normalized} n) \\ \{ if(!u[0]||e.converters[i+" "+u[0]]) \\ \{ o=i; break \\ \} \\ a||(a=i) \\ \} o=o||a \\ \} if(o) \\ return
 o!==u[0]\&\&u.unshift(o),n[o]\}(v,T,n)),!i\&\&-
1<s.inArray("script",v.dataTypes)&&s.inArray("json",v.dataTypes)<0&&(v.converters["text-script"]=function(){}),s=function(e,t,n,r){var}
i,o,a,s,u,l={}, c=e.dataTypes.slice(); if(c[1])for(a in
 e.converters)1[a.toLowerCase()]=e.converters[a];o=c.shift();while(o)if(e.responseFields[o]&&(n
[e.responseFields[o]]=t),!u&&r&&e.dataFilter&&(t=e.dataFilter(t,e.dataType)),u=o,o=c.shift())if("*"===o)o=u;else if("*"!==u&&u!==o){if(!(a=l[u+" "+o]||l["* "+o]))for(i in l)if((s=i.split(" "))[1]===o&&(a=l[u+" "+s[0]]||l["*
 "+s[0]))(0==a?a=1[i]:0!==1[i]&&(o=s[0],c.unshift(s[1]));break}if(0!==a)if(a&&e["throws"])
 t=a(t); else try\{t=a(t)\} catch(e) {return{state: "parsererror", error: a?e: "No conversion from "+u+" | a(t) 
 "+o}}}return{state: "success",data:t}}(v,s,T,i),i?(v.ifModified&&((u=T.getResponseHeader("Last-
\texttt{Modified")} \& \& (S.lastModified[f]=u), (u=T.getResponseHeader("etag")) \& \& (S.etag[f]=u)), 204===e | | "House of the content of the conte
 EAD"===v.type?l="nocontent":304==e?l="notmodified":(l=s.state,o=s.data,i=!(a=s.error))):(a=1,
 |e\&l| | (1="error", e<0\&(e=0))), T. status=e, T. statusText=(t||1)+"", i?x. resolveWith(y,[o,1,T]):x.
 rejectWith(y,[T,l,a]),T.statusCode(w),w=void
 0,g&&m.trigger(i?"ajaxSuccess":"ajaxError",[T,v,i?o:a]),b.fireWith(y,[T,1]),g&&(m.trigger("aja
xComplete",[T,v]),--S.active||S.event.trigger("ajaxStop")))}return
T},getJSON:function(e,t,n){return S.get(e,t,n,"json")},getScript:function(e,t){return
 S.get(e,void
 0,t,"script")}}),S.each(["get","post"],function(e,i){S[i]=function(e,t,n,r){return
m(t)&&(r=r | | n,n=t,t=void
 0),S.ajax(S.extend({url:e,type:i,dataType:r,data:t,success:n},S.isPlainObject(e)&&e))}}),S.aja
 xPrefilter(function(e) {var t; for(t in e.headers) "content-
 \label{type} \texttt{"===t.toLowerCase()} \& (\texttt{e.contentType=e.headers[t]||"")}), \texttt{S.\_evalUrl=function(e,t,n)} \\ \{\texttt{return} = \texttt{t.toLowerCase()} \& \texttt{(e.contentType=e.headers[t]||"")}\}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentType=e.headers[t]||""")}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||""")}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||"""")}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||"""")}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||"""")}) \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||"""")} \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||""""")} \\ \texttt{s.toLowerCase()} \& \texttt{(e.contentSype=e.headers[t]||"""")} \\ \texttt{s.toLowerCase()} \& \texttt{(e.co
S.ajax(\{url:e,type:"GET",dataType:"script",cache:!0,async:!1,global:!1,converters:\{"textscript":function()\{\}\},dataFilter:function(e)\{S.globalEval(e,t,n)\}\})\},S.fn.extend(\{wrapAll:function(e,t,n)\})\})
 tion(e){var t;return
 this[0]\&\&(m(e)\&\&(e=e.call(this[0])), t=S(e,this[0].ownerDocument).eq(0).clone(!0), this[0].parential content of the content 
 tNode&&t.insertBefore(this[0]),t.map(function(){var
 e=this; while(e.firstElementChild)e=e.firstElementChild; return
 e}).append(this)),this},wrapInner:function(n){return
m(n)?this.each(function(e){S(this).wrapInner(n.call(this,e))}):this.each(function(){var}
 e=S(this), t=e.contents(); t.length?t.wrapAll(n):e.append(n)\})\}, wrap:function(t)\{varantents(n), t.length?t.wrapAll(n):e.append(n)\})\}, wrap:function(t), t.length?t.wrapAll(n):e.append(n), t.length?t.wrapAll(n), t.length.t.wrapAll(n), t.length.t
 n=m(t);return
 this.each(function(e)\{S(this).wrapAll(n?t.call(this,e):t)\})\}, unwrap:function(e)\{return example function(e), exa
 this.parent(e).not("body").each(function() \\ \{S(this).replaceWith(this.childNodes)\}), this\}\}), S.ex. \\ (a) \\ \{S(this).replaceWith(this.childNodes)\}), this\}\}), S.ex. \\ (b) \\ \{S(this).replaceWith(this.childNodes)\}), this\}\}), S.ex. \\ (c) \\ \{S(this).replaceWith(this.childNodes)\}), this \\ \{S(this).replac
 \verb|pr.pseudos.hidden=function(e){return!S.expr.pseudos.visible(e)}, S.expr.pseudos.visible=function(e){return!S.expr.pseudos.visible(e)}, S.expr.pseudos.visible=function(e){return!S.expr.pseudos.visible(e)}, S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e)}, S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){return!S.expr.pseudos.visible(e){
n(e){return!!(e.offsetWidth||e.offsetHeight||e.getClientRects().length)},S.ajaxSettings.xhr=fu
nction(){try{return new C.XMLHttpRequest}catch(e){}};var
 Bt = \{0:200,1223:204\}, \\ \$t = S.ajaxSettings.xhr(); \\ y.cors = !! \\ \$t\&\&"withCredentials"in \\ line for the sum of the s
 $t,y.ajax=$t=!!$t,S.ajaxTransport(function(i){var
 o,a;if(y.cors||$t&&!i.crossDomain)return{send:function(e,t){var
n,r=i.xhr();if(r.open(i.type,i.url,i.async,i.username,i.password),i.xhrFields)for(n in
 i.xhrFields)r[n]=i.xhrFields[n];for(n in
 i.mimeType&&r.overrideMimeType&&r.overrideMimeType(i.mimeType),i.crossDomain||e["X-Requested-
 With"]||(e["X-Requested-
 \label{lem:with} \begin{tabular}{ll} \begin{
 function() \\  \{o\&\&(o=a=r.onload=r.onerror=r.onabort=r.ontimeout=r.onready state change=null, "abort"=r.ontimeout=r.oneredy state change=null, "abort"=r.oneredy state change=null, "abort"=r.onere
 ==e?r.abort():"error"===e?"number"!=typeof
r.status?t(0,"error"):t(r.status,r.statusText):t(Bt[r.status]||r.status,r.statusText,"text"!==
```

```
(r.responseType||"text")||"string"!=typeof
 r.responseText?{binary:r.response}:{text:r.responseText},r.getAllResponseHeaders()))}},r.onloa
 d=o(),a=r.onerror=r.ontimeout=o("error"),void
 0! = r.onabort?r.onabort = a:r.onreadystatechange = function() \{4 = = r.readyState\&C.setTimeout(function)\}
 \verb|ion(){o&&a()})|, \verb|o=o("abort"); \verb|try{r.send(i.hasContent&&i.data||null)}| catch(e){if(o)throw||} \\
e}},abort:function(){0&&o()}}}),S.ajaxPrefilter(function(e){e.crossDomain&&(e.contents.script=!1)}),S.ajaxSetup({accepts:{script:"text/javascript, application/javascript,
 application/ecmascript, application/x-
 \verb| ecmascript|| \}, \verb| contents|| \{ script: / b(?:java|ecma)script | b/ \}, \verb| converters|| \{ (topic of the converted of the 
 script":function(e){return S.globalEval(e),e}}}),S.ajaxPrefilter("script",function(e){void
 0 == e.cache \& \& (e.cache=!1), e.crossDomain \& (e.type="GET") \}), S.ajaxTransport("script", function(n)) = e.cache \& \& (e.cache=!1), e.crossDomain \& (e.type="GET") \}), S.ajaxTransport("script", function(n)) = e.cache \& \& (e.cache=!1), e.crossDomain \& (e.type="GET") \}), S.ajaxTransport("script", function(n)) = e.cache \& \& (e.type="GET") \}
 {var
 r,i;if(n.crossDomain||n.scriptAttrs)return{send:function(e,t){r=S("<script>").attr(n.scriptAtt
rs||{}).prop({charset:n.scriptCharset,src:n.url}).on("load
 ild(r[0])},abort:function(){i&&i()}});var
_t,zt=[],\hat{U}t=/(=)?(?=&|$)|\?\?/;S.ajaxSetup({jsonp:"callback",jsonpCallback:function(){vare=zt.pop()||S.expando+"_"+wt.guid++;return this[e]=!0,e}}),S.ajaxPrefilter("json
 jsonp",function(e,t,n){var r,i,o,a=!1!==e.jsonp&&(Ut.test(e.url)?"url":"string"==typeof
 e.data&&0===(e.contentType||"").indexOf("application/x-www-form-
 urlencoded")&&Ut.test(e.data)&&"data");if(a||"jsonp"===e.dataTypes[0])return
 r=e.jsonpCallback=m(e.jsonpCallback)?e.jsonpCallback():e.jsonpCallback,a?e[a]=e[a].replace(Ut,
 "$1"+r):!1!==e.jsonp&&(e.url+=(Tt.test(e.url)?"&":"?")+e.jsonp+"="+r),e.converters["script
 json"]=function(){return o||S.error(r+" was not
 called"), o[0], e.dataTypes[0] = "json", i=C[r], C[r] = function() \{o=arguments\}, n.always(function() \{v=arguments\}, n.
 oid
 0 === i?S(C).removeProp(r):C[r] = i,e[r]\&\&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o\&\&m(i)\&\&i(r) = i,e[r]\&\&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]\&\&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r)&&i(r) = i,e[r]&&(e.jsonpCallback=t.jsonpCallback,zt.push(r)),o&&m(i)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)&&i(r)
 o[0]),o=i=void
 0}), "script"}), y.createHTMLDocument=((_t=E.implementation.createHTMLDocument("").body).innerHT
 \label{eq:ml} \begin{tabular}{ll} ML="\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\eform>\efo
 tring"!=typeof e?[]:("boolean"==typeof
 \texttt{t\&\&}(\texttt{n=t,t=!1),t} \, \big| \, \big| \, (\texttt{y.createHTMLDocument?((r=(t=E.implementation.createHTMLDocument("")).createEndering) } \big| \, (\texttt{y.createHTMLDocument?((r=(t=E.implementation.createHTMLDocument("")).createEndering) } \big| \, (\texttt{y.createHTMLDocument?((r=(t=E.implementation.createHTMLDocument("")).createEndering) } \big| \, (\texttt{y.createHTMLDocument?((r=(t=E.implementation.createHTMLDocument("")).createEndering) } \big| \, (\texttt{y.createHTMLDocument?((r=(t=E.implementation.createHTMLDocument(""))).createEndering) } \big| \, (\texttt{y.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.createHTMLDocument.cre
 lement("base")).href=E.location.href, t.head.appendChild(r)): t=E), o=!n&\&[], (i=N.exec(e))?[t.cre] = (i+1) + (i+1) 
 ateElement(i[1])]:(i=xe([e],t,o),o&&o.length&&S(o).remove(),S.merge([],i.childNodes)));var
r,i,o},S.fn.load=function(e,t,n){var r,i,o,a=this,s=e.indexOf(" ");return-
) {o=arguments,a.html(r?S("<div>").append(S.parseHTML(e)).find(r):e)}).always(n&&function(e,t){
 a.each(function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\})\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\}), this\}, S.expr.pseudos.animated=function()\{n.apply(this,o||[e.responseText,t,e])\}), this
 tion(t){return S.grep(S.timers,function(e){return
 t==e.elem}).length},S.offset={setOffset:function(e,t,n){var
\texttt{r,i,o,a,s,u,l=S.css(e,"position"),c=S(e),f=\{}; \texttt{"static"===l\&\&(e.style.position="relative"),s=c.}
 1<(o+u).indexOf("auto")?(a=(r=c.position()).top,i=r.left):(a=parseFloat(o)||0,i=parseFloat(u)|
 \label{eq:continuous} \begin{picture}(10) \put(0,0) \put
 s.top+a),null!=t.left&&(f.left=t.left-s.left+i),"using"in
 t?t.using.call(e,f):c.css(f)}},S.fn.extend({offset:function(t){if(arguments.length)return void
 0===t?this:this.each(function(e){S.offset.setOffset(this,t,e)});var e,n,r=this[0];return
r?r.getClientRects().length?(e=r.getBoundingClientRect(),n=r.ownerDocument.defaultView,{top:e.
 top+n.pageYOffset,left:e.left+n.pageXOffset}):{top:0,left:0}:void
 0},position:function(){if(this[0]){var
 e,t,n,r=this[0],i={top:0,left:0};if("fixed"===S.css(r,"position"))t=r.getBoundingClientRect();
 else\{t=this.offset(),n=r.ownerDocument,e=r.offsetParent | | n.documentElement; while (e\&\&(e===n.bod) | n.documentElement; while (
y | | e===n.documentElement) && "static"===S.css(e, "position"))e=e.parentNode; e&&e!==r&&1==e.nodeT
ype&&((i=S(e).offset()).top+=S.css(e,"borderTopWidth",!0),i.left+=S.css(e,"borderLeftWidth",!0
 ))}return{top:t.top-i.top-S.css(r,"marginTop",!0),left:t.left-i.left-
 S.css(r, "marginLeft", !0) \} \}, offsetParent: function() \{return\ this.map(function() \{varent = varent = vare
 e=this.offsetParent;while(e&&"static"===S.css(e,"position"))e=e.offsetParent;return
 e | | re } ) } } ) , S.each( { scrollLeft: "pageXOffset", scrollTop: "pageYOffset" } , function(t,i) { var
 o="pageYOffset"===i;S.fn[t]=function(e){return $(this,function(e,t,n){var
r:if(x(e)?r=e:9===e.nodeType\&(r=e.defaultView),void 0===n)return
 r?r[i]:e[t];r?r.scrollTo(o?r.pageXOffset:n,o?n:r.pageYOffset):e[t]=n},t,e,arguments.length)}})
 , S. each(["top","left"], function(e,n) \\ \{S. cssHooks[n] = Fe(y.pixelPosition, function(e,t)\} \\ \{if(t)returned = Fe(y.pixelPosition, function(e,t)) \\ \{if(t)returned = Fe(y.pixelPosition(e,t)) \\ \{if(t)returned = Fe(y.p
n
 t = We(e,n), Pe.test(t)?S(e).position()[n] + "px":t{})), S.each({Height: "height", Width: "width"}, function()[n] + "px":t{})), S.each({Height: "height", Width: "width"}, function()[n] + "px":t{})), S.each({Height: "height", Width: "width"}, function()[n] + "px":t{})), S.each({Height: "height", Width: "width: "width"}, function()[n] + "px":t{})), S.each({Height: "height", Width: "width: "width
 tion(a,s){S.each({padding: "inner"+a,content:s,"": "outer"+a},function(r,o){S.fn[o]=function(e,t
 ){var n=arguments.length&&(r|| "boolean"!=typeof
 e),i=r||(!0===e||!0===t?"margin":"border");return $(this,function(e,t,n){var r;return
 x(e)?0 === o.indexOf("outer")?e["inner"+a]:e.document.documentElement["client"+a]:9 === e.nodeType?(r=e.documentElement,Math.max(e.body["scroll"+a],r["scroll"+a],e.body["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],r["offset"+a],
 a],r["client"+a])):void 0==n?S.css(e,t,i):S.style(e,t,n,i)\},s,n?e:void
 (0,n)}})}),S.each(["ajaxStart","ajaxStop","ajaxComplete","ajaxError","ajaxSuccess","ajaxSend"],
 function(e,t) {S.fn[t]=function(e){return}
 this.on(t,e)}}),S.fn.extend({bind:function(e,t,n){return}
 this.on(e,null,t,n)},unbind:function(e,t){return
 this.off(e,null,t)},delegate:function(e,t,n,r){return
 this.on(t,e,n,r)},undelegate:function(e,t,n){return
 1 = = \operatorname{arguments.length?this.off(e,"**"):this.off(t,e||"**",n)}, \text{hover:function(e,t)} \\ \{ \operatorname{return this.mouseenter(e).mouseleave(t||e)} \} ), \\ S. \operatorname{each("blur focus focus in focus out resize scroll click focus focus in focus out resize scroll click focus focu
dblclick mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave change select
```

# Analysis: ```html

Security Vulnerabilities and Code Quality Analysis

This document analyzes the provided jQuery code for potential security vulnerabilities and discusses relevant code quality metrics.

Potential Vulnerabilities

## 1. Cross-Site Scripting (XSS)

**Type:** XSS (Cross-Site Scripting)

Approximate Line: S.globalEval function and similar eval-like executions.

**Description:** The code uses `S.globalEval` (and potentially other methods such as `S.\_evalUrl`), which can execute arbitrary JavaScript code. If the input to these functions is derived from an untrusted source (e.g., user input, data from a third-party server), it becomes vulnerable to XSS attacks. An attacker can inject malicious JavaScript code that will be executed in the user's browser, potentially stealing sensitive information or performing unauthorized actions.

**Mitigation:** Avoid using `eval`-like functions whenever possible. If dynamic code execution is absolutely necessary, sanitize the input very carefully using a strict allow-list and context-aware output encoding. Consider using a sandboxed environment for code execution. Validate the origin of the Javascript being run from a trusted source. Implement a Content Security Policy (CSP) to restrict the sources from which JavaScript can be loaded and executed.

**Code Quality Improvement:** Replace with safer alternatives like creating DOM elements directly using `document.createElement` and setting properties instead of injecting raw HTML.

## 2. Regular Expression Denial of Service (ReDoS)

**Type:** ReDoS (Regular Expression Denial of Service)

**Approximate Line:** Various regular expressions, particularly complex ones used in selector parsing (Sizzle). **Description:** The code uses complex regular expressions for parsing CSS selectors and other string operations. If these regular expressions are not carefully crafted, they can be vulnerable to ReDoS attacks. An attacker can provide a specially crafted input string that causes the regular expression engine to take an extremely long time to process, potentially leading to a denial of service.

**Mitigation:** Review all regular expressions for potential ReDoS vulnerabilities. Simplify complex regular expressions or use alternative parsing techniques. Implement input validation to limit the length and complexity of strings that are processed by regular expressions. Consider using a regular expression analyzer tool to identify potential ReDoS vulnerabilities. Set a timeout for regular expression execution.

**Code Quality Improvement:** Break down complex regular expressions into smaller, simpler expressions. Consider using a dedicated parser library for complex parsing tasks.

### 3. Prototype Pollution

Type: Prototype Pollution

Approximate Line: S.extend function.

**Description:** The deep merge functionality in `S.extend` might be susceptible to prototype pollution if an attacker can control the input objects. By injecting properties like `\_\_proto\_\_` or `constructor.prototype` into the input, the attacker can modify the prototype of JavaScript objects, potentially leading to arbitrary code execution or other unexpected behavior.

**Mitigation:** Sanitize the input to `S.extend` to prevent the injection of potentially dangerous properties. Consider removing the deep merge functionality or using a safer alternative that does not modify prototypes.

**Code Quality Improvement:** Re-implement the object merging logic without allowing properties like '\_\_proto\_\_' to be processed.

**Code Quality Metrics** 

**Complexity:** The code exhibits high complexity, especially in the Sizzle selector engine and the animation framework. Complex code is harder to understand, maintain, and debug. The cyclomatic complexity of functions like `se.select` and `lt` is likely to be high.

**Duplication:** There are likely instances of code duplication, especially in areas related to event handling and DOM manipulation.

**Readability:** The code's readability is hindered by its minified format, long functions, and complex logic. The extensive use of short variable names also reduces readability.

**Coupling:** The code exhibits high coupling between different modules, making it difficult to modify or replace individual components without affecting other parts of the library. The global scope usage is high.

Maintainability: Due to the complexity and lack of comments, maintainability is a major issue.

**Proposed Solution** 

To address the identified vulnerabilities and improve code quality, the following steps are recommended:

- 1. Security Audits: Conduct thorough security audits of the code to identify and fix all potential vulnerabilities.
- 2. **Input Sanitization:** Implement robust input validation and sanitization to prevent XSS and prototype pollution attacks.
- 3. **Regular Expression Review:** Review and simplify complex regular expressions to prevent ReDoS attacks.
- 4. **Code Refactoring:** Refactor the code to reduce complexity, eliminate duplication, and improve readability. Break down long functions into smaller, more manageable units. Use descriptive variable names.
- 5. **Documentation:** Add comprehensive documentation to explain the purpose and functionality of each module and function.
- 6. **Testing:** Implement a comprehensive test suite to ensure the correctness and security of the code.
- 7. **Modularity:** Decouple different modules to improve maintainability and allow for easier replacement of individual components.
- 8. Consider using newer versions of jQuery.