Vulnerability Report

Archivo: sweetalert2@11.js

Code Analyzed:

```
/*!
   * sweetalert2 v11.17.2
    * Released under the MIT License.
   !function(e,t){"object"==typeof exports&&"undefined"!=typeof
   module?module.exports=t():"function"==typeof
   define&&define.amd?define(t):(e="undefined"!=typeof
   globalThis?globalThis:e||self).Sweetalert2=t() (this,(function() ("use strict";function
   e(e,t,n) \\ \{if("function" = = typeof \ e?e = = = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw \ new \\ = typeof \ e?e = = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = t:e.has(t)) \\ return \ arguments.length \\ < 3?t:n; throw new \\ = typeof \ e?e = type
  TypeError("Private element is not present on this object") \\ function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present element is not present on this object") \\ \} function t(t,n) \\ \{return element is not present element is not present element element is not present element e
   \texttt{t.get}(\texttt{e}(\texttt{t},\texttt{n})) \} \texttt{function} \ \ n(\texttt{e},\texttt{t},\texttt{n}) \big\{ (\texttt{function}(\texttt{e},\texttt{t}) \big\{ \texttt{if}(\texttt{t.has}(\texttt{e})) \\ \texttt{throw} \ \ \texttt{new} \ \ \texttt{TypeError}(\texttt{"Cannot throw}) \big\} \big\} \\ \texttt{function}(\texttt{e},\texttt{t}) \big\{ (\texttt{function}(\texttt{e},\texttt{t})) \\ \texttt{function}(\texttt{e},\texttt{t}) \big\} \big\} \\ \texttt{function}(\texttt{e},\texttt{t}) \big\{ (\texttt{function}(\texttt{e},\texttt{t})) \\ \texttt{function}(\texttt{e},\texttt{t}) \big\} \big\} \\ \texttt{function}(\texttt{e},\texttt{t}) \big\} \\ \texttt{function}(\texttt{e},
   initialize the same private elements twice on an object")})(e,t),t.set(e,n)}const
   o={},i=e=>new Promise((t=>{if(!e)return t();const
   n=window.scrollX,i=window.scrollY;o.restoreFocusTimeout=setTimeout((()=>{o.previousActiveEleme
  nt instanceof
  \label{lement:focus(),opreviousActiveElement.focus(),opreviousActiveElement=null):} document.body \& \& document.body \& document.body \& & document.body \& document.body 
ment.body.focus(),t()}),100),window.scrollTo(n,i)})),s="swal2-
",r=["container","shown","height-auto","iosfix","popup","modal","no-backdrop","no-
transition","toast","toast-shown","show","hide","close","title","html-
container","actions","confirm","deny","cancel","default-outline","footer","icon","icon-
content","image","input","file","range","select","radio","checkbox","label","textrea","inpute
rror","input-label","validation-message","progress-steps","active-progress-stepp","progress-
  step", "progress-step-line", "loader", "loading", "styled", "top", "top-start", "top-end", "top-left", "top-right", "center", "center-start", "center-end", "center-left", "center-
 right", "bottom", "bottom-start", "bottom-end", "bottom-left", "bottom-right", "grow-row", "grow-column", "grow-fullscreen", "rtl", "timer-progress-bar", "timer-progress-bar-container", "scrollbar-measure", "icon-success", "icon-warning", "icon-info", "icon-question", "icon-
 error", "draggable", "dragging"].reduce(((e,t)=>(e[t]=s+t,e)), {}), a=["success", "warning", "info", "question", "error"].reduce(((e,t)=>(e[t]=s+t,e)), {}), l="SweetAlert2:", c=e>e.charAt(0).toUpper Case()+e.slice(1), u=e>{console.warn(`${1} ${"object"}==typeof e?e.join(""):e}`)}, d=e>{console.error(`${1} ${e}`)}, p=[], m=function(e){let t=arguments.length>1&&void | function(e){console.error(`${1} ${e}`)}, p=[], m=function(e){console.error(`${1} ${e}`)}, p=[], m=function(e){console.error(`${e}`)}, p=[],
   0!==arguments[1]?arguments[1]:null;var n;n=`"${e}" is deprecated and will be removed in the
   next major release.${t?` Use "${t}"
   instead.`:""}`,p.includes(n)||(p.push(n),u(n))},h=e=>"function"==typeof
   e?e():e,g=e=>e&&"function"==typeof
   e.toPromise,f=e=>g(e)?e.toPromise():Promise.resolve(e),b=e=>e&&Promise.resolve(e)===e,y=()=>do
   \begin{array}{l} \texttt{steps"]),\$=()=>w(r["validation-message"]),x=()=>v(`.\$\{r.actions\} \\ .\$\{r.confirm\}`),P=()=>v(`.\$\{r.actions\} \\ .\$\{r.cancel\}`),T=()=>v(`.\$\{r.actions\} \\ .\$\{r.cancel\}`), \end{array} 
    progress-bar"]),H=()=>w(r.close),I=()=>{const e=C();if(!e)return[];const
   t=e.guerySelectorAll('[tabindex]:not([tabindex="-
   1"]): not([tabindex="0"])'), n=Array.from(t).sort(((e,t)=>\{const
 input:not([disabled]),\n select:not([disabled]),\n textarea:not([disabled]),\n
button:not([disabled]),\n iframe,\n object,\n embed,\n [tabindex="0"],\n
   [contenteditable],\n audio[controls],\n video[controls],\n
summary\n'),i=Array.from(o).filter((e=>"-1"!==e.getAttribute("tabindex")));return[...new
   Set(n.concat(i))].filter((e=>ee(e)))\}, D=()=>N(document.body,r.shown) \& !N(document.body,r["toas in the concatant of the co
   t-shown"])&&!N(document.body,r["no-backdrop"]),q=()=>{const
   e=C(); return!! e\&\&N(e,r.toast)\}, V=(e,t)=> \{if(e.textContent="",t)\{const \ n=(new \ DOMParser).parseFromString(t,"text/html"),o=n.querySelector("head"); o&&Array.from(o.childNodes \ New York of the constant of the cons
   ).forEach((t=>{e.appendChild(t)}));const
   i=n.querySelector("body");i&&Array.from(i.childNodes).forEach((t=>{t instanceof
   HTMLVideoElement||t instanceof
  HTMLAudioElement?e.appendChild(t.cloneNode(!0)):e.appendChild(t)}))}},N=(e,t)=>{if(!t)return!1
   ;const n=t.split(/\s+/);for(let
   t=0;t<n.length;t++)if(!e.classList.contains(n[t]))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=>{if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)==={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!0},_=(e,t,n)=={if(((e,t)=>{A}))return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;return!1;retu
  rray.from(e.classList).forEach((n=>{Object.values(r).includes(n)||Object.values(a).includes(n)
   ||(\text{Object.values}(\text{t.showClass}||\{\}).includes(n)||\text{e.classList.remove}(n)\}))|))(\text{e,t}),!\text{t.customClass})\text{return;const o=t.customClass}[n];o&&("string"==typeof o||o.forEach?z(e,o):u(`Invalid type of o||o.forEach?z(e,o):u(`Invalid type o||o.forEach?z(e,o):u(`Invalid
   customClass.${n}! Expected string or iterable object, got "${typeof
  o\"`))\},\F=(e,t)=>\{if(!t)\return null;\switch(t)\{\case\"select\":\case\"textarea\":\case\"file\":\return e.\querySelector(\`.\$\{r.\text{popup}\} \rightarrow .\$\{r[t]\}^\);\case\"\checkbox\":\return e.\querySelector(\`.\$\{r.\text{popup}\} \rightarrow .\$\{r[t]\}^\);\case\"\checkbox\":\return e.\querySelector(\`.\$\{r.\text{popup}\} \rightarrow .\$\{r[t]\}^\);\case\"\checkbox\":\return e.\querySelector(\`.\$\{r.\text{popup}\} \rightarrow .\$\{r.\text{popup}\} \rightarrow .
   .${r.checkbox} input`);case"radio":return e.querySelector(`.${r.popup} > .${r.radio}
```

```
input:checked`)||e.querySelector(`.${r.popup} > .${r.radio} input:first-
child`);case"range":return e.querySelector(`.${r.popup} > .${r.range} input`);default:return e.querySelector(`.${r.popup} > .${r.input}`)}},R=e=>{if(e.focus(),"file"!==e.type){const t=e.value:e.value="",e.value=t}},U=(e,t,n)=>{e&&t&&("string"==typeof
 t&&(t=t.split(/\s+/).filter(Boolean)),t.forEach((t=>{Array.isArray(e)?e.forEach((e=>{n?e.class
 List.add(t):e.classList.remove(t)})):n?e.classList.add(t):e.classList.remove(t)})))},z=(e,t)=>
 e=0;e<n.length;e++){const o=n[e];if(o instanceof HTMLElement&&N(o,t))return
 , "number"==typeof n?`${n}px`:n):e.style.removeProperty(t)},X=function(e){let
 t=arguments.length>1&&void
 },J=function(e){let t=arguments.length>1&&void 0!==arguments[1]?arguments[1]:"block";e&&new
 MutationObserver((()=>{Q(e,e.innerHTML,t)})).observe(e,{childList:!0,subtree:!0})},G=(e,t,n,o)
 =>{const
 i = e.querySelector(t); i\&\&i.style.setProperty(n,o) \}, Q = function(e,t) \\ \{t?X(e,arguments.length>2\&\&voluments, function(e,t), function(e,
 id
 \verb|O!== arguments[2]? arguments[2]: \verb|"flex"|) : \verb|Z(e)||, ee=e=>!(!e||!(e.offsetWidth||e.offsetHeight||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.get||e.
 ClientRects().length)),te=e=>!!(e.scrollHeight>e.clientHeight),ne=e=>{const
 t=window.getComputedStyle(e),n=parseFloat(t.getPropertyValue("animation-
 duration")||"0"),o=parseFloat(t.getPropertyValue("transition-duration")||"0");return
 n>0 \mid |0>0, oe=function(e){let t=arguments.length>1&&void 0!==arguments[1]&&arguments[1];const
 n=j(); n\&\&ee(n)\&\&(t\&\&(n.style.transition="none",n.style.width="100%"),setTimeout((()=>\{n.style.transition="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none",n.style.width="none
\label{ledby="${r.title}" aria-describedby="${r["html-container"]}" class="${r.popup}" }
tabindex="-1">\n <button type="button" class="${r.close}"></button>\n class="${r["progress-steps"]}">\n <div class="${r.close}"></div>\n class="${r.icon}"></div>\n class="${r.image}" />\n <h2 class="${r.title}" id="${r.title}"></h2>\n class="${r["html-container"]}" id="${r["html-container"]}"></div>\n <ir
                                                                                                                                                                                                                                                                                                                  <img
                                                                                                                                                                                                                                                                                                                  <div
<input type="file" class="${r.file}" />\n
                                                                                                         <input type="range" />\n
                                                                                                                                                                                                                            <output></output>\n
                                                                                                                                                                                                                                                                                                                         </div>\n
 \label{lem:class} $$\{r.select\}$ "id="$\{r.select\}"></select>\n <div class="$\{r.radio\}"></div>\n <div class="$$[r.radio]"></div>\n <div class="$[r.radio]"></div>\n <d vclass="$[r.radio]"></d class="$[r.radio]"></d class="$[r
 <label class="f(r.checkbox)">\n <input class="f(r.checkbox)">\n 
                                                                                                                                                <input type="checkbox" id="${r.checkbox}" />\n
                                                                                                                                                                              <textarea class="${r.textarea}"</pre>
 id="${r.textarea}"></textarea>\n <div class="${r["validation-message"]}
 id="${r["validation-message"]}"></div>\n
                                                                                                                                                                         <div class="${r.actions}">\n
                                                                                                                                                                                                                                                                                                                      <div
                                                                                                                                <button type="button" class="${r.confirm}"></button>\n
 class="${r.loader}"></div>\n
 <button type="button" class="${r.deny}"></button>\n
                                                                                                                                                                                                                                 <button type="button"</pre>
<div class="${r["timer-progress-</pre>
 bar"]}"></div>\n
                                                                         </div>\n
 const t=(()=>\{const
 e=y();return!!e&&(e.remove(),W([document.documentElement,document.body],[r["no-
 backdrop"],r["toast-shown"],r["has-column"]]),!0)})();if("undefined"==typeof
 window|| "undefined" == typeof document) return void d( "SweetAlert2 requires document to
 initialize");const n=document.createElement("div");n.className=r.container,t&&z(n,r["no-
 transition"]),V(n,ie),n.dataset.swal2Theme=e.theme;const
 o="string"==typeof(i=e.target)?document.querySelector(i):i;var i;o.appendChild(n),(e=>{const
 t=C();t.setAttribute("role",e.toast?"alert":"dialog"),t.setAttribute("aria-
 live",e.toast?"polite":"assertive"),e.toast||t.setAttribute("aria-
 modal","true")\})(e),(e=>\{"rtl"===window.getComputedStyle(e).direction\&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl)\})(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=>\{window.getComputedStyle(e).direction&z(y(),r.rtl))\}(o),(()=
 {const e=C(),t=K(e,r.input),n=K(e,r.file),o=e.querySelector(`.${r.range}}
 input`),i=e.querySelector(`.${r.range}
output`),s=K(e,r.select),a=e.querySelector(`.${r.checkbox}
 input`),l=K(e,r.textarea);t.oninput=se,n.onchange=se,s.onchange=se,a.onchange=se,l.oninput=se,
 o.oninput=()=> \\ \{se(),i.value=o.value\}, o.onchange=()=> \\ \{se(),i.value=o.value\}\})() \}, ae=(e,t)=> \\ \{e,t)=> \\ \{e
 instanceof HTMLElement?t.appendChild(e):"object"==typeof
 e?le(e,t):e\&\&V(t,e)\},le=(e,t)=>\big\{e.jquery?ce(t,e):V(t,e.toString())\big\},ce=(e,t)=>\big\{if(e.textConten)\}
 t="",0 in t)for(let n=0;n in t;n++)e.appendChild(t[n].cloneNode(!0));else
 e.appendChild(t.cloneNode(!0))},ue=(e,t)=>{const
 n=O(),o=S(),n\&\&o\&\&(t.showConfirmButton||t.showDenyButton||t.showCancelButton?X(n):Z(n),_(n,t,")
ion(e,t,n,o){if(!o.buttonsStyling)return void
 rmButtonColor,z(e,r["default-
 outline"]));o.denyButtonColor&&(t.style.backgroundColor=o.denyButtonColor,z(t,r["default-
 outline"]));o.cancelButtonColor&&(n.style.backgroundColor=o.cancelButtonColor,z(n,r["default-
 outline"]))\big\}(o,i,s,n), n.reverse \\ Buttons \\ \&(n.toast?(e.insert \\ Before(s,o),e.insert \\ Before(i,o)):(e.insert \\ Before(i,o)):
 insertBefore(s,t),e.insertBefore(i,t),e.insertBefore(o,t)))}(n,o,t),V(o,t.loaderHtml||""),_(o,
t, "loader"))\}; function de(e,t,n) {const o=c(t); Q(e,n[`show${o}Button`], "inline-block"), V(e,n[`${t}ButtonText`]||""), e.setAttribute("aria-label",n[`${t}ButtonAriaLabel`]||""), e.className=r[t],_(e,n,`${t}Button`)} {const o=c(t); Q(e,n[`show${o}Button`], "inline-block"), V(e,n[`${t}ButtonText`]||""), e.className=r[t],_(e,n,`${t}Button`)} {const o=c(t); Q(e,n[`show${o}Button`], "inline-block"), V(e,n[`${t}ButtonText`]||""), e.className=r[t],_(e,n,`${t}Button`)} {const o=c(t); Q(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}Button`], "inline-block"), V(e,n[`show${o}ButtonText`]||""), e.setAttribute("aria-label"), V(e,n[`show${o}ButtonText`]||""), e.className=r[t], V(e,n[`show${o}ButtonText`], V(e,n[`show${o}Butt
 pe=(e,t)={const n=y();n&&(!function(e,t){"string"==typeof
 t?e.style.background=t:t||z([document.documentElement,document.body],r["no-
 backdrop"])}(n,t.backdrop),function(e,t){if(!t)return;t in r?z(e,r[t]):(u('The "position"
 parameter is not valid, defaulting to
  "center"'),z(e,r.center))(n,t.position),function(e,t){if(!t)return;}z(e,r[`grow-return))
 ${t}`])}(n,t.grow),_(n,t,"container"))};var me={innerParams:new WeakMap,domCache:new
```

```
WeakMap};const
he=["input","file","range","select","radio","checkbox","textarea"],ge=e=>{if(!e.input)return;i
f(!Ae[e.input])return void d(`Unexpected type of input! Expected ${Object.keys(Ae).join(" |
")}, got "${e.input}"`);const t=we(e.input);if(!t)return;const
n=Ae[e.input](t,e);X(t),e.inputAutoFocus&&setTimeout((()=>{R(n)}))},fe=(e,t)=>{const}
n=C();if(!n)return;const o=F(n,e);if(o){(e=>{for(let t=0;t<e.attributes.length;t++){const
n=e.attributes[t].name;["id","type","value","style"].includes(n)||e.removeAttribute(n)}})(o);f
or(const e in t)o.setAttribute(e,t[e])}},be=e=>{if(!e.input)return;const
t=we(e.input); t\&\&\_(t,e,"input")\}, ye=(e,t)=>\{!e.placeholder\&\&t.inputPlaceholder\&\&(e.placeholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&\&t.inputPlaceholder\&k.inputPlaceholder\&k.inputPlaceholder\&k.inputPlaceholder\&k.inputPlaceholder\&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPlaceholder&k.inputPl
=t.inputPlaceholder) }, ve=(e,t,n)=>{if(n.inputLabel){const
o=document.createElement("label"), i=r["input-
label"];o.setAttribute("for",e.id),o.className=i,"object"==typeof
n.customClass&&z(o,n.customClass.inputLabel),o.innerText=n.inputLabel,t.insertAdjacentElement(
t)?e.value=`\{t\}`:b(t)||u(`Unexpected type of inputValue! Expected "string", "number" or "Promise", got "\{t\} typeof
             `)},Ae={};Ae.text=Ae.email=Ae.password=Ae.number=Ae.tel=Ae.url=Ae.search=Ae.date=Ae["dateti
t}"
local"] = Ae.time = Ae.week = Ae.month = (e,t) = > (Ce(e,t.inputValue), ve(e,e,t), ye(e,t), e.type = t.input, e.type =
), Ae.file=(e,t)=>(ve(e,e,t),ye(e,t),e), Ae.range=(e,t)=>\{const
n=e.querySelector("input"),o=e.querySelector("output");return
ontent="",t.inputPlaceholder){const
n=document.createElement("option"); V(n,t.inputPlaceholder), n.value="",n.disabled=!0,n.selected
=!0,e.appendChild(n)}return
ve(e,e,t),e},Ae.radio=e=>(e.textContent="",e),Ae.checkbox=(e,t)=>{const
n=F(C(), "checkbox");n.value="1",n.checked=Boolean(t.inputValue);const
o=e.querySelector("span");return
V(\texttt{o,t.inputPlaceholder} \,|\, |\, \texttt{t.inputLabel})\,, \texttt{n} \}\,, \\ \texttt{Ae.textarea=(e,t)=>} \\ \{\texttt{Ce(e,t.inputValue)}\,, \texttt{ye(e,t)}\,, \texttt{ve(e,e)}\} \\ \texttt{ve(e,t.inputValue)}\,, \\ \texttt{ve(e,t)}\,, \\ \texttt{v
 ,t);return setTimeout((()=>{if("MutationObserver"in window){const
n=parseInt(window.getComputedStyle(C()).width);new
MutationObserver((())=>{if(!document.body.contains(e))return;const
o=e.offsetWidth+(i=e,parseInt(window.getComputedStyle(i).marginLeft)+parseInt(window.getComput
edStyle(i).marginRight));var
i:o>n?C().style.width=`$\{o\}px`:Y(C(),"width",t.width)\})).observe(e,\{attributes:!0,attributeFilter:["style"]\}))\})),e\};const Ee=(e,t)=>\{const
n=k();n&&(J(n),\_(n,t,"htmlContainer"),t.html?(ae(t.html,n),X(n,"block")):t.text?(n.textContent)
=t.text,X(n,"block")):Z(n),((e,t)=>{const n=C();if(!n)return;const}
o=me.innerParams.get(e),i=!o||t.input!==o.input;he.forEach((e=>{const
o=K(n,r[e]); o\&\&(fe(e,t.inputAttributes),o.className=r[e],i&&Z(o))})),t.input&&(i&&ge(t),be(t))
 \{(e,t)\}, ke=(e,t)=>\{for(const[n,o]of
>{const e=C();if(!e)return;const t=window.getComputedStyle(e).getPropertyValue("background-
color"), n=e.querySelectorAll("[class^=swal2-success-circular-line], .swal2-success-
fix");for(let
e=0;e<n.length;e++)n[e].style.backgroundColor=t},Le=(e,t)=>{if(!t.icon&&!t.iconHtml)return;let
n=e.innerHTML,o="";if(t.iconHtml)o=xe(t.iconHtml);else if("success"===t.icon)o='\n
class="swal2-success-circular-line-left"></div>\n <span class="swal2-success-line-
tip"></span> <span class="swal2-success-line-long"></span>\n <div class="swal2-success-
class="swal2-x-mark">\n
                                                                                              <span class="swal2-x-mark-line-left"></span>\n
 class="swal2-x-mark-line-right"></span> \\ n </span> \\ n'; else if (t.icon) {o=xe({question: "?", warning: "!", info: "i"}[t.icon])} \\ n.trim()!==o.trim()&&V(e,o)}, $=(a,b) \\ (a,b) & (a,b) \\ (a,b) & (a,b)
e,t)=>{if(t.iconColor){e.style.color=t.iconColor,e.style.borderColor=t.iconColor;for(const n
of[".swal2-success-line-tip", ".swal2-success-line-long", ".swal2-x-mark-line-left", ".swal2-x-
mark-line-right"])G(e,n,"background-color",t.iconColor);G(e,".swal2-success-ring","border-
color",t.iconColor)}},xe=e=>`<div class="${r["icon-content"]}">${e}</div>`;let
Pe=!1,Te=0,Se=0,Oe=0,Me=0;const je=e=>{const
t=C(); if(e.target===t||A().contains(e.target)){Pe=!0;const
n=De(e);Te=n.clientX,Se=n.clientY,Oe=parseInt(t.style.insetInlineStart)||0,Me=parseInt(t.style
 .insetBlockStart) \, \big| \, \big| \, 0 \, , z \, (t \, , "swal2-dragging") \, \big\} \big\} \, , \\ He=e=> \big\{ const
t=C(); if(Pe) \{let\{clientX:n,clientY:o\} = De(e); t.style.insetInlineStart=`$ \{Oe+(n-1), output = (a,b) \} \} = (a,b) + (b,b) +
Te) \\ px`, t.style.insetBlockStart=`$\{Me+(o-Se)\}px`\}\}, Ie=()=>\{const e=C(); Pe=!1, W(e, "swal2-left) \\ Pe=!1, W(e, "swal2-left)
dragging")},De=e=>{let t=0,n=0;return
e.type.startsWith("mouse")?(t=e.clientX,n=e.clientY):e.type.startsWith("touch")&&(t=e.touches[
0].clientX,n=e.touches[0].clientY),{clientX:t,clientY:n}},qe=(e,t)=>{const
n=y(),o=C();if(n\&\&o)\{if(t.toast)\{Y(n,"width",t.width),o.style.width="100%";const
e=S();e&&o.insertBefore(e,A())}else
Y(o, "width", t.width); Y(o, "padding", t.padding), t.color&&(o.style.color=t.color), t.background&&(
.addEventListener("mousedown",je),document.body.addEventListener("mousemove",He),e.addEventLis
tener("mouseup",Ie),e.addEventListener("touchstart",je),document.body.addEventListener("touchm
ove", He), e.addEventListener("touchend", Ie)})(o)):(W(o,r.draggable),(e=>{e.removeEventListener(
 "mousedown", je), document.body.removeEventListener("mousemove", He), e.removeEventListener("mouse
up",Ie),e.removeEventListener("touchstart",je),document.body.removeEventListener("touchmove",H
e),e.removeEventListener("touchend",Ie)})(o))}},Ve=(e,t)=>{const
```

```
shown"]),z(e,r.toast)):z(e,r.modal),\_(e,t,"popup"),"string"==typeoft.customClass&&z(e,t.customClass),t.icon&&z(e,r[`icon-$\{t.icon\}`])},Ne=e=>\{constructions(a), a,constructions(b), a,constructions(b), a,constructions(b), a,constructions(c), a,co
 t=document.createElement("li");return z(t,r["progress-step"]),V(t,e),t},_e=e=>{const
t=document.createElement("li");return z(t,r["progress-step-line"]),e.progressStepsDistance),t},Fe=(e,t)=>{qe(0,t),pe
 (0,t),((e,t)=>\{const
 n=L();if(!n)return;const{progressSteps:o,currentProgressStep:i}=t;o&&0!==o.length&&void
 0!==i?(X(n),n.textContent="",i>=o.length&&u("Invalid currentProgressStep parameter, it should currentProgressStep parameter)
be less than progressSteps.length (currentProgressStep like JS arrays starts from
 0)"),o.forEach(((e,s)=>\{const a=Ne(e); if(n.appendChild(a),s===i&&z(a,r["active-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-progress-pr
 step"]), s! == o.length - 1) \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \})(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \}(0,t), ((e,t) = > \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \}))) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \})) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \})) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \})) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \})) : Z(n) \\ \{const e = _e(t); n.appendChild(e) \} \}
 n=me.innerParams.get(e),o=A();if(!o)return;if(n&&t.icon===n.icon)return Le(o,t),void
 ke(o,t);if(!t.icon&&!t.iconHtml)return void Z(o);if(t.icon&&-
 1===Object.keys(a).indexOf(t.icon))return d(`Unknown icon! Expected "success", "error",
 "warning", "info" or "question", got "\{t.icon\}"),void
 Z(\texttt{o}) : X(\texttt{o}) : Le(\texttt{o},\texttt{t}) : ke(\texttt{o},\texttt{t}) : z(\texttt{o},\texttt{t}.\texttt{showClass\&\&t.showClass.icon}) : window.\texttt{matchMedia}(\texttt{"(prefers-theory)}) : window.\texttt{matchMedia}(\texttt{matchMedia}) : w
 color-scheme: dark)").addEventListener("change",Be)})(e,t),((e,t)=>{const
n=B(); n\&\&(t.imageUrl?(X(n,"")), n.setAttribute("src", t.imageUrl), n.setAttribute("alt", t.imageAltribute("alt", t.imageAltribute("alt", t.imageAltribute("alt", t.imageAltribute("alt", t.imageAltribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("altribute("alt
  | | ""),Y(n,"width",t.imageWidth),Y(n,"height",t.imageHeight),n.className=r.image,_(n,t,"image")
 (0,t):Z(n))))(0,t),((e,t)=>{const
n = E(); n \& \& (J(n), Q(n, t.title | | t.title Text, "block"), t.title \& \& ae(t.title, n), t.title Text \& \& (n.innerText) = (n.title, n), t.title Text & (n.tit
ext=t.titleText),_(n,t,"title"))})(0,t),((e,t)=>{const n=H();n&&(V(n,t.closeButtonHtml||""),_(n,t,"closeButton"),Q(n,t.showCloseButton),n.setAttribut e("aria-label",t.closeButtonAriaLabel||""))})(0,t),Ee(e,t),ue(0,t),((e,t)=>{const n=H();n&&(V(n,t.closeButtonHtml||""))})(0,t),Ee(e,t),ue(0,t),((e,t)=>{const n=H();n&&(D,t),((e,t))=>{const n=H();n&(D,t),((e,t))=>{const n=H();n&(D,t),((e,t))=>{co
n=M();n\&\&(J(n),Q(n,t.footer,"block"),t.footer\&\&ae(t.footer,n),\_(n,t,"footer"))\})(0,t);const
n=C();"function"==typeof
 t.didRender&&n&&t.didRender(n),o.eventEmitter.emit("didRender",n)},Re=()=>{var e;return
 null===(e=x())||void 0===e?void
 0:e.click()},Ue=Object.freeze({cancel:"cancel",backdrop:"backdrop",close:"close",esc:"esc",tim
 er("keydown",e.keydownHandler,{capture:e.keydownListenerCapture}),e.keydownHandlerAdded=!1)},W
 e=(e,t)= {var n; const o=I(); if(o.length)return(e+=t)===o.length?e=0:-1===e&&(e=o.length-
 1), void o[e].focus(); null===(n=C())||void
 e(\texttt{t},\texttt{e}): \texttt{"Tab"===t.key?Je(t)}: \texttt{[...Ke,...Ye].includes(t.key)?Ge(t.key)}: \texttt{"Escape"===t.key\&\&Qe(t,e,n)}
 ))},Ze=(e,t)=>{if(!h(t.allowEnterKey))return;const n=F(C(),t.input);if(e.target&&n&&e.target
 instanceof
 \label{thm:html} \texttt{HTMLElement\&\&e.target.outerHTML} = = \texttt{n.outerHTML} \\ \left\{ \texttt{if(["textarea","file"].includes(t.input))} \right. \\ \texttt{results} = \texttt{target.outerHTML} \\ \text{thement } \text{thement }
 ;Re(),e.preventDefault()}},Je=e=>{const t=e.target,n=I();let o=-1;for(let
 e=0;e<n.length;e++)if(t===n[e]){o=e;break}e.shiftKey?We(o,e)
 1):We(o,1),e.stopPropagation(),e.preventDefault()},Ge=e=>{const
 \texttt{t=O(),n=x(),o=T(),i=P();if(!(t\&\&n\&\&o\&\&i))return;const s=[n,o,i];if(document.activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,activeElement,active
 instanceof HTMLElement&&!s.includes(document.activeElement))return;const
 r=Ke.includes(e)?"nextElementSibling":"previousElementSibling";let
 a=document.activeElement;if(a){for(let e=0;e<t.children.length;e++){if(a=a[r],!a)return;if(a
 instanceof HTMLButtonElement&&ee(a))break}a instanceof
\label{lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-lement-
 )};var et={swalPromiseResolve:new WeakMap,swalPromiseReject:new WeakMap};const
 tt=()=>{Array.from(document.body.children).forEach((e=>{e.hasAttribute("data-previous-aria-
hidden")?(e.setAttribute("aria-hidden",e.getAttribute("data-previous-aria-
hidden") | | " "), e.removeAttribute("data-previous-aria-hidden")):e.removeAttribute("aria-
 hidden") ))),nt="undefined"!=typeof window&&!!window.GestureEvent,ot=()=>{const
 e=y();if(!e)return;let
 t;e.ontouchstart=e=>{t=it(e)},e.ontouchmove=e=>{t&&(e.preventDefault(),e.stopPropagation())}},
 it=e={const t=e.target,n=y(),o=k();return!(!n||!o)&&(!st(e)&&!rt(e)&&(t==n||!te(n)&&t=e)}
 instanceof
 \mathtt{HTMLElement\&\&"INPUT"!==t.tagName\&\&"TEXTAREA"!==t.tagName\&\&(!te(o)||!o.contains(t))))},st=e=>e.
 touches\&\&e.touches.length\&\&"stylus"==e.touches[0].touchType, rt=e>e.touches\&\&e.touches.length[0].touchtType, rt=e>e.touches&\&e.touches.length[0].touchtType, rt=e>e.touches&&e.touches.length[0].touchtType, rt=e>e.touches&&e.touches.length[0].touchtType, rt=e>e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.touches&&e.to
 >1;let at=null;const
 lt=e=>{null===at&&(document.body.scrollHeight>window.innerHeight||"scroll"===e)&&(at=parseInt(
 window.getComputedStyle(document.body).getPropertyValue("padding-
 right")),document.body.style.paddingRight=`${at+(()=>{const
 e=document.createElement("div");e.className=r["scrollbar-
 measure"],document.body.appendChild(e);const t=e.getBoundingClientRect().width-
 e.clientWidth; return document.body.removeChild(e),t))())px`)); function
 \texttt{ct}(\texttt{e},\texttt{t},\texttt{n},\texttt{s})\big\{q(\texttt{)}?\texttt{bt}(\texttt{e},\texttt{s})\texttt{:}(\texttt{i}(\texttt{n}).\texttt{then}(((\texttt{)}\texttt{=}\texttt{>}\texttt{bt}(\texttt{e},\texttt{s}))),\texttt{ze}(\texttt{o})),\texttt{nt}?(\texttt{t}.\texttt{setAttribute}(\texttt{"style"},\texttt{"display:n}),\texttt{setAttribute}(\texttt{style})\big\}
 !important"),t.removeAttribute("class"),t.innerHTML=""):t.remove(),D()&&(null!==at&&(document.
 body.style.paddingRight=`${at}px`,at=null),(()=>{if(N(document.body,r.iosfix))}{const
 e=parseInt(document.body.style.top,10); W(document.body,r.iosfix), document.body.style.top="",do
 cument.body.scrollTop=-
 1*e\})(), tt()), W([document.documentElement, document.body], [r.shown, r["height-auto"], r["no-property of the context of th
backdrop"],r["toast-shown"]])}function ut(e){e=ht(e);const
 t=et.swalPromiseResolve.get(this),n=dt(this);this.isAwaitingPromise?e.isDismissed||(mt(this),t
 (e)):n&&t(e)}const dt=e=>{const t=C();if(!t)return!1;const
 n=me.innerParams.get(e);if(!n||N(t,n.hideClass.popup))return!1;W(t,n.showClass.popup),z(t,n.hideClass.popup)
 deClass.popup);const o=y();return
 t=et.swalPromiseReject.get(this);mt(this),t&&t(e)}const mt=e=>{e.isAwaitingPromise&&(delete
```

```
e.isAwaitingPromise,me.innerParams.get(e)||e._destroy())},ht=e=>void
 0===e?{isConfirmed:!1,isDenied:!1,isDismissed:!0}:Object.assign({isConfirmed:!1,isDenied:!1,is
 \label{eq:dismissed:loss} Dismissed: !1 \}, e), gt = (e,t,n) => \\ \{var i: const s = y(), r = ne(t); "function" == type of the substitution of the
 n.willClose&&n.willClose(t), null===(i=o.eventEmitter)||void
 0===i||i.emit("willClose",t),r?ft(e,t,s,n.returnFocus,n.didClose):ct(e,s,n.returnFocus,n.didCl
 ose) \}, \\ ft = (e, t, n, i, s) => \\ \{o.swalCloseEventFinishedCallback = ct.bind(null, e, n, i, s); constants \\ c
 r=function(e){var n;e.target===t&&(null===(n=o.swalCloseEventFinishedCallback)||void
 0===n||n.call(o),delete
 o.swalClose EventFinished Callback, t.remove EventListener (\,"animationend\,",r)\,, t.remove EventListener\,(\,"animationend\,",r)\,, t.remove EventListener\,(\,"anim
  ("transitionend",r))};t.addEventListener("animationend",r),t.addEventListener("transitionend",
r)},bt=(e,t)=>{setTimeout((()=>{var n; "function"==typeof
 t&&t.bind(e.params)(),null===(n=o.eventEmitter)||void
 0 === n \mid | \texttt{n.emit("didClose"),e.\_destroy\&\&e.\_destroy()}))}, yt = e > \{ \texttt{let t=C(),if(t)} \mid new = e > (\texttt{let t=C(),if(t)}
 Gn,t=C(),!t) return; Const n=S();q()?Z(A()):vt(t,e),X(n),t.setAttribute("data-
 loading","true"),t.setAttribute("aria-busy","true"),t.focus()),vt=(e,t)=>{const
 n=O(),o=S(),n\&\&o\&\&(!t\&\&ee(x())\&\&(t=x()),X(n),t\&\&(Z(t),o.setAttribute("data-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-butt
 replace",t.className),n.insertBefore(o,t)),z([e,n],r.loading))},wt=e=>e.checked?1:0,Ct=e=>e.ch
 ecked?e.value:null,At=e=>e.files&&e.files.length?null!==e.getAttribute("multiple")?e.files:e.f
 iles[0]:null, Et=(e,t)=>\{const n=C(); if(!n)return; const
 o=e=>{"select"===t.input?function(e,t,n){const o=K(e,r.select);if(!o)return;const
 i=(e,t,o)=>\{const
 i=document.createElement("option");i.value=o,V(i,t),i.selected=Lt(o,n.inputValue),e.appendChil
 d(i); t.forEach((e=>{const t=e[0],n=e[1]; if(Array.isArray(n))}(const
 e=document.createElement("optgroup");e.label=t,e.disabled=!1,o.appendChild(e),n.forEach((t=>i(
 e,t[1],t[0]))else i(o,n,t))),o.focus()(n,Bt(e),t):"radio"===t.input&&function(e,t,n)(const)
 o=K(e,r.radio);if(!o)return;t.forEach((e=>{const
 \texttt{t=e[0],i=e[1],s=} \\ \texttt{document.createElement("input"),a=} \\ \texttt{document.createElement("label");s.type="radional original origi
 o",s.name=r.radio,s.value=t,Lt(t,n.inputValue)&&(s.checked=!0);const
 l=document.createElement("span"); V(1, i), l.className=r.label, a.appendChild(s), a.appendChild(l),
 o.appendChild(a)}));const
 i=0.querySelectorAll("input");i.length&&i[0].focus()}(n,Bt(e),t);g(t.inputOptions)||b(t.input
 Options)?(yt(x()),f(t.inputOptions).then((t=>\{e.hideLoading(),o(t)\}))):"object"==typeof(t))
 t.inputOptions?o(t.inputOptions):d("Unexpected type of inputOptions! Expected object, Map or
 Promise, got "+typeof t.inputOptions)},kt=(e,t)=>{const
n=e.getInput();n&&(Z(n),f(t.inputValue).then((o=>{n.value="number"===t.input?`${parseFloat(o)|
 instanceof Map?e.forEach(((e,n)=>{let o=e; "object"==typeof
n=me.innerParams.get(e);if(!n.input)return void d(`The "input" parameter is needed to be set
 when using returnInputValueOn\{c(t)\}); const o=e.getInput(), i=((e,t)=>{const}
 n=e.getInput();if(!n)return null;switch(t.input){case"checkbox":return
 wt(n);case"radio":return Ct(n);case"file":return At(n);default:return
 \verb|t.inputAutoTrim?n.value.trim():n.value|}|(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)|(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&&!o.checkValidity(line)||(e,n);n.inputValidator?xt(e,i,t):o&||(e,i,t):o&||(e,i,t):o&||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o||||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):o|||(e,i,t):
 )?(e.enableButtons(),e.showValidationMessage(n.validationMessage||o.validationMessage)):"deny"
 ===t?Pt(e,i):Ot(e,i), xt=(e,t,n)=>{const}
 o=me.innerParams.get(e);e.disableInput();Promise.resolve().then((()=>f(o.inputValidator(t,o.va
 lidationMessage()))).then((o=>{e.enableButtons(),e.enableInput(),o?e.showValidationMessage(o):"
 deny"===n?Pt(e,t):Ot(e,t)\}))\}, Pt=(e,t)=>\{const n=me.innerParams.get(e||void|), Pt=(e,t)=>|const n=me.innerParams.get(e||void|), Pt=(e,t)=|const n=me.innerParam
 0); if (n.showLoaderOnDeny\&yt(T()), n.preDeny) \\ \{e.isAwaitingPromise=!0; Promise.resolve().then(((), fine the property of t
 nied: 0, value: void 0 === n?t:n})))).catch((t=>St(e||void 0,t)))}else
e.close({isDenied:!0,value:t})},Tt=(e,t)=>{e.close({isConfirmed:!0,value:t})},St=(e,t)=>{e.rejectPromise(t)},Ot=(e,t)=>{const n=me.innerParams.get(e||void
 0); if (n.showLoaderOnConfirm \& yt(), n.preConfirm) \\ \{e.resetValidationMessage(), e.isAwaitingPromise(), a.isAwaitingPromise(), a.isAw
 ===n?(e.hideLoading(),mt(e)):Tt(e,void 0===n?t:n)\})).catch((t=>St(e||void 0,t)))\}else(t==n?t:n))
 Tt(e,t); function Mt() {const e=me.innerParams.get(this); if(!e)return; const
  t=me.domCache.get(this); Z(t.loader), q()?e.icon&&X(A()):jt(t), W([t.popup,t.actions],r.loading), t.popup.removeAttribute("aria-busy"),t.popup.removeAttribute("data-
 loading"),t.confirmButton.disabled=!1,t.denyButton.disabled=!1,t.cancelButton.disabled=!1}cons
 \label{total} \verb|t jt=e=> \{const t=e.popup.getElementsByClassName(e.loader.getAttribute("data-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-to-button-button-to-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button-button
 replace"); t.length?X(t[0],"inline-block"): ee(X()) | | ee(T()) | | ee(P()) | | Z(e.actions) \}; function | ee(T()) | ee(T()) | | Ee(T())
 Ht(){const e=me.innerParams.get(this),t=me.domCache.get(this);return
 t?F(t.popup,e.input):null}function It(e,t,n){const
 o=me.domCache.get(e);t.forEach((e=>{o[e].disabled=n}))}function Dt(e,t){const
 n=C(); if (n\&\&e) if ("radio"===e.type) {const e=n.querySelectorAll([name="${r.radio}"]^); for (let)
n=0;n<e.length;n++)e[n].disabled=t}else e.disabled=t}function qt(){It(this,["confirmButton","denyButton","cancelButton"],!1)}function Vt(){It(this,["confirmButton","denyButton","cancelButton"],!0)}function
\label{locality} Nt() \\ \{ Dt(this.getInput(),!1) \} \\ function \\ \_t() \\ \{ Dt(this.getInput(),!0) \} \\ function \\ Ft(e) \\ \{ constitution \\ \_t(), \\ 
 t=me.domCache.get(this),n=me.innerParams.get(this);V(t.validationMessage,e),t.validationMessag
 e.className=r["validation-
 message"],n.customClass&&n.customClass.validationMessage&&z(t.validationMessage,n.customClass.
 validationMessage),X(t.validationMessage);const o=this.getInput();o&&(o.setAttribute("aria-
 invalid", "true"), o.setAttribute("aria-describedby", r["validation-
 message"]),R(o),z(o,r.inputerror))}function Rt(){const
 \verb|e=me.domCache.get(this)|; e.validationMessage\&Z(e.validationMessage)|; constants and the statement of th
 t=this.getInput();t&&(t.removeAttribute("aria-invalid"),t.removeAttribute("aria-
```

```
describedby"),W(t,r.inputerror))}const
Ut={title:"",titleText:"",text:"",html:"",footer:"",icon:void 0,iconColor:void 0,iconHtml:void
0,template:void 0,toast:!1,draggable:!1,animation:!0,theme:"light",showClass:{popup:"swal2-
show", backdrop: "swal2-backdrop-show", icon: "swal2-icon-show"}, hideClass: {popup: "swal2-hide", backdrop: "swal2-backdrop-hide", icon: "swal2-icon-
hide"},customClass:{},target:"body",color:void
0,backdrop:!0,heightAuto:!0,allowOutsideClick:!0,allowEscapeKey:!0,allowEnterKey:!0,stopKeydow
nPropagation: !0, keydownListenerCapture: !1, showConfirmButton: !0, showDenyButton: !1, showCancelBut
ton:!1,preConfirm:void 0,preDeny:void
0,confirmButtonText:"OK",confirmButtonAriaLabel:"",confirmButtonColor:void
0,denyButtonText:"No",denyButtonAriaLabel:"",denyButtonColor:void
0,cancelButtonText:"Cancel",cancelButtonAriaLabel:"",cancelButtonColor:void
0,buttonsStyling:!0,reverseButtons:!1,focusConfirm:!0,focusDeny:!1,focusCancel:!1,returnFocus:
!0,showCloseButton:!1,closeButtonHtml:"×",closeButtonAriaLabel:"Close this dialog",loaderHtml:"",showLoaderOnConfirm:!1,showLoaderOnDeny:!1,imageUrl:void
0,imageWidth:void 0,imageHeight:void 0,imageAlt:"",timer:void 0,timerProgressBar:!1,width:void
0,padding:void 0,background:void 0,input:void
0,inputPlaceholder:"",inputLabel:"",inputValue:"",inputOptions:{},inputAutoFocus:!0,inputAutoT
rim:!0,inputAttributes:{},inputValidator:void
0,returnInputValueOnDeny:!1,validationMessage:void
0,grow:!1,position:"center",progressSteps:[],currentProgressStep:void
0,progressStepsDistance:void 0,willOpen:void 0,didOpen:void 0,didRender:void 0,willClose:void
0,didClose:void 0,didDestroy:void
O,scrollbarPadding:!0},zt=["allowEscapeKey","allowOutsideClick","background","buttonsStyling",
"cancelButtonAriaLabel","cancelButtonColor","cancelButtonText","closeButtonAriaLabel","closeButtonHtml","color","confirmButtonAriaLabel","confirmButtonColor","confirmButtonText","currentPr
ogressStep", "customClass", "denyButtonAriaLabel", "denyButtonColor", "denyButtonText", "didClose", "didDestroy", "draggable", "footer", "hideClass", "html", "icon", "iconColor", "iconHtml", "imageAlt", "imageHeight", "imageUrl", "imageWidth", "preConfirm", "preDeny", "progressSteps", "returnFocus", "reverseButtons", "showCancelButton", "showCloseButton", "showConfirmButton", "showDenyButton", "text"
    "title","titleText","theme","willClose"],Wt={allowEnterKey:void
0}, Kt=["allowOutsideClick", "allowEnterKey", "backdrop", "draggable", "focusConfirm", "focusDeny", "focusCancel", "returnFocus", "heightAuto", "keydownListenerCapture"], Yt=e=>Object.prototype.hasOw
nProperty.call(Ut,e), Xt=e=>-1!==zt.indexOf(e), Zt=e=>Wt[e], Jt=e=>\{Yt(e) \mid |u(`Unknown parameter')\} = (Authorized for the parameter') | The parameter' | The
 \$\{e\}^*), Gt=e=>\{Kt.includes(e)\&\&u(`The parameter <math>\$\{e\}^* is incompatible with
toasts`)},Qt=e=>{const
t=Zt(e);t\&\&m(e,t)\},en=e=>\{!1==e.backdrop\&\&e.allowOutsideClick\&u('"allowOutsideClick")\},en=e=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=outsideClick=ou
parameter requires `backdrop` parameter to be set to
`true`'),e.theme&&!["light","dark","auto","borderless"].includes(e.theme)&&u(`Invalid theme "${e.theme}". Expected "light", "dark", "auto", or "borderless"`);for(const t in
e)Jt(t),e.toast&&Gt(t),Qt(t)};function tn(e){const
trying to update the closed or closing popup, that won't work. Use the update() method in
preConfirm parameter or show a new popup.");const
i=nn(e), s=0 \\ bject.assign(\left\{\right\}, \\ o, i); en(s), t. \\ dataset.swal2 \\ Theme=s.theme, \\ Fe(this, s), \\ me.inner \\ Params.susceptions \\ for the interpretable \\ for the inter
et(this,s),Object.defineProperties(this,{params:{value:Object.assign({}},this.params,e),writabl
e:!1,enumerable:!0}})}const nn=e=>{const t={};return
Object.keys(e).forEach((n=>{Xt(n)?t[n]=e[n]:u(`Invalid parameter to update:
${n}`)})),t};function on(){const
k&&(o.swalCloseEventFinishedCallback(),delete
o.swalCloseEventFinishedCallback), "function" == typeof
t.didDestroy&&t.didDestroy(),o.eventEmitter.emit("didDestroy"),sn(this)):rn(this)}const
sn=e=>{rn(e),delete e.params,delete o.keydownHandler,delete o.keydownTarget,delete
o.currentInstance},rn=e=>{e.isAwaitingPromise?(an(me,e),e.isAwaitingPromise=!0):(an(et,e),an(m
e,e),delete e.isAwaitingPromise,delete e.disableButtons,delete e.enableButtons,delete
e.getInput,delete e.disableInput,delete e.enableInput,delete e.hideLoading,delete
e.disableLoading,delete e.showValidationMessage,delete e.resetValidationMessage,delete
e.close, delete e.closePopup, delete e.closeModal, delete e.closeToast, delete
e.rejectPromise,delete e.update,delete e._destroy)},an=(e,t)=>{for(const n in
e)e[n].delete(t)};var
ln=Object.freeze({__proto__:null,_destroy:on,close:ut,closeModal:ut,closePopup:ut,closeToast:u
\verb|t,disableButtons:Vt,disableInput:\_t,disableLoading:Mt,enableButtons:Qt,enableInput:Nt,getInput:=0.
 :Ht,handleAwaitingPromise:mt,hideLoading:Mt,rejectPromise:pt,resetValidationMessage:Rt,showVal
idationMessage:Ft,update:tn});const
pn=e=>{e.popup.onmousedown=()=>{e.container.onmouseup=function(t){e.container.onmouseup=()=>{}}
,t.target===e.container&(dn=!0)}}, mn=e=>{e.container.onmousedown=t=>{t.target===e.container&&t.preventDefault(),e.popup.onmouseup=function(t){e.popup.onmouseup=()=>{},(t.target===e.popup.onmouseup=function(t){e.popup.onmouseup=()=>{},(t.target===e.popup.onmouseup=function(t){e.popup.onmouseup=()=>{},(t.target===e.popup.onmouseup=function(t){e.popup.onmouseup=function(t)}.
 ||t.target instanceof
 \label{lementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementlementle
n=!1:o.target===t.container\&\&h(e.allowOutsideClick)\&\&h(Ue.backdrop)\}\},gn=e>e\ instanceof
Element | | (e=> "object" == typeof e&&e.jquery)(e);const fn=()=> {if(o.timeout)return(()=> {const
e=j();if(!e)return;const
t=parseInt(window.getComputedStyle(e).width);e.style.removeProperty("transition"),e.style.widt
h="100%";const
n=t/parseInt(window.getComputedStyle(e).width)*100;e.style.width=`${n}%`})(),o.timeout.stop()}
 ,bn=()=>{if(o.timeout){const e=o.timeout.start();return oe(e),e}};let yn=!1;const vn={};const
wn=e=>{for(let t=e.target;t&&t!==document;t=t.parentNode)for(const e in vn){const
```

```
n=t.getAttribute(e);if(n)return void vn[e].fire({template:n})}};o.eventEmitter=new
 class{constructor(){this.events={}}_getHandlersByEventName(e){return void
 0 === this.events[e] \& (this.events[e] = []), this.events[e] \} on(e,t) \{constants[e], this.events[e] \} on(e,t) = (this.events[e]) | (this.events
 n=this._getHandlersByEventName(e);n.includes(t)||n.push(t)}once(e,t){var n=this;const
 o=function(){n.removeListener(e,o);for(var i=arguments.length,s=new
 t=arguments.length,n=new Array(t>1?t-1:0),o=1;o<t;o++)n[o-
 1]=arguments[0];this._getHandlersByEventName(e).forEach((e=>{try{e.apply(this,n)}catch(e){cons
 ole.error(e)}}))}removeListener(e,t){const
 n=this._getHandlersByEventName(e),o=n.indexOf(t);o>-
 1&&n.splice(o,1)}removeAllListeners(e){void
 0!==this.events[e]&&(this.events[e].length=0)}reset(){this.events={}}};var
\label{lem:constant} Cn=Object.freeze(\{\_proto\_:null,argsToParams:e=>\{const t=\{\};return"object"!=typeofe[0]||gn(e[0])?["title","html","icon"].forEach(((n,o)=>\{const i=e[o];"string"==typeofi[|gn(i)?t[n]=i:void 0!==i&&d(`Unexpected type of $\{n\}! Expected "string" or "Element", got the protocological constant of the protocological constant o
 ${typeof
\label{eq:condition} \textbf{i} \ \hat{\textbf{y}} \ \textbf{)} \ \textbf{)} : \textbf{Object.assign(t,e[0]),t}, \textbf{bindClickHandler:function()} \ \{ \textbf{vn[arguments.length>0\&\&void 0!==arguments[0]:"data-swal-property of the property of the
 template"]=this,yn||(document.body.addEventListener("click",wn),yn=!0)},clickCancel:()=>{var
e;return null===(e=P())||void 0==e?void 0:e.click()},clickConfirm:Re,clickDeny:()=>{var e;return null===(e=T())||void 0==e?void 0:e.click()},enableLoading:yt,fire:function(){for(var
 e=arguments.length,t=new Array(e),n=0;n<e;n++)t[n]=arguments[n];return new
 this(...t)},getActions:0,getCancelButton:P,getCloseButton:H,getConfirmButton:x,getContainer:y,
 getDenyButton:T,getFocusableElements:I,getFooter:M,getHtmlContainer:k,getIcon:A,getIconContent
 :()=>w(r["icon-content"]),getImage:B,getInputLabel:()=>w(r["input-
 label"]),getLoader:S,getPopup:C,getProgressSteps:L,getTimerLeft:()=>o.timeout&&o.timeout.getTi
 merLeft(),getTimerProgressBar:j,getTitle:E,getValidationMessage:$,increaseTimer:e=>{if(o.timeo
 ut){const t=o.timeout.increase(e);return
 oe(t,!0),t}},isDeprecatedParameter:Zt,isLoading:()=>{const
 e=C();return!!e&&e.hasAttribute("data-
 loading") \}, is Timer Running: () => !(!o.timeout||!o.timeout.is Running()), is Updatable Parameter: Xt, is Parameter:
 ValidParameter:Yt,isVisible:()=>ee(C()),mixin:function(e){return class
 extends(this){_main(t,n){return
 super.\_main(t,Object.assign({},e,n))}),off:(e,t)=>{e?t?o.eventEmitter.removeListener(e,t):o.e}
ventEmitter.removeAllListeners(e): o.eventEmitter.reset() \}, on: (e,t) => \{o.eventEmitter.on(e,t)\}, on: (e,t) == \{o.eventEmitter.on(e
\verb|nce:(e,t)| => \{ \verb|o.eventEmitter.once(e,t)| \}, \verb|resumeTimer:bn,showLoading:yt,stopTimer:fn,toggleTimer:(e,t)| \} \} | |toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,toggleTimer:fn,togg
 )=>{const e=o.timeout;return e&&(e.running?fn():bn())}});class
An{constructor(e,t){this.callback=e,this.remaining=t,this.running=!1,this.start()}start(){retu
 rn this.running||(this.running=!0,this.started=new
 Date,this.id=setTimeout(this.callback,this.remaining)),this.remaining}stop(){return
 this.started&&this.running&&(this.running=!1,clearTimeout(this.id),this.remaining-=(new
 \label{lem:decomposition} Date).getTime()-this.started.getTime()), this.remaining\} increase(e) \\ \{const \ t=this.running; return \ t=this.runnin
 t\&\& this.stop(), this.remaining += e, t\&\& this.start(), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this.remaining \} getTimerLeft() \\ \{returnder a this start (), this
 this.running&&(this.stop(),this.start()),this.remaining}isRunning(){return this.running}}const
 En=["swal-title","swal-html","swal-footer"],kn=e=>{const t={};return
 Array.from(e.querySelectorAll("swal-param")).forEach((e=>{On(e,["name","value"]);const
n=e.getAttribute("name"),o=e.getAttribute("value");n&&o&&(t[n]="boolean"==typeof
Array.from(e.querySelectorAll("swal-function-param")).forEach((e=>{const
 n=e.getAttribute("name"),o=e.getAttribute("value");n&&o&&(t[n]=new Function(`return
\{0\})())})),t},Ln=e=>{const t={};return Array.from(e.querySelectorAll("swalbutton")).forEach((e=>{On(e,["type","color","aria-label"]);const
 n=e.getAttribute("type");n&&["confirm","cancel","deny"].includes(n)&&(t[`${n}ButtonText`]=e.in
nerHTML, t[`show\$\{c(n)\}Button`] = !0, e.hasAttribute("color")\&\&(t[`\$\{n\}ButtonColor`] = e.getAttribute("color")\&\&(t[`$\{n\}ButtonColor`] = e.getAttribute("color")& e.getAttribute("col
 e("color")),e.hasAttribute("aria-label")&&(t[`${n}ButtonAriaLabel`]=e.getAttribute("aria-
c")||void 0),n.hasAttribute("width")&&(t.imageWidth=n.getAttribute("width")||void
 0),n.hasAttribute("height")&&(t.imageHeight=n.getAttribute("height")||void
 0), n.has \\ \texttt{Attribute}("alt") \\ \& \\ (\texttt{t.imageAlt=n.getAttribute}("alt") \\ | \\ | \\ void \ 0)), \\ \texttt{t} \\ | \\ xn = e > \\ \\ \{const. \\ alt. \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ | \\ | \\ void \ 0), \\ \texttt{t.imageAlt=n.getAttribute}("alt. \\ void \ 0), \\ \texttt{t.imageAttribute}("alt. \\ void \ 0), \\ \texttt{t.imageAttribute}("al
 t={},n=e.querySelector("swal-icon");return
 n&&(On(n,["type","color"]),n.hasAttribute("type")&&(t.icon=n.getAttribute("type")),n.hasAttrib
 ute("color")&&(t.iconColor=n.getAttribute("color")),t.iconHtml=n.innerHTML),t},Pn=e=>{const
 t={},n=e.querySelector("swal-
 input");n&&(On(n,["type","label","placeholder","value"]),t.input=n.getAttribute("type")||"text
  ",n.hasAttribute("label")&&(t.inputLabel=n.getAttribute("label")),n.hasAttribute("placeholder"
 )&&(t.inputPlaceholder=n.getAttribute("placeholder")),n.hasAttribute("value")&&(t.inputValue=n
 .getAttribute("value")));const o=Array.from(e.querySelectorAll("swal-input-option"));return
 o.length\&\&(t.inputOptions=\{\},o.forEach((e=>\{On(e,["value"]);const
 n=e.getAttribute("value");if(!n)return;const
 o=e.inner \\ \label{eq:normalizero} o=e.inner \\ \label{eq:normalizero} \\ \mbox{for}(const\ o\ in\ t) \\ \mbox{const} \\ \mbox{for}(const\ o\ in\ t) \\ \mbox{f
 i=t[o], s=e.querySelector(i); s\&\&(On(s,[]), n[i.replace(/^swal-/,"")] = s.innerHTML.trim()) \} return
 n},Sn=e=>{const t=En.concat(["swal-param","swal-function-param","swal-button","swal-
 image", "swal-icon", "swal-input", "swal-input-
 option"]);Array.from(e.children).forEach((e=>{const
 n=e.tagName.toLowerCase();t.includes(n)||u(`Unrecognized element
 \langle \{n\} \rangle \rangle \})), On=(e,t)=>{Array.from(e.attributes).forEach((n=>{-
 1===t.indexOf(n.name)&&u([`Unrecognized attribute "${n.name}" on
 <${e.tagName.toLowerCase()}>.`,""+(t.length?`Allowed attributes are: ${t.join(", ")}`:"To set
 the value, use HTML within the element.")])}))},Mn=e=>{const t=y(),n=C();"function"==typeof
```

```
e.willOpen&&e.willOpen(n),o.eventEmitter.emit("willOpen",n);const
 i=window.getComputedStyle(document.body).overflowY;Dn(t,n,e),setTimeout((()=>{Hn(t,n)}),10),D(
 )&&(In(t,e.scrollbarPadding,i),(()=>{const
 e=y(); Array.from(document.body.children).forEach((t=>{t.contains(e)||(t.hasAttribute("aria-
hidden")&&t.setAttribute("data-previous-aria-hidden",t.getAttribute("aria-
hidden") | | " " ),t.setAttribute("aria-
hidden", "true"))})))))))),q()||o.previousActiveElement||(o.previousActiveElement=document.activ
 eElement), "function" == typeof
 \verb|e.didOpen&setTimeout((()=>e.didOpen(n))), o.eventEmitter.emit("didOpen",n), \\ W(t,r["no-theory of the content of the conte
 transition"])},jn=e=>{const t=C();if(e.target!==t)return;const
n = y(\ ); \\ t.remove EventListener("animationend",jn), \\ t.remove EventListener("transitionend",jn), \\ n.sty \\ t.remove EventListener("transitionend",jn)
 le.overflowY="auto" \}, \\ Hn=(e,t)=> \\ \{ne(t)?(e.style.overflowY="hidden", t.addEventListener("animation of the context of th
 nend",jn),t.addEventListener("transitionend",jn)):e.style.overflowY="auto"},In=(e,t,n)=>{(()=>
 {if(nt&&!N(document.body,r.iosfix))}{const e=document.body.scrollTop;document.body.style.top=-
  \hat{l}^*e+"px",z(document.body,r.iosfix),ot() \} \} )(),t\&\&"hidden"!==n\&\&lt(n),setTimeout((()=>\{e.scrollTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),setTimeout(n),
 \texttt{op=0})))\}, \texttt{Dn=(e,t,n)=>} \\ \{z(e,n.showClass.backdrop),n.animation?(t.style.setProperty("opacity","0", n.animation?(t.style.setProperty("opacity","0", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation?(t.style.setProperty("opacity", n.animation.(t.style.setProperty("opacity", n.
         "important"),X(t,"grid"),setTimeout((()=>{z(t,n.showClass.popup),t.style.removeProperty("opac
 ity")}),10)):X(t,"grid"),z([document.documentElement,document.body],r.shown),n.heightAuto&&n.b
 ackdrop&&!n.toast&&z([document.documentElement,document.body],r["height-auto"])};var
 qn=(e,t)=>/^[a-zA-Z0-9.+_'-]+@[a-zA-Z0-9.-]+\\.[a-zA-Z0-9-]+
 ]+$/.test(e)?Promise.resolve():Promise.resolve(t||"Invalid email
 Z0-9@:%_+.~#?&/=]*)$/.test(e)?Promise.resolve():Promise.resolve(t||"Invalid URL");function
Nn(e) {!function(e) {e.inputValidator | | ("email"===e.input&&(e.inputValidator=qn), "url"===e.input | ("email"===e.inputValidator=qn), "url"===e.inputValidator=qn)
 &&(e.inputValidator=Vn))}(e),e.showLoaderOnConfirm&&!e.preConfirm&&u("showLoaderOnConfirm is
 set to true, but preConfirm is not defined.\nshowLoaderOnConfirm should be used together with
 preConfirm, see usage example:\nhttps://sweetalert2.github.io/#ajax-
 request"), function(e) { (!e.target | | "string" == type of
 e.target&&!document.querySelector(e.target)|| "string"!=typeof
 e.target\&\&!e.target.appendChild)\&\&(u('Target parameter is not valid, defaulting to a constant of the constan
 "body"'),e.target="body")}(e),"string"==typeof e.title&&(e.title=e.title.split("
                                                                                                                                                                                                                                                                                                                                                                                                                                                                            '\n").join("<br
  />")),re(e)}let _n;var Fn=new WeakMap;class Rn{constructor(){if(n(this,Fn,void
 0), "undefined" == typeof window) return; _n=this; for(var t=arguments.length,o=new
 Array(t),i=0;i<t;i++)o[i]=arguments[i];const</pre>
 s=Object.freeze(this.constructor.argsToParams(o));var
 ,1)}_main(e){let t=arguments.length>1&&void
 0!==arguments[1]?arguments[1]:{};if(en(Object.assign({},t,e)),o.currentInstance){const
 e=et.swalPromiseResolve.get(o.currentInstance), \\ \{isAwaitingPromise:t\} = o.currentInstance; o.currentInstance, \\ o.currentInstance = o.current
n=zn(e,t);Nn(n),Object.freeze(n),o.timeout&&(o.timeout.stop(),delete
 \verb|o.timeout||, \verb|clearTimeout|| (o.restoreFocusTimeout|); \verb|const|| i=Wn(\_n); return
 Fe(\underline{n},\underline{n}),me.innerParams.set(\underline{n},\underline{n}),Un(\underline{n},\underline{i},\underline{n})then(e){return
 t(Fn,this).then(e) finally(e) {return t(Fn,this).finally(e)} const Un=(e,t,n)=>new
 Promise(((i,s)=>{const
 r=t=>{e.close({isDismissed:!0,dismiss:t})};et.swalPromiseResolve.set(e,i),et.swalPromiseReject
  .set(e,s),t.confirmButton.onclick=()=>{(e=>{const
 t=\texttt{me.innerParams.get(e);e.disableButtons(),t.input?\$t(e,"confirm"):0t(e,!0)\})(e)}, t.denyButton
  .onclick=()=>\{(e=>\{const
 t=me.innerParams.get(e);e.disableButtons(),t.returnInputValueOnDeny?$t(e,"deny"):Pt(e,!1)})(e)
 \label{lem:cancelButton.onclick=()=>} $$ ((e,t)=>\{e.disableButtons(),t(Ue.cancel)\})(e,r)$$ , t.closeButton.onclick=()=>((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=>((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=>((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=>((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=>((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=((e,t)=>(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=((e,t)==(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButton.onclick=()=((e,t)=(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButtons()=((e,t)=(e.disableButtons(),t(Ue.cancel)))(e,r)$$ , t.closeButtons()=((e,t)=(e.disableButtons(),t(Ue.cancel))(e,r)$$ , t.closeButtons()=((e,t)=(e.d
nclick=() => \big\{r(Ue.close)\big\}, ((e,t,n) => \big\{e.toast?cn(e,t,n): (pn(t),mn(t),hn(e,t,n))\big\}) (n,t,r), ((e,t,n)) => \big\{e.toast?cn(e,t,n): (pn(t),mn(t),hn(e,t,n))\big\}
 )=>{ze(e),t.toast||(e.keydownHandler=e=>Xe(t,e,n),e.keydownTarget=t.keydownListenerCapture?win
\verb"dow:C(),e.keydownListenerCapture=t.keydownListenerCapture,e.keydownTarget.addEventListener("keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.keydownListenerCapture=t.
ydown",e.keydownHandler,{capture:e.keydownListenerCapture}),e.keydownHandlerAdded=!0)})(o,n,r)
 ,((e,t)=>{"select"===t.input||"radio"===t.input?Et(e,t):["text","email","number","tel","textar
 ), Kn(o,n,r), Yn(t,n), setTimeout((()=>\{t.container.scrollTop=0\}))\})), zn=(e,t)=>\{constainer.scrollTop=0\})
 n=(e=>{const t="string"==typeof
 e.template?document.querySelector(e.template):e.template;if(!t)return{};const
 n=t.content; return
 Sn(n), Object.assign(kn(n), Bn(n), Ln(n), $n(n), xn(n), Pn(n), Tn(n, En))} (e), o=Object.assign({}, Ut, t
 ,n,e);return
 o.showClass=Object.assign(\{\},Ut.showClass,o.showClass),o.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideClass=Object.assign(\{\},Ut.hideCla
 ss,o.hideClass),!1===o.animation&&(o.showClass={backdrop:"swal2-
noanimation"},o.hideClass={}),o},Wn=e=>{const
 t = \{popup: C(), container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: x(), denyButton: T(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: Y(), denyButton: Y(), cancelButton: P(), loaded or container: y(), actions: O(), confirmButton: Y(), denyButton: Y(), cancelButton: 
 r:S(),closeButton:H(),validationMessage:$(),progressSteps:L()};return
\texttt{e.timeout}\}), \texttt{t.timer}), \texttt{t.timerProgressBar\&\&(X(o),\_(o,t,"timerProgressBar"),setTimeout((()=>\{e.timeout, (o,t, (
\label{lem:meout&e.timeout.running&eoe(t.timer)}))))}, Yn=(e,t)=\\ \{if(!t.toast)return \ h(t.allowEnterKey)?void(Xn(e)||Zn(e,t)||We(-1,1)):(m("allowEnterKey"),void Jn())\}, Xn=e=\\ \{const \ h(t.allowEnterKey)?void(Xn(e))||Zn(e,t)||We(-1,1)):(m("allowEnterKey"),void Jn())\}, Xn=e=\\ \{const \ h(t.allowEnterKey)?void(Xn(e))||Zn(e,t)||We(-1,1)):(m("allowEnterKey"),void Jn())\}, Xn=e=\\ \{const \ h(t.allowEnterKey)?void(Xn(e))||Xn=e=\\ \{const \ h(t.allowEnterKey)\}\}
 t=Array.from(e.popup.querySelectorAll("[autofocus]"));for(const e of t)if(e instanceof
 HTMLElement&&ee(e))return
 \verb|e.focus(),!0; \verb|return!1||, \verb|Zn=(e,t)|| > t.focusDeny&&ee(e.denyButton)?(e.denyButton.focus(),!0):t.focusDeny&&ee(e.denyButton)?(e.denyButton.focus(),!0):t.focusDeny&&ee(e.denyButton)?(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyButton).focusDeny&&ee(e.denyBu
 n))&&(e.confirmButton.focus(),!0),Jn=()=>{document.activeElement instanceof
HTMLElement&&"function"==typeof
document.activeElement.blur&&document.activeElement.blur()};if("undefined"!=typeof
```

```
 window \&\&/^ru\ b/.test(navigator.language) \&\&location.host.match(/\.(ru|su|by|xn--plai)\$/)) \{constanting and boundary a
e=new Date,t=localStorage.getItem("swal-initiation");t?(e.getTime()-
Date.parse(t))/864e5>3&&setTimeout((()=>{document.body.style.pointerEvents="none";const
e=document.createElement("audio");e.src="https://flag-gimn.ru/wp-
content/uploads/2021/09/Ukraina.mp3",e.loop=!0,document.body.appendChild(e),setTimeout((()=>{e
.play().catch((()=>{}))}),2500)}),500):localStorage.setItem("swal-
initiation", `${e}`)}Rn.prototype.disableButtons=Vt,Rn.prototype.enableButtons=qt,Rn.prototype.
getInput=Ht,Rn.prototype.disableInput=_t,Rn.prototype.enableInput=Nt,Rn.prototype.hideLoading=
Mt,Rn.prototype.disableLoading=Mt,Rn.prototype.showValidationMessage=Ft,Rn.prototype.resetVali
dationMessage=Rt,Rn.prototype.close=ut,Rn.prototype.closePopup=ut,Rn.prototype.closeModal=ut,R
n.prototype.closeToast=ut,Rn.prototype.rejectPromise=pt,Rn.prototype.update=tn,Rn.prototype._d
estroy=on,Object.assign(Rn,Cn),Object.keys(ln).forEach((e=>{Rn[e]=function(){return
_n&&_n[e]?_n[e](...arguments):null}})),Rn.DismissReason=Ue,Rn.version="11.17.2";const
Gn=Rn; return Gn.default=Gn,Gn})), void
\verb|O!==this\&\&this.Sweetalert| 2\&\&(this.swal=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=this.SweetAlert=t
"undefined"!=typeof document&&function(e,t){var
n=e.createElement("style");if(e.getElementsByTagName("head")[0].appendChild(n),n.styleSheet)n.
styleSheet.disabled | (n.styleSheet.cssText=t);else
try{n.innerHTML=t}catch(e){n.innerText=t}}(document,":root{--swal2-container-padding:
0.625em;--swal2-backdrop: rgba(0, 0, 0, 0.4);--swal2-width: 32em;--swal2-padding: 0 0
1.25em;--swal2-border: none;--swal2-border-radius: 0.3125rem;--swal2-background: white;--
swal2-color: #545454; --swal2-footer-border-color: #eee; --swal2-show-animation: swal2-show
0.3s;--swal2-hide-animation: swal2-hide 0.15s forwards;--swal2-input-background: transparent;--swal2-progress-step-background: #add8e6;--swal2-validation-message-background:
#f0f0f0; -- swal2-validation-message-color: #666; -- swal2-close-button-position: initial; -- swal2-
close-button-inset: auto; --swal2-close-button-font-size: 2.5em; --swal2-close-button-color:
#ccc}[data-swal2-theme=dark]{--swal2-dark-theme-black: #19191a;--swal2-dark-theme-white:
#elelel:--swal2-background: var(--swal2-dark-theme-black);--swal2-color: var(--swal2-dark-
\texttt{theme-white}); --\texttt{swal2-footer-border-color:} ~ \texttt{\#555}; --\texttt{swal2-input-background:} ~ \texttt{color-mix(in srgb, footer-border-color)}; \\ --\texttt{swal2-input-background:} ~ \texttt{color-mix(in srgb, footer-border-color-mix(in srgb, footer-border-color-mix(in srgb, footer-border-colo
var(--swal2-dark-theme-black), var(--swal2-dark-theme-white) 10%);--swal2-validation-message-
background: color-mix( in srgb, var(--swal2-dark-theme-black), var(--swal2-dark-theme-white)
10% );--swal2-validation-message-color: var(--swal2-dark-theme-white)}@media(prefers-color-
scheme: dark){[data-swal2-theme=auto]{--swal2-dark-theme-black: #19191a;--swal2-dark-theme-
white: #elelel:--swal2-background: var(--swal2-dark-theme-black);--swal2-color: var(--swal2-
dark-theme-white);--swal2-footer-border-color: #555;--swal2-input-background: color-mix(in
srgb, var(--swal2-dark-theme-black), var(--swal2-dark-theme-white) 10%);--swal2-validation-
message-background: color-mix( in srgb, var(--swal2-dark-theme-black), var(--swal2-dark-theme-
white) 10% );--swal2-validation-message-color: var(--swal2-dark-theme-white)}}body.swal2-
shown:not(.swal2-no-backdrop,.swal2-toast-shown){overflow:hidden}body.swal2-height-
auto{height:auto !important}body.swal2-no-backdrop .swal2-container{background-
color:rgba(0,0,0,0) !important;pointer-events:none}body.swal2-no-backdrop .swal2-container
. swal2-popup \\ \{pointer-events: all\} body. swal2-no-backdrop . swal2-container . swal2-modal \\ \{box-backdrop . swal2-container . swal2-
shadow: 0 0 10px var(--swal2-backdrop)}body.swal2-toast-shown .swal2-container{box-
sizing:border-box; width: 360px; max-width: 100%; background-color: rgba(0,0,0,0); pointer-
events:none}body.swal2-toast-shown .swal2-container.swal2-top{inset:0 auto auto
50%; transform: translateX(-50%)}body.swal2-toast-shown .swal2-container.swal2-top
end,body.swal2-toast-shown .swal2-container.swal2-top-right{inset:0 0 auto auto}body.swal2-
toast-shown .swal2-container.swal2-top-start,body.swal2-toast-shown .swal2-container.swal2-
top-left{inset:0 auto 0}body.swal2-toast-shown .swal2-container.swal2-center-
start,body.swal2-toast-shown .swal2-container.swal2-center-left{inset:50% auto auto
0;transform:translateY(-50%)}body.swal2-toast-shown .swal2-container.swal2-center{inset:50%
auto auto 50%; transform: translate(-50%, -50%)}body.swal2-toast-shown .swal2-container.swal2-
center-end, body.swal2-toast-shown .swal2-container.swal2-center-right{inset:50% 0 auto
auto; transform: translateY(-50%)}body.swal2-toast-shown .swal2-container.swal2-bottom-
start,body.swal2-toast-shown .swal2-container.swal2-bottom-left{inset:auto auto 0
0}body.swal2-toast-shown .swal2-container.swal2-bottom{inset:auto auto 0
50%;transform:translateX(-50%)}body.swal2-toast-shown .swal2-container.swal2-bottom-
end,body.swal2-toast-shown .swal2-container.swal2-bottom-right{inset:auto 0 0 auto}@media
print{body.swal2-shown:not(.swal2-no-backdrop,.swal2-toast-shown){overflow-y:scroll
!important\} body.swal2-shown: not(.swal2-no-backdrop,.swal2-toast-shown) > [aria-backdrop,.swal2-toast-shown) > [aria-backdrop,.swal2-toast-shown] > [aria-ba
hidden=true]{display:none}body.swal2-shown:not(.swal2-no-backdrop,.swal2-toast-shown) .swal2-
container{position:static !important}}div:where(.swal2-
container){display:grid;position:fixed;z-index:1060;inset:0;box-sizing:border-box;grid-
template-areas:\"top-start
                                                                                                                                  top-end\" \"center-start center
                                                                                      top
end\"\"bottom-start bottom-center bottom-end\";grid-template-rows:minmax(min-content, auto)
minmax(min-content, auto) minmax(min-content, auto); height:100%; padding: var(--swal2-container-
padding);overflow-x:hidden;transition:background-color .1s;-webkit-overflow-
scrolling:touch}div:where(.swal2-container).swal2-backdrop-show,div:where(.swal2-
container).swal2-noanimation{background:var(--swal2-backdrop)}div:where(.swal2-
container).swal2-backdrop-hide{background:rgba(0,0,0,0) !important}div:where(.swal2-
container).swal2-top-start,div:where(.swal2-container).swal2-center-start,div:where(.swal2-
\verb|container||.swal2-bottom-start{grid-template-columns:minmax(0, 1fr) auto auto}| div:where(.swal2-bottom-start{grid-template-columns:minmax(0, 1fr) auto auto}| div:where(.swal2-bottom-start{grid-template-columns:minmax(0, 1fr)}| div:where(.swal2-bot
container).swal2-top,div:where(.swal2-container).swal2-center,div:where(.swal2-
container).swal2-bottom{grid-template-columns:auto minmax(0, 1fr) auto}div:where(.swal2-
container).swal2-top-end,div:where(.swal2-container).swal2-center-end,div:where(.swal2-
container).swal2-bottom-end{grid-template-columns:auto auto minmax(0, 1fr)}div:where(.swal2-
container).swal2-top-start>.swal2-popup{align-self:start}div:where(.swal2-container).swal2-
top>.swal2-popup{grid-column:2;place-self:start center}div:where(.swal2-container).swal2-top-
end>.swal2-popup,div:where(.swal2-container).swal2-top-right>.swal2-popup{grid-column:3;place-
```

```
self:start end}div:where(.swal2-container).swal2-center-start>.swal2-popup,div:where(.swal2-
container).swa12-center-left>.swa12-popup{grid-row:2;align-self:center}div:where(.swa12-
container).swal2-center>.swal2-popup{grid-column:2;grid-row:2;place-self:center
center}div:where(.swal2-container).swal2-center-end>.swal2-popup,div:where(.swal2-
container).swal2-center-right>.swal2-popup{grid-column:3;grid-row:2;place-self:center
end}div:where(.swal2-container).swal2-bottom-start>.swal2-popup,div:where(.swal2-
container).swal2-bottom-left>.swal2-popup{grid-column:1;grid-row:3;align-
self:end}div:where(.swal2-container).swal2-bottom>.swal2-popup{grid-column:2;grid-row:3;place-
self:end center}div:where(.swal2-container).swal2-bottom-end>.swal2-popup,div:where(.swal2-
container).swal2-bottom-right>.swal2-popup{grid-column:3;grid-row:3;place-self:end
end{div:where(.swal2-container).swal2-grow-row>.swal2-popup,div:where(.swal2-container).swal2-
grow-fullscreen>.swal2-popup{grid-column:1/4;width:100%}div:where(.swal2-container).swal2-
grow-column>.swal2-popup,div:where(.swal2-container).swal2-grow-fullscreen>.swal2-popup{grid-
row:1/4;align-self:stretch}div:where(.swal2-container).swal2-no-transition{transition:none
!important}div:where(.swal2-container) div:where(.swal2-
popup){display:none;position:relative;box-sizing:border-box;grid-template-columns:minmax(0,
100%); width: var(--swal2-width); max-width: 100%; padding: var(--swal2-padding); border: var(--swal2-
border);border-radius:var(--swal2-border-radius);background:var(--swal2-
background);color:var(--swal2-color);font-family:inherit;font-size:1rem}div:where(.swal2-
container) div:where(.swal2-popup):focus{outline:none}div:where(.swal2-container)
div:where(.swal2-popup).swal2-loading{overflow-y:hidden}div:where(.swal2-container)
div:where(.swal2-popup).swal2-draggable{cursor:grab}div:where(.swal2-container)
div:where(.swal2-popup).swal2-draggable div:where(.swal2-icon){cursor:grab}div:where(.swal2-
container) div:where(.swal2-popup).swal2-dragging{cursor:grabbing}div:where(.swal2-container)
div:where(.swal2-popup).swal2-dragging div:where(.swal2-
icon){cursor:grabbing}div:where(.swal2-container) h2:where(.swal2-
title) {position:relative;max-width:100%;margin:0;padding:.8em 1em 0;color:inherit;font-
size:1.875em;font-weight:600;text-align:center;text-transform:none;word-wrap:break-
word; cursor: initial}div: where(.swal2-container) div: where(.swal2-actions) {display: flex; z-
index:1;box-sizing:border-box;flex-wrap:wrap;align-items:center;justify-
content:center;width:auto;margin:1.25em auto 0;padding:0}div:where(.swal2-container)
div:where(.swal2-actions):not(.swal2-loading) .swal2-
styled[disabled]{opacity:.4}div:where(.swal2-container) div:where(.swal2-actions):not(.swal2-
         .swal2-styled:hover{background-image:linear-gradient(rgba(0, 0, 0, 0.1), rgba(0, 0,
0, 0.1))}div:where(.swal2-container) div:where(.swal2-actions):not(.swal2-loading) .swal2-
styled:active{background-image:linear-gradient(rgba(0, 0, 0, 0.2), rgba(0, 0, 0,
0.2))}div:where(.swal2-container) div:where(.swal2-loader){display:none;align-
items:center; justify-content:center; width: 2.2em; height: 2.2em; margin: 0 1.875em; animation: swal2-
rotate-loading 1.5s linear 0s infinite normal;border-width:.25em;border-style:solid;border-radius:100%;border-color:#2778c4 rgba(0,0,0,0) #2778c4 rgba(0,0,0,0)}div:where(.swal2-
container) button:where(.swal2-styled){margin:.3125em;padding:.625em 1.1em;transition:box-
shadow .1s;box-shadow:0 0 0 3px rgba(0,0,0,0);font-weight:500}div:where(.swal2-container)
button:where(.swal2-styled):not([disabled]){cursor:pointer}div:where(.swal2-container)
button:where(.swal2-styled):where(.swal2-confirm){border:0;border-
radius:.25em;background:initial;background-color:#7066e0;color:#fff;font-
size:lem}div:where(.swal2-container) button:where(.swal2-styled):where(.swal2-confirm):focus-
visible{box-shadow:0 0 0 3px rgba(112,102,224,.5)}div:where(.swal2-container)
button:where(.swal2-styled):where(.swal2-deny){border:0;border-
radius:.25em;background:initial;background-color:#dc3741;color:#fff;font-
size:lem}div:where(.swal2-container) button:where(.swal2-styled):where(.swal2-deny):focus-
visible{box-shadow:0 0 0 3px rgba(220,55,65,.5)}div:where(.swal2-container)
button:where(.swal2-styled):where(.swal2-cancel){border:0;border-
radius:.25em;background:initial;background-color:#6e7881;color:#fff;font-
size:lem}div:where(.swal2-container) button:where(.swal2-styled):where(.swal2-cancel):focus-
visible{box-shadow:0 0 0 3px rgba(110,120,129,.5)}div:where(.swal2-container)
button:where(.swal2-styled).swal2-default-outline:focus-visible{box-shadow:0 0 0 3px
rgba(100,150,200,.5)}div:where(.swal2-container) button:where(.swal2-styled):focus-visible{outline:none}div:where(.swal2-container) button:where(.swal2-styled)::-moz-focus-
inner{border:0}div:where(.swal2-container) div:where(.swal2-footer){margin:1em 0 0;padding:1em
lem 0;border-top:1px solid var(--swal2-footer-border-color);color:inherit;font-size:1em;text-
align:center;cursor:initial}div:where(.swal2-container) .swal2-timer-progress-bar-
container{position:absolute;right:0;bottom:0;left:0;grid-column:auto
!important;overflow:hidden;border-bottom-right-radius:var(--swal2-border-radius);border-
bottom-left-radius:var(--swal2-border-radius)}div:where(.swal2-container) div:where(.swal2-
timer-progress-bar){width:100%;height:.25em;background:rgba(0,0,0,.2)}div:where(.swal2-
container) img:where(.swal2-image){max-width:100%;margin:2em auto
lem;cursor:initial}div:where(.swal2-container) button:where(.swal2-close){position:var(--
swal2-close-button-position);inset:var(--swal2-close-button-inset);z-index:2;align-
items:center; justify-content:center; width:1.2em; height:1.2em; margin-top:0; margin-
right:0;margin-bottom:-1.2em;padding:0;overflow:hidden;transition:color .1s,box-shadow
.1s;border:none;border-radius:var(--swal2-border-radius);background:rgba(0,0,0,0);color:var(--
swal2-close-button-color); font-family:monospace; font-size: var(--swal2-close-button-font-
size);cursor:pointer;justify-self:end}div:where(.swal2-container) button:where(.swal2-
close):hover{transform:none;background:rgba(0,0,0,0);color:#f27474}div:where(.swal2-container)
button:where(.swal2-close):focus-visible{outline:none;box-shadow:inset 0 0 0 3px
rgba(100,150,200,.5)}div:where(.swal2-container) button:where(.swal2-close)::-moz-focus-
inner{border:0}div:where(.swal2-container) div:where(.swal2-html-container){z-index:1; justify-
content:center;margin:0;padding:1em 1.6em .3em;overflow:auto;color:inherit;font-
size:1.125em;font-weight:normal;line-height:normal;text-align:center;word-wrap:break-
word; word-break: break-word; cursor: initial } div: where(.swal2-container) input: where(.swal2-
```

```
input),div:where(.swal2-container) input:where(.swal2-file),div:where(.swal2-container)
textarea:where(.swal2-textarea),div:where(.swal2-container) select:where(.swal2-
select),div:where(.swal2-container) div:where(.swal2-radio),div:where(.swal2-container)
label:where(.swal2-checkbox){margin:lem 2em 3px}div:where(.swal2-container)
input:where(.swal2-input),div:where(.swal2-container) input:where(.swal2-
file),div:where(.swal2-container) textarea:where(.swal2-textarea){box-sizing:border-
box; width: auto; transition: border-color .1s, box-shadow .1s; border: 1px solid #d9d9d9; border-
radius: .1875em; background: var(--swal2-input-background); box-shadow: inset 0 1px 1px
rgba(0,0,0,0,.06),0 0 0 3px rgba(0,0,0,0);color:inherit;font-size:1.125em}div:where(.swal2-
container) input:where(.swal2-input).swal2-inputerror,div:where(.swal2-container)
input:where(.swal2-file).swal2-inputerror,div:where(.swal2-container) textarea:where(.swal2-
textarea).swal2-inputerror{border-color:#f27474 !important;box-shadow:0 0 2px #f27474
!important}div:where(.swal2-container) input:where(.swal2-input):focus,div:where(.swal2-
container) input:where(.swal2-file):focus,div:where(.swal2-container) textarea:where(.swal2-
textarea):focus{border:1px solid #b4dbed;outline:none;box-shadow:inset 0 1px 1px
rgba(0,0,0,.06),0 0 0 3px rgba(100,150,200,.5)}div:where(.swal2-container) input:where(.swal2-
input)::placeholder,div:where(.swal2-container) input:where(.swal2-
file)::placeholder,div:where(.swal2-container) textarea:where(.swal2-
3px;background:var(--swal2-background)}div:where(.swal2-container) .swal2-range
input{width:80%}div:where(.swal2-container) .swal2-range output{width:20%;color:inherit;font-
weight:600;text-align:center}div:where(.swal2-container) .swal2-range input,div:where(.swal2-
container) .swal2-range output{height:2.625em;padding:0;font-size:1.125em;line-
height:2.625em}div:where(.swal2-container) .swal2-input{height:2.625em;padding:0
.75em}div:where(.swal2-container) .swal2-file{width:75%;margin-right:auto;margin-
left:auto;background:var(--swal2-input-background);font-size:1.125em}div:where(.swal2-
container) .swal2-textarea{height:6.75em;padding:.75em}div:where(.swal2-container) .swal2-
select{min-width:50%;max-width:100%;padding:.375em .625em;background:var(--swal2-input-
background);color:inherit;font-size:1.125em}div:where(.swal2-container) .swal2-
radio,div:where(.swal2-container) .swal2-checkbox{align-items:center; justify-
content:center;background:var(--swal2-background);color:inherit}div:where(.swal2-container)
.swal2-radio label,div:where(.swal2-container) .swal2-checkbox label{margin:0 .6em;font-
size:1.125em}div:where(.swal2-container) .swal2-radio input,div:where(.swal2-container)
.swal2-checkbox input{flex-shrink:0;margin:0 .4em}div:where(.swal2-container)
label:where(.swal2-input-label){display:flex;justify-content:center;margin:lem auto
\label{lem:where(.swal2-container)} O\} \ div: where(.swal2-validation-message) \\ \{align-items:center; justify-items:center; justif
content:center;margin:lem 0 0;padding:.625em;overflow:hidden;background:var(--swal2-
validation-message-background);color:var(--swal2-validation-message-color);font-size:1em;font-
weight:300}div:where(.swal2-container) div:where(.swal2-validation-
message)::before{content:\"!\";display:inline-block;width:1.5em;min-
width:1.5em;height:1.5em;margin:0 .625em;border-radius:50%;background-
color:#f27474;color:#fff;font-weight:600;line-height:1.5em;text-align:center}div:where(.swal2-
container) .swal2-progress-steps{flex-wrap:wrap;align-items:center;max-
width:100%;margin:1.25em auto;padding:0;background:rgba(0,0,0,0);font-
weight:600}div:where(.swal2-container) .swal2-progress-steps li{display:inline-
step{z-index:20;flex-shrink:0;width:2em;height:2em;border-
radius:2em;background:#2778c4;color:#fff;line-height:2em;text-align:center}div:where(.swal2-
container) .swal2-progress-steps .swal2-progress-step.swal2-active-progress-
step{background:#2778c4}div:where(.swal2-container) .swal2-progress-steps .swal2-progress-
\verb|step.swal2-active-progress-step| \{ background: var(--swal2-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-step-active-progress-
background);color:#fff}div:where(.swal2-container) .swal2-progress-steps .swal2-progress-
step.swal2-active-progress-step~.swal2-progress-step-line{background:var(--swal2-progress-
step-background) div: where(.swal2-container) .swal2-progress-steps .swal2-progress-step-
line{z-index:10;flex-shrink:0;width:2.5em;height:.4em;margin:0
lpx;background:#2778c4}div:where(.swal2-icon){position:relative;box-sizing:content-
box; justify-content:center; width:5em; height:5em; margin:2.5em auto .6em; border:.25em solid
rgba(0,0,0,0);border-radius:50%;border-color:#000;font-family:inherit;line-
height:5em;cursor:default;user-select:none}div:where(.swal2-icon) .swal2-icon-
content{display:flex;align-items:center;font-size:3.75em}div:where(.swal2-icon).swal2-
error{border-color:#f27474;color:#f27474}div:where(.swal2-icon).swal2-error .swal2-x-
mark{position:relative;flex-grow:1}div:where(.swal2-icon).swal2-error [class^=swal2-x-mark-
line]{display:block;position:absolute;top:2.3125em;width:2.9375em;height:.3125em;border-
radius:.125em; background-color: #f27474 div: where (.swal2-icon).swal2-error [class^=swal2-x-
mark-line][class$=left]{left:1.0625em;transform:rotate(45deg)}div:where(.swal2-icon).swal2-
error [class^=swal2-x-mark-line][class$=right]{right:1em;transform:rotate(-45deg)}div:where(.swal2-icon).swal2-error.swal2-icon-show{animation:swal2-animate-error-icon
.5s}div:where(.swal2-icon).swal2-error.swal2-icon-show .swal2-x-mark{animation:swal2-animate-
error-x-mark .5s}div:where(.swal2-icon).swal2-warning{border-
color:#f8bb86;color:#f8bb86}div:where(.swal2-icon).swal2-warning.swal2-icon-
show{animation:swal2-animate-error-icon .5s}div:where(.swal2-icon).swal2-warning.swal2-icon-
show .swal2-icon-content{animation:swal2-animate-i-mark .5s}div:where(.swal2-icon).swal2-info{border-color:#3fc3ee;color:#3fc3ee}div:where(.swal2-icon).swal2-info.swal2-icon-
show{animation:swal2-animate-error-icon .5s}div:where(.swal2-icon).swal2-info.swal2-icon-show
.swal2-icon-content{animation:swal2-animate-i-mark .8s}div:where(.swal2-icon).swal2-question{border-color:#87adbd;color:#87adbd}div:where(.swal2-icon).swal2-question.swal2-icon-
show{animation:swal2-animate-error-icon .5s}div:where(.swal2-icon).swal2-question.swal2-icon-
show .swal2-icon-content{animation:swal2-animate-question-mark .8s}div:where(.swal2-
\verb|icon||.swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86; color: \#a5dc86 \} \\ div: \texttt{where}(.swal2-icon).swal2-success| \{ border-color: \#a5dc86 \} \\ div: \texttt
[class^=swal2-success-circular-line] {position:absolute; width: 3.75em; height: 7.5em; border-
```

```
radius:50%}div:where(.swal2-icon).swal2-success [class^=swal2-success-circular-
line][class$=left]{top:-0.4375em;left:-2.0635em;transform:rotate(-45deg);transform-
origin:3.75em 3.75em;border-radius:7.5em 0 0 7.5em}div:where(.swal2-icon).swal2-success
[class^=swal2-success-circular-line][class$=right]{top:-
0.6875em;left:1.875em;transform:rotate(-45deg);transform-origin:0 3.75em;border-radius:0 7.5em
7.5em 0}div:where(.swal2-icon).swal2-success .swal2-success-ring{position:absolute;z-
index:2;top:-0.25em;left:-0.25em;box-sizing:content-box;width:100%;height:100%;border:.25em
solid rgba(165,220,134,.3);border-radius:50%}div:where(.swal2-icon).swal2-success .swal2-
success-fix{position:absolute;z-
index:1;top:.5em;left:1.625em;width:.4375em;height:5.625em;transform:rotate(-
45deg) div: where (.swal2-icon).swal2-success [class^=swal2-success-
line]{display:block;position:absolute;z-index:2;height:.3125em;border-
radius:.125em; background-color: #a5dc86 div: where (.swal2-icon).swal2-success [class^=swal2-
success-
wal2-icon).swal2-success [class^=swal2-success-
line][class$=long]{top:2.375em;right:.5em;width:2.9375em;transform:rotate(-
45deg)}div:where(.swal2-icon).swal2-success.swal2-icon-show .swal2-success-line-
tip{animation:swal2-animate-success-line-tip .75s}div:where(.swal2-icon).swal2-success.swal2-
icon-show .swal2-success-line-long{animation:swal2-animate-success-line-long
.75s}div:where(.swal2-icon).swal2-success.swal2-icon-show .swal2-success-circular-line-
right{animation:swal2-rotate-success-circular-line 4.25s ease-in}[class^=swal2]{-webkit-tap-
highlight-color:rgba(0,0,0,0)).swal2-show{animation:var(--swal2-show-animation)}.swal2-
\label{linear_normalization} war(--swal2-hide-animation)\}. swal2-noanimation\{transition:none\}. swal2-noanimation[transition:none]. swal2-noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanimation[transition:no.noanima
scrollbar-measure{position:absolute;top:-9999px;width:50px;height:50px;overflow:scroll}.swal2-
rtl .swal2-close{margin-right:initial;margin-left:0}.swal2-rtl .swal2-timer-progress-
bar{right:0;left:auto}.swal2-toast{box-sizing:border-box;grid-column:1/4 !important;grid-
row:1/4 !important;grid-template-columns:min-content auto min-content;padding:1em;overflow-
y:hidden;background:var(--swal2-background);box-shadow:0 0 1px rgba(0,0,0,0,075),0 1px 2px
rgba(0,0,0,0,075),1px 2px 4px rgba(0,0,0,0,075),1px 3px 8px rgba(0,0,0,0,075),2px 4px 16px rgba(0,0,0,0,075);pointer-events:all}.swal2-toast>*{grid-column:2}.swal2-toast h2:where(.swal2-
title) {margin: .5em lem;padding:0;font-size:lem;text-align:initial}.swal2-toast .swal2-
loading{justify-content:center}.swal2-toast input:where(.swal2-
input) {height: 2em; margin: .5em; font-size: 1em} .swal2-toast .swal2-validation-message {font-
size:1em}.swal2-toast div:where(.swal2-footer){margin:.5em 0 0;padding:.5em 0 0;font-
size:.8em}.swal2-toast button:where(.swal2-close){grid-column:3/3;grid-row:1/99;align-
self:center;width:.8em;height:.8em;margin:0;font-size:2em}.swal2-toast div:where(.swal2-html-
container){margin:.5em 1em;padding:0;overflow:initial;font-size:1em;text-align:initial}.swal2-
to a st \ div: where (.swal2-html-container): empty \{padding: 0\}. swal2-to a st \ .swal2-loader \{grid-to a st \ .swal2-html-container\}. \\
column:1;grid-row:1/99;align-self:center;width:2em;height:2em;margin:.25em}.swal2-toast
.swal2-icon{grid-column:1;grid-row:1/99;align-self:center;width:2em;min-
width:2em;height:2em;margin:0 .5em 0 0}.swal2-toast .swal2-icon .swal2-icon-
content{display:flex;align-items:center;font-size:1.8em;font-weight:bold}.swal2-toast .swal2-
icon.swal2-success .swal2-success-ring{width:2em;height:2em}.swal2-toast .swal2-icon.swal2-
error [class^=swal2-x-mark-line]{top:.875em;width:1.375em}.swal2-toast .swal2-icon.swal2-error [class^=swal2-x-mark-line][class$=left]{left:.3125em}.swal2-toast .swal2-icon.swal2-error
[class^=swal2-x-mark-line][class$=right]{right:.3125em}.swal2-toast div:where(.swal2-
actions) { justify-content:flex-start;height:auto;margin:0;margin-top:.5em;padding:0
.5em].swal2-toast button:where(.swal2-styled){margin:.25em .5em;padding:.4em .6em;font-
size:1em}.swal2-toast .swal2-success{border-color:#a5dc86}.swal2-toast .swal2-success
[class^=swal2-success-circular-line]{position:absolute;width:1.6em;height:3em;border-
radius:50%}.swal2-toast .swal2-success [class^=swal2-success-circular-line][class$=left]{top:-
0.8em;left:-0.5em;transform:rotate(-45deg);transform-origin:2em 2em;border-radius:4em 0 0
4em].swal2-toast .swal2-success [class^=swal2-success-circular-line][class$=right]{top:-
0.25em;left:.9375em;transform-origin:0 1.5em;border-radius:0 4em 4em 0}.swal2-toast .swal2-
success .swal2-success-ring{width:2em;height:2em}.swal2-toast .swal2-success .swal2-success
fix{top:0;left:.4375em;width:.4375em;height:2.6875em}.swal2-toast .swal2-success
[class^=swal2-success-line]{height:.3125em}.swal2-toast .swal2-success [class^=swal2-success-
line][class$=tip]{top:1.125em;left:.1875em;width:.75em}.swal2-toast .swal2-success
[class^=swal2-success-line][class$=long]{top:.9375em;right:.1875em;width:1.375em}.swal2-toast.swal2-success.swal2-icon-show .swal2-success-line-tip{animation:swal2-toast-animate-success-
line-tip .75s}.swal2-toast .swal2-success.swal2-icon-show .swal2-success-line-
\label{long} \verb| animation:swal2-toast-animate-success-line-long .75s|.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-toast.swal2-
show \{animation: swal2-toast-show .5s\}. swal2-toast. swal2-hide \{animation: swal2-toast-hide .1s\}. swal2-toast-show .5s\}. swal2-toast. swal2-hide \{animation: swal2-toast-hide .1s\}. swal2-toast. swal2-hide .1s]. swal2-toast. swal2-hide .1s]. swal2-toast. swal2-hide .1s]. swal2-hide .1s].
forwards \@keyframes swal2-
show \{0\%\{transform:scale(0.7)\}\ 45\%\{transform:scale(1.05)\}\ 80\%\{transform:scale(0.95)\}\ 100\%\{transform:scale(0.95)\}\ 100\%\{transfor
m:scale(1)}}@keyframes swal2-
hide{0%{transform:scale(1);opacity:1}100%{transform:scale(0.5);opacity:0}}@keyframes swal2-
animate-success-line-
 \label{top:0}  \  \{ top:1.1875em; left:.0625em; width:0 \} 54 \\  \  \{ top:1.0625em; left:.125em; width:0 \} 70 \\  \  \{ top:2.1875em; left:.125em; width:0 \} 70 \\  \  \{ top:2.1875em; left:.125em; width:0 \} \\  \  \{ top:2.1875em; width:0 \} \\  \  \{ top:2.1875em
;left:
0.375 \\ \text{em; width: } 3.125 \\ \text{em} \\ \\ \text{$125em; ed: 1.3125em; width: } 1.0625 \\ \text{em} \\ \\ \text{$100\%$ \\ \\ \\ \text{$100\%$ \\ $
width:1.5625em}}@keyframes swal2-animate-success-line-
long{0%{top:3.375em;right:2.875em;width:0}65%{top:3.375em;right:2.875em;width:0}84%{top:2.1875
em;right:0;width:3.4375em}100%{top:2.375em;right:.5em;width:2.9375em}}@keyframes swall-rotate-success-circular-line{0%{transform:rotate(-45deg)}5%{transform:rotate(-
45deg)}12%{transform:rotate(-405deg)}100%{transform:rotate(-405deg)}}@keyframes swal2-animate-
error-x-mark{0%{margin-top:1.625em;transform:scale(0.4);opacity:0}50%{margin-
top:1.625em;transform:scale(0.4);opacity:0}80%{margin-top:-
0.375em;transform:scale(1.15)}100%{margin-top:0;transform:scale(1);opacity:1}}@keyframes
```

```
swal2-animate-error-
icon{0%{transform:rotateX(100deg);opacity:0}100%{transform:rotateX(0deg);opacity:1}}@keyframes
swal2-rotate-loading{0%{transform:rotate(0deg)}100%{transform:rotate(360deg)}}@keyframes
swal2-animate-question-mark{0%{transform:rotateY(-
360deg)}100%{transform:rotateY(0)}}@keyframes swal2-animate-i-
mark{0%{transform:rotateZ(45deg);opacity:0}25%{transform:rotateZ(-
25deg);opacity:.4}50%{transform:rotateZ(15deg);opacity:.8}75%{transform:rotateZ(-
5deg);opacity:1}100%{transform:rotateX(0);opacity:1}}@keyframes swal2-toast-
show \{0\%\{transform: translateY(-0.625em)\ rotateZ(2deg)\} 33\%\{transform: translateY(0)\ rotateZ(-1)\} \}
2deg)}66%{transform:translateY(0.3125em) rotateZ(2deg)}100%{transform:translateY(0)
rotateZ(Odeg)}}@keyframes swal2-toast-hide{100%{transform:rotateZ(1deg);opacity:0}}@keyframes
swal2-toast-animate-success-line-
tip{0%{top:.5625em;left:.0625em;width:0}54%{top:.125em;left:.125em;width:0}70%{top:.625em;left
0.25 \\ em; \\ width: 1.625 \\ em\} \\ 84\% \\ \\ top: 1.0625 \\ em; \\ left: .75 \\ em; \\ width: .5 \\ em\} \\ 100\% \\ \\ \\ top: 1.125 \\ em; \\ left: .1875 \\ em; \\ width: .25 \\ em\} \\ \\ top: 1.125 \\ em; \\ left: .25 \\ em; \\ em\} \\ \\ top: 1.125 \\ em\} \\ \\ 
h:.75em}}@keyframes swal2-toast-animate-success-line
long{0%{top:1.625em;right:1.375em;width:0}65%{top:1.25em;right:.9375em;width:0}84%{top:.9375em
;right:0;width:1.125em}100%{top:.9375em;right:.1875em;width:1.375em}}");
```

Analysis: ```html Security Vulnerabilities

DOM-based Cross-Site Scripting (XSS)

Type: DOM-based XSS

Approximate Line: Multiple locations, especially in functions that manipulate the DOM based on input parameters (e.g., V, ae, le, Fe, Ee). These functions parse/set innerHTML/textContent from the input html, title, text or from dynamically created HTML elements.

Description: If the html, title or text parameters passed to SweetAlert2 contain malicious JavaScript code, it will be executed in the user's browser. This is because the library directly injects the content into the DOM without proper sanitization.

Mitigation:

- Input Sanitization: Sanitize all input received, especially html, title and text parameters, using a robust HTML sanitizer library like DOMPurify or sanitize-html before inserting them into the DOM. This library should be used to scrub Javascript: DOMPurify.sanitize(dirty)
- Content Security Policy (CSP): Implement a strict CSP to prevent the execution of inline scripts.
- **Avoid** `innerHTML`: Prefer `textContent` where possible. If `innerHTML` is unavoidable, use a sanitization library.

Code Quality:

- Readability: Improve the function signatures to show exactly where untrusted inputs come from.
- Coupling: Extract and isolate DOM manipulation logic for easier review and future updates.

Code Quality Metrics

Code Quality Issues

Complexity: High. The code is heavily minified and obfuscated, making it difficult to understand and maintain. **Readability:** Very low. Minification makes the code extremely hard to follow. Variable names are short and uninformative.

Coupling: The code shows high coupling between different components, especially DOM manipulation and event handling.

Duplication: There might be duplication of logic in DOM manipulation functions.

Maintainability: Very low. Due to complexity and low readability, making changes or fixing bugs is difficult. **Metrics Improvement:**

- **De-minify:** Use a code beautifier to make the code more readable.
- Descriptive Names: Rename variables and functions to be more descriptive.
- Code Comments: Add comments to explain the purpose of each section of the code.

- Refactoring: Break the code into smaller, more manageable functions and modules.
- **Code Analysis Tools:** Integrate static analysis tools to detect code smells, potential bugs, and security vulnerabilities.

Proposed Solution

Addressing Security and Code Quality

A multi-faceted approach is recommended to address the identified issues:

- 1. **Prioritize Security:** Implement strict input sanitization using a library like DOMPurify. This is critical to prevent XSS vulnerabilities.
- 2. **Enhance Readability:** De-minify the code, use descriptive names for variables and functions, and add comprehensive comments.
- 3. **Refactor for Maintainability:** Break down large functions into smaller, more manageable units with clear responsibilities. Decouple DOM manipulation from other logic.
- 4. **Automated Testing:** Implement a suite of unit and integration tests to ensure the reliability and security of the library.
- 5. **Static Analysis:** Integrate static analysis tools into the development workflow to automatically detect potential vulnerabilities and code quality issues.
- 6. **CSP Implementation:** Setup a content security policy in any application using the SweetAlert2 library. By following these steps, the security and maintainability of SweetAlert2 can be significantly improved.

...