Vulnerability Report

Archivo: bootstrap.bundle.min.js

Code Analyzed:

```
/*!
          * Bootstrap v5.3.0 (https://getbootstrap.com/)
            * Copyright 2011-2023 The Bootstrap Authors
  (https://github.com/twbs/bootstrap/graphs/contributors)
                  Licensed under MIT (https://github.com/twbs/bootstrap/blob/main/LICENSE)
  !function(t,e){"object"==typeof exports&&"undefined"!=typeof
 module?module.exports=e():"function"==typeof
 define&define.amd?define(e):(t="undefined"!=typeof
 globalThis?globalThis:t||self).bootstrap=e()}(this,(function(){"use strict";const t=new
 Map,e={set(e,i,n)\{t.has(e)||t.set(e,new Map);const}
 s=t.get(e);s.has(i)||0===s.size?s.set(i,n):console.error(`Bootstrap doesn't allow more than
 one instance per element. Bound instance:
 {\{array.from(s.keys())[0]\}.`)}, get:(e,i)=>t.has(e)\&t.get(e).get(i)||null,remove(e,i)\{if(!t.hab)\}||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||null,remove(e,i)||n
 s(e))return;const
.CSS.escape&&(t=t.replace(/#([^\s"#']+)/g,((t,e)=>`#${CSS.escape(e)}`))),t),s=t=>{t.dispatchEvent(new Event(i))},o=t=>!(!t||"object"!=typeof t)&&(void 0!==t.jquery&&(t=t[0]),void
 0!==t.nodeType),r=t=>o(t)?t.jquery?t[0]:t:"string"==typeof
 t\&\&t.length>0?document.querySelector(n(t)):null,a=t=>\{if(!o(t))|0===t.getClientRects().length)
return!1;const
 e="visible"===getComputedStyle(t).getPropertyValue("visibility"),i=t.closest("details:not([ope
n])");if(!i)return e;if(i!==t){const
 e=t.closest("summary");if(e&&e.parentNode!==i)return!1;if(null===e)return!1}return
 e},l=t=>!t||t.nodeType!==Node.ELEMENT_NODE||!!t.classList.contains("disabled")||(void
 0!==t.disabled?t.disabled:t.hasAttribute("disabled")&&"false"!==t.getAttribute('disabled')),c=
 t=>{if(!document.documentElement.attachShadow)return null;if("function"==typeof
 t.getRootNode){const e=t.getRootNode();return e instanceof ShadowRoot?e:null}return t
 ShadowRoot?t:t.parentNode?c(t.parentNode):null\}, h=()=>{}, d=t=>{t.offsetHeight}, u=()=>window.jQharabases for the parentNode of the par
 uery&&!document.body.hasAttribute("data-bs-no-
 jquery")?window.jQuery:null,f=[],p=()=>"rtl"===document.documentElement.dir,m=t=>{var
 e;e=()=>\{const e=u();if(e)\{const
 i=t.NAME,n=e.fn[i];e.fn[i]=t.jQueryInterface,e.fn[i].Constructor=t,e.fn[i].noConflict=()=>(e.f
n[i]=n,t.jQueryInterface)}}, "loading"===document.readyState?(f.length||document.addEventListen
er("DOMContentLoaded",(()=>{for(const t of
 f)t())), f.push(e)):e(), g=(t,e=[],i=t)=>"function"==typeof
 t?t(...e):i,_=(t,e,n=!0)={if(!n)return void g(t);const o=(t=>{if(!t)return}
 0; let \{transition \texttt{Duration:e,transitionDelay:i}\} = window.get \texttt{ComputedStyle(t)}; constant \texttt{Constant} = window.get \texttt{Constant} = windo
 n=Number.parseFloat(e),s=Number.parseFloat(i);return
n \mid s?(e=e.split(",")[0], i=i.split(",")[0], 1e3*(Number.parseFloat(e)+Number.parseFloat(i))):0}
 (e)+5;let r=!1;const
 a = (\{target:n\}) = \{n = = e\&\&(r = !0,e.removeEventListener(i,a),g(t))\}; e.addEventListener(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),setTimer(i,a),se
 eout((()=\{r||s(e)\}),o)\}, b=(t,e,i,n)=>{const s=t.length;let o=t.index0f(e);return-
 1 = = -0?!i\&\&n?t[s-1]:t[0]:(o+=i?1:-1,n\&\&(o=(o+s)\$s),t[Math.max(0,Math.min(o,s-1))]:
1))])},v=/[^.]*(?=\..*)\.|.*/,<math>y=/\..*/,w=/::\d+\$/,A=\{\};let E=1;const T=\{mouseenter:"mouseover",mouseleave:"mouseout"\},C=new
Set(["click", "dblclick", "mouseup", "mousedown", "contextmenu", "mousewheel", "DOMMouseScroll", "mou seover", "mouseout", "mousemove", "selectstart", "selectend", "keydown", "keypress", "keyup", "orienta
 tionchange", "touchstart", "touchmove", "touchend", "touchcancel", "pointerdown", "pointermove", "poi
nterup", "pointerleave", "pointercancel", "gesturestart", "gesturechange", "gestureend", "focus", "bl ur", "change", "reset", "select", "submit", "focusin", "focusout", "load", "unload", "beforeunload", "re size", "move", "DOMContentLoaded", "readystatechange", "error", "abort", "scroll"]); function O(t,e) {return e&& `${e}::${E++}`||t.uidEvent||E++}function x(t) {const e=O(t); return
 t.uidEvent=e,A[e]=A[e]||{},A[e]}function k(t,e,i=null){return
 Object.values(t).find((t=>t.callable===e\&t.delegationSelector===i)) \\ function \ L(t,e,i) \\ \{constants | function \ L(t,e,i) \} \\ \{constants | function \ L(t,
n="string"==typeof e,s=n?i:e||i;let o=N(t);return C.has(o)||(o=t),[n,s,o]\} function
 S(t,e,i,n,s)\{if("string"!=typeof e||!t)return;let[o,r,a]=L(e,i,n);if(e in T)\{const
 t=t=>function(e){if(!e.relatedTarget||e.relatedTarget!==e.delegateTarget&&!e.delegateTarget.co
ntains(e.relatedTarget))return t.call(this,e)};r=t(r)}const
 l=x(t), c=l[a] \mid | (l[a]=\{\}), h=k(c,r,o?i:null); if(h) return \ void(h.oneOff=h.oneOff\&s); constants for the constants of the constant of the c
 d=O(r,e.replace(v,"")),u=o?function(t,e,i){return function n(s){const
 o=t.querySelectorAll(e);for(let{target:r}=s;r&&r!==this;r=r.parentNode)for(const a of
 o)if(a===r)return
 \texttt{M}(\texttt{s}, \{\texttt{delegateTarget:r}\}), \texttt{n.oneOff\&\&P.off(t,s.type,e,i)}, \texttt{i.apply(r,[s])} \} \\ (\texttt{t,i,r):function(t,e)} \\ \{\texttt{respective}, \texttt{respective}, \texttt{re
 turn function i(n){return
\texttt{M(n, \{delegateTarget:t\}), i.oneOff\&\&P.off(t,n.type,e), e.apply(t,[n])\}} (t,r); u.delegationSelector(t,n.type,e), e.apply(t,[n]), and the selector(t,n.type,e), a
  =o?i:null,u.callable=r,u.oneOff=s,u.uidEvent=d,c[d]=u,t.addEventListener(a,u,o)}function
D(t,e,i,n,s) {const o=k(e[i],n,s);o&&(t.removeEventListener(i,o,Boolean(s)),delete
```

```
e[i][o.uidEvent])}function I(t,e,i,n){const s=e[i]||{};for(const[o,r]of
\label{eq:delta_problem} Object.entries(s)) o.includes(n) \&\&D(t,e,i,r.callable,r.delegationSelector) \\ function N(t) \\ \{return t=t.replace(y,""),T[t]||t\} \\ const
0 === o) \{ if(h) for(const i of Object.keys(1)) I(t, 1, i, e.slice(1)); for(const[i, n] of Object.keys(1)); for(const[i, n] of Object.keys(1)); for(const[i, n] of Object.keys(1)); for(const[i, n] of Object.keys(1)); for(const[i, n] o
 Object.entries(c)){const
 . keys(c).length) return; D(t,l,r,o,s?i:null) \} \}, trigger(t,e,i) \{ if("string"!=typeof e | | !t) return \} \} \}, trigger(t,e,i) \{ if("string"!=typeof e | | !t) return \} \} \}
 null;const n=u();let
 s=null,o=!0,r=!0,a=!1;e!==N(e)&&n&&(s=n.Event(e,i),n(t).trigger(s),o=!s.isPropagationStopped()
   ,r=!s.isImmediatePropagationStopped(),a=s.isDefaultPrevented());const l=M(new
 Event(e, {bubbles:0, cancelable:!0}),i);return
 a&&l.preventDefault(),r&&t.dispatchEvent(1),l.defaultPrevented&&s&&s.preventDefault(),l};func
 tion M(t,e={}){for(const[i,n]of}
 Object.entries(e))try{t[i]=n}catch(e){Object.defineProperty(t,i,{configurable:!0,get:()=>n})}r
 eturn t}function
 j(t){if("true"===t)return!0;if("false"===t)return!1;if(t===Number(t).toString())return
 Number(t);if(""===t||"null"===t)return null;if("string"!=typeof t)return t;try{return
JSON.parse(decodeURIComponent(t))}catch(e){return t}}function F(t){return t.replace(/[A-
 Z]/g,(t=>`-${t.toLowerCase()}`))}const H={setDataAttribute(t,e,i){t.setAttribute(`data-bs-
${F(e)}`,i)},removeDataAttribute(t,e){t.removeAttribute(`data-bs-
${F(e)}`)},getDataAttributes(t){if(!t)return{};const
 e={},i=Object.keys(t.dataset).filter((t=>t.startsWith("bs")&&!t.startsWith("bsConfig")));for(c
onst n of i){let
i=n.replace(/^bs/,"");i=i.charAt(0).toLowerCase()+i.slice(1,i.length),e[i]=j(t.dataset[n])}ret
 urn e \}, getDataAttribute:(t,e) => j(t.getAttribute(`data-bs-$\{F(e)\}`))\}; class $\{static getAttribute(`data-bs-$\{F(e)\}`)\}; class $\{static getAttribute(`data-bs-$\{f(e)\}`]\}; class $\{static getAttribute(`data-bs-$\{f(e)\}`]\}; class $\{static getAttribute(`data-bs-$\{f(e)\}`]\}; class $\{static getAttribute(`data-bs-$\{f(e)\}`]\}; class $\{s
 Default(){return{}}static get DefaultType(){return{}}static get NAME(){throw new Error('You
have to implement the static method "NAME", for each component!')}_getConfig(t){return
 t=this.\_mergeConfigObj(t), t=this.\_configAfterMerge(t), this.\_typeCheckConfig(t), t\}\_configAfterMerge(t), this.\_typeCheckConfig(t), this.\_typeCheckC
 erge(t){return t}_mergeConfigObj(t,e){const
 i=o(e)? \\ H. \\ getDataAttribute(e, "config"): \\ \{\}; \\ return\{\dots this.constructor. \\ Default, \dots "object" == typeo(n) \\ for each interpretation of the property of the property
f i?i:{},...o(e)?H.getDataAttributes(e):{},..."object"==typeof
t?t:{}}}_typeCheckConfig(t,e=this.constructor.DefaultType){for(const[n,s]of
 Object.entries(e)){const
 \texttt{e=t[n],r=o(e)?"element":null==(i=e)?`$\{i\}`:Object.prototype.toString.call(i).match(/\s([a-i]).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).match(i).matc
 z]+)/i)[1].toLowerCase();if(!new RegExp(s).test(r))throw new
TypeError(\Sthis.constructor.NAME.toUpperCase()}: Option \Sn} provided type \Sr} but
expected type "${s}".`)}var i}}class W extends
${constructor(t,i){super(),(t=r(t))&&(this._element=t,this._config=this._getConfig(i),e.set(th))}
 is.\_element, this.constructor.DATA\_KEY, this)) \} \\ dispose() \\ \{e.remove(this.\_element, this.constructor, this.)\} \\ dispose() \\ \{e.remove(this.\_element, this.)\} \\ dispose() \\ dispose()
  .DATA_KEY), P.off(this._element,this.constructor.EVENT_KEY); for(const t of
 t=this._mergeConfigObj(t,this._element),t=this._configAfterMerge(t),this._typeCheckConfig(t),t
  }static getInstance(t){return e.get(r(t),this.DATA_KEY)}static
 getOrCreateInstance(t,e={}){return this.getInstance(t)||new this(t,"object"==typeof
e?e:null)}static get VERSION(){return"5.3.0"}static get
DATA_KEY(){return`bs.${this.NAME}`}static get EVENT_KEY(){return`.${this.DATA_KEY}`}static
eventName(t){return`${t}$${this.EVENT_KEY}`}}const B=t=>{let e=t.getAttribute("data-bs-
 target");if(!e||"#"===e){let
i=t.getAttribute("href");if(!i||!i.includes("#")&&!i.startsWith("."))return
null;i.includes("#")&&!i.startsWith("#")&&(i=`#${i.split("#")[1]}`),e=i&&"#"!==i?i.trim():null
 }return
n(e)},z={find:(t,e=document.documentElement)=>[].concat(...Element.prototype.querySelectorAll.
 call(e,t)),findOne:(t,e=document.documentElement)=>Element.prototype.querySelector.call(e,t),c
\label{eq:hildren:(t,e)=>[].concat(...t.children).filter((t=>t.matches(e))), parents(t,e) \\ \{const i=[]; let in the concat(...t.children), filter((t=>t.matches(e))), parents(t,e), filter((t=>t.matche
n=t.parentNode.closest(e);for(;n;)i.push(n),n=n.parentNode.closest(e);return i},prev(t,e){let
 i=t.previousElementSibling;for(;i;){if(i.matches(e))return[i];i=i.previousElementSibling}retur
n[], next(t,e){let
 i=t.nextElementSibling;for(;i;){if(i.matches(e))return[i];i=i.nextElementSibling}return[]},foc
 usableChildren(t){const
e=["a","button","input","textarea","select","details","[tabindex]",'[contenteditable="true"]']
.map((t=>`${t}:not([tabindex^="-"])`)).join(",");return
 this.find(e,t).filter((t=>!l(t)&&a(t)))\}, getSelectorFromElement(t)\{const\ e=B(t); return\ e=b(t)\}, filter((t=>!l(t)&&a(t)))\}, getSelectorFromElement(t)\{const\ e=b(t); return\ e=b(t); retur
 e\&\&z.findOne(e)?e:null \}, getElementFromSelector(t) \{const e=B(t); return exacts for exact for exacts for exact for
 e?z.findOne(e):null},getMultipleElementsFromSelector(t){const e=B(t);return
 e?z.find(e):[]}},R=(t,e="hide")=>{const
 i=`click.dismiss${t.EVENT_KEY}`,n=t.NAME;P.on(document,i,`[data-bs-
 dismiss = "\$\{n\}"]`, (function(i)\{if(["A","AREA"].includes(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.tagName)\&\&i.preventDefault(),l(this.t
 s))return;const
 s=z.getElementFromSelector(this)||this.closest(`.${n}`);t.getOrCreateInstance(s)[e]()}))};clas
 s q extends W{static get
 {\tt NAME()\{return^{''}alert"\}close()\{if(P.trigger(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert").defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_element,"close.bs.alert).defaultPrevented)reterment(this.\_elem
urn;this._element.classList.remove("show");const
t=this._element.classList.contains("fade");this._queueCallback((()=>this._destroyElement()),th
 is._element,t)}_destroyElement(){this._element.remove(),P.trigger(this._element,"closed.bs.ale
\verb|rt"|, this.dispose()| static jQueryInterface(t) \{ return this.each((function() \{ constant) \} \} | this.dispose(this interface(this interfa
 e=q.getOrCreateInstance(this);if("string"==typeof t){if(void
0===e[t]||t.startsWith("_")||"constructor"===t)throw new TypeError(`No method named
```

```
"\{t\}");e[t](this)\}))}R(q,"close"),<math>m(q);const V='[data-bs-toggle="button"]';class K extends for the sum of the sum 
   W{static get NAME(){return"button"}toggle(){this._element.setAttribute("aria-
   pressed",this._element.classList.toggle("active"))}static jQueryInterface(t){return
   this.each((function(){const
   e=K.getOrCreateInstance(this); "toggle"===t&&e[t]()}))}}P.on(document, "click.bs.button.data-
   api", V, (t=>{t.preventDefault();const
   e=t.target.closest(V); K.getOrCreateInstance(e).toggle()})), m(K); const
    Q = \{endCallback: null, leftCallback: null, rightCallback: null\}, X = \{endCallback: "(function|null)", leftCallback: null, leftCallback: "(function|null)", leftCallback: null, leftCallback: null, leftCallback: null, leftCallback: null, n
   tCallback: "(function | null) ", rightCallback: "(function | null) "}; class Y extends
   ${constructor(t,e){super(),this._element=t,t&&Y.isSupported()&&(this._config=this._getConfig(e
   ),this._deltaX=0,this._supportPointerEvents=Boolean(window.PointerEvent),this._initEvents())}s
  tatic get Default(){return Q}static get DefaultType(){return X}static get
NAME(){return"swipe"}dispose(){P.off(this._element,".bs.swipe")}_start(t){this._supportPointer
Events?this._eventIsPointerPenTouch(t)&&(this._deltaX=t.clientX):this._deltaX=t.touches[0].cli
   entX}_end(t){this._eventIsPointerPenTouch(t)&&(this._deltaX=t.clientX-
   this._deltaX),this._handleSwipe(),g(this._config.endCallback)}_move(t){this._deltaX=t.touches&
   &t.touches.length>1?0:t.touches[0].clientX-this._deltaX}_handleSwipe(){const
   t=Math.abs(this._deltaX);if(t<=40)return;const</pre>
   e=t/this._deltaX;this._deltaX=0,e&&g(e>0?this._config.rightCallback:this._config.leftCallback)
   }_initEvents(){this._supportPointerEvents?(P.on(this._element, "pointerdown.bs.swipe",(t=>this.
  _start(t))), P.on(this._element, "pointerup.bs.swipe",(t=>this._end(t))), this._element.classList
   .add("pointer-
   event")):(P.on(this._element,"touchstart.bs.swipe",(t=>this._start(t))),P.on(this._element,"to
   uchmove.bs.swipe",(t=>this._move(t))),P.on(this._element,"touchend.bs.swipe",(t=>this._end(t))
   ))}_eventIsPointerPenTouch(t){return
   this._supportPointerEvents&&("pen"===t.pointerType||"touch"===t.pointerType)}static
   isSupported(){return"ontouchstart"in
   document.documentElement||navigator.maxTouchPoints>0}}const
  U="next",G="prev",J="left",Z="right",tt="slid.bs.carousel",et="carousel",it="active",nt={Arrow
   Left:Z,ArrowRight:J},st={interval:5e3,keyboard:!0,pause:"hover",ride:!1,touch:!0,wrap:!0},ot={
   interval: "(number|boolean)", keyboard: "boolean", pause: "(string|boolean)", ride: "(boolean|string)
   ",touch: "boolean", wrap: "boolean" }; class rt extends
   \label{lem:well} \begin{split} & \mathbb{W} \{ \texttt{constructor}(\texttt{t},\texttt{e}) \{ \texttt{super}(\texttt{t},\texttt{e}) \,, \texttt{this}.\_\texttt{interval=null} \,, \texttt{this}.\_\texttt{activeElement=null} \,, \texttt{this}.\_\texttt{isSliding=!1} \,, \end{split}
   this.touchTimeout=null,this._swipeHelper=null,this._indicatorsElement=z.findOne(".carousel-
   indicators",this._element),this._addEventListeners(),this._config.ride===et&&this.cycle()}stat
  ic get Default(){return st}static get DefaultType(){return ot}static get
NAME(){return"carousel"}next(){this._slide(U)}nextWhenVisible(){!document.hidden&&a(this._elem
   \verb|ent|&& this.next()| prev() \{this.\_slide(G)\} pause() \{this.\_isSliding&&s(this.\_element), this.\_clear Instance of the content of the conten
  nterval()}cycle(){this._clearInterval(),this._updateInterval(),this._interval=setInterval((()=>this.nextWhenVisible()),this._config.interval)}_maybeEnableCycle(){this._config.ride&&(this._
   isSliding?P.one(this._element,tt,(()=>this.cycle())):this.cycle())}to(t){const
   e=this._getItems();if(t>e.length-1||t<0)return;if(this._isSliding)return void
   P.one(this._element,tt,(()=>this.to(t)));const
   i=this._getItemIndex(this._getActive());if(i===t)return;const
  n=t>i?U:G:this.\_slide(n,e[t])\} dispose() \\ \{this.\_swipeHelper\&this.\_swipeHelper.dispose(),super.dispose()\} \\ \{this.\_swipeHelper.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),super.dispose(),su
   ispose()}_configAfterMerge(t){return
   t.defaultInterval=t.interval,t]\_addEventListeners() \\ \{this.\_config.keyboard\&\&P.on(this.\_element, property of the property o
   "keydown.bs.carousel",(t=>this._keydown(t))), "hover"===this._config.pause&&(P.on(this._element,"mouseenter.bs.carousel",(()=>this.pause())), P.on(this._element, "mouseleave.bs.carousel",(()=
   >this._maybeEnableCycle()))),this._config.touch&&Y.isSupported()&&this._addTouchEventListeners
   ()}_addTouchEventListeners(){for(const t of z.find(".carousel-item img",this._element))P.on(t,"dragstart.bs.carousel",(t=>t.preventDefault()));const
   t={leftCallback:()=>this._slide(this._directionToOrder(J)),rightCallback:()=>this._slide(this.
    _directionToOrder(Z)),endCallback:()=>{"hover"===this._config.pause&&(this.pause(),this.touchT
   imeout&&clearTimeout(this.touchTimeout),this.touchTimeout=setTimeout((()=>this._maybeEnableCyc
   le()),500+this._config.interval))}};this._swipeHelper=new
   Y(this.\_element,t)\}\_keydown(t)\{if(/input|textarea/i.test(t.target.tagName))return;constructionstructions for the property of the property of
   e=nt[t.key];e&&(t.preventDefault(),this._slide(this._directionToOrder(e)))}_getItemIndex(t){re
   turn
   this._qetItems().indexOf(t)}_setActiveIndicatorElement(t){if(!this._indicatorsElement)return;c
   e=z.findOne(".active",this._indicatorsElement);e.classList.remove(it),e.removeAttribute("aria-
   current");const i=z.findOne(`[data-bs-slide-
   to = "\$\{t\}"]`, this.\_indicators Element); i\&\&(i.class List.add(it), i.set Attribute("aria-like List.add(it)); i.
   current","true"))}_updateInterval(){const
   t=this._activeElement||this._getActive();if(!t)return;const
   e=Number.parseInt(t.getAttribute("data-bs-
   interval"),10);this._config.interval=e||this._config.defaultInterval}_slide(t,e=null){if(this.
    _isSliding)return;const
   i=this._getActive(),n=t===U,s=e||b(this._getItems(),i,n,this._config.wrap);if(s===i)return;con
   o=this._getItemIndex(s),r=e=>P.trigger(this._element,e,{relatedTarget:s,direction:this._orderT
   oDirection(t), from: this._getItemIndex(i), to:o}); if(r("slide.bs.carousel").defaultPrevented)ret
   urn; if(!i||!s)return; const
   a=Boolean(this._interval); this.pause(),this._isSliding=!0,this._setActiveIndicatorElement(o),t
  his._activeElement=s;const l=n?"carousel-item-start":"carousel-item-end",c=n?"carousel-item-
  next": "carousel-item-
  s.classList.remove(1,c),s.classList.add(it),i.classList.remove(it,c,l),this._isSliding=!1,r(tt
)}),i,this._isAnimated()),a&&this.cycle()}_isAnimated(){return
```

```
this._element.classList.contains("slide")}_getActive(){return z.findOne(".active.carousel-
item",this._element)}_getItems(){return z.find(".carousel-
item", this.\_element) \} \_ clearInterval() \\ \{this.\_interval&&(clearInterval(this.\_interval), this.\_interval(this.\_interval), this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_interval(this.\_int
erval=null)}_directionToOrder(t){return p()?t===J?G:U:t===J?U:G}_orderToDirection(t){return
p()?t===G?J:Z:t===G?Z:J}static jQueryInterface(t){return this.each((function(){const
e=rt.getOrCreateInstance(this,t); if ("number"!=typeof t) \\ \{if ("string"==typeof t) \\ \{if (void to the extraction of 
0===e[t]||t.startsWith("_")||"constructor"===t)throw new TypeError(`No method named
"${t}"`);e[t]()}}else e.to(t)}))}}P.on(document,"click.bs.carousel.data-api","[data-bs-slide],
[data-bs-slide-to]",(function(t){const
e=z.getElementFromSelector(this);if(!e||!e.classList.contains(et))return;t.preventDefault();co
nst i=rt.getOrCreateInstance(e),n=this.getAttribute("data-bs-slide-to");return n?(i.to(n),void
i._maybeEnableCycle()):"next"===H.getDataAttribute(this,"slide")?(i.next(),void
i._maybeEnableCycle()):(i.prev(),void
i._maybeEnableCycle())})), P.on(window, "load.bs.carousel.data-api",(()=>{const t=z.find('[data-
bs-ride="carousel"]');for(const e of t)rt.getOrCreateInstance(e)})),m(rt);const
at="show", lt="collapse", ct="collapsing", ht='[data-bs-
toggle="collapse"]', dt=\{parent:null,toggle:!0\}, ut=\{parent:"(null|element)",toggle:"boolean"\}; collapse"\}, toggle:"boolean"\}; collapse = [null | element) = [null 
lass ft extends
W{constructor(t,e){super(t,e),this._isTransitioning=!1,this._triggerArray=[];const
i=z.find(ht);for(const t of i){const
e=z.getSelectorFromElement(t),i=z.find(e).filter((t=>t===this._element));null!==e&&i.length&&t
his._triggerArray.push(t)}this._initializeChildren(),this._config.parent||this._addAriaAndColl
apsedClass(this._triggerArray,this._isShown()),this._config.toggle&&this.toggle()}static get
Default(){return dt}static get DefaultType(){return ut}static get
NAME(){return"collapse"}toggle(){this._isShown()?this.hide():this.show()}show(){if(this._isTra
nsitioning||this._isShown())return;let
t=[];if(this._config.parent&&(t=this._getFirstLevelChildren(".collapse.show,
 .collapse.collapsing").filter((t=>t!==this._element)).map((t=>ft.getOrCreateInstance(t,{toggle
:!1})))),t.length&&t[0]._isTransitioning)return;if(P.trigger(this._element,"show.bs.collapse")
.defaultPrevented)return;for(const e of t)e.hide();const
e=this._getDimension();this._element.classList.remove(lt),this._element.classList.add(ct),this
._element.style[e]=0,this._addAriaAndCollapsedClass(this._triggerArray,!0),this._isTransitioni
ng=!0;const
i=`scroll${e[0].toUpperCase()+e.slice(1)}`;this._queueCallback((()=>{this._isTransitioning=!1,
this._element.classList.remove(ct), this._element.classList.add(lt,at), this._element.style[e]="
 ",P.trigger(this._element, "shown.bs.collapse")}),this._element,!0),this._element.style[e]=`${t
his._element[i]}px`}hide(){if(this._isTransitioning||!this._isShown())return;if(P.trigger(this
._element, "hide.bs.collapse").defaultPrevented)return;const
t=this._getDimension();this._element.style[t]=`${this._element.getBoundingClientRect()[t]}px`,
d(this._element),this._element.classList.add(ct),this._element.classList.remove(lt,at);for(con
st t of this._triggerArray){const
e=z.getElementFromSelector(t);e&&!this._isShown(e)&&this._addAriaAndCollapsedClass([t],!1)}thi
g=!1,this._element.classList.remove(ct),this._element.classList.add(lt),P.trigger(this._elemen
t, "hidden.bs.collapse")}), this._element,!0)}_isShown(t=this._element){return
t.classList.contains(at)}_configAfterMerge(t){return
t.toggle=Boolean(t.toggle),t.parent=r(t.parent),t}_getDimension(){return
this._element.classList.contains("collapse-
horizontal")?"width": "height"}_initializeChildren(){if(!this._config.parent)return;const
t=this._getFirstLevelChildren(ht);for(const e of t){const
t=z.getElementFromSelector(e);t&&this._addAriaAndCollapsedClass([e],this._isShown(t))}}_getFir
stLevelChildren(t){const e=z.find(":scope .collapse .collapse",this._config.parent);return
z.find(t,this.\_config.parent).filter((t=>!e.includes(t)))\}\_addAriaAndCollapsedClass(t,e)\{if(t.alpha)\}\_addAriaAndCollapsedClass(t,e)\}
length)for(const i of t)i.classList.toggle("collapsed",!e),i.setAttribute("aria-
expanded",e)}static jQueryInterface(t){const e={};return"string"==typeof
t\&\&/show|hide/.test(t)\&\&(e.toggle=!1),this.each((function(){const}))
api", ht,(function(t){("A"===t.target.tagName||t.delegateTarget&&"A"===t.delegateTarget.tagName
)&&t.preventDefault();for(const t of
z.getMultipleElementsFromSelector(this))ft.getOrCreateInstance(t,{toggle:!1}).toggle()})),m(ft
);var
pt="top",mt="bottom",gt="right",_t="left",bt="auto",vt=[pt,mt,gt,_t],yt="start",wt="end",At="c
lippingParents",Et="viewport",Tt="popper",Ct="reference",Ot=vt.reduce((function(t,e){return})
t.concat([e+"-"+yt,e+"-"+wt])}),[]),xt=[].concat(vt,[bt]).reduce((function(t,e){return t.concat([e,e+"-"+yt,e+"-"
"+wt])}),[]),kt="beforeRead",Lt="read",St="afterRead",Dt="beforeMain",It="main",Nt="afterMain"
Pt="beforeWrite",Mt="write",jt="afterWrite",Ft=[kt,Lt,St,Dt,It,Nt,Pt,Mt,jt];function
Ht(t){return t?(t.nodeName||"").toLowerCase():null}function $t(t){if(null==t)return
window;if("[object Window]"!==t.toString()){var e=t.ownerDocument;return
e\&\&e.defaultView||window|return t|function Wt(t)|{return t instanceof $t(t).Element||t|}
instance of \ Element \} function \ Bt(t) \\ \{return \ t \ instance of \ \$t(t). HTMLElement \\ | t \ instance of \ HTMLElement \\ \{return \ undefined \ != type of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instance of \ Shadow Root \\ \& (t \ instanc
$t(t).ShadowRoot||t instanceof ShadowRoot)}const
Rt={name: "applyStyles",enabled:!0,phase:"write",fn:function(t){var
e=t.state;Object.keys(e.elements).forEach((function(t) {var
i=e.styles[t]\big|\big|\big\{\big\}, n=e.attributes[t]\big|\big|\big\{\big\}, s=e.elements[t]; Bt(s) \&\&Ht(s) \&\&(Object.assign(s.style,index)) \\
),Object.keys(n).forEach((function(t){var
e=n[t];!1===e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)})))))),effect:function(t)\{value = n[t];!1===e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)})))),effect:function(t)[value = n[t];!1===e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)}))),effect:function(t)[value = n[t];!1===e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)}))),effect:function(t)[value = n[t];!1===e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)}))),effect:function(t)[value = n[t];!1==e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)}))),effect:function(t)[value = n[t];!1==e?s.removeAttribute(t):s.setAttribute(t,!0===e?"":e)}))),effect:function(t)[value = n[t];!1==e?s.removeAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):s.setAttribute(t):
```

```
e=t.state,i={popper:{position:e.options.strategy,left:"0",top:"0",margin:"0"},arrow:{position:
  "absolute"},reference:{}};return
Object.assign(e.elements.popper.style,i.popper),e.styles=i,e.elements.arrow\&\&Object.assign(e.elements.arrow.style,i.arrow),function()\\ \{Object.keys(e.elements).forEach((function(t)\{vararow, vararow, 
 ]).reduce((function(t,e){return
 t[e]="",t]),\{\});Bt(n)\&\&Ht(n)\&\&(Object.assign(n.style,o),Object.keys(s).forEach((function(t){n.}))
 removeAttribute(t)})))))))), requires:["computeStyles"]);function qt(t){return t.split("-
 ")[0]}var Vt=Math.max,Kt=Math.min,Qt=Math.round;function Xt(){var
 t=navigator.userAgentData;return
null!=t&&t.brands&&Array.isArray(t.brands)?t.brands.map((function(t){return
t.brand+"/"+t.version})).join(" "):navigator.userAgent}function
 Yt(){return!/^((?!chrome|android).)*safari/i.test(Xt())}function Ut(t,e,i){void
 0 === e\&\&(e=!1), void 0 === i\&\&(i=!1); var
 ,o=t.offsetHeight>0\&Qt(n.height)/t.offsetHeight||1);var
 r=(Wt(t)?\$t(t):window).visualViewport,a=!Yt()\&\&i,l=(n.left+(a\&\&r?r.offsetLeft:0))/s,c=(n.top+(a\&vertient))/s
 a\&\&r?r.offsetTop:0))/o,h=n.width/s,d=n.height/o;return\{width:h,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:d,top:c,right:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bottom,height:l+h,bo
 :c+d,left:l,x:l,y:c}}function Gt(t){var e=Ut(t),i=t.offsetWidth,n=t.offsetHeight;return
Math.abs(e.width-i)<=1&&(i=e.width), Math.abs(e.height-
 n) <= 1 \& \& (n=e.height), \\ \{x:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t.offsetLeft, y:t.offsetTop, width:i, height:n\} \} function \ Jt(t,e) \\ \{vareleft, y:t.offsetLeft, y:t
 i=e.getRootNode&&e.getRootNode();if(t.contains(e))return!0;if(i&&zt(i)){var
n=e;do{if(n&&t.isSameNode(n))return!0;n=n.parentNode||n.host}while(n)}return!1}function
 Zt(t){return t(t).getComputedStyle(t)}function
\label{lem:tetal} $$ te(t) \left\{ return["table","td","th"].indexOf(Ht(t)) >= 0 \right\} function $$ ee(t) \left\{ return((Wt(t)?t.ownerDocument:t.document) \mid | window.document).documentElement \right\} function $$ example 1. $$ function $$ example 2. $$ function $$ example 3. $$ function $$ example 3. $$ function $$ example 4. $$ function $$ exam
 ie(t){return"html"===Ht(t)?t:t.assignedSlot||t.parentNode||(zt(t)?t.host:null)||ee(t)}function
 ne(t){return Bt(t)&&"fixed"!==Zt(t).position?t.offsetParent:null}function se(t){for(var
 e=\$t(t), i=ne(t); i\&\&te(i)\&\&"static"===Zt(i).position;) i=ne(i); return
 i\&\&("html"===Ht(i)||"body"===Ht(i)\&\&"static"===Zt(i).position)?e:i||function(t)\{varante of the content of the
 e = /firefox/i.test(Xt()); if(/Trident/i.test(Xt())&&Bt(t)&&"fixed" = = = Zt(t).position) return
\text{null; var } i = i = (t); for(zt(i)&&(i=i.host); Bt(i)&&["html","body"].indexOf(Ht(i))<0;) {var
 n=Zt(i);if("none"!==n.transform||"none"!==n.perspective||"paint"===n.contain||-
 1! = ["transform", "perspective"].indexOf(n.willChange)||e&&"filter" = = = n.willChange||e&&n.filter||e&&"filter||e = = n.willChange||e&&n.filter||e = ||e&&n.filter||e = ||e & & ||
 &&"none"!==n.filter)return i;i=i.parentNode}return null}(t)||e}function
 oe(t){return["top","bottom"].indexOf(t)>=0?"x":"y"}function re(t,e,i){return}
 Vt(t,Kt(e,i))}function ae(t){return
 Object.assign({},{top:0,right:0,bottom:0,left:0},t)}function le(t,e){return
e.reduce((function(e,i){return e[i]=t,e}),{})}const
ce={name:"arrow",enabled:!0,phase:"main",fn:function(t){var
 e,i=t.state,n=t.name,s=t.options,o=i.elements.arrow,r=i.modifiersData.popperOffsets,a=qt(i.pla
 \texttt{cement),l=oe(a),c=[\_t,gt].indexOf(a)>=0?"height":"width"; if(o\&\&r) \\ \{var \ h=function(t,e) \\ \{return \ h=function(t,e) \} \\ \{return \ h=function(t,e) \\ \{return \ h=function(t,e) \} \\ 
 ae("number"!=typeof(t="function"==typeof
 t?t(Object.assign({},e.rects,{placement:e.placement})):t)?t:le(t,vt))}(s.padding,i),d=Gt(o),u=
  "y"===1?pt:_t,f="y"===1?mt:gt,p=i.rects.reference[c]+i.rects.reference[1]-r[1]-
 i.rects.popper[c],m=r[l]-
 i.rects.reference[1],g=se(0),_=g?"y"===1?g.clientHeight||0:g.clientWidth||0:0,b=p/2-
m/2, v=h[u], y=\_-d[c]-h[f], w=\_/2-
 d[c]/2+b, A=re(v,w,y), E=1; i. modifiersData[n]=((e={})[E]=A, e. centerOffset=A-
 w,e)}},effect:function(t){var e=t.state,i=t.options.element,n=void 0===i?"[data-popper-
 arrow]":i;null!=n&&("string"!=typeof
 n \mid (n=e.elements.popper.querySelector(n))) \& Jt(e.elements.popper,n) \& (e.elements.arrow=n) \}, req
 uires:["popperOffsets"],requiresIfExists:["preventOverflow"]};function he(t){return t.split("-
  ")[1]}var de={top:"auto",right:"auto",bottom:"auto",left:"auto"};function ue(t){var
 e,i=t.popper,n=t.popperRect,s=t.placement,o=t.variation,r=t.offsets,a=t.position,l=t.gpuAccele
 ration,c=t.adaptive,h=t.roundOffsets,d=t.isFixed,u=r.x,f=void 0===u?0:u,p=r.y,m=void
A=se(i),E="clientHeight",T="clientWidth";A===$t(i)&&"static"!==Zt(A=ee(i)).position&&"absolute
  "===a\&\&(E="scrollHeight",T="scrollWidth"),(s===pt | |(s===_t||s===gt)\&\&o===wt)\&\&(y=mt,m-1) | |(s===_t||s===gt)\&\&o===wt)\&\&(y=mt,m-1) | |(s===_t||s===gt)\&\&o===wt)\&\&(y=mt,m-1) | |(s===_t||s==gt)\&\&o===wt)\&\&(y=mt,m-1) | |(s===_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&o===wt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s==gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_t||s===gt)\&\&(y==_
 = (d\&\&A = = = w\&\&w.visualViewport?w.visualViewport.height:A[E]) - n.height, m*=1?1:-aligned and aligned aligned and aligned aligned and aligned aligned aligned and aligned aligned aligned and aligned aligned and aligned aligned aligned and aligned aligned aligned aligned and aligned 
 1),s!==_t\&(s!==pt\&&s!==mt||o!==wt)||(v=gt,f-
 = (d\&\&A === w\&\&w.visualViewport?w.visualViewport.width:A[T]) - n.width,f*=1?1:-1) \} var = (d\&\&A === w\&\&w.visualViewport?w.visualViewport.width:A[T]) - n.width,f*=1?1:-1) \} var = (d\&\&A === w\&\&w.visualViewport?w.visualViewport.width:A[T]) - n.width,f*=1?1:-1) \} var = (d\&\&A === w\&\&w.visualViewport.width:A[T]) - n.width;f*=1?1:-1) \} var = (d\&\&A === w\&\&w.visualViewport.width) + (d\&A == w\&w.visualViewport.width) + (d\&A == w\&w.visualViewwort.width) + (d\&A == w\&w.visual
 C,O=Object.assign({position:a},c&&de),x=!0===h?function(t,e){var}
 :f,y:m};return
  f=x.x, m=x.y, 1?0 bject.assign(\{\}, 0, ((C=\{\})[y]=b?"0":"", C[v]=\_?"0":"", C.transform=(w.devicePixelR, C.transform=(w.devicePixel
 atio||1)<=1?"translate("+f+"px, "+m+"px)":"translate3d("+f+"px, "+m+"px,
0)",C)):0bject.assign({},0,((e={})[y]=b?m+"px":"",e[v]=_?f+"px":"",e.transform="",e))}const fe={name:"computeStyles",enabled:!0,phase:"beforeWrite",fn:function(t){var}}
 \texttt{e=t.state,i=t.options,n=i.gpuAcceleration,s=void} \ \ \texttt{0===n} \ | \ | \ n,o=i.adaptive,r=void \ \ \texttt{0==} \ | \ | \ n,o=i.adaptive,r=void \ \ | \ n,o=i.
0===o | o,a=i.roundOffsets,l=void
0===a | a,c={placement:qt(e.placement),variation:he(e.placement),popper:e.elements.popper,poppe
 rRect:e.rects.popper,gpuAcceleration:s,isFixed:"fixed"===e.options.strategy};null!=e.modifiers
 \label{lem:decomposition} Data.popperOffsets\&\\ (e.styles.popper=Object.assign(\{\},e.styles.popper,ue(Object.assign(\{\},c,\{output)\}), and the property of the p
 ffsets:e.modifiersData.popperOffsets,position:e.options.strategy,adaptive:r,roundOffsets:1})))
 ), null!=e.modifiersData.arrow&&(e.styles.arrow=Object.assign(\{\},e.styles.arrow,ue(Object.assign(\{\}),e.styles.arrow.
n(\{\},c,\{offsets:e.modifiersData.arrow,position:"absolute",adaptive:!1,roundOffsets:l\})))),e.at
tributes.popper=Object.assign({},e.attributes.popper,{"data-popper-placement":e.placement})},data:{}};var pe={passive:!0};const
```

```
me={name:"eventListeners",enabled:!0,phase:"write",fn:function(){},effect:function(t){var
 e=t.state,i=t.instance,n=t.options,s=n.scroll,o=void 0===s||s,r=n.resize,a=void
 0===r | r,l=$t(e.elements.popper),c=[].concat(e.scrollParents.reference,e.scrollParents.popper)
 o&&c.forEach((function(t){t.addEventListener("scroll",i.update,pe)})),a&&l.addEventListener("r
 esize",i.update,pe),function(){o&&c.forEach((function(t){t.removeEventListener("scroll",i.upda
te,pe)})),a&&l.removeEventListener("resize",i.update,pe)}},data:{}};var
 ge={left: "right", right: "left", bottom: "top", top: "bottom" }; function __e(t) {return
 {\tt t.replace(/left|right|bottom|top/g,(function(t)\{return~ge[t]\}))} \\ var
 be={start:"end",end:"start"};function ve(t){return t.replace(/start|end/g,(function(t){return
be[t]}))}function ye(t){var
 e=$t(t);return{scrollLeft:e.pageXOffset,scrollTop:e.pageYOffset}}function we(t){return
 Ut(ee(t)).left+ye(t).scrollLeft}function Ae(t){var
 e=Zt(t),i=e.overflow,n=e.overflowX,s=e.overflowY;return/auto|scroll|overlay|hidden/.test(i+s+n
 ) \function
 Ee(t){return["html","body","#document"].indexOf(Ht(t))>=0?t.ownerDocument.body:Bt(t)&&Ae(t)?t:
 Ee(ie(t)) function Te(t,e) {var i;void 0===e&&(e=[]);var
 n=Ee(t),s=n===(null==(i=t.ownerDocument)?void
 0:i.body),o=$t(n),r=s?[o].concat(o.visualViewport||[],Ae(n)?n:[]):n,a=e.concat(r);return
 s?a:a.concat(Te(ie(r)))}function Ce(t){return
 Object.assign({},t,{left:t.x,top:t.y,right:t.x+t.width,bottom:t.y+t.height})}function
 Oe(t,e,i){return e===Et?Ce(function(t,e){var
 i=$t(t),n=ee(t),s=i.visualViewport,o=n.clientWidth,r=n.clientHeight,a=0,l=0;if(s){o=s.width,r=
 s.height; var
 c=Yt();(c||!c&&"fixed"===e)&&(a=s.offsetLeft,l=s.offsetTop)\\ \\ return\{width:o,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+we(t),r,height:r,x:a+
y:1}}(t,i)):Wt(e)?function(t,e){var i=Ut(t,!1,"fixed"===e);return
i.top=i.top+t.clientTop,i.left=i.left+t.clientLeft,i.bottom=i.top+t.clientHeight,i.right=i.lef
 t+t.clientWidth,i.width=t.clientWidth,i.height=t.clientHeight,i.x=i.left,i.y=i.top,i}(e,i):Ce(
 function(t){var e,i=ee(t),n=ye(t),s=null==(e=t.ownerDocument)?void
 0 : e.body, o=Vt(i.scrollWidth, i.clientWidth, s?s.scrollWidth: 0, s?s.clientWidth: 0), r=Vt(i.scrollHerick or of the content width), r=Vt(i.scrollHerick or of the content width), r=Vt(i.scrollWidth, i.clientWidth, s?s.scrollWidth: 0, s?s.clientWidth: 0, s?s.clien
 ight,i.clientHeight,s?s.scrollHeight:0,s?s.clientHeight:0),a=-n.scrollLeft+we(t),l=-
n.scrollTop;return"rtl"===Zt(s||i).direction&&(a+=Vt(i.clientWidth,s?s.clientWidth:0)-
 o),{width:o,height:r,x:a,y:l}}(ee(t)))}function xe(t){var
 e,i=t.reference,n=t.element,s=t.placement,o=s?qt(s):null,r=s?he(s):null,a=i.x+i.width/2-
n.width/2,l=i.y+i.height/2-n.height/2;switch(o){case pt:e={x:a,y:i.y-n.height};break;case
mt:e={x:a,y:i.y+i.height};break;case gt:e={x:i.x+i.width,y:l};break;case _t:e={x:i.x-n.width,y:l};break;default:e={x:i.x,y:i.y}}var c=o?oe(o):null;if(null!=c){var
 h="y"===c?"height":"width";switch(r){case yt:e[c]=e[c]-(i[h]/2-n[h]/2);break;case
 \text{wt:e[c]=e[c]+(i[h]/2-n[h]/2)} \} \text{return e} \\ \text{function ke(t,e)} \\ \{ \text{void 0===e\&\&(e=\{\}); vare e} \} \\ \text{void new function ke(t,e)} \\ \text{void new func
 i=e,n=i.placement,s=void 0===n?t.placement:n,o=i.strategy,r=void
 0===o?t.strategy:o,a=i.boundary,l=void 0===a?At:a,c=i.rootBoundary,h=void
 0===c?Et:c,d=i.elementContext,u=void 0===d?Tt:d,f=i.altBoundary,p=void
 0!==f\&\&f,m=i.padding,g=void 0===m?0:m,\_=ae("number"!=typeof
 g?g:le(g,vt)), b=u===Tt?Ct:Tt,v=t.rects.popper,y=t.elements[p?b:u],w=function(t,e,i,n) \\ \{varelements[p:b:u],w=function(t,e,i,n)\} \\ \{varelements[p:b:u],
 s="clippingParents"===e?function(t){var
 e=Te(ie(t)),i=["absolute","fixed"].indexOf(Zt(t).position)>=0&&Bt(t)?se(t):t;return
 Wt(i)?e.filter((function(t){return
\verb|e.top=Vt(s.top,e.top|), e.right=Kt(s.right,e.right), e.bottom=Kt(s.bottom,e.bottom), e.left=Vt(s.loop), e.loop), e.loop=Kt(s.loop), e.loop=Kt(s.l
 eft,e.left),e),Oe(t,r,n);return a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.height=a.bottom-a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.left,a.width=a.right-a.
a.top, a.x = a.left, a.y = a.top, a\} (Wt(y)?y:y.contextElement | | ee(t.elements.popper), l, h, r), A=Ut(t.elements.reference), E=xe({reference:A,element:v,strategy:"absolute",placement:s}), T=Ce(Object.as), A=0.top, a.x = a.top, a | Wt(y)?y:y.contextElement | ee(t.elements.popper), l, h, r), A=Ut(t.elements.reference), E=xe({reference:A,element:v,strategy:"absolute",placement:s}), T=Ce(Object.as), A=0.top, a | Wt(y)?y:y.contextElement | ee(t.elements.popper), l, h, r), A=Ut(t.elements.reference), E=xe({reference:A,element:v,strategy:"absolute",placement:s}), T=Ce(Object.as), A=0.top, a | Wt(y)?y:y.contextElement | ee(t.elements.popper), l, h, r), A=Ut(t.elements.reference), E=xe({reference:A,element:v,strategy:"absolute",placement:s}), T=Ce(Object.as), A=0.top, a | Wt(y)?y:y.contextElement | ee(t.elements.popper), ee(t.elements.popper)
 sign({}),v,E)),C=u===Tt?T:A,O={}top:w.top-C.top+_.top,bottom:C.bottom-
 w.bottom+_.bottom,left:w.left-C.left+_.left,right:C.right-
 w.right+_.right},x=t.modifiersData.offset;if(u===Tt&&x){var
k=x[s];Object.keys(0).forEach((function(t){var_e=[gt,mt].indexOf(t)>=0?1:-
 1,i=[pt,mt].indexOf(t)>=0?"y":"x";O[t]+=k[i]*e)))return 0function Le(t,e){void}
 0 = = = e&&(e = { }); var
 \verb|i=e,n=i.p| | accessed in the property of t
 Placements,c=void 0===1?xt:1,h=he(n),d=h?a?Ot:Ot.filter((function(t){return
 he(t)===h})):vt,u=d.filter((function(t){return c.indexOf(t)>=0}));0===u.length&&(u=d);var
 f=u.reduce((function(e,i){return
 e[i]=ke(t,{placement:i,boundary:s,rootBoundary:o,padding:r})[qt(i)],e}),{});return
 Object.keys(f).sort((function(t,e){return f[t]-f[e]}))}const
 Se={name: "flip", enabled: !0, phase: "main", fn:function(t) {var
 e=t.state,i=t.options,n=t.name;if(!e.modifiersData[n]._skip){for(var s=i.mainAxis,o=void
 0===s||s,r=i.altAxis,a=void
 0===r||r,l=i.fallbackPlacements,c=i.padding,h=i.boundary,d=i.rootBoundary,u=i.altBoundary,f=i.
 flipVariations,p=void
 0 === f \mid | \texttt{f,m=i.allowedAutoPlacements,g=e.options.placement,\_=qt(g),b=l} \mid | (\_! == g \& p? function(t) \{ if f(g) \} = f(g) \Rightarrow f(g) \Rightarrow f(g) \Rightarrow f(g) \Rightarrow f(g) 
 (qt(t)===bt)return[];var
 e=\_e(t); return[ve(t),e,ve(e)]\}(g):[\_e(g)]), v=[g].concat(b).reduce((function(t,i){return})) = (function(t,i){return}) = (function(t,i){return}) = (function(t,i){return}) = (function(t,i){function(t,i){return}}) = (function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(t,i){function(
t.concat(qt(i) == bt?Le(e, \{placement: i, boundary: h, rootBoundary: d, padding: c, flipVariations: p, allowedAutoPlacements: m\}):i)\}),[]), y=e.rects.reference, w=e.rects.popper, A=new
 Map, E=!0, T=v[0], C=0; C< v.length; C++) {var}
 oundary:h,rootBoundary:d,altBoundary:u,padding:c}),I=L?k?gt:_t:k?mt:pt;y[S]>w[S]&&(I=_e(I));va
  r \ N=\_e(I), P=[]; if(o\&\&P.push(D[x]<=0), a\&\&P.push(D[I]<=0, D[N]<=0), P.every((function(t)\{return a substitution(t), a substitution(t), b substitution(t), b substitution(t), b substitution(t), b substitution(t), b substitution(t), a substitution(t), b subs
t}))){T=0,E=!1;break}A.set(0,P)}if(E)for(var M=function(t){var e=v.find((function(e){var
```

```
i=A.get(e);if(i)return i.slice(0,t).every((function(t){return t}))}));if(e)return
T=e, "break"}, j=p?3:1; j>0&& "break"!==M(j); j--
 );e.placement!==T&&(e.modifiersData[n]._skip=!0,e.placement=T,e.reset=!0)}},requiresIfExists:[
  e.height-i.y,right:t.right-e.width+i.x,bottom:t.bottom-e.height+i.y,left:t.left-e.width-
 i.x \} \\ function Ie(t) \\ \{return[pt,gt,mt,\_t].some((function(e)\{return\ t[e]>=0\}))\} \\ construction(e) \\ \{return\ t[e]>=0\}) \\ \} \\ function(e) \\ \{return\ t[e]>=0\}) \\ \{return\ t[e]>=0\}
Ne={name: "hide", enabled: !0, phase: "main", requiresIfExists: ["preventOverflow"], fn:function(t) {va
 \texttt{e=t.state,i=t.name,n=e.rects.reference,s=e.rects.popper,o=e.modifiersData.preventOverflow,r=ke(e,{elementContext:"reference"}),a=ke(e,{altBoundary:!0}),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),c=De(a,s,o),h=Ie(l),d=Ie(c,s)),l=De(r,n),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l),d=Ie(l)
 );e.modifiersData[i]={referenceClippingOffsets:1,popperEscapeOffsets:c,isReferenceHidden:h,has
PopperEscaped:d},e.attributes.popper=Object.assign({},e.attributes.popper,{"data-popper-
 reference-hidden":h, "data-popper-
 escaped":d})}},Pe={name:"offset",enabled:!0,phase:"main",requires:["popperOffsets"],fn:functio
n(t){var e=t.state,i=t.options,n=t.name,s=i.offset,o=void
 n=qt(t), s=[\_t,pt].indexOf(n)>=0?-1:1,o="function"==typeof
i?i(\texttt{Object.assign}(\left\{\right\},\texttt{e},\left\{\texttt{placement:t}\right\})):i,r=\texttt{o[0]},\texttt{a=o[1]};return
 r=r|0,a=(a|0)*s,[_t,gt].indexOf(n)>=0?{x:a,y:r}:{x:r,y:a}}(i,e.rects,o),t}),{}),a=r[e.placem]
 ent],l=a.x,c=a.y;null!=e.modifiersData.popperOffsets&&(e.modifiersData.popperOffsets.x+=1,e.mo
\label{linear_difference} \mbox{difiersData.popperOffsets.y+=c),e.modifiersData[n]=r} \}, \\ \mbox{Me=} \{ \mbox{name: "popperOffsets",enabled: !0,pha linear linear
 se:"read",fn:function(t){var
 e=t.state,i=t.name;e.modifiersData[i]=xe({reference:e.rects.reference,element:e.rects.popper,s
 trategy: "absolute", placement: e.placement \}) \}, data: \{\}\}, je=\{name: "preventOverflow", enabled: !0, phallow | line |
 se: "main", fn:function(t) {var e=t.state,i=t.options,n=t.name,s=i.mainAxis,o=void
 0===s||s,r=i.altAxis,a=void
 \verb|0!====&x,l=i.boundary,c=i.rootBoundary,h=i.altBoundary,d=i.padding,u=i.tether,f=void|
 0===u||u,p=i.tetherOffset,m=void
 0 === p?0: p, g=ke(e, \{boundary: l, rootBoundary: c, padding: d, altBoundary: h\}), \_=qt(e.placement), b=he(e, padding: d, altBoundary: h\}), \_=qt(e, padding: d, altBoundary: h), \_=qt(e, paddin
  .placement),v=!b,y=oe(_),w="x"===y?"y":"x",A=e.modifiersData.popperOffsets,E=e.rects.reference
   ,T=e.rects.popper,C="function"==typeof
m?m(Object.assign({},e.rects,{placement:e.placement})):m,O="number"==typeof
  \texttt{C?} \\ \{ \texttt{mainAxis:C,altAxis:C} : \texttt{Object.assign} \\ ( \\ \{ \texttt{mainAxis:0,altAxis:0} \}, \texttt{C}), \\ \texttt{x=e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset?e.modifiersData.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offset.offse
 difiersData.offset[e.placement]:null,k=\{x:0,y:0\};if(A)\{if(o)\{var\}\}
L,S="y"===y?pt:_t,D="y"===y?mt:gt,I="y"===y?"height":"width",N=A[y],P=N+g[S],M=N-g[D],j=f?-
T[I]/2:0,F=b===yt?E[I]:T[I],H=b===yt?-T[I]:-
  E[I], \$=e.elements.arrow, \texttt{W}=f\&\&\$?Gt(\$): \{width:0,height:0\}, B=e.modifiersData["arrow#persistent"]? \} 
 e.modifiersData["arrow#persistent"].padding:{top:0,right:0,bottom:0,left:0},z=B[S],R=B[D],q=re
 (0,E[I],W[I]),V=v?E[I]/2-j-q-z-0.mainAxis:F-q-z-0.mainAxis,K=v?-f.
 \mathbb{E}[\mathbb{I}]/2+j+q+R+0. \\ \text{mainAxis:} \mathbb{H}+q+R+0. \\ \text{mainAxis,} \mathbb{Q}=\text{e.elements.arrow\&\&se(e.elements.arrow)}, \\ \mathbb{X}=\mathbb{Q}? \\ \mathbb{Y}"===y? \\ \mathbb{X}=\mathbb{Q}. \\ \mathbb{Y}=\mathbb{Q}
Y-X):P,N,f?Vt(M,U):M);A[y]=G,k[y]=G-Nif(a){var
\label{eq:control_state} {\tt J,Z="x"===y?pt:\_t,tt="x"===y?mt:gt,et=A[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],it="y"===w?"height":"width",nt=et+g[Z],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-f[w],st=et-
g[tt], ot=-1!=[pt,\_t]. indexOf(\_), rt=null!=(J=null==x?void 0:x[w])?J:0, at=ot?nt:et-E[it]-T[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[it]-t[i
\tt rt+0.altAxis,lt=ot?et+E[it]+T[it]-rt-0.altAxis:st,ct=f\&&ot?function(t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) | varelember equation (t,e,i) \\ \{varelember equation (t,e,i) | varelember equation (t,e,i) |
et}e.modifiersData[n]=k}},requiresIfExists:["offset"]};function Fe(t,e,i){void
 0===i\&\&(i=!1);var n,s,o=Bt(e),r=Bt(e)&&function(t){var
 e=t.getBoundingClientRect(),i=Qt(e.width)/t.offsetWidth||1,n=Qt(e.height)/t.offsetHeight||1;re
 turn
 1! == i \mid |1! == n\} (e) \text{, a=ee(e), l=Ut(t,r,i), c=} \{ scrollLeft:0, scrollTop:0 \}, h= \{ x:0,y:0 \}; return(o \mid |!o&&!i=n|) \} \} = \{ x:0,y:0 \} \}
 )\&\&(("body"!==Ht(e)||Ae(a))\&\&(c=(n=e)!==\$t(n)\&\&Bt(n)?\{scrollLeft:(s=n).scrollLeft,scrollTop:s.\})
 scrollTop: ye(n), Bt(e)?((h=Ut(e,!0)).x+=e.clientLeft,h.y+=e.clientTop):a&&(h.x=we(a))), {x:1.1}
 eft+c.scrollLeft-h.x,y:l.top+c.scrollTop-h.y,width:l.width,height:l.height}}function He(t){var
 e=new Map,i=new Set,n=[];function
 s(t){i.add(t.name),[].concat(t.requires||[],t.requiresIfExists||[]).forEach((function(t){if(!i
  .has(t)) \{ var \ n=e.get(t); n\&\&s(n) \} \})), n.push(t) \} return
 t.for Each((function(t)\{e.set(t.name,t)\})), t.for Each((function(t)\{i.has(t.name)||s(t)\})), n\} vare the formula of the following content of the 
 $e={placement:"bottom",modifiers:[],strategy:"absolute"};function We(){for(var
 t=arguments.length,e=new
 Array(t), i=0;i<t;i++)e[i]=arguments[i];return!e.some((function(t){return!(t&&"function"==typeo
 f t.getBoundingClientRect)}))}function Be(t){void 0===t&&(t={});var
 e=t,i=e.defaultModifiers,n=void 0===i?[]:i,s=e.defaultOptions,o=void 0===s?$e:s;return
 function(t,e,i){void 0===i&&(i=o);var
 s,r,a=\{placement: "bottom",orderedModifiers:[],options:Object.assign({},$e,o),modifiersData:{}, continuous and some statement of the stateme
 elements: \{reference: t, popper: e\}, attributes: \{\}, styles: \{\}\}, l=[], c=!1, h=\{state: a, setOptions: functions: functions | functions 
 ion(i){var s="function"==typeof
 i?i(a.options):i;d(),a.options=Object.assign(\{\},o,a.options,s),a.scrollParents=\{reference: \texttt{Wt}(t,a.options,s),a.scrollParents=\{reference: \texttt{Wt}(t,a.options,s),a.scrollParents=\{refe
 )?Te(t):t.contextElement?Te(t.contextElement):[],popper:Te(e)};var r,c,u=function(t){var
 e=He(t);return Ft.reduce((function(t,i){return t.concat(e.filter((function(t){return
 t.phase===i})))}),[])}((r=[].concat(n,a.options.modifiers),c=r.reduce((function(t,e){var
 i=t[e.name];return
 t[e.name] = i?0bject.assign({},i,e,{options:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.options,e.options),data:Object.assign({},i.opt
 sign({},i.data,e.data)}):e,t}),{}),Object.keys(c).map((function(t){return c[t]}))));return
 a.orderedModifiers=u.filter((function(t){return
 t.enabled})),a.orderedModifiers.forEach((function(t){var e=t.name,i=t.options,n=void
 0===i?{}:i,s=t.effect;if("function"==typeof s){var
 o=s({state:a,name:e,instance:h,options:n});l.push(o||function(){})}})),h.update()},forceUpdate
 :function(){if(!c){var
t=a.elements, e=t.reference, i=t.popper; if(We(e,i)) \\ \{a.rects=\{reference: Fe(e,se(i), "fixed"===a.opper; if(We(e,i))\} \\ \{a.rects=\{reference: Fe(e,se(i), "fixed"==a.opper; if(We(e,i), "fixed"==a.opper; if(We(e,i),
```

```
tions.strategy),popper:Gt(i),a.reset=!1,a.placement=a.options.placement,a.orderedModifiers.fo
rEach((function(t){return a.modifiersData[t.name]=Object.assign({},t.data)}));for(var
n=0;n<a.orderedModifiers.length;n++)if(!0!==a.reset){var
s=a.orderedModifiers[n],o=s.fn,r=s.options,l=void 0===r?{}:r,d=s.name;"function"==typeof
o&&(a=o({state:a,options:1,name:d,instance:h})||a)}else a.reset=!1,n=-
1}}},update:(s=function(){return new
Promise((function(t){h.forceUpdate(),t(a)}))},function(){return r||(r=new
Promise((function(t){Promise.resolve().then((function(){r=void}))
0, t(s())\}))), r\}), destroy: function() \\ \{d(), c=!0\}\}; if(!We(t,e)) \\ return h; function(), t(s()), t(s()),
d(){l.forEach((function(t){return t()})),l=[]}return
h.setOptions(i).then((function(t){!c&&i.onFirstUpdate&&i.onFirstUpdate(t)})),h}}var
ce, Nell); const
Ve=Object.freeze(Object.defineProperty({__proto__:null,afterMain:Nt,afterRead:St,afterWrite:jt
 ,applyStyles:Rt,arrow:ce,auto:bt,basePlacements:vt,beforeMain:Dt,beforeRead:kt,beforeWrite:Pt,
bottom:mt,clippingParents:At,computeStyles:fe,createPopper:qe,createPopperBase:ze,createPopper
Lite:Re,detectOverflow:ke,end:wt,eventListeners:me,flip:Se,hide:Ne,left:_t,main:It,modifierPha
ses:Ft,offset:Pe,placements:xt,popper:Tt,popperGenerator:Be,popperOffsets:Me,preventOverflow:j
e,read:Lt,reference:Ct,right:gt,start:yt,top:pt,variationPlacements:Ot,viewport:Et,write:Mt},S
ymbol.toStringTag, {value: "Module" })), Ke="dropdown", Qe="ArrowUp", Xe="ArrowDown", Ye="click.bs.dr
opdown.data-api", Ue="keydown.bs.dropdown.data-api", Ge="show", Je='[data-bs-
toggle="dropdown"]:not(.disabled):not(:disabled)',Ze=`${Je}.show`,ti=".dropdown-
menu",ei=p()?"top-end":"top-start",ii=p()?"top-start":"top-end",ni=p()?"bottom-end":"bottom-
start", si=p()?"bottom-start":"bottom-end", oi=p()?"left-start":"right-start", ri=p()?"right-
start":"left-
start",ai={autoClose:!0,boundary:"clippingParents",display:"dynamic",offset:[0,2],popperConfig
:null,reference:"toggle"},li={autoClose:"(boolean|string)",boundary:"(string|element)",display
:"string",offset:"(array|string|function)",popperConfig:"(null|object|function)",reference:"(s
tring|element|object)"};class ci extends
inNavbar=this._detectNavbar()}static get Default(){return ai}static get DefaultType(){return
li}static get NAME(){return Ke}toggle(){return
this._isShown()?this.hide():this.show()}show(){if(1(this._element)||this._isShown())return;con
t={relatedTarget:this._element};if(!P.trigger(this._element,"show.bs.dropdown",t).defaultPreve
nted){if(this._createPopper(), "ontouchstart"in
document.documentElement&&!this._parent.closest(".navbar-nav"))for(const t
of[].concat(...document.body.children))P.on(t,"mouseover",h);this._element.focus(),this._eleme
nt.setAttribute("aria-
expanded", !0), this._menu.classList.add(Ge), this._element.classList.add(Ge), P.trigger(this._ele
ment, "shown.bs.dropdown",t)}}hide(){if(l(this._element)||!this._isShown())return;const
t={relatedTarget:this._element};this._completeHide(t)}dispose(){this._popper&&this._popper.des
troy(),super.dispose()}update(){this._inNavbar=this._detectNavbar(),this._popper&&this._popper
 .update()}_completeHide(t){if(!P.trigger(this._element, "hide.bs.dropdown",t).defaultPrevented)
 {if("ontouchstart"in document.documentElement)for(const t
of[].concat(...document.body.children))P.off(t, "mouseover",h);this._popper&this._popper.destr
oy(),this._menu.classList.remove(Ge),this._element.classList.remove(Ge),this._element.setAttri
bute("aria-
expanded", "false"), H.removeDataAttribute(this._menu, "popper"), P.trigger(this._element, "hidden.
bs.dropdown",t)\}\}\_getConfig(t)\{if("object"==typeof(t=super.\_getConfig(t)).reference\&\&!o(t.reference)\&\&"function"!=typeof t.reference.getBoundingClientRect)throw new
TypeError(`${Ke.toUpperCase()}: Option "reference" provided type "object" without a required
"getBoundingClientRect" method.`);return t}_createPopper(){if(void 0===Ve)throw new
TypeError("Bootstrap's dropdowns require Popper (https://popper.js.org)");let
t=this._element; "parent"===this._config.reference?t=this._parent:o(this._config.reference)?t=r
(this._config.reference):"object"==typeof
this._config.reference&&(t=this._config.reference);const
e=this._getPopperConfig();this._popper=qe(t,this._menu,e)}_isShown(){return
this._menu.classList.contains(Ge)}_getPlacement(){const
t=this._parent;if(t.classList.contains("dropend"))return
oi;if(t.classList.contains("dropstart"))return ri;if(t.classList.contains("dropup-
center"))return"top";if(t.classList.contains("dropdown-center"))return"bottom";const
t.classList.contains("dropup")?e?ii:ei:e?si:ni}_detectNavbar(){return
null!==this._element.closest(".navbar")}_getOffset(){const{offset:t}=this._config;return"strin
g"==typeof t?t.split(",").map((t=>Number.parseInt(t,10))):"function"==typeof
t?e=>t(e,this._element):t}_getPopperConfig(){const
t={placement:this._getPlacement(),modifiers:[{name:"preventOverflow",options:{boundary:this._c
onfig.boundary}}, {name:"offset",options:{offset:this._getOffset()}}]};return(this._inNavbar||"
\verb|static|| == \verb|this._config.display|| \& \& (H.setDataAttribute(this._menu, "popper", "static"), t.modifiers | left and the static 
=[{name:"applyStyles",enabled:!1}]),{...t,...g(this._config.popperConfig,[t])}}_selectMenuItem ({key:t,target:e}){const i=z.find(".dropdown-menu .dropdown-item:not(.disabled):not(:disabled)",this._menu).filter((t=>a(t)));i.length&&b(i,e,t===Xe,!i.in
\verb|cludes(e)|.focus()| \\ | static jQueryInterface(t) \\ | freturn this.each((function() \\ | fonst in the constant of the const
e=ci.getOrCreateInstance(this,t);if("string"==typeof t){if(void 0==e[t])throw new
TypeError(`No method named "${t}"`);e[t]()}}))}static
clearMenus(t){if(2===t.button||"keyup"===t.type&&"Tab"!==t.key)return;const
e=z.find(Ze);for(const i of e){const
e=ci.getInstance(i);if(!e||!1==e._config.autoClose)continue;const
```

```
n=t.composedPath(),s=n.includes(e._menu);if(n.includes(e._element)||"inside"==e._config.autoC
 lose&&!s||"outside"===e._config.autoClose&&s)continue;if(e._menu.contains(t.target)&&("keyup"=
 ==t.type&&"Tab"===t.key||/input|select|option|textarea|form/i.test(t.target.tagName)))continue
 o={relatedTarget:e._element}; "click"===t.type&&(o.clickEvent=t), e._completeHide(o)}}static
 dataApiKeydownHandler(t){const
 e=/input|textarea/i.test(t.target.tagName),i="Escape"===t.key,n=[Qe,Xe].includes(t.key);if(!n&
 &!i)return;if(e&&!i)return;t.preventDefault();const
 parentNode),o=ci.getOrCreateInstance(s);if(n)return t.stopPropagation(),o.show(),void
 o._selectMenuItem(t);o._isShown()&&(t.stopPropagation(),o.hide(),s.focus())}}P.on(document,Ue,
 Je,ci.dataApiKeydownHandler),P.on(document,Ue,ti,ci.dataApiKeydownHandler),P.on(document,Ye,ci
 .clearMenus), P.on(document, "keyup.bs.dropdown.data-
 \verb"api", \verb"ci.clearMenus"), \verb"P.on" (document, \verb"Ye", \verb"Je", (function" (t) {t.preventDefault(), \verb"ci.getOrCreateInstance"}), \verb"p.on" (document, \verb"Ye", \verb"Je", "document, "le", "le
 (this).toggle()})),m(ci);const hi="show",di="mousedown.bs.backdrop",ui={className:"modal-
 backdrop",clickCallback:null,isAnimated:!1,isVisible:!0,rootElement:"body"},fi={className:"str
 ing",clickCallback:"(function|null)",isAnimated:"boolean",isVisible:"boolean",rootElement:"(el
 ement|string)"};class pi extends
 ${constructor(t){super(),this._config=this._getConfig(t),this._isAppended=!1,this._element=nul
 l}static get Default(){return ui}static get DefaultType(){return fi}static get
NAME(){return"backdrop"}show(t){if(!this._config.isVisible)return void
 g(t);this._append();const
 e=this._getElement();this._config.isAnimated&&d(e),e.classList.add(hi),this._emulateAnimation(
 (() = > \{g(t)\})) \} \\ \text{hide}(t) \{ \text{this.\_config.isVisible?}(\text{this.\_getElement}().classList.remove(hi), this.\_emove(hi), t
 ulateAnimation((()=>{this.dispose(),g(t)}))):g(t)}dispose(){this._isAppended&&(P.off(this._ele
ment,di),this._element.remove(),this._isAppended=!1)}_getElement(){if(!this._element){const
 t=document.createElement("div");t.className=this._config.className,this._config.isAnimated&&t.
 classList.add("fade"),this._element=t}return this._element}_configAfterMerge(t){return
 t.rootElement=r(t.rootElement),t}_append(){if(this._isAppended)return;const
 t = this.\_getElement(); this.\_config.rootElement.append(t), P.on(t, di, (() => \{g(this.\_config.clickCaller = f(t, di, () => \{g(this.\_config.clickCaller = 
 llback)})),this._isAppended=!0}_emulateAnimation(t){_(t,this._getElement(),this._config.isAnim
 ated) } } const
mi=".bs.focustrap",gi="backward",_i={autofocus:!0,trapElement:null},bi={autofocus:"boolean",tr
apElement:"element"};class vi extends
 ${constructor(t){super(),this._config=this._getConfig(t),this._isActive=!1,this._lastTabNavDir
 ection=null}static get Default(){return _i}static get DefaultType(){return bi}static get
NAME(){return"focustrap"}activate(){this._isActive||(this._config.autofocus&&this._config.trap
 Element.focus(),P.off(document,mi),P.on(document, "focusin.bs.focustrap",(t=>this._handleFocusi
\texttt{n(t))),P.on(document,"keydown.tab.bs.focustrap",(t=>this.\_handleKeydown(t))),this.\_isActive=!0}
 ) } deactivate() { this._isActive&&(this._isActive=!1,P.off(document,mi)) } _handleFocusin(t) { const{
 trapElement:e}=this._config;if(t.target===document||t.target===e||e.contains(t.target))return;
 const
 i=z.focusableChildren(e);0===i.length?e.focus():this._lastTabNavDirection===gi?i[i.length-
 ?gi:"forward")}}const yi=".fixed-top, .fixed-bottom, .is-fixed, .sticky-top",wi=".sticky-
 top", Ai="padding-right", Ei="margin-right"; class
Ti{constructor(){this._element=document.body}getWidth(){const
 t=document.documentElement.clientWidth; return Math.abs(window.innerWidth-t)} hide() {const
 t=this.getWidth();this._disableOverFlow(),this._setElementAttributes(this._element,Ai,(e=>e+t)
 ),this._setElementAttributes(yi,Ai,(e=>e+t)),this._setElementAttributes(wi,Ei,(e=>e-
 t))\} reset() \{this.\_reset Element Attributes (this.\_element, "overflow"), this.\_reset Element Attributes (this.\_element, "overflow"), this.\_element (this.\_element, "overflow"), this.\_element (this.\_element, "overflow"), this.\_element (this.\_element, "overflow"), this.
 s(this._element,Ai),this._resetElementAttributes(yi,Ai),this._resetElementAttributes(wi,Ei)}is
 Overflowing(){return
 this.getWidth()>0}_disableOverFlow(){this._saveInitialAttribute(this._element,"overflow"),this
 ._element.style.overflow="hidden"}_setElementAttributes(t,e,i){const
 th>t.clientWidth+n)return;this._saveInitialAttribute(t,e);const
 s=window.getComputedStyle(t).getPropertyValue(e);t.style.setProperty(e,`${i(Number.parseFloat(
 s))}px`)}))]_saveInitialAttribute(t,e){const
 i=t.style.getPropertyValue(e);i&&H.setDataAttribute(t,e,i)}_resetElementAttributes(t,e){this._
 applyManipulationCallback(t,(t=>{const
 i=H.getDataAttribute(t,e);null!==i?(H.removeDataAttribute(t,e),t.style.setProperty(e,i)):t.sty
 le.remove Property(e)\}))\} \_apply Manipulation Callback(t,e) \\ \{if(o(t))e(t); else\ for(const\ i\ of t)else\ for(const\ 
 z.find(t,this._element))e(i)}}const
 Ci=".bs.modal",Oi="hidden.bs.modal",xi="show.bs.modal",ki="modal-open",Li="show",Si="modal-
 static",Di={backdrop:!0,focus:!0,keyboard:!0},Ii={backdrop:"(boolean|string)",focus:"boolean",
 keyboard: "boolean" }; class Ni extends
 W{constructor(t,e){super(t,e),this._dialog=z.findOne(".modal-
 dialog",this._element),this._backdrop=this._initializeBackDrop(),this._focustrap=this._initial
 izeFocusTrap(),this._isShown=!1,this._isTransitioning=!1,this._scrollBar=new
Ti,this._addEventListeners()}static get Default(){return Di}static get DefaultType(){return
 Ii}static get NAME(){return"modal"}toggle(t){return
 (this._element,xi,{relatedTarget:t}).defaultPrevented||(this._isShown=!0,this._isTransitioning
 =!0,this._scrollBar.hide(),document.body.classList.add(ki),this._adjustDialog(),this._backdrop
  .show((()=>this._showElement(t))))}hide(){this._isShown&&!this._isTransitioning&&(P.trigger(th
 is._element, "hide.bs.modal").defaultPrevented | | (this._isShown=!1,this._isTransitioning=!0,this
 ._focustrap.deactivate(),this._element.classList.remove(Li),this._queueCallback((()=>this._hid eModal()),this._element,this._isAnimated())))}dispose(){P.off(window,Ci),P.off(this._dialog,Ci
),this._backdrop.dispose(),this._focustrap.deactivate(),super.dispose()}handleUpdate(){this._a
```

```
djustDialog()}_initializeBackDrop(){return new
 pi({isVisible:Boolean(this._config.backdrop),isAnimated:this._isAnimated()})}_initializeFocusT
  rap(){return new
  vi({trapElement:this._element})}_showElement(t){document.body.contains(this._element)||documen
  t.body.append(this._element),this._element.style.display="block",this._element.removeAttribute
  ("aria-hidden"), this._element.setAttribute("aria-
  modal",!0),this._element.setAttribute("role","dialog"),this._element.scrollTop=0;const
  e=z.findOne(".modal-
 body",this._dialog);e&&(e.scrollTop=0),d(this._element),this._element.classList.add(Li),this._
  queueCallback((()=>{this._config.focus&&this._focustrap.activate(),this._isTransitioning=!1,P.
  trigger(this._element,"shown.bs.modal",{relatedTarget:t})}),this._dialog,this._isAnimated())}_
  addEventListeners() \\ \{P.on(this.\_element, "keydown.dismiss.bs.modal", (t=> \{ "Escape" ===t.key \&\& (thismosometric and the context of the c
  ._config.keyboard?this.hide():this._triggerBackdropTransition())})),P.on(window,"resize.bs.mod
 al",(()=>{this._isShown&&!this._isTransitioning&&this._adjustDialog()})),P.on(this._element,"mousedown.dismiss.bs.modal",(t=>{P.one(this._element,"click.dismiss.bs.modal",(e=>{this._element)}
  t===t.target&&this._element===e.target&&("static"!==this._config.backdrop?this._config.backdro
 p\&\&this.hide():this.\_triggerBackdropTransition())\})))\\ \label{eq:packdropTransition} hide(otherwise).
  ay="none",this._element.setAttribute("aria-hidden",!0),this._element.removeAttribute("aria-
  modal"),this._element.removeAttribute("role"),this._isTransitioning=!1,this._backdrop.hide((())
  =>{document.body.classList.remove(ki),this._resetAdjustments(),this._scrollBar.reset(),P.trigg
  er(this._element,Oi)}))}_isAnimated(){return
  this.\_element.classList.contains("fade")\}\_triggerBackdropTransition() \\ \{if(P.trigger(this.\_element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.element.
 nt, "hidePrevented.bs.modal").defaultPrevented)return;const
  t=this._element.scrollHeight>document.documentElement.clientHeight,e=this._element.style.overf
 lowY; "hidden" === e | | this.\_element.classList.contains(Si) | | (t | | (this.\_element.style.overflowY = "hidden"), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.remo}), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.remo}), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.remo}), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.remo}), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.add(Si), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.add(Si), this.\_element.classList.add(Si), this.\_queueCallback((() => {this.\_element.classList.add(Si), this.\_element.classList.add(Si), this.\_element.add(Si), this.\_element.ad
  ve(Si),this._queueCallback((()=>{this._element.style.overflowY=e}),this._dialog)}),this._dialo
  g),this._element.focus())}_adjustDialog(){const
  t=this._element.scrollHeight>document.documentElement.clientHeight,e=this._scrollBar.getWidth(
  ),i=e>0;if(i&&!t){const}
  t=p()?"paddingLeft":"paddingRight";this._element.style[t]=`${e}px`}if(!i&&t){const
t=p()?"paddingRight":"paddingLeft";this._element.style[t]=`${e}px`}}_resetAdjustments(){this._
  element.style.paddingLeft="",this._element.style.paddingRight=""}static
  jQueryInterface(t,e){return this.each((function(){const
  i=Ni.getOrCreateInstance(this,t);if("string"==typeof t){if(void 0===i[t])throw new
 TypeError(`No method named "${t}"`);i[t](e)}}))}P.on(document, "click.bs.modal.data-api", '[data-bs-toggle="modal"]',(function(t){const
  e=z.getElementFromSelector(this);["A","AREA"].includes(this.tagName)&&t.preventDefault(),P.one
  (e,xi,(t=>{t.defaultPrevented||P.one(e,Oi,(()=>{a(this)&&this.focus()}))}));const
i=z.findOne(".modal.show");i&&Ni.getInstance(i).hide(),Ni.getOrCreateInstance(e).toggle(this)}
  )),R(Ni),m(Ni);const
 Pi="show",Mi="showing",ji="hiding",Fi=".offcanvas.show",Hi="hidePrevented.bs.offcanvas",$i="hi
  oard:"boolean",scroll:"boolean"};class zi extends
  focustrap = this.\_initialize Focus Trap(), this.\_add Event Listeners() \} static get Default() \{return focus trapers for the focus 
  Wi}static get DefaultType(){return Bi}static get NAME(){return"offcanvas"}toggle(t){return
  this._isShown?this.hide():this.show(t)}show(t){this._isShown||P.trigger(this._element, "show.bs
  .offcanvas", {relatedTarget:t}).defaultPrevented||(this._isShown=!0,this._backdrop.show(),this.
  _config.scroll||(new Ti).hide(),this._element.setAttribute("aria-
 modal",!0),this._element.setAttribute("role","dialog"),this._element.classList.add(Mi),this._q
  ueueCallback((()=>{this._config.scroll&&!this._config.backdrop||this._focustrap.activate(),thi
  \verb|s._element.classList.add(Pi)|, this._element.classList.remove(Mi)|, P.trigger(this._element, "shown in the context of the 
  .bs.offcanvas",{relatedTarget:t})}),this._element,!0))}hide(){this._isShown&&(P.trigger(this._
  element, "hide.bs.offcanvas").defaultPrevented | | (this._focustrap.deactivate(),this._element.blu
 r(),this._isShown=!1,this._element.classList.add(ji),this._backdrop.hide(),this._queueCallback
 ((()=>{this._element.classList.remove(Pi,ji),this._element.removeAttribute("aria-modal"),this._element.removeAttribute("role"),this._config.scroll||(new
 Ti).reset(),P.trigger(this._element,$i)}),this._element,!0)))}dispose(){this._backdrop.dispose(),this._focustrap.deactivate(),super.dispose()}_initializeBackDrop(){const t=Boolean(this._config.backdrop);return new pi({className:"offcanvas-
  backdrop",isVisible:t,isAnimated:!0,rootElement:this._element.parentNode,clickCallback:t?()=>{
  "static"!==this._config.backdrop?this.hide():P.trigger(this._element,Hi)}:null})}_initializeFo
  cusTrap(){return new
  vi({trapElement:this._element})}_addEventListeners(){P.on(this._element, "keydown.dismiss.bs.of
  fcanvas",(t=>{"Escape"===t.key&&(this._config.keyboard?this.hide():P.trigger(this._element,Hi)
  )}))}static jQueryInterface(t){return this.each((function(){const
  e=zi.getOrCreateInstance(this,t);if("string"==typeof t){if(void
 0===e[t]||t.startsWith("_")||"constructor"===t)throw new TypeError(`No method named
"${t}"`);e[t](this)}))}P.on(document,"click.bs.offcanvas.data-api",'[data-bs-
toggle="offcanvas"]',(function(t){const
  e=z.getElementFromSelector(this);if(["A","AREA"].includes(this.tagName)&&t.preventDefault(),l(
  this))return;P.one(e,\$i,(()=>\{a(this)\&\&this.focus()\}));const
  i=z.findOne(Fi);i&&i!==e&&zi.getInstance(i).hide(),zi.getOrCreateInstance(e).toggle(this)})),P
  .on(window, "load.bs.offcanvas.data-api",(()=>{for(const t of
  z.find(Fi))zi.getOrCreateInstance(t).show()})),P.on(window, "resize.bs.offcanvas",(()=>{for(con
  st t of z.find("[aria-modal][class*=show][class*=offcanvas-
]"))"fixed"!==getComputedStyle(t).position&&zi.getOrCreateInstance(t).hide()})),R(zi),m(zi);co
nst Ri={"*":["class","dir","id","lang","role",/^aria-[\w-
]*$/i],a:["target","href","title","rel"],area:[],b:[],col:[],code:[],div:[],em:[],hr:[],
```

```
h1:[],h2:[],h3:[],h4:[],h5:[],h6:[],i:[],img:["src","srcset","alt","title","width","height"],l
 i:[],ol:[],p:[],pre:[],s:[],small:[],span:[],sub:[],sup:[],strong:[],u:[],ul:[]},qi=new
 Set(["background","cite","href","itemtype","longdesc","poster","src","xlink:href"]),Vi=/^(?!ja
 vascript:)(?:[a-z0-9+.-]+:|[^&:/?#]*(?:[/?#]|$))/i,Ki=(t,e)=>{const}
 i=t.nodeName.toLowerCase();return
 e.includes(i)?!qi.has(i)\big|\big|Boolean(Vi.test(t.nodeValue)) : e.filter((t=>t instance)f(t)) = f(t) =
RegExp)).some((t=>t.test(i)))},Qi={allowList:Ri,content:{},extraClass:"",html:!1,sanitize:!0,s
anitizeFn:null,template:"<div></div>"},Xi={allowList:"object",content:"object",extraClass:"(st
 ring | function) ", html: "boolean", sanitize: "boolean", sanitizeFn: "(null | function) ", template: "strin
 g"},Yi={entry:"(string|element|function|null)",selector:"(string|element)"};class Ui extends
 \\$\{constructor(t)\{super(),this.\_config=this.\_getConfig(t)\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\static\_get\_Default()\{return\_Qi\}\\s
 get DefaultType(){return Xi}static get NAME(){return"TemplateFactory"}getContent(){return
 Object.values(this._config.content).map((t=>this._resolvePossibleFunction(t))).filter(Boolean)
 }hasContent(){return this.getContent().length>0}changeContent(t){return
 this.\_checkContent(t), this.\_config.content = \{\dots this.\_config.content, \dots t\}, this \} to \texttt{Html()} \{constant = \{\dots this.\_checkContent, \dots t\}, this \} to \texttt{Html()} \{constant = \{\dots this.\_checkContent, \dots t\}, this \} to \texttt{Html()} \{constant, \dots
 t=document.createElement("div");t.innerHTML=this._maybeSanitize(this._config.template);for(con
 st[e,i]of Object.entries(this._config.content))this._setContent(t,i,e);const
 e=t.children[0],i=this._resolvePossibleFunction(this._config.extraClass);return
 i&&e.classList.add(...i.split("
 ")),e}\_typeCheckConfig(t)\{super.\_typeCheckConfig(t),this.\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)\}\_checkContent(t.content)]
 t(t){for(const[e,i]of
 Object.entries(t))super._typeCheckConfig({selector:e,entry:i},Yi)}_setContent(t,e,i){const
n=z.findOne(i,t); n\&\&((e=this.\_resolvePossibleFunction(e))?o(e)?this.\_putElementInTemplate(r(e)). The property of the proper
  ,n):this._config.html?n.innerHTML=this._maybeSanitize(e):n.textContent=e:n.remove())}_maybeSan
 itize(t){return this._config.sanitize?function(t,e,i){if(!t.length)return
 t;if(i&&"function"==typeof i)return i(t);const n=(new
 window.DOMParser).parseFromString(t,"text/html"),s=[].concat(...n.body.querySelectorAll("*"));
 for(const t of s){const
 i=t.nodeName.toLowerCase(); if(!Object.keys(e).includes(i)) \\ \{t.remove(); continue\} \\ const \\ n=[].concat(...t.attributes), \\ s=[].concat(e["*"]||[],e[i]||[]); \\ for(const e of elements of eleme
n)Ki(e,s) | |t.removeAttribute(e.nodeName)}return
n.body.innerHTML}(t,this._config.allowList,this._config.sanitizeFn):t}_resolvePossibleFunction
 (t){return g(t,[this])}_putElementInTemplate(t,e){if(this._config.html)return
 e.innerHTML="",void e.append(t);e.textContent=t.textContent}}const Gi=new
Set(["sanitize", "allowList", "sanitizeFn"]), Ji="fade", Zi="show", tn=".modal", en="hide.bs.modal", nn="hover", sn="focus", on={AUTO: "auto", TOP: "top", RIGHT:p()?"left": "right", BOTTOM: "bottom", LEFT:
 p()?"right":"left"},rn={allowList:Ri,animation:!0,boundary:"clippingParents",container:!1,cust
 omClass: "",delay:0,fallbackPlacements:["top","right","bottom","left"],html:!1,offset:[0,6],pla
 cement:"top",popperConfig:null,sanitize:!0,sanitizeFn:null,selector:!1,template:'<div
 class="tooltip" role="tooltip"><div class="tooltip-arrow"></div><div class="tooltip-
 inner"></div>',title:"",trigger:"hover
 focus"},an={allowList:"object",animation:"boolean",boundary:"(string|element)",container:"(str
 ing element boolean) ", customClass: "(string function) ", delay: "(number object) ", fallbackPlacemen
 ts: array , html: boolean, offset: (array string function), placement: (string function), poppe
rConfig: "(null|object|function)", sanitize: "boolean", sanitizeFn: "(null|function)", selector: "(string|boolean)", template: "string", title: "(string|element|function)", trigger: "string"}; class ln
 extends W\{constructor(t,e)\}\{if(void 0===Ve)throw new TypeError("Bootstrap's tooltips require Property of the Constructor of t
 Popper
 (https://popper.js.org)");super(t,e),this._isEnabled=!0,this._timeout=0,this._isHovered=null,t
 his._activeTrigger={},this._popper=null,this._templateFactory=null,this._newContent=null,this.
 tip=null,this._setListeners(),this._config.selector||this._fixTitle()}static get
 Default(){return rn}static get DefaultType(){return an}static get
NAME(){return"tooltip"}enable(){this._isEnabled=!0}disable(){this._isEnabled=!1}toggleEnabled(
 ) \{ this.\_isEnabled=!this.\_isEnabled \} toggle() \{ this.\_isEnabled \& \& (this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!this.\_activeTrigger.click=!th
_activeTrigger.click,this._isShown()?this._leave():this._enter())}dispose(){clearTimeout(this.
 _timeout),P.off(this._element.closest(tn),en,this._hideModalHandler),this._element.getAttribut
 e("data-bs-original-
 title")&&this._element.setAttribute("title",this._element.getAttribute("data-bs-original-
 title")),this._disposePopper(),super.dispose()}show(){if("none"===this._element.style.display)
 throw new Error("Please use show on visible
 elements");if(!this._isWithContent()||!this._isEnabled)return;const
 t=P.trigger(this._element,this.constructor.eventName("show")),e=(c(this._element)||this._eleme
\verb|mt.ownerDocument.documentElement|.contains(this.\_element); if (t.defaultPrevented||!e|) return; this is a contain for the contains of the 
 s._disposePopper();const i=this._getTipElement();this._element.setAttribute("aria-
 describedby",i.getAttribute("id"));const{container:n}=this._config;if(this._element.ownerDocum
 ent.documentElement.contains(this.tip) | | (n.append(i), P.trigger(this._element, this.constructor.
 eventName("inserted"))),this._popper=this._createPopper(i),i.classList.add(Zi),"ontouchstart"i
 n document.documentElement)for(const t
 er(this._element,this.constructor.eventName("shown")),!1===this._isHovered&&this._leave(),this
  ._isHovered=!1}),this.tip,this._isAnimated())}hide(){if(this._isShown()&&!P.trigger(this._elem
 ent,this.constructor.eventName("hide")).defaultPrevented){if(this._getTipElement().classList.r
 emove(Zi), "ontouchstart"in document.documentElement)for(const t
 of[].concat(...document.body.children))P.off(t, "mouseover",h);this._activeTrigger.click=!1,thi
oveAttribute("aria-
 describedby"),P.trigger(this._element,this.constructor.eventName("hidden")))}),this.tip,this._
 isAnimated())}}update(){this._popper&&this._popper.update()}_isWithContent(){return
 Boolean(this._getTitle())}_getTipElement(){return
```

```
this.tip||(this.tip=this._createTipElement(this._newContent||this._getContentForTemplate())),t
his.tip}_createTipElement(t){const_e=this._getTemplateFactory(t).toHtml();if(!e)return
null; e.classList.remove(Ji,Zi), e.classList.add(`bs-${this.constructor.NAME}-auto`); const
i=(t=)\{do\{t+=Math.floor(1e6*Math.random())\}\} while(document.getElementById(t)); return
t})(this.constructor.NAME).toString();return
e.set Attribute("id",i), this.\_is Animated() \& \& e.class List.add(Ji), e \} set Content(t) \\ \{this.\_new Content(t), e\} set Content(t), e\} set Content(t) \\ \{this.\_new Content(t), e\} set Content(t), e\} set Content(t) \\ \{this.\_new Content(t), e\} set Content(t), e\} set Content(t) \\ \{this.\_new Content(t), e\} set Content(t),
t=t,this._isShown()&&(this._disposePopper(),this.show())}_getTemplateFactory(t){return
this.\_templateFactory? this.\_templateFactory. changeContent(t): this.\_templateFactory = new this.\_templateFactor
\verb| Ui(\{\dots this.\_config,content:t,extraClass:this.\_resolvePossibleFunction(this.\_config.customClass)| \\
s)}),this._templateFactory}_getContentForTemplate(){return{".tooltip-
inner":this._getTitle()}}_getTitle(){return
this._resolvePossibleFunction(this._config.title)||this._element.getAttribute("data-bs-
original-title")}_initializeOnDelegatedTarget(t){return
this.constructor.getOrCreateInstance(t.delegateTarget,this._getDelegateConfig())}_isAnimated()
 {return this._config.animation||this.tip&this.tip.classList.contains(Ji)}_isShown(){return
this.tip&&this.tip.classList.contains(Zi)}_createPopper(t){const
e=g(this._config.placement,[this,t,this._element]),i=on[e.toUpperCase()];return
qe(this._element,t,this._getPopperConfig(i))}_getOffset(){const{offset:t}=this._config;return"
string"==typeof t?t.split(",").map((t=>Number.parseInt(t,10))):"function"==typeof
t?e=>t(e,this._element):t}_resolvePossibleFunction(t){return
g(t,[this._element])}_getPopperConfig(t){const
e={placement:t,modifiers:[{name:"flip",options:{fallbackPlacements:this._config.fallbackPlacem
ents}}, {name: "offset", options: {offset:this._getOffset()}}, {name: "preventOverflow", options: {boundary:this._config.boundary}}, {name: "arrow", options: {element: `.${this.constructor.NAME}-arrow`}}, {name: "preSetPlacement", enabled: !0, phase: "beforeMain", fn:t=>{this._getTipElement().se
tAttribute("data-popper-
placement",t.state.placement)}}]};return{...e,...g(this._config.popperConfig,[e])}}_setListene
rs(){const t=this._config.trigger.split(" ");for(const e of
t)if("click"===e)P.on(this._element,this.constructor.eventName("click"),this._config.selector,
(t=>\{this.\_initializeOnDelegatedTarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\})); else if("manual"!==e)\{constarget(t).toggle()\}); else if("manual"!==e)\{constarget(t).toggle()\}; else if("manual"!==e)\{con
t=e===nn?this.constructor.eventName("mouseenter"):this.constructor.eventName("focusin"),i=e===
nn?this.constructor.eventName("mouseleave"):this.constructor.eventName("focusout");P.on(this._
element,t,this._config.selector,(t=>{const
e=this._initializeOnDelegatedTarget(t);e._activeTrigger["focusin"===t.type?sn:nn]=!0,e._enter(
)})),P.on(this._element,i,this._config.selector,(t=>{const
contains(t.relatedTarget),e._leave()}))}this._hideModalHandler=()=>{this._element&&this.hide()
},P.on(this._element.closest(tn),en,this._hideModalHandler)}_fixTitle(){const
t=this._element.getAttribute("title");t&&(this._element.getAttribute("aria-label")||this._element.textContent.trim()||this._element.setAttribute("aria-
label",t),this._element.setAttribute("data-bs-original-
is._isHovered=!0:(this._isHovered=!0,this._setTimeout((()=>{this._isHovered&&this.show()}),thi
s._config.delay.show))}_leave(){this._isWithActiveTrigger()||(this._isHovered=!1,this._setTime
      ut(this.\_timeout), this.\_timeout=setTimeout(t,e)\}\_isWithActiveTrigger() \{return\ Object.values(this.\_activeTrigger).includes(!0)\}\_getConfig(t) \{const
e=H.getDataAttributes(this._element);for(const t of Object.keys(e))Gi.has(t)&&delete
e[t];return t={...e,..."object"==typeof
t\&\&t?t:\{\}\}, t=this.\_mergeConfigObj(t), t=this.\_configAfterMerge(t), this.\_typeCheckConfig(t), t\}\_configAfterMerge(t)
onfigAfterMerge(t){return
t.container=!1===t.container?document.body:r(t.container), "number"==typeof
t.delay&&(t.delay={show:t.delay,hide:t.delay}), "number"==typeof
t.title&&(t.title=t.title.toString()), "number"==typeof
t.content&&(t.content=t.content.toString()),t}_getDelegateConfig(){const t={};for(const[e,i]of
Object.entries(this._config))this.constructor.Default[e]!==i&&(t[e]=i);return
_popper=null),this.tip&(this.tip.remove(),this.tip=null)}static jQueryInterface(t){return
cn={...ln.Default,content:"",offset:[0,8],placement:"right",template:'<div class="popover"</pre>
role="tooltip"><div class="popover-arrow"></div><h3 class="popover-header"></h3><div
class="popover-
body"></div></div>',trigger:"click"},hn={...ln.DefaultType,content:"(null|string|element|funct
ion)"};class dn extends ln{static get Default(){return cn}static get DefaultType(){return
hn}static get NAME(){return"popover"}_isWithContent(){return
this._getTitle()||this._getContent()}_getContentForTemplate(){return{".popover-
header":this._getTitle(),".popover-body":this._getContent()}}_getContent(){return
this.\_resolve Possible Function (this.\_config.content) \} static j Query Interface (t) \{return this.\_resolve Possible Function (this.\_config.content) \} static j Query Interface (t) \{return this.\_config.content) \} st
 this.each((function()\{const\ e=dn.getOrCreateInstance(this,t); if("string"==typeof\ t)\{if(void\ 0==e[t])throw\ new\ TypeError(`No\ method\ named\ "$\{t\}"`);e[t]()\}\}))\}\\ m(dn);const
un="click.bs.scrollspy",fn="active",pn="[href]",mn={offset:null,rootMargin:"0px 0px - 25%",smoothScroll:!1,target:null,threshold:[.1,.5,1]},gn={offset:"(number|null)",rootMargin:"string",smoothScroll:"boolean",target:"element",threshold:"array"};class _n extends
W\{constructor(t,e)\{super(t,e),this.\_targetLinks=new\ Map,this.\_observableSections=new\ Map,this.\_observabl
Map, this._rootElement="visible"===getComputedStyle(this._element).overflowY?null:this._element
 ,this._activeTarget=null,this._observer=null,this._previousScrollData={visibleEntryTop:0,paren
tScrollTop:0},this.refresh()}static get Default(){return mn}static get DefaultType(){return
qn\static qet
NAME(){return"scrollspy"}refresh(){this._initializeTargetsAndObservables(),this._maybeEnableSm
```

```
oothScroll(),this._observer?this._observer.disconnect():this._observer=this._getNewObserver();
 for(const t of
 this.\_observable Sections.values()) this.\_observer.observe(t) \\ \} dispose() \\ \{this.\_observer.disconnections.values()) \\ this.\_observer.disconnections() \\ \{this.\_observer.disconnections(), this.\_observer.disconnections(), this.\_o
 t(),super.dispose()}_configAfterMerge(t){return
 t.target=r(t.target)||document.body,t.rootMargin=t.offset?`${t.offset}px 0px -
 30%`:t.rootMargin,"string"==typeof
 t.threshold&&(t.threshold=t.threshold.split(",").map((t=>Number.parseFloat(t)))),t}_maybeEnabl
 eSmoothScroll() \\ \{this.\_config.smoothScroll&&(P.off(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target,un),P.on(this.\_config.target
 rget,un,pn,(t=>{const
 e=this._observableSections.get(t.target.hash);if(e){t.preventDefault();const
 i=this._rootElement||window,n=e.offsetTop-this._element.offsetTop;if(i.scrollTo)return void
 i.scrollTo({top:n,behavior:"smooth"});i.scrollTop=n}})))}_getNewObserver(){const
 t={root:this._rootElement,threshold:this._config.threshold,rootMargin:this._config.rootMargin}
;return new IntersectionObserver((t=>this._observerCallback(t)),t)}_observerCallback(t){const}
e=t=>this._targetLinks.get(`#${t.target.id}`),i=t=>{this._previousScrollData.visibleEntryTop=t
.target.offsetTop,this._process(e(t))},n=(this._rootElement||document.documentElement).scrollT
 op,s=n>=this._previousScrollData.parentScrollTop;this._previousScrollData.parentScrollTop=n;fo
 r(const o of
 t){if(!o.isIntersecting){this._activeTarget=null,this._clearActiveClass(e(o));continue}const
 t=o.target.offsetTop>=this._previousScrollData.visibleEntryTop;if(s&&t){if(i(o),!n)return}else
 s \hspace{0.1cm} |\hspace{0.1cm} t\hspace{0.1cm}|\hspace{0.1cm} i\hspace{0.1cm} |\hspace{0.1cm} i\hspace{0
 Map, this._observableSections=new Map; const t=z.find(pn, this._config.target); for(const e of
 t){if(!e.hash||l(e))continue;const
 t=z.findOne(decodeURI(e.hash),this._element);a(t)&&(this._targetLinks.set(decodeURI(e.hash),e)
 ,this._observableSections.set(e.hash,t))}}_process(t){this._activeTarget!==t&&(this._clearActi
 veClass(this._config.target),this._activeTarget=t,t.classList.add(fn),this._activateParents(t)
 ,P.trigger(this._element,"activate.bs.scrollspy",{relatedTarget:t}))}_activateParents(t){if(t.classList.contains("dropdown-item"))z.findOne(".dropdown-
 toggle",t.closest(".dropdown")).classList.add(fn);else for(const e of z.parents(t,".nav,
  .list-group"))for(const t of z.prev(e,".nav-link, .nav-item > .nav-link, .list-group-
 item"))t.classList.add(fn)\}\_clearActiveClass(t)\{t.classList.remove(fn);const
 e=z.find("[href].active",t);for(const t of e)t.classList.remove(fn)}static
 {\tt jQueryInterface(t)\{return\ this.each((function()\{const
 e=_n.getOrCreateInstance(this,t);if("string"==typeof t){if(void
 0===e[t]||t.startsWith("_")||"constructor"===t)throw new TypeError(`No method named
 \label{eq:const_tofo} $$\{t\}$"`);e[t]()\}$))}$$P.on(window,"load.bs.scrollspy.data-api",(()=>\{for(const t of tofop)), for the constant of the 
 bn="ArrowLeft",vn="ArrowRight",yn="ArrowUp",wn="ArrowDown",An="active",En="fade",Tn="show",Cn=
  '[data-bs-toggle="tab"], [data-bs-toggle="pill"], [data-bs-toggle="list"]',On=`.nav-
 link:not(.dropdown-toggle), .list-group-item:not(.dropdown-toggle),
 [role="tab"]:not(.dropdown-toggle), ${Cn}`;class xn extends
W{constructor(t){super(t),this._parent=this._element.closest('.list-group, .nav, [role="tablist"]'),this._parent&&(this._setInitialAttributes(this._parent,this._getChildren())
 ,P.on(this._element,"keydown.bs.tab",(t=>this._keydown(t))))}static get
 NAME(){return"tab"}show(){const t=this._element;if(this._elemIsActive(t))return;const
 e=this._getActiveElem(),i=e?P.trigger(e,"hide.bs.tab",{relatedTarget:t}):null;P.trigger(t,"sho
 w.bs.tab", {relatedTarget:e}).defaultPrevented||i&&i.defaultPrevented||(this._deactivate(e,t),t
\label{eq:linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_control_linear_co
 "),t.setAttribute("aria-
selected",!0), this.\_toggleDropDown(t,!0), P.trigger(t,"shown.bs.tab", \{relatedTarget:e\})):t.classList.add(Tn)\}), t, t.classList.contains(En)))\}\_deactivate(t,e)\{t&&(t.classList.remove(An),t.blu, t.classList.remove(An),t.blu, t.classList.remove(
 r(),this._deactivate(z.getElementFromSelector(t)),this._queueCallback((()=>{ "tab" ===t.getAttri
bute("role")?(t.setAttribute("aria-selected",!1),t.setAttribute("tabindex",
 1"),this._toggleDropDown(t,!1),P.trigger(t,"hidden.bs.tab",{relatedTarget:e})):t.classList.rem
 ove(Tn)}),t,t.classList.contains(En)))}_keydown(t){if(![bn,vn,yn,wn].includes(t.key))return;t.
 stopPropagation(),t.preventDefault();const
 e=[vn,wn].includes(t.key),i=b(this._getChildren().filter((t=>!1(t))),t.target,e,!0);i&&(i.focu
 s({preventScroll:!0}),xn.getOrCreateInstance(i).show())}_getChildren(){return
 {\tt z.find(On,this.\_parent)} \\ \_{\tt getActiveElem()} \\ \{ \tt return \\
 this._getChildren().find((t=>this._elemIsActive(t)))||null}_setInitialAttributes(t,e){this._se
 tAttributeIfNotExists(t, "role", "tablist"); for(const t of
 e) this.\_setInitialAttributesOnChild(t) \big\}\_setInitialAttributesOnChild(t) \big\{ t=this.\_getInnerElement \} \\
 (t);const e=this._elemIsActive(t),i=this._getOuterElement(t);t.setAttribute("aria-
 selected", e), i! == t\& this.\_setAttributeIfNotExists(i, "role", "presentation"), e | | t.setAttribute(", "role", "role", "presentation"), e | | t.setAttribute(", "role", "
 tabindex","
 1"),this._setAttributeIfNotExists(t,"role","tab"),this._setInitialAttributesOnTargetPanel(t)}_
 setInitialAttributesOnTargetPanel(t){const
 e=z.getElementFromSelector(t);e&&(this._setAttributeIfNotExists(e, "role", "tabpanel"),t.id&&thi
 s._setAttributeIfNotExists(e, "aria-labelledby", `${t.id}`))}_toggleDropDown(t,e){const
 i=this._getOuterElement(t);if(!i.classList.contains("dropdown"))return;const n=(t,n)=>{const
 s=z.findOne(t,i);s\&\&s.classList.toggle(n,e);n(".dropdown-toggle",An),n(".dropdown-toggle",An)
menu", Tn), i.setAttribute("aria-
 expanded",e)}_setAttributeIfNotExists(t,e,i){t.hasAttribute(e)||t.setAttribute(e,i)}_elemIsAct
 ive(t){return t.classList.contains(An)}_getInnerElement(t){return
 t.matches(On)?t:z.findOne(On,t)}_getOuterElement(t){return t.closest(".nav-item, .list-group-
 item")||t}static jQueryInterface(t){return this.each((function(){const
e=xn.getOrCreateInstance(this);if("string"==typeof t){if(void
0===e[t]||t.startsWith("_")||"constructor"===t)throw new TypeError(`No method named
 "\{t\}");e[t]()\}\}))\}P.on(document, "click.bs.tab", Cn, (function(t)\{["A","AREA"].includes(this.t.mu);e[t], e[t], e[t
```

```
 \label{lem:agName} $$agName)\&\&t.preventDefault(),l(this)||xn.getOrCreateInstance(this).show()})),P.on(window,"load.bs.tab",(()=>\{for(const t of z.find('.active[data-bs-toggle="tab"], .active[data-bs-toggle="tab"], 
 toggle="pill"], .active[data-bs-toggle="list"]'))xn.getOrCreateInstance(t)})),m(xn);const
kn="hide",Ln="show",Sn="showing",Dn={animation:"boolean",autohide:"boolean",delay:"number"},In
 ={animation:!0,autohide:!0,delay:5e3};class Nn extends
\label{lem:weights} \\ \textbf{W} \{ \texttt{constructor}(\texttt{t,e}) \{ \texttt{super}(\texttt{t,e}) \text{,this.\_timeout=null,this.\_hasMouseInteraction=!1,this.\_hasKeyboarmanners.} \} \\ \\ \textbf{M} \{ \texttt{constructor}(\texttt{t,e}) \{ \texttt{super}(\texttt{t,e}) \text{,this.\_timeout=null,this.\_hasMouseInteraction=!1,this.\_hasKeyboarmanners.} \} \\ \textbf{M} \{ \texttt{constructor}(\texttt{t,e}) \} \\ \textbf{M} \{ \texttt{constructor}(\texttt{t,
dInteraction=!1,this._setListeners()}static get Default(){return In}static get
DefaultType(){return Dn}static get
{\tt NAME()\{return"toast"\}show()\{P.trigger(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this.\_element,"show.bs.toast").defaultPrevented||(this._element,"show.bs.toast").defaultPrevented||(this._element,"show.bs.toast").defaultPrevented||(this._element,"show.bs.toast").defaultPrevented||(thi
 clearTimeout(),this._config.animation&&this._element.classList.add("fade"),this._element.class
List.remove(kn),d(this._element),this._element.classList.add(Ln,Sn),this._queueCallback((()=>{
 this.\_element.classList.remove(Sn), P.trigger(this.\_element, "shown.bs.toast"), this.\_may be Schedule and the state of t
 leHide()}),this._element,this._config.animation))}hide(){this.isShown()&&(P.trigger(this._elem
 ent, "hide.bs.toast").defaultPrevented||(this._element.classList.add(Sn),this._queueCallback(((
 ent,"hidden.bs.toast")}),this._element,this._config.animation)))}dispose(){this._clearTimeout(
 ),this.isShown()&&this._element.classList.remove(Ln),super.dispose()}isShown(){return
 this.\_element.classList.contains(Ln)\}\_may be Schedule Hide() \\ \{this.\_config.autohide \& (this.\_has Moulle Hide(), this.\_config.autohide \& (this.\_config.autohide \& (this.
 seInteraction||this._hasKeyboardInteraction||(this._timeout=setTimeout((()=>{this.hide()}),thi
 s._config.delay)))}_onInteraction(t,e){switch(t.type){case"mouseover":case"mouseout":this._has
MouseInteraction=e;break;case"focusin":case"focusout":this._hasKeyboardInteraction=e}if(e)retu
rn void this._clearTimeout();const
 i=t.relatedTarget;this._element===i||this._element.contains(i)||this._maybeScheduleHide()}_set
Listeners() {P.on(this._element, "mouseover.bs.toast",(t=>this._onInteraction(t,!0))), P.on(this.
 _element, "mouseout.bs.toast",(t=>this._onInteraction(t,!1))),P.on(this._element, "focusin.bs.to
ast", (t=>this.\_onInteraction(t,!0))), P.on(this.\_element,"focusout.bs.toast", (t=>this.\_onInteraction(t,!0))), P.on(this.\_element,"focusout.bs.toast(t,!0)), P.on(this.\_element,"focusout.bs.t
 \verb|ction(t,!1)|) \} \\ \_ clearTimeout() \\ \{ clearTimeout(this.\_timeout), this.\_timeout = null \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \} \\ static \\ \_ timeout = null \\ \_ 
 jQueryInterface(t){return this.each((function(){const
 e=Nn.getOrCreateInstance(this,t);if("string"==typeof t){if(void 0===e[t])throw new
\label{this:continuous} TypeError(`No method named "$\{t\"`);e[t](this)\})))\} return
R(Nn), m(Nn), {Alert:q,Button:K,Carousel:rt,Collapse:ft,Dropdown:ci,Modal:Ni,Offcanvas:zi,Popove
r:dn,ScrollSpy:_n,Tab:xn,Toast:Nn,Tooltip:ln}}));
 //# sourceMappingURL=bootstrap.bundle.min.js.map
```

Analysis: ```html

Security Vulnerabilities and Code Quality Analysis

This analysis focuses on potential security vulnerabilities and code quality issues in the provided Bootstrap v5.3.0 JavaScript code.

Vulnerability: Potential Cross-Site Scripting (XSS)

Description

The Ui class, specifically in the _maybeSanitize method (approximately line 1452), attempts to sanitize HTML content. However, if the sanitizeFn configuration is not properly vetted or if the allowList is too permissive, it could still be possible to inject malicious scripts into the DOM. The DOMParser may not be sufficient to remove all possible XSS attack vectors if the allowlist is overly broad.

- Approximate Line: 1452
- Type: XSS
- **Mitigation:** Carefully curate the allowList to only include necessary HTML elements and attributes. Strongly validate and sanitize any user-provided input before using it in sanitizeFn. Consider using a more robust and trusted HTML sanitizer library, such as DOMPurify, instead of relying solely on DOMParser. Ensure that the sanitizeFn handles edge cases and doesn't introduce new vulnerabilities.
- **Code Quality:** Consider making the sanitization functionality more modular, which would improve testability and make it easier to swap out different sanitization libraries in the future.

Vulnerability: Prototype Pollution

Description

The deep merge logic used within the _mergeConfigObj function (around line 247, and subsequent uses) might be susceptible to Prototype Pollution if an attacker can control a portion of the configuration object passed to the component. Specifically, the potentially uncontrolled spreading of object properties from untrusted sources to the

configuration object can potentially allow the modification of `Object.prototype`.

Approximate Line: 247Type: Prototype Pollution

- **Mitigation:** Avoid deep merging, or use a controlled merge approach that explicitly defines the properties to be merged and validates their types. Never directly merge untrusted user input into the configuration object.
- Validate all configuration options against a known schema before use.
 Code Quality: Implement a schema validation to guarantee the types and validation to guarantee.

• **Code Quality:** Implement a schema validation to guarantee the types and valid values expected in each config, also consider using a library to help with immutability.

Code Quality: High Cyclomatic Complexity

Description

Several functions exhibit high cyclomatic complexity due to numerous conditional statements, loops, and nested structures. For instance, the ke function used by Popper (around line 971) to detect overflow, and certain event handling functions within the Bootstrap components have complex logic. Complex code is harder to understand, test, and maintain.

• Approximate Line: 971, many other functions

• Metric: Cyclomatic Complexity

• **Improvement:** Break down large functions into smaller, more focused functions. Use design patterns such as strategy or state patterns to simplify conditional logic. Improve readability by using descriptive variable names and adding comments.

Code Quality: Duplication

Description

Code duplication is observed in several areas, such as event listener attachment/detachment across different components, and repetitive configuration option handling. This increases the risk of inconsistencies and makes maintenance more difficult. For example, many components have their own jQueryInterface, instead of using a generalized component. Another example, the clearMenus function in Dropdown component.

• Approximate Line: Multiple locations

• Metric: Duplication

• **Improvement:** Identify common patterns and extract them into reusable functions or modules. Use higherorder functions to abstract away repetitive tasks. Implement a consistent coding style to reduce superficial duplication.

Proposed Solution

Summary of Security and Code Quality Improvements

Implement robust HTML sanitization using a trusted library. Enforce a strict configuration schema and avoid deep merging of untrusted input. Refactor complex functions into smaller, more manageable units. Eliminate code duplication by creating reusable utilities. These steps will improve the security, maintainability, and overall quality of the Bootstrap library.

. . .