

Garden Market | Documentação REST:

getUsers()	Fetch all users
URL	/api/users
Method	GET

getUser()	Fetch one user by their id
URL	/api/users/:id
Method	GET
URL params	Required: id=[integer] example: id=12

createCart()	Creating a new transaction for one user, and setting it to cart state
URL	/api/users/:id/cart
Method	POST
URL params	Required: id=[integer]

getCart()	Feth one user's cart as a TransactionStateView, if they have one
URL	/api/users/:id/cart
Method	GET
URL params	Required: id=[integer]

getCartItems()	Fetch one user's cart items as AdSummaryViews
URL	/api/users/:id/cartItems
Method	GET
URL params	Required: id=[integer]

getPurchasedItems()	Fetch one user's purchased items as AdSummaryViews
URL	/api/users/:id/purchasedItems
Method	GET
URL params	Required: id=[integer]

getAds()	Fetch all advertisements
URL	/api/ads
Method	GET

getAd()	Fetch one advertisement by its id
URL	/api/ads/:id
Method	GET
URL params	Required: id=[integer]

getAdCategories()	Fetch all possible ad categories
URL	/api/ads/categories
Method	GET

getActiveAds()	Fetch all active advertisements
URL	/api/ads/active
Method	GET

getFileteredAds()	Fetch all ads that belong to this category
URL	/api/ads/active/:filterType?filter=:filter
Method	GET
URL params	Required: filterType=[string], filter=[string] example: filterType="category", filter="Produce"

saveAd()	Introduce an ad to the platform
URL	/api/ads
Method	POST
Message Body	Required: Advertisement object

getTransactions()	Fetch all transactions
URL	/api/transactions
Method	GET

getTransaction()	Fetch one transaction
URL	/api/transactions/:id
Method	GET
URL params	Required: id=[int]

addToCart()	Adds an item to a cart transaction
URL	/api/transactions/cart/:id
Method	POST
URL params	Required: id=[int] (transaction id)
Message Body	Required: Advertisement object

removeFromCart()	Removes an item from a cart transaction
URL	/api/transactions/cart/:id/:adId
Method	DELETE
URL params	Required: id=[int] (transaction id) adId=[int] (ad id)

getTransactionCurrent State()	Feth one transaction's latest state
URL	/api/transactions/:id/state
Method	GET
URL params	Required: id=[int]

updateTS()	Updates a transaction's state
URL	/api/transactions/update/:stateId
Method	POST
URL params	Required: id=[int] (transaction id)
Message Body	Required: Transaction id

