

POST

/pedidos

Cadastra todos os pedidos

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

```
{
  "id": 0,
  "produto": "Motorola g53 5G.",
  "quantidade": 1
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/pedidos' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "id": 0,
  "produto": "Motorola g53 5G.",
  "quantidade": 1
}'
```

Request URL

http://localhost:8080/pedidos

Server response

Code

Details

201

Undocumented

Response body

```
{
  "id": 0,
  "produto": "Motorola g53 5G.",
  "quantidade": 1
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 14 Nov 2023 12:29:28 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls

Accept header.

Example Value

Schemas

GET

/pedidos/{id}

Apresenta todos os pedidos por ID

Parameters

Cancel

Name	Description
id <small>* required</small>	
integer(\$int64)	2
(path)	

ExecuteClear

Responses

Curl

curl -X 'GET' \n'http://localhost:8080/pedidos/2' \n-H 'accept: */*'

Request URL

http://localhost:8080/pedidos/2

Server response

Code	Details
200	<div><div>Response body</div><div>{\n "id": 2,\n "produto": "Motorola One Vision",\n "quantidade": 1\n}</div><div>Response headers</div><div>connection: keep-alive\ncontent-type: application/json\ndate: Tue, 14 Nov 2023 12:31:38 GMT\nkeep-alive: timeout=60\ntransfer-encoding: chunked</div></div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controla Accept header.

GET

/pedidos

Apresenta todos os pedidos

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

curl -X 'GET' \n'http://localhost:8080/pedidos' \n-H 'accept: */*'

Request URL

http://localhost:8080/pedidos

Server response

Code	Details
200	<div><div>Response body</div><div>{\n {\n "id": 1,\n "produto": "celular Motorola e5",\n "quantidade": 1\n },\n {\n "id": 2,\n "produto": "Motorola One Vision",\n "quantidade": 1\n }\n}</div><div>Response headers</div><div>connection: keep-alive\ncontent-type: application/json\ndate: Tue, 14 Nov 2023 12:28:03 GMT\nkeep-alive: timeout=60\ntransfer-encoding: chunked</div></div>

Responses

Code	Description	Links
200	OK	No links

PUT

/pedidos/{id} Altera os pedidos por ID

Parameters

Cancel

Reset

Name	Description
id <small>REQUIRED</small>	
integer(\$int64)	1
(path)	

Request body REQUIRED

application/json

```
{
  "id": 0,
  "produto": "Motorola One Vison",
  "quantidade": 2
}
```

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 http://localhost:8080/pedidos/1' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 "id": 0,
 "produto": "Motorola One Vison",
 "quantidade": 2
 }'

Request URL

http://localhost:8080/pedidos/1

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "id": 1, "produto": "Motorola One Vison", "quantidade": 2 }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>connection: keep-alive content-type: application/json date: Tue, 14 Nov 2023 12:32:50 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div></div>

Responses

Code	Description	Links
200	OK	No links

1 • **SELECT * FROM** pedidos.pedidos;

Result Grid

id	produto	quantidade
1	Motorola One Vision	2
2	Motorola One Vision	1
NULL	NULL	NULL

Form Editor

Field Types