
CONTROLE DE VERSÕES

ATIVIDADE: CRIAR E CONFIGURAR UM REPOSITÓRIO REMOTO

- Crie um repositório remoto no GitHub chamado meu remoto.
- 2. Clone o repositório localmente.
- 3. Liste o estado deste repositório criado.
- 4. No GitHub, crie um arquivo "readme.md" com o texto "Como utilizar este repositório:"
- Verifique a partir da linha comando as alterações feitas no repositório.
- 6. Altere o nome da referência ao repositório para "r1".

1-



2-

```
C:\Users\luisg\git-katas>git clone https://github.com/luisgustavos29/meu__remoto Cloning into 'meu__remoto'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

3-

```
Untracked files:

(use "git add <file>..." to include in what will be committed)

meu__remoto/
```

meu_remoto

Como utilizar esse repositório

5-

```
C:\Users\luisg\meu_remoto>git log
commit 9245ac96ed6745bafc6356a15e53ab2d631c26ad (HEAD -> main, origin/main, origin/HEAD)
Author: Luís Gustavo Silva <145591873+luisgustavos29@users.noreply.github.com>
Date: Thu Mar 6 17:09:27 2025 -0300

Update README.md

Commit 59bab61debf91c91472d9b1dca90a4e1d7ab01f1
Author: Luís Gustavo Silva <145591873+luisgustavos29@users.noreply.github.com>
Date: Thu Mar 6 17:06:32 2025 -0300

Initial commit
```

6-

```
C:\Users\luisg\meu_remoto>git remote rename origin r1
Renaming remote references: 100% (3/3), done.

C:\Users\luisg\meu_remoto>git remote -v
r1 https://github.com/luisgustavos29/meu_remoto (fetch)
r1 https://github.com/luisgustavos29/meu_remoto (push)
```