THE PROBLEM

Models get picked by vibes.

Leaderboards score someone else's prompts. The closed model you started with keeps the bill.

15+

STRONG MODEL FAMILIES

5–25

PROVIDERS SERVING EACH FAMILY

72–100%

SAME WEIGHTS, TOOL-CALL ACCURACY, BY PROVIDER

BIY

One command in the coding agent.

`/mcp__biy__scan_repo` nothing runs until the cost is confirmed

01

Find every LLM call

02

Classify the job

03

Pick the metrics

04

Build the cases

HOW A RUN IS SCORED

159

METRICS IN THE BANK

118

COMPUTED ON THE RUN

Three-family jury

EACH JUDGE ABSTAINS ON ITS OWN FAMILY. PAIRWISE, BOTH ORDERS, OR IT IS A TIE.

Mean and a 95% interval


CASES TIMES REPEATS. OVERLAPPING INTERVALS ARE A STATISTICAL TIE.

Gates, then Pareto, then a recommendation

A FAILED GATE IS NOT RANKED. CLOSED MODELS ARE REFERENCES, NEVER THE PICK.

134 models, called for real

29 ON THE DEFAULT SHORTLIST. LISTINGS WERE WRONG. WE MEASURED.



Luis is implementing it.

Concrete suggestions from a run on his product, not a sample app.

29

USE CASES ON GPT-RESEARCHER. NOBODY NAMED THEM IN ADVANCE.

WHY TRUST THE JUDGE

80%

AGREED WITH A PERSON · 8 OF 10

0.68

RUBRIC SPEARMAN · N = 10

Where both judges scored the same answer, they disagreed. We flag that. The judge is not the label until a person has looked.

BIY

Which open model should do each job.

On your cases.

Luis
PRODUCT AND DASHBOARD

Raphaël
BACKEND AND MCP

Jad
METRICS AND THE JUDGE