

UniBlog API 1.0.0 OAS 3.0

<http://localhost:3333/docs/json>

API documentation for UniBlog application

Account

POST

/account/register

Endpoint para registrar uma nova conta de usuário.

Parameters

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "nome_Account": "string",
  "email_Account": "user@example.com",
  "matricula_Account": "string",
  "password_Account": "string",
  "confirmPassword_Account": "string"
}
```

Responses

Code	Description	Links
200	Default Response	No links

POST

/account/login

Endpoint para autenticar uma conta de usuário.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "email_Account": "user@example.com",
  "password_Account": "string"
}
```

Responses

Code	Description	Links
200	Default Response	No links

PUT /account/update/{id_Account}



Endpoint para atualizar uma conta de usuário.

Parameters

Try it out

Name	Description
id_Account * required string (path)	id_Account

Request body

application/json

Example Value | Schema

```
{
```

```
"nome_Account": "string",
"email_Account": "user@example.com",
"matricula_Account": "string",
"password_Account": "string"
}
```

Responses

Code	Description	Links
200	Default Response	No links

default

POST /account/recoverLogin

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Default Response	No links

POST /profile/new

Parameters

Try it out

No parameters

Responses

Code	Description	Links
------	-------------	-------

200	Default Response	No links
-----	------------------	----------

PUT /profile/update ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Default Response	No links

POST /posts/new ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Default Response	No links

GET /posts/get ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Default Response	No links

Profile ^

GET **/profile/get** ^

Schema para validação do ID do perfil.

Parameters Try it out

Name	Description
id_Perfil ★ required number (header)	ID do perfil do usuário

Responses

Code	Description	Links
200	Default Response	No links

DELETE **/profile/delete/{id}** ^

Schema para validação do ID do perfil para deleção.

Parameters Try it out

Name	Description
id_Perfil ★ required number (header)	ID do perfil do usuário

id ★ required

string

(path)

id

Responses

Code	Description	Links
200	Default Response	No links

GET

/profile/get/AccountProfiles

^

Schema para obter perfis por ID de conta.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Default Response	No links

GET

/profile/

^

Schema para obter todos os perfis.

Parameters

Try it out

No parameters

Responses

Responses

Code	Description	Links
200	Default Response	No links

Post

DELETE /posts/delete/{id_Post}

Endpoint para deletar um post pelo ID.

Parameters

Name

Description

id_Post * required

integer (path)

id_Post

id_Perfil * required

number (header)

ID do perfil do usuário

id_Perfil

Responses

Code	Description	Links
200	Default Response	No links

GET /posts/

Schema para obter todos os posts.

Parameters

No parameters

Responses		
Code	Description	Links
200	Default Response	No links

Interações

^

POST /int/ ^

Endpoint para registrar uma nova curtida.

Parameters

Try it out

No parameters

Request body required

application/json v

Example Value | Schema

```
{  "id_PIC_Curtida": 0}
```

Responses		
Code	Description	Links
200	Default Response	No links

DELETE /int/ ^

Endpoint para registrar uma nova curtida.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "id_PIC_Curtida": 0
}
```

Responses

Code	Description	Links
200	Default Response	No links

GET /int/

Endpoint para obter as interações de um post.

Parameters

Try it out

Name	Description
id_Post_PIC * required integer (query)	id_Post_PIC

Responses

Code	Description	Links
200	Default Response	No links

POST

/int/comentario

Endpoint para registrar um novo comentário.

Parameters

Try it out

Name	Description
id_Perfil number (header) ★ required	ID do perfil do usuário

Request body

required

application/json

Example Value

Schema

```
{  "id_PIC_Comentario": 0,  "conteudo_Comentario": "string"} 
```

Responses

Code	Description	Links
200	Default Response	No links

DELETE

/int/comentario

Endpoint para deletar um comentário.

Parameters

Try it out

Name	Description
id_PIC_Comentario ★ required	

id_PIC_Comentario

integer
(query)

id_PIC_Comentario

Responses

Code	Description	Links
200	Default Response	No links