

Luis
Andrade

ARQUITETO
E URBANISTA

CONTATO

-  luis.ela.arquitetura@hotmail.com
-  +351 912 113 920
-  Amadora, Portugal
-  portfoliola.netlify. app
-  linkedin.com/in/luis-e-l-andrade

IDIOMAS

Português	Nativo
Inglês	C1

SOFTWARES

- AutoCAD
- ArchiCAD
- SketchUp
- ArcGIS
- Enscape
- Twinmotion
- Lumion
- Photoshop
- Illustrator
- InDesign
- ...

HABILIDADES

- Trabalho em Equipe
- Comunicação
- Debate e Solução
- Aprendizado Rápido
- Flexibilidade

PERFIL

Arquiteto e Urbanista formado pela **PUC-Campinas**, finalizando o Mestrado em **Ordenamento do Território e Urbanismo** na Universidade de Lisboa. Tenho interesse especial em planeamento urbano sustentável, paisagismo e preservação do património histórico-cultural - áreas que trabalhei tanto na formação académica em Campinas e Lisboa, quanto nas experiências prossionais.

FORMAÇÃO ACADÊMICA

Set 2024 Julho 2026	Mestrado em Ordenamento do Território e Urbanismo Universidade de Lisboa - Lisboa, Portugal Foco em planeamento urbano sustentável, reabilitação de espaços urbanos e ordenamento do território.
Jan 2019 Dez 2023	Bacharelado em Arquitetura e Urbanismo Pontifícia Universidade Católica de Campinas - SP, Brasil TFG: Reabilitação urbana da orla do rio Santa Maria, Vitória (ES), no contexto do PDU da Região Metropolitana. Participação em Monitoria de Paisagismo e Extensão HABITAR 60+.

EXPERIÊNCIA PROFISSIONAL

Fev 2023 Jan 2024	Assistente Estagiário Universitário Marcelo Novaes Paisagismo - Campinas, SP Atuação em projetos de paisagismo e planeamento de áreas verdes. Desenvolvimento de estudos de implantação, seleção de espécies e detalhamento de projetos para diferentes escalas e tipologias
Fev 2022 Jun 2022	Assistente Estagiário Universitário Extensão HABITAR 60+ · PUC-Campinas Projeto de extensão universitária voltado à habitação e qualidade de vida para a terceira idade. Estudos de acessibilidade, conforto espacial e adequação de ambientes para usuários com 60 anos ou mais.

ÁREAS DE INTERESSE

- Planejamento e Projeto Urbano
 - Patrimônio Histórico-Cultural
 - Reabilitação Urbana
- Paisagismo Urbano
 - Projetos Sustentáveis
 - Espaço Público e Social

Luis Andrade

ARQUITETO
E URBANISTA

CONTATO

✉ luis.ela.arquitetura@hotmail.com

☎ +351 912 113 920

📍 Amadora, Portugal

🌐 portifoliola.netlify.app

🌐 linkedin.com/in/luis-e-l-andrade

CANDIDATURA A

Território XXI Urbanista.

Lisboa, Julho 2026

Exmos. Senhores,

Venho por este meio manifestar o meu interesse na vaga de Urbanista no grupo Território XXI.

O que me motiva nesta área é uma convicção simples: trabalhar com planeamento urbano é, antes de tudo, trabalhar com pessoas. Cada plano, cada estratégia territorial e cada intervenção no espaço público traduz-se, no final, na qualidade de vida de quem habita e vive a cidade. É essa dimensão - técnica, em muitos momentos, na forma, mas profundamente humana no propósito - que me levou a escolher esta especialização e que sustenta a minha candidatura para esta vaga.

Sou Arquiteto e Urbanista formado no Brasil e concluí há poucos dias o Mestrado em Ordenamento do Território e Urbanismo na Faculdade de Arquitetura da Universidade de Lisboa, tendo apresentado a dissertação sobre a regeneração de infraestruturas de transporte enquanto infraestrutura verde, aplicada ao território de Odivelas. Todo o percurso do mestrado exigiu uma compreensão aprofundada do sistema de planeamento português - da elaboração de papers e projetos urbanos à uma leitura crítica de planos diretores municipais, planos de pormenor, perequações e estratégias territoriais. Esse trabalho consolidou não apenas o meu conhecimento técnico do contexto nacional, mas também a certeza de que esta é a área onde quero construir a minha carreira.

Antes disso, a minha experiência profissional no Brasil incluiu projetos de paisagismo e planeamento de áreas verdes, bem como projetos académicos e de extensão universitária centrados em requalificação urbana, acessibilidade e espaço público, sempre em equipas multidisciplinares e com atenção às condicionantes do território.

Reconheço, contudo, que o domínio pleno desta área se constrói com experiência e acompanhamento continuado. É precisamente por isso que me candidato: procuro um contexto exigente, com práticas consolidadas e profissionais experientes, onde possa contribuir com rigor e empenho enquanto continuo a desenvolver-me. Vim do Brasil com o objetivo claro de construir uma carreira sólida em Portugal, e o Território XXI representa exatamente o tipo de estrutura onde ambiciono fazê-lo.

Tenho disponibilidade imediata para iniciar funções. Caso necessário maior informações, tenho um site de base referenciado nesta carta, contendo estas informações.


Agradeço a atenção dispensada e fico inteiramente disponível para qualquer esclarecimento adicional.

Com os melhores cumprimentos;

Luis Andrade

ARQUITETO E URBANISTA - MESTRANDO EM
URBANISMO - UNIVERSIDADE DE LISBOA

LOCATION & CHARACTERISATION



CORRIDOR	IC17 (CRIL) - Southeast sector
TYPOLOGY	Primary Marginal Open Space
CONTEXT	Informal Parking Lot in the AUGI zones of Vale do Forno right next to the IC17
KEY CONDITIONS	Informal car park on land of high ecological value. Small watercourse along the corridor edge. No pedestrian crossing to the Parque Urbano do Rio da Costa on the opposite side.

ANALYTICAL CONDITIONS

Barrier Condition The space presents multiple layers of barrier condition. The IC17 carriageway runs immediately adjacent, reinforced by metal grates that physically seal the corridor edge. A small watercourse runs between the space and the highway, which presents no vegetation beyond sparse low-growing plants, reflecting a condition of ecological suppression rather than ecological presence. The only existing crossing promotes car flow, further reinforcing the automotive character of the immediate environment.	Latent Connectivity There are latent connections that currently have no real expression. A urban agriculture space to the southwest, the Vale do Forno and Senhor Roubado, signals a latent possibility. A small watercourse along the corridor edge represents an ecological possibility together with Parque Urbano do Rio da Costa, located on the opposite side of the road, which remains entirely inaccessible from the southern side.	Functional Indetermination The space is occupied as an informal car park, a use that has persisted in the absence of any formal planning claim, masking the ecological significance of its position. It occupies land of high latent ecological value, at the intersection of a hydrological corridor, an informal productive landscape, and the margin of one of the municipality's few existing green parks, yet none of these conditions is recognised or activated by its current use.
---	--	--

OPERATIVE CAPACITY

Mediation The space has the capacity to mediate between the AUGI residential fabric, the productive landscape of Vale do Forno and Senhor Roubado, and the green and hydrological system of the corridor, serving as a connective interface between urban occupation, productive land, and ecological infrastructure that currently exist in proximity but without any meaningful spatial relationship.	Requalification This space demands a fundamental functional shift - from informal car storage to activated public and ecological space - integrating the watercourse, introducing vegetation, and creating qualified green space for the AUGI communities that currently have none in their immediate vicinity.	Articulation This space articulates with the station and the broader urban reality of Senhor Roubado, where existing connections are few or absent, reinforcing its role as a missing link between communities and green systems. At a wider scale, its transformation connects to the ecological corridor of the IC17 hydrological system and to other potential interventions along the corridor, contributing to a cumulative territorial logic where individual activations reinforce each other as part of a coherent green infrastructure network.
---	---	--

NBS PROGRAMME


Bioretention & Wetlands	The small watercourse running between the space and the highway is integrated as a visible and managed ecological feature, with bioretention areas that absorb and filter stormwater while creating a green edge that separates the activated space from the infrastructural domain.
Urban Farming	The space should formalise and expands the agricultural occupation already present in the Vale do Forno and Senhor Roubado, creating a productive landscape that connects the AUGI communities to the land they have already begun to appropriate, transforming an informal practice into a planned and supported public use.
Wildlife Crossing	The existing crossing is reconfigured to support both pedestrian movement and ecological permeability, introducing native vegetation along its edges that follows the hydrological alignment of the watercourse. The focus here should be the ecological function it possesses, instead of human attraction.
Additionally, an Urban Green Corridor logic could extend the activation beyond this space, connecting it longitudinally to other interstitial spaces along the IC17 valley; and a Spontaneous Occupation management strategy could consolidate the native vegetation already present along the margins.	

IC17 - IC22 Interchange Node

T1 - Understructure & Node IC17 - IC22

CentralNodeoftheIC17-IC22Interchange,Odivelas Center / Senhor Roubado

LOCATION & CHARACTERISATION



CORRIDOR	IC17 (CRIL) - IC22
TYPOLOGY	Primary Marginal Open Space
CONTEXT	Major Node at Lisbon - Odivelas Entrance.
KEY CONDITIONS	Largest interstitial space. Ramps and elevated sections. Informal agricultural occupation. Not safe Metro station and commercial street adjacency.

ANALYTICAL CONDITIONS

Barrier Condition The barrier condition here is not a single line but a system, an accumulation of ramps, elevated sections, and diverging carriageways that surrounds and subdivides the central space into a series of enclosed sub-zones, each difficult to access and impossible to read as part of a whole. The magnitude of the infrastructural geometry effectively renders the space inaccessible from all sides simultaneously, with total enclosure produced not by a wall but by the sheer scale and complexity of the node.	Latent Connectivity The space is surrounded by significant urban and ecological assets that it currently fails to connect. The Parque Urbano do Rio da Costa ends immediately at its edge, with the river continuing though it, but its ecological and public logic ending precisely where this space begins. To the north, the commercial street and Metro station represent one of the highest concentrations of daily urban activity in the municipality. To the south, the Senhor Roubado station and the connection with Calçada do Carriche.	Functional Indetermination The space exists at a scale that defies easy categorisation, too large to be a residual margin, too complex to be a park, too fragmented to be a productive landscape. It is occupied in fragments, in one point a small plot, in another, a patch of spontaneous vegetation, elsewhere bare ground, with no coherent spatial or ecological logic. The overall condition is one of magnitude without local purpose, whose size alone makes its abandonment one of the most significant planning “failures” visible in the municipality.
---	--	--

OPERATIVE CAPACITY

Mediation The space has the unique capacity to mediate between the most active urban edge of the municipality - the commercial street, the Metro station, and the dense residential fabric to the north - and the more vulnerable and underserved communities of Senhor Roubado and the AUGI zones to the south. Its position at the convergence of two major corridors makes it the only space in the municipality capable of operating simultaneously as a north-south connector, an east-west ecological bridge, and a civic anchor at metropolitan scale.	Requalification The requalification of this space demands an approach commensurate with its scale, not a single intervention but a systemic transformation that resolves its condition of magnitude without purpose. This means replacing informal and fragmented occupation with a coherent ecological and public programme, formalising and expanding the agricultural uses already present, and creating safe pedestrian infrastructure where only dangerous road crossings currently exist.	Articulation This space has the capacity to extend and complete the Parque Urbano do Rio da Costa, transforming what is currently its end into a new node of a larger green system. It articulates with the Metro station and commercial street to the north, with the communities of Senhor Roubado to the south, and with the broader ecological corridor of the IC17 valley. Also connecting with Calçada do Carriche, being an new entrance to Odivelas. Its transformation would affect locally, but also redefine the ecological and public space logic of Municipality.
---	---	--

NBS PROGRAMME


Urban Green Corridor	The scale and central position of this space make it the most significant opportunity for a metropolitan green corridor in the municipality, a continuous ecological and public space system that connects the Parque Urbano do Rio da Costa and the center towards Calçada do Carriche.
Underneath Activation	The residual spaces beneath the elevated ramps and sections are activated as shaded public spaces, integrating community recreative uses, permeable surfaces, and native planting that transform the most enclosed and inaccessible sub-zones of the node into usable public infrastructure.
Floodable Park	The proximity to the Rio da Costa hydrological system and most surrounding floodable areas of the municipality should be integrated as a design feature rather than a constraint. A floodable landscape that manages water dynamics, reduces downstream flood risk.
Additionally, Urban Farming could formalise and expand the informal agricultural occupation already present; Wildlife Crossings could be introduced at key points establishing safe ecological traversal across the corridor, together with a safer pedestrian connection; and at a more radical point of view, the scale of this space opens the possibility of Road Capping interventions over specific ramp sections, creating continuous green surface above active infrastructure.	

Embankment - IC22 (Radial de Odivelas)

T3 - Embankments and Marginal Linear Spaces IC22

LinearEmbankment,OdivelasCenterside / PóvoadeSantoAdrião.

LOCATION & CHARACTERISATION



CORRIDOR	IC22
TYPOLOGY	Embankments and Marginal Linear Spaces Between Odivelas Center and Póvoa de Santo Adrião, at Odivelas Center side.
CONTEXT	Continuous embankment. Sparse spontaneous vegetation. Asymmetric urban development. Few crossings.
KEY CONDITIONS	

ANALYTICAL CONDITIONS

Barrier Condition The embankment itself operates as a continuous physical barrier along its entire extent, with no crossing points except between its two extremities. Its inclined geometry makes it physically inaccessible and visually imposing, a surface that belongs to the infrastructure and cannot be negotiated by the surrounding fabric. There are accoustic walls throughout its extention, in different types and widths to the highway, making the space constricted between the space and the urban area / buildings.	Latent Connectivity It's located in between two of the most consolidated areas of Odivelas, being Póvoa de Santo Adrião and Odivelas Center. Yet, the asymmetry of development on either side suggests that the space has, together with the highway, not only separated existing fabric but actively deterred urban consolidation on Póvoa de Santo Adrião side. The embankment runs alongside different open interstitial spaces, while also going along the interchange of IC22 and Parque Urbano da Quinta Nova.	Functional Indetermination The emabnkment exists as a purely technical surface, maintained for structural stability, but without any public or ecological function. It is visible and legible, but not accessible in any form. Present in the territory, but without contributing to its local development. The spontaneous vegetation that has occupied parts of the slopes represents the only unitentitonal activation of its surface, a condition that planning has not recognized or developed, despite being in a area with great ecological value.
--	--	---

OPERATIVE CAPACITY

Mediation The space has the capacity to mediate between the consolidated urban fabric of Odivelas and the less developed areas on the eastern side, transforming it into a gradual transtion point between them. Its linear character also makes it suited to a longitudinal public space that runs alongside the corridor, offering a connection between the parks, potential interstitial spaces transformation areas, and the existing crossings. At the same time, this spaces need to rmediate with the ecological value that was lost due to urban development.	Requalification The transformation of the embankment implies converting a technically maintained space towards a public and ecological linear green infrastructure, introducing native vegetation, managing the existing spontaneous growth, and creating acessible along and throughout its extent, transforming and activating even more both sides of the terrior, turning into a continuous pedestrian and ecological experience. Its activation would also contribute to the thermal regulation of the corridor urban heat.	Articulation The embankment articulates with the existing park at its centre, with the open spaces on each side, and with the broader green infrastructure potential of the interchange node, connecting isolated green elements into a more coherent linear system. Beyond its immediate context, its activation contributes to the National Ecological Structure, establishing a link between formally designated ecological areas that currently have no spatial continuity in a area with great ecological value.
---	--	---

NBS PROGRAMME


Urban Green Corridor	The linear extent of the embankment is activated as a continuous ecological corridor, introducing native vegetation along its slope and creating a longitudinal pedestrian path that connects the two existing crossings at its extremities into a coherent green spine alongside the corridor.
Spontaneous Occupation	The spontaneous vegetation already present on the slope is managed rather than cleared, reinforcing native species, suppressing invasive ones, and transforming an unintentional colonisation into a deliberate ecological asset, following the logic of the Likoto métaprojet.
Wildlife Crossing	Punctual ecological crossings are introduced at strategic points along the embankment's extent, creating transversal permeability for fauna movement between the two sides of the corridor, complementing the longitudinal green corridor logic with a transversal ecological dimension.
Additionally, at a more radical register, Road Capping interventions at specific points along the embankment could create moments of greater transversal continuity between the two sides, transforming the slope from a barrier into a surface of connection, and opening the possibility of a more complete morphological integration between Odivelas Centro and Póvoa de Santo Adrião.	

Floodplain - IC18 (CREL)

T2 - Primary Marginal Open Spaces IC18

Central Sector, between Caneças and Casal Novo, Adjacent to the EN250.

LOCATION & CHARACTERISATION



CORRIDOR	IC18
TYPOLOGY	Primary Marginal Open Spaces
CONTEXT	Central Sector, between Caneças and Casal Novo. Adjacent to the EN250
KEY CONDITIONS	Periodically flooded space. Maintained unbuilt Metal grates enclosing the space. AUGI fabric. High latent ecological value.

ANALYTICAL CONDITIONS


Barrier Condition The space is physically enclosed by metal grates along its edges, with the IC18 carriageway and the EN250 forming its northern and eastern limits. The topography of the space slightly elevated in relation to its surroundings, combined with the presence of the watercourse and periodic flooding, further reinforces its inaccessibility. The sheer scale of the space also contributes to its barrier condition: its extent makes it hard to cross or navigate without dedicated infrastructure.	Latent Connectivity The latent connectivity of this space is present but hard to define. The surrounding AUGI fabric is fragmented and underserved, The watercourse and the dam that maintains the flooding condition signal a hydrological system outside its own boundaries. The dense vegetation to the south represents a exception in almost all of Odivelas, yet the area has low expression of it within itself. The crossing under the highway is the only point of transversal negotiation, however limited and obsolete.	Functional Indetermination Despite being maintained in an unbuilt condition by its flooding and geotechnical constraints, the space presents no ecological management, no public activation, and no meaningful use beyond functioning as an infrastructural buffer. It is hot, largely unvegetated, and spatially ambiguous, a space that the planning framework has left undefined, neither truly ecological nor publicly accessible, existing in a condition of near-total functional absence that its ecological potential makes particularly striking.
--	--	--

OPERATIVE CAPACITY

Mediation The space mediates between the AUGI communities on multiple sides - communities with limited green space and high environmental vulnerability - and the ecological and hydrological potential that the space itself contains. serve as a simultaneous risk management instrument, a green space provision for underserved communities, and an interface between the urban fabric and the natural systems that the infrastructure has suppressed.	Requalification The requalification of this space focuses on activating its ecological potential, managing the flooding condition as an asset rather than a constraint, introducing native vegetation, and creating accessible connections between the AUGI communities on either side of the corridor. The space demands not a neutralisation of its hydrological character but a design that works with it, transforming periodic flooding from a barrier to inhabitation into a feature of an ecologically and publicly active landscape.	Articulation This space articulates the fragmented urban fabric of the surrounding AUGIs with the National Ecological Structure, which formally designates this territory as ecologically significant but has no spatial expression on the ground. Its transformation would contribute to making the EEN legible and functional at this location, connecting the dense vegetation to the south with the corridor, and the rural and urban fabric to the north, also establishing a node within the broader ecological network that the IC18 corridor currently interrupt.
--	--	---

NBS PROGRAMME

Floodable Park	The periodic flooding condition should be integrated as a defining feature of the space, designing a landscape that accommodates water fluctuation, creates wetland habitats during flood periods, and functions as an accessible public space during dry (and even flooded) periods.
Bioretention & Wetlands	The existing hydrological system - the watercourse, the dam, and the flooding dynamics - could be managed and revegetated with native species, restoring ecological function to a system that is present but currently suppressed, and improving water quality before it continues downstream.
Urban Green Corridor	The space is connected to the dense vegetation to the south through a longitudinal green system and also follows the hydrological alignment, making it possible to establish a continuous ecological corridor that links the space begins to give spatial expression to a designation that currently exists only on paper.
Additionally, a Wildlife Crossing - in addition to the underneath activation of the viaduct on the western edge intervention - over the IC18 could serve a dual function, establishing ecological permeability across the corridor while simultaneously creating a safe pedestrian connection between the AUGI communities to the south and Caneças to the north.	



Methodological Structure

