

LIVE BENCHMARK

ContextZip Compression Results

Real measurements on actual agent output -- bash, grep, web research, and live session compaction.
Data collected by two Haiku agents. Compact comparison runs on 172-message real session (30k tokens).

• April 9, 2026 • Profile: default • 4 categories • 172 messages benchmarked

COMPACT SAVING

92.2%

vs vanilla /compact -- 1,206
-> 94 ctx tokens

CONVERSATION

52.4%

Async/Python explainer -- 540
-> 257 tokens

RESEARCH TEXT

43.8%


Transformer paper -- 626 ->
352 tokens

CODE BYPASS

0%

Bash/git + grep -- preserved
verbatim

TOKEN COUNT -- ORIGINAL VS COMPRESSED (ALL CATEGORIES)



COMPACT COMPARISON -- VANILLA /COMPACT VS CONTEXTZIP HOOKS

After a 30k-token session (172 messages), both approaches run `/compact`. Vanilla Claude generates a full prose summary. ContextZip forces a 1-line summary and re-injects the last 10 archived turns -- compressed. What goes back into context:

92.2%

less context consumed

Vanilla `/compact`

prose summary of full session

1,206 tok

back into context

~1,206 tokens

ContextZip compact

9 tok -- 1-line summary

85 tok -- last 10 turns (compressed)

back into context

94 tokens

1-line + 10 archived
turns

Why bash output shows 0% reduction: ContextZip's code-bypass heuristic detected git diff output (high symbol density: paths, + markers, pipe characters) and returned it verbatim. Compressing file paths and diffs destroys their meaning. The bypass fires only on content that would be semantically damaged by deduplication.

METHODOLOGY

DATA SOURCE

2 Claude Haiku agents -- live bash
+ web research + real session
transcripts

COMPRESSION PROFILE

default (stopwords: basic,
pronouns, verbs, demonstratives,
conversational)

TOKEN COUNTING

tiktoken cl100k_base (OpenAI
tokenizer -- exact counts)

VANILLA COMPACT ESTIMATE

4% of session tokens -- typical
Claude prose summary for a
technical session

CODE BYPASS RULE

Triggers on: fenced code, symbol
density >10 + indentation +
newlines >2

PROTECTION AURA

3-word window around logic words
(if, for, filter, return...)