


Select a definition

InvoiceApi v1

InvoiceApi 1.0 OAS3

http://localhost:5024/swagger/v1/swagger.json

Invoices



```
curl -X 'POST' \
  'http://localhost:5024/api/Invoices' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "invoiceId": 3,
  "customerId": 123,
  "date": "2025-02-08T16:06:59.879Z",
   "total": 3
Request URL
 http://localhost:5024/api/Invoices
Server response
            Details
Code
201
            Response headers
Undocumented
               content-length: 0
               date: Sun,08 Jun 2025 16:11:23 GMT
               location: http://localhost:5024/api/Invoices/123
               server: Kestrel
Responses
Code
            Description
                                                                                            Links
200
                                                                                            No links
            Success
 GET
           /api/Invoices/{customerId}
Parameters
                                                                                         Cancel
Name
                        Description
customerId * required
                          123
integer($int32)
(path)
                     Execute
                                                                       Clear
Responses
Curl
```

```
curl -X 'GET' \
  'http://localhost:5024/api/Invoices/123' \
  -H 'accept: text/plain'
```

Request URL

http://localhost:5024/api/Invoices/123

Server response

Code

Details

200

Response body

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun,08 Jun 2025 16:49:18 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code Description

Links

200

No links

Success

Media type

text/plain

Controls Accept header.

Example Value Schema

```
[
    "invoiceId": 0,
    "date": "2025-06-08T16:49:19.064Z",
    "total": 0
  }
]
```

| Schemas | ^ |
|------------------|---|
| InvoiceCreateDto | |
| InvoiceReadDto | |