



## SPRINT 4: Despliegue de la Aplicación (Servidor UNAB)

Identificación Proyecto	
Nombre Proyecto:	Campo y Plaza <a href="http://129.213.81.96:8180">http://129.213.81.96:8180</a>
Número Equipo:	6
Integrantes del equipo	
Rol (Líder-Desarrollador – Cliente)	Nombre
Desarrollador	John Jairo Ortiz
Desarrollador	Nasser Ramírez Marín
Desarrollador	Fernando González L
Desarrollador	Freddy Merchán
Desarrollador	Luis Federico Molina Vargas

## Evidencia Configuración

Como evidencia de la configuración del servidor se debe presentar capturas de pantalla donde se visualice este proceso.

The screenshot shows the Visual Studio Code interface with the following files open:

- dbjs config**: A file containing configuration settings.
- Dockerfile**: A file defining the Docker container setup, including commands like `FROM node:16`, `WORKDIR /usr/src/app`, `COPY package*.json .`, `RUN npm install`, `EXPOSE 4000`, and `CMD ["npm", "run", "dev"]`.
- index.js**: The main application entry point.
- package-lock.json**: The dependency lock file.
- package.json**: The main package descriptor.
- variables.env**: An environment variables file.

The terminal at the bottom shows the application running and connecting to MongoDB:

```
servidor corriendo en el puerto 4000
MongoDB conectado en ac-aeufigm-shard-00-00.adswxgl.mongodb.net:27017
[nodemon] restarting due to changes...
[nodemon] starting "node index.js"
servidor corriendo en el puerto 4000
MongoDB conectado en ac-aeufigm-shard-00-00.adswxgl.mongodb.net:27017
[nodemon] restarting due to changes...
[nodemon] starting "node index.js"
servidor corriendo en el puerto 4000
MongoDB conectado en ac-aeufigm-shard-00-00.adswxgl.mongodb.net:27017
```



File Edit Selection View Go Run Terminal Help .dockerignore - BackCampoyPlaza - Visual Studio Code

OPEN EDITORS JS db.js Dockerfile U .dockerignore U

BACKCAMPYOPLAZA

config controllers middleware models routes

Dockerfile index.js package-lock.json package.json variables.env

.dockerignore

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017

Ln 2, Col 14 Spaces: 4 UTF-8 CRLF Plain Text Go Live

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help .gitignore - BackCampoyPlaza - Visual Studio Code

OPEN EDITORS JS db.js Dockerfile U .dockignore U .gitignore U

BACKCAMPYOPLAZA

config controllers middleware models routes

Dockerfile index.js package-lock.json package.json variables.env

.gitignore

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017

Ln 1, Col 1 Spaces: 4 LF Ignore Go Live

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help .gitignore - BackCampoyPlaza - Visual Studio Code

OPEN EDITORS JS db.js Dockerfile U .dockignore U .gitignore U

BACKCAMPYOPLAZA

config controllers middleware models routes

Dockerfile index.js package-lock.json package.json variables.env

.gitignore

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017  
[nodemon] restarting due to changes...  
[nodemon] starting 'node index.js'  
servidor corriendo en el puerto 4000  
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017

Ln 1, Col 1 Spaces: 4 UTF-8 LF Ignore Go Live

Escribe aquí para buscar



File Edit Selection View Go Run Terminal Help gitignore - BackCampoyPlaza - Visual Studio Code

OPEN EDITORS

- db.js config
- Dockerfile U
- .dockerignore U
- x .gitignore U

BACKCAMPLOYPLAZA

- > config
- > controllers
- > middleware
- > models
- > node\_modules
- > routes
- > .dockerignore U
- o .gitignore U
- o Dockerfile U
- JS index.js
- o package-lock.json
- o package.json
- o variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
servidor corriendo en el puerto 4000
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
servidor corriendo en el puerto 4000
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
servidor corriendo en el puerto 4000
MongoDB conectado en :ac-aefuqm-shard-00-00.adwxg1.mongodb.net:27017
```

Ln 15, Col 1 Spaces: 4 UTF-8 LF Ignore Go Live

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

OPEN EDITORS

- x Get Started
- BACKCAMPLOYPLAZA
- > config
- > controllers
- > middleware
- > models
- > node\_modules
- > routes
- > .dockerignore U
- o .gitignore U
- o Dockerfile U
- JS index.js
- o package-lock.json
- o package.json
- o variables.env

Start

- New File...
- Open File...
- Open Folder...
- Clone Git Repository...

Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

Learn the Fundamentals

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza> docker version
```

Client:

```
Cloud Integration: v1.0.29
Version: 20.10.21
API version: 1.41
Go version: go1.18.7
Git commit: baedaf1
Built: Tue Oct 25 18:08:16 2022
OS/Arch: windows/amd64
Context: default
Experimental: true
```

Server: Docker Desktop 4.15.0 (93002)

```
Engine:
Version: 20.10.21
API version: 1.41 (minimum version 1.12)
Go version: go1.18.7
Git commit: 3056208
Built: Tue Oct 25 18:00:19 2022
OS/Arch: linux/amd64
Experimental: false
containerd:
Version: 1.6.10
GitCommit: 770bd0108c32f3fb5c73ae1264f7e503fe7b2661
runc:
Version: 1.1.4
GitCommit: v1.1.4-0-g5fd4c4d
docker-init:
Version: 0.19.0
GitCommit: de40ad0
```

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza>

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help Go Live



File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS BACKCAMPYOPLAZA > config > controllers > middleware > models > node\_modules > routes .dockignore .gitignore Dockerfile JS index.js { package-lock.json } package.json variables.env

Start + New File... Open File...

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza> docker version
Client:
Cloud integration: v1.0.29
Version: 20.10.21
API version: 1.41 (minimum version 1.12)
Go version: go1.18.7
Git commit: baedaf
Built: Tue Oct 25 18:08:16 2022
OS/Arch: windows/amd64
Context: default
Experimental: true

Server: Docker Desktop 4.15.0 (93002)
Engine:
Version: 20.10.21
API version: 1.41 (minimum version 1.12)
Go version: go1.18.7
Git commit: 3056208
Built: Tue Oct 25 18:08:19 2022
OS/Arch: linux/amd64
Experimental: false
contained:
Version: 1.6.10
GitCommit: 770bd0108c32f3fb5c73ae1264f7e503fe7b2661
run:
Version: 1.1.4
GitCommit: v1.1.4-0-g5fd4c4d
docker-init:
Version: 0.19.0
GitCommit: de48ad0
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza> docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza>
```

Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

powershell + -

OUTLINE TIMELINE

Escribe aquí para buscar

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS BACKCAMPYOPLAZA > config > controllers > middleware > models > node\_modules > routes .dockignore .gitignore Dockerfile JS index.js { package-lock.json } package.json variables.env

Start + New File... Open File... Open Folder...

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza> docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza> docker build -t back .
[*] Building 15.5s (4/9)
=> [internal] load build definition from Dockerfile
=> transferring dockerfile: 176B
=> [internal] load .dockignore
=> transferring context: 67B
=> [internal] load build context for docker.io/library/node:16
=> [1/5] FROM docker.io/library/node:16@sha256:1bb0b802f5a78b6461d3285b62293db99ad60cf4eca35c715636d7143abb057c
=> resolving docker.io/library/node:16@sha256:1bb0b802f5a78b6461d3285b62293db99ad60cf4eca35c715636d7143abb057c
=> sha256:1bb0b802f5a78b6461d3285b62293db99ad60cf4eca35c715636d7143abb057c 770B / 770B
=> sha256:28fc7a492855724011fe93d36bfaf4a339564d48a87e69e6aa27064d412 10.00MB / 10.00MB
=> sha256:620ef4d91fb00023ee51ff6a0b941967a529329e87069ca0a3370f0 50.49MB / 50.49MB
=> sha256:144d06a388f2cd5f1f08dd069e9304b45a4750108e1516a3f9ee996e734 7.52KB / 7.52KB
=> sha256:5d4b7c87c879729e1338471e09f9232543a8230f0a5e8811228708105 2.21KB / 2.21KB
=> sha256:fa48766e1a18a8893512526565f6cb8261c4bae57cf5488fd465758c518 190.84MB / 191.89MB
=> sha256:0388965322f65f00e6d1a6c61679567881f65ff9f1ca72bd3889a65 4.28KB / 4.28KB
=> sha256:f0176c7360dd1c1aee86651b5b6225e9d97049488e8a6d2038299da2 34.94MB / 34.94MB
=> extracting sha256:28ab7a4e1df98032ee7f1ff6a8804119d/a329f21367d99f8a8337fbf8
=> sha256:7236cf8000f958975ea2f9a2155a2d3a/81099804521bb0raaab0b1b98892 2.28B / 2.28B
=> sha256:1a0410821a5c6b883368693ac52021e59c1a0e39f5ac3195sd3f02837215 452B / 452B
=> extracting sha256:fae29f389a7482bf13bb1a84889bab9107fcad0c9fda76586a5454e93ed
=> extracting sha256:28fca74d9996653240fbfe3d36e1bafb1a839564d48aae06aa2706a4d12
=> extracting sha256:665d0375b42af9f258f14f367616814cb9518ea0141f46bdd2706b256d408
=> [internal] load build context
=> transferring context: 7.45MB
```

Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

powershell + -

OUTLINE TIMELINE

Escribe aquí para buscar

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS BACKCAMPYOPLAZA > config > controllers > middleware > models > node\_modules > routes .dockignore .gitignore Dockerfile JS index.js { package-lock.json } package.json variables.env

Start + New File... Open File... Open Folder...

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza> docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
PS D:\Federico\Documents\WINITIC2022\CICLO 4\grupo 6\Campoy plaza\BackCampoyPlaza>
```

Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

powershell + -

OUTLINE TIMELINE

Escribe aquí para buscar

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code



File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS Get Started Start Walkthroughs

Start Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```

-> >> receive docker.io/library/node:16@ha2f56:1bbd8b2ff5e79b641d2385b622924b99a69cfc4eca35c715626d7143abb957c
-> >> sha256:1bbd8b2ff5e79b641d2385b622924b99a69cfc4eca35c715626d7143abb957c 7768 / 7768
-> >> sha256:28fc74d996532401bf63e136e1ba9f1ac839564d48aa4e0e8a6a2796a4d12 18.00KB / 18.00KB
-> >> sha256:626a94e91bf88832ee9e9ff6a8b84119d7a329b2a3e00d769c8a0337bf9 58.49MB / 58.49MB
-> >> sha256:28fc74d996532401bf63e136e1ba9f1ac839564d48aa4e0e8a6a2796a4d12 18.00KB / 18.00KB
-> >> sha256:626a94e91bf88832ee9e9ff6a8b84119d7a329b2a3e00d769c8a0337bf9 58.49MB / 58.49MB
-> >> sha256:28fc74d996532401bf63e136e1ba9f1ac839564d48aa4e0e8a6a2796a4d12 18.00KB / 18.00KB
-> >> sha256:626a94e91bf88832ee9e9ff6a8b84119d7a329b2a3e00d769c8a0337bf9 58.49MB / 58.49MB
-> >> sha256:144d8d60a388f23cd51f08dd66f9880b45a4750188e18eb111237801089 2.21KB / 2.21KB
-> >> sha256:5d94e3287c89729c9e1388471e09f923e2543a28fb3e1516a36fe9990ef34 1.52KB / 1.52KB
-> >> sha256:d65db075042af9f58f14f467610814cb9518a0414f46bd2706b25d408 51.84MB / 51.84MB
-> >> sha256:fa488706ea13a7880351252b655f5cc0882914b0e57cf25488fd65758c518 191.89MB / 191.89MB
-> >> sha256:03808963282f2e25f00e7d8191dacd6167d9967681f05ff961ca72bcf3869a60 4.20KB / 4.20KB
-> >> sha256:fd1753366d331c1a868d1b2b66225ed907304d488ba9a6d2033299d02 34.94MB / 34.94MB
-> >> sha256:extracting sha256:620a74e91df08032ee9e9ff6a8b84119d7a329b2a1e00d769c8a0337bf9
-> >> sha256:7236c7f80dd0f58975ea4a21155a203a7a10d950845210b70eadd1b980a2 2.28MB / 2.28MB
-> >> sha256:1a410021a5c6b683360693ac652021e59a1de39f5ac31955d35f02837215 452B / 452B
-> >> sha256:extracting sha256:fae29f309a74282bf13fbba1a8f4889a9707fcad9c9fda76586a59445e93ded
-> >> sha256:extracting sha256:28fc74d996532401bf63d36e1ba9f1a339564d48aa4e0e8a6a2796a4d12
-> >> sha256:0b5db7f5b42af9f258f14f367616814cb9518a0414f46bd2706b25d408
-> >> sha256:fa488706ea13a7880351252b655f6cc088281c4bace57cf25488fd65758c518
-> >> sha256:03808963282f2e25f00e7d8191dacb016799670881495ff9b1ca72bcf3869a60
-> >> sha256:f1d7c53366d331c1aee68d1b2b66225ed907304d488ba6d2038299d02
-> >> sha256:7236c7f80dd0f58975ea4a642155a203a7a10d950845210b70eadd1b980a2
-> >> sha256:1a410021a5c6b683360693ac652021e59a1de39f5ac31955d35f02837215
-> [internal] load build context
-> >> transferring context: 7.45MB
-> [2/5] WORKDIR /usr/src/app
-> [3/5] COPY package*.json .
-> [4/5] RUN npm install
-> [5/5] COPY .
-> >> exporting image
-> >> exporting layers
-> >> writing image sha256:90f414a6bd7a080abf6b31a3366e5a2c9e5354e8cac7aa49c1d6032893cae3
-> >> halting to docker.io/library/back

```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them  
PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza>

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS Get Started Start Walkthroughs

Start Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza> docker image
Usage: docker image COMMAND

Manage images

Commands:
  build      Build an image from a Dockerfile
  history    Show the history of an image
  import     Import the contents from a tarball to create a filesystem image
  inspect   Display detailed information on one or more images
  load       Load an image from a tar archive or STDIN
  ls         List images
  prune     Remove unused images
  pull       Pull an image or a repository from a registry
  push       Push an image or a repository to a registry
  rm        Remove one or more images
  save      Save one or more images to a tar archive (streamed to STDOUT by default)
  tag       Create a tag TARGET_IMAGE that refers to SOURCE_IMAGE

Run 'docker image COMMAND --help' for more information on a command.
PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza>

```

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS Get Started Start Walkthroughs

Start Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza> Escribe aquí para buscar

```

File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER OPEN EDITORS Get Started Start Walkthroughs

Start Walkthroughs

Get Started with VS Code Discover the best customizations to make VS Code yours.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\BackCampoyPlaza> Escribe aquí para buscar

```



Docker Desktop Upgrade plan

Images [Give feedback](#)

An Image is a read-only template with instructions for creating a Docker container. [Learn more](#)

LOCAL REMOTE REPOSITORIES

Last refresh: Never [⟳](#)

Refresh to see disk usage 1 images

Search

	NAME	TAG	STATUS	CREATED	SIZE	ACTIONS
<input type="checkbox"/>	back 00f414a6bd7a	latest	Unused	less than a minute ago	947.11 MB	<a href="#">▶</a> <a href="#">⋮</a> <a href="#">☰</a>

Showing 1 items

RAM 3.28 GB CPU 0.06% Not connected to Hub v4.15.0 2:59 p.m. 19/12/2022

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help Get Started - BackCampoyPlaza - Visual Studio Code

EXPLORER ... [Get Started](#)

OPEN EDITORS [Get Started](#)

BACKCAMPYOPLAZA PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Manage images

Commands:

- build Build an image from a Dockerfile
- history Show the history of an image
- import Import the contents from a tarball to create a filesystem image
- inspect Display detailed information on one or more images
- load Load an image from a tar archive or STDIN
- ls List images
- prune Remove unused images
- pull Pull an image or a repository from a registry
- push Push an image or a repository to a registry
- rm Remove one or more images
- save Save one or more images to a tar archive (streamed to STDOUT by default)
- tag Create a tag TARGET\_IMAGE that refers to SOURCE\_IMAGE

Run 'docker image COMMAND --help' for more information on a command.

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\CampoyPlaza\BackCampoyPlaza> docker run -p 4000:4000 back

> back@127.0.0.1:0 dev

> nodemon index.js

[nodemon] 2.0.20 [nodemon] to restart at any time, enter 'rs'

[nodemon] watching path(s): \*.\*

[nodemon] watching extensions: js,mjs,json


[nodemon] starting 'node index.js'

servidor corriendo en el puerto 4000

MongoDB conectado en :ac-aeufuqrml-shard-00-00.adwxg1.mongodb.net:27017

OUTLINE TIMELINE

Escribe aquí para buscar Go Live



```
// 20221219150712
// http://localhost:4000/api/categorias/home

1 {
2     "categoria": [
3         {
4             "_id": "639e51dd1c3799effd4a5e45",
5             "nombre": "Pescados",
6             "imagen": "https://res.cloudinary.com/dqghp67wb/image/upload/v1671140689/samples/food/fish-vegetables.jpg",
7             "creado": "2022-12-17T23:33:22.208Z",
8             "creador": "6397dc0eb468f8a47d821392",
9             "__v": 0
10        },
11        {
12            "_id": "639e51e61c3799effd4a5e49",
13            "nombre": "Hortalizas",
14            "imagen": "https://res.cloudinary.com/dqghp67wb/image/upload/v1671140697/samples/food/spices.jpg",
15            "creado": "2022-12-17T23:33:22.208Z",
16            "creador": "6397dc0eb468f8a47d821392",
17            "__v": 0
18        },
19        {
20            "_id": "639e551b1c3799effd4a5e5a",
21            "nombre": "Postres",
22            "imagen": "https://res.cloudinary.com/dg9mvdpqd/image/upload/v1671298757/samples/food/dessert.jpg",
23            "creado": "2022-12-17T23:33:22.208Z",
24            "creador": "6397dc0eb468f8a47d821392",
25            "__v": 0
26        },
27        {
28            "_id": "639f7bd9f030e537fe2563c4",
29            "nombre": "Carnes"
30        }
31    ]
32}
```



Docker Desktop Upgrade plan

Images [Give feedback](#)

An image is a read-only template with instructions for creating a Docker container. [Learn more](#)

LOCAL REMOTE REPOSITORIES

Last refresh: Never [Refresh](#)

Refresh to see disk usage 1 Images

Search

NAME	TAG	STATUS	CREATED	SIZE	ACTIONS
back 00f414a6bd7a	latest	In use	8 minutes ago	947.11 MB	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>

Showing 1 items

RAM 3.36 GB CPU 0.13% Not connected to Hub v4.15.0 Q

Docker Desktop Upgrade plan

Containers [Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

Only show running containers

Search 00f414a6bd7a

NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
cool_sinoussi 8fc55af47dd4	back:latest	Running	4000:4000	7 minutes ago	<a href="#">Stop</a> <a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>

Showing 1 items

RAM 3.36 GB Not connected to Hub v4.15.0 Q



Docker Desktop Upgrade plan

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	cool_sinoussi 8fc5af47dd4	back-latest	Exited (1)	4000:4000	▶	⋮

Showing 1 items



File Edit Selection View Go Run Terminal Help .dockergignore - BackG12Cyp - Visual Studio Code v4.15.0

RAM 3.28 GB CPU 0.06% Not connected to Hub 3:10 p.m. ESP 19/12/2022

RECENT FILES

EXPLORER

- BACKG12CYP
  - config
  - controllers
  - middleware
  - models
  - node\_modules
  - routes
- .dockergignore
  - .gitignore
  - Dockerfile
  - index.js
  - package-lock.json
  - packagejson
  - variables.env

TERMINAL

```
OS/Arch: linux/amd64
Experimental: false
containerd:
  Version: 1.6.10
  GitCommit: 770bd0108c32f3fb5c73ae1264f7e503fe7b2661
runc:
  Version: 1.1.4
  GitCommit: v1.1.4-0-g5fd4c4d
docker-init:
  Version: 0.19.0
  GitCommit: d40ad0
PS C:\Users\fernanda\Escritorio\BackG12Cyp> docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
PS C:\Users\fernanda\Escritorio\BackG12Cyp> docker build -t back .
PS C:\Users\fernanda\Escritorio\BackG12Cyp>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live

20°C Mayorm. soleado 1:36 PM 12/16/2022



File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER .dockerignore BACKG12CYP config db.js controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
[+] Building 6.6s (5/10)
-> [auth] library/node:pull token for registry-1.docker.io          0.0s
-> [1/5] FROM docker.io/library/node:10@sha256:1bbd882f578b6461d3285b6223db99ad60cf4eca35c715636d7143abb057c 3.9s
-> [2/5] RUN npx babel-node ./index.js                                0.0s
-> [3/5] WORKDIR /app                                                 0.0s
-> [4/5] COPY package*.json .                                         0.0s
-> [5/5] COPY . .                                                    0.0s
-> [internal] load build context                                     0.0s
-> [internal] transfer context: 190.93kB                            0.0s
```

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live ⚡ 1:36 PM 12/16/2022

File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER .dockerignore BACKG12CYP config db.js controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
--> > extracting sha256:1a0410021a5cb688336b0693ac6520b1e59calde39f5aac31955d35fb2837215 0.0s
--> [internal] load build context                                     0.1s
--> [internal] transfer context: 190.93kB                           0.1s
--> [2/5] WORKDIR /usr/src/app                                       0.0s
--> [3/5] COPY package*.json .                                       0.0s
--> [4/5] RUN npm install                                           6.3s
--> [5/5] COPY . .                                                 0.0s
--> exporting to image                                              0.0s
--> exporting layers                                                 0.5s
--> --> writing image sha256:02ec95ed47417740dd12db9db45058981049461080ca295c3ee4799bbf595b 0.0s
--> --> naming to docker.io/library/back                            0.0s
```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them  
PS C:\Users\fernando\Escritorio\BackG12CyP> | Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live ⚡ 1:37 PM 12/16/2022



File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER BACKG12CYP .dockerignore .dockerignore node\_modules npm-debug.log config db.js controllers middleware models routes .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
> [2/5] WORKDIR /usr/src/app
=> [3/5] COPY package*.json .
=> [4/5] RUN npm install
=> [5/5] COPY . .
=> exporting to image
=> >> exporting layers
=> >> writing image sha256:02ec953ed47417740dd12db9dbc45058981049461080ca295c3ee4799bbf595b
=> >> naming to docker.io/library/back
```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

```
PS C:\Users\fern\Escritorio\BackG12CyP> docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
back latest 02ec953ed474 44 seconds ago 940MB
PS C:\Users\fern\Escritorio\BackG12CyP>
```

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live

0 20°C Mayorm.soleado Search

Docker Desktop Upgrade plan

Containers Images Volumes Dev Environments BETA

Extensions BETA Add Extensions

Images Give feedback Learn more

LOCAL REMOTE REPOSITORIES

Last refresh: Never

NAME	TAG	STATUS	CREATED	SIZE	ACTIONS
back	02ec953ed474	latest	Unused	less than a minute ago	940.24 MB

Showing 1 items

RAM 3.41 GB Connected to Hub v4.15.0 Q5

20°C Mayorm.soleado Search



The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** Shows a project named "BACKG12CYP" containing files like config/db.js, controllers, middleware, models, routes, .dockerignore, .gitignore, Dockerfile, index.js, package-lock.json, package.json, and variables.env.
- Terminal:** Displays the command "docker run -p 4000:4000 back" being run in a PowerShell-like environment. The output shows the Docker container has started and is listening on port 4000.
- Bottom Status Bar:** Shows system information including temperature (20°C), location (Mayorm. soleado), and a taskbar with various icons.

The screenshot shows the Docker Desktop application interface with the following details:

- Left Sidebar:** Includes icons for Containers, Images, Volumes, Dev Environments (Beta), and Extensions (Beta).
- Top Bar:** Shows "Docker Desktop" and "Upgrade plan".
- Images Section:** Titled "Images" with a "LOCAL" tab selected. It shows one image named "back" (latest tag) created 3 minutes ago, which is currently in use.
- Bottom Status Bar:** Shows system information including RAM usage (3.52 GB), CPU usage (0.13%), and connection to the Docker Hub.



localhost:4000/api/categorias/home

En pausa

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia

```
{"categorias": [{"_id": "6309f377c2c9726b592e00ab", "nombre": "FRUTAS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1671125001/download_hpmslq.jpg", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "6399f388c2c9726b592e00af", "nombre": "VERDURAS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1671125070/download_nvscui.jpg", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "6399f397c2c9726b592e00b3", "nombre": "HUEVOS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1670950151/HUE001_qzexxu.png", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "639b5958c1540c5bfe7dedc", "nombre": "GRANOS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1670950140/GRANOS2_mt3pe.png", "creado": "2022-12-15T14:56:11.028Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}]}]
```

Docker Desktop Upgrade plan

Search Ctrl+K fernandogonzalez

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	brave_williamson 5c69831e3a5f	back:latest	Exited (1)	4000:4000		
<input type="checkbox"/>	amazing_roentgen 409df491f34f	back:latest	Running	8080:4000	41 seconds ago	

Showing 2 items

RAM 3.56 GB Connected to Hub v4.15.0

20°C Mayorm. soleado 1:45 PM 12/16/2022



Docker Desktop Upgrade plan

Containers Images Volumes Dev Environments BETA Extensions BETA + Add Extensions

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	brave_williamson 5cb9831e3a5f	back:latest	Exited (1)	4000:4000		
<input type="checkbox"/>	amazing_roentgen 409df491f34f	back:latest	Exited (1)	8080:4000		
<input type="checkbox"/>	sharp_colden 34eb286dbc9e	back:latest	Running	8080:4000	0 seconds ago	

Showing 3 items

RAM 3.51 GB CPU 1.81% Connected to Hub v4.15.0 Q<sup>+</sup>  
20°C Mayorm. soleado Search

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyrP - Visual Studio Code

EXPLORER FRONTG12CYP src conexiones > backjs > <unknown> > api > baseURL

```
1 module.exports = {
2   ...
3   api: {
4     baseURL: "http://localhost:8080"
5   }
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

You can now view proyecto\_g12 in the browser.  
Local: http://localhost:3000  
On Your Network: http://192.168.5.178:3000

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

master\* 20°C Mayorm. soleado Screen Reader Optimized En 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live



Screenshot of a web browser showing a grocery store application. The URL is 'localhost:8080/api/categorias/home'. The page title is 'Campillo Plaza'. It displays a section for 'Compra por Categoría' with icons for FRUTAS, VERDURAS, and HUEVOS. Below this is a section for 'Nuestros productos' showing images and prices for various fruits: FRESA IMPORTADA (\$ 7800), PERA IMPORTADA (\$ 9800), LIMÓN TAHTI (\$ 4500), MANZANA ROYAL (\$ 9800), MANZANA NACIONAL (\$ 5500), and BANANO URABA (\$ 2980). A status bar at the bottom shows '20°C' and 'Mayorm. soleado'.

Screenshot of Visual Studio Code showing the file structure and code for a Node.js application named 'FRONTEND2CYP'. The 'back.js' file contains the following code:

```
module.exports = {
  api: {
    baseURL: "http://localhost:8080"
  }
}
```

The terminal window shows the build process for '2.2s' with a duration of 1.15 seconds. The status bar at the bottom shows '20°C' and 'Mayorm. soleado'.



File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - páginas
    - productos
  - Adminjs
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
  - App.css
  - App.js
  - App.test.js
  - index.css
  - index.js
  - logo.svg
  - reportWebVitals.js
  - setupTests.js
  - .dockerignore
  - .gitignore
  - Dockerfile
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
- OUTLINE
- TIMELINE
- NPM SCRIPTS

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
src > conexiones > back.js > <unknown> > api > baseURL
1 module.exports = {
2   ...
3   api: {
4     baseURL: "http://localhost:8080"
5   }
}
```

ps C:\Users\fernanda\Escritorio\FrontG12CyP\

Screen Reader Optimized Ln 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live

powershell + × ☰ ^ ×

0.0s 0.0s 36.7s 0.0s 3.8s 3.7s 0.0s 0.0s

151 PM 12/16/2022

20°C Mayorm. soleado

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - páginas
    - productos
  - Adminjs
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
  - App.css
  - App.js
  - App.test.js
  - index.css
  - index.js
  - logo.svg
  - reportWebVitals.js
  - setupTests.js
  - .dockerignore
  - .gitignore
  - Dockerfile
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
- OUTLINE
- TIMELINE
- NPM SCRIPTS

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
src > conexiones > back.js > <unknown> > api > baseURL
1 module.exports = {
2   ...
3   api: {
4     baseURL: "http://localhost:8080"
5   }
}
```

Line 10:9: 'navigate' is assigned a value but never used  
no-unused-vars  
Line 23:5: React Hook useEffect has a missing dependency: 'cargarProductos'. Either include it or remove the dependency array react-hooks/exhaustive-deps

src/components/productos/ViewProductos.js  
Line 10:13: img elements must have an alt prop, either with meaningful text, or an empty string for decorative images  
jsx-ally/alt-text  
webpack compiled with 1 warning

Screen Reader Optimized Ln 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live

docker + × ☰ ^ ×

155 PM 12/16/2022

20°C Mayorm. soleado



Screenshot of a web browser showing the 'Campamento y Plaza' website at localhost:8080/api/categorias/home. The page features a yellow header with the title 'Campamento y Plaza' and a 'Iniciar Sesión' button. Below the header is a green section titled 'Compra por Categoría' with four category icons: 'FRUTAS' (fruits), 'VERDURAS' (vegetables), 'HUEVOS' (eggs), and 'GRANO' (grains). A link 'Revisar todas las categorías' is also present. The main content area has a yellow background and displays six fruit products with their names, prices, and availability counts:

Fruta	Precio	Cantidad disponible
Fresa Importada	\$ 7800	Cantidad disponible: 49
Peras Importadas	\$ 9800	Cantidad disponible: 50
Limon Tahiti	\$ 4500	Cantidad disponible: 49
Manzana Royal	\$ 9800	Cantidad disponible: 50
Manzana Nacional	\$ 5500	Cantidad disponible: 50
Banano Uraba	\$ 2980	Cantidad disponible: 49

The browser taskbar shows multiple tabs and the system tray indicates it's 1:55 PM on 12/16/2022.

Screenshot of Visual Studio Code showing the file 'back.js' with the following code:

```
module.exports = {
  api: {
    baseURL: "http://localhost:8080"
  }
}
```

The Explorer sidebar shows the project structure for 'FRONTG12CYP' with files like 'Admin.js', 'ClearCategoria.js', 'ClearCuenta.js', 'Header.js', 'Home.js', 'Login.js', 'Sidebar.js', 'back.js', 'crud.js', 'App.css', 'App.js', 'index.css', 'logo.svg', 'reportWebVitals.js', 'setupTests.js', '.gitignore', 'Dockerfile', 'package-lock.json', 'package.json', 'postcss.config.js', 'README.md', 'outline', 'timeline', and 'npm scripts'. The terminal shows some ESLint warnings and a webpack compilation message.

The browser taskbar shows it's 1:55 PM on 12/16/2022.



localhost:8080/api/categorias/home x G12 x G12 x +

localhost:8189/admin

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d...

## Campo y Plaza Panel de Administracion CERRAR SESIÓN

### Lista de categorías

Imagen	Nombre	ID	Opciones
	FRUTAS	6399f377c2c9726b592e00ab	<a href="#">ELIMINAR</a> <a href="#">ACTUALIZAR</a> <a href="#">CREAR PRODUCTO</a>
	VERDURAS	6399f388c2c9726b592e00af	<a href="#">ELIMINAR</a> <a href="#">ACTUALIZAR</a> <a href="#">CREAR PRODUCTO</a>
	HUEVOS	6399f397c2c9726b592e00b3	<a href="#">ELIMINAR</a> <a href="#">ACTUALIZAR</a> <a href="#">CREAR PRODUCTO</a>
	GRANOS	639b5958c1540c5bfeb7dedc	<a href="#">ELIMINAR</a> <a href="#">ACTUALIZAR</a> <a href="#">CREAR PRODUCTO</a>

20°C Mayorm. soleado 1:55 PM 12/16/2022

localhost:8080/a... x G12 x G12 x Cloudinary - Mai... x Recibidos (1) fe... x Cloudinary Mane... x +

localhost:8189/home-productos/639b5958c1540c5bfeb7dedc

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d...

## Campo y Plaza Panel de Administracion CERRAR SESIÓN

### Lista de Productos

[CREAR PRODUCTO](#)

Nombre: LENTEJAS  
Descripción: Lenteja para cocinar  
Cantidad disponible: 50  
Precio: 2980

[EDITAR](#) [ELIMINAR](#)

Información  
El producto se creo correctamente.  
[OK](#)

Avenida Calle 100 Construction 1:58 PM 12/16/2022



localhost:8189

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d...

UVA VERDE IMPORTADA  
Cantidad disponible: 100

COLIFLOR  
Cantidad disponible: 50

ESPARRAGOS  
Cantidad disponible: 100

HABICHUELA  
Cantidad disponible: 79

HUEVOS AA  
Cantidad disponible: 30

REMOLACHA  
Cantidad disponible: 50

LENTILLAS  
\$ 2980

21°C Parc. soleado 1:58 PM 12/16/2022

Docker Desktop Upgrade plan

Images Give feedback

An image is a read-only template with instructions for creating a Docker container. [Learn more](#)

LOCAL REMOTE REPOSITORIES

Last refresh: Never

Refresh to see disk usage 2 images

Search

	NAME	TAG	STATUS	CREATED	SIZE	ACTIONS
<input type="checkbox"/>	front 98d016fe3827	latest	In use	3 minutes ago	1.19 GB	
<input type="checkbox"/>	back 02ec953ed474	latest	In use	16 minutes ago	940.24 MB	

Showing 2 items

RAM 4.59 GB CPU 0.07% Connected to Hub v4.15.0 Q<sup>+</sup>

21°C Parc. soleado 2:01 PM 12/16/2022



## Evidencias Despliegue Aplicación

Como evidencia del despliegue de la aplicación, se debe presentar capturas de pantalla donde se visualice este proceso. <http://129.213.81.96:8180/>

The screenshot shows a Visual Studio Code interface. The Explorer sidebar on the left displays a project structure for 'BACKG12CyP' containing folders like config, controllers, middleware, models, routes, and files like .dockerignore, .gitignore, Dockerfile, index.js, package-lock.json, package.json, and variables.env. The Terminal tab at the bottom shows the following command-line session:

```
fern@FGonzalez MINGW64 ~/Escritorio/BackG12CyP
$ git init
Initialized empty Git repository in C:/Users/fern/Escritorio/BackG12CyP/.git/
fern@FGonzalez MINGW64 ~/Escritorio/BackG12CyP (master)
$ 
```

The status bar at the bottom indicates the file is 'Screen Reader Optimized' with 'Ln 1, Col 1 (27 selected)', 'Spaces: 4', 'UTF-8', 'CRLF', 'Ignore', 'Go Live', and a timestamp of '2:05 PM 12/16/2022'.



File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER BACKG12CYP config db.js controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
fern@Fernando-MINGW64 ~/Escritorio/BackG12CyP
$ git init
Initialized empty Git repository in C:/Users/fern@Fernando-Escritorio/BackG12CyP/.git/
$ git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
```

OUTLINE NPM SCRIPTS

master+ 21°C Parc. soleado Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live 2:05 PM 12/16/2022

File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER BACKG12CYP config db.js controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
create mode 100644 middleware/authMidd.js
create mode 100644 models/Categorias.js
create mode 100644 models/Productos.js
create mode 100644 models/Users.js
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 routes/auth.js
create mode 100644 routes/categoriasRouters.js
create mode 100644 routes/productosRouters.js
create mode 100644 routes/usuarioRoutes.js
create mode 100644 variables.env
```

OUTLINE NPM SCRIPTS

master+ 21°C Parc. soleado Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live 2:07 PM 12/16/2022



File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER .dockerignore BACKG12CYP config controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
create mode 100644 middleware/authMidd.js
create mode 100644 models/Categorias.js
create mode 100644 models/Productos.js
create mode 100644 models/Users.js
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 routes/auth.js
create mode 100644 routes/categoriasRouters.js
create mode 100644 routes/productosRouters.js
create mode 100644 routes/usuarioRoutes.js
create mode 100644 variables.env
```

Fernando@Gonzalez-MINIGW64 ~/Escritorio/BackG12CyP (master)

git remote add origin https://github.com/Fernandolagarma/back\_G12\_final\_CyP.git

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live

powershell powershell bash

213 PM 12/16/2022

File Edit Selection View Go Run Terminal Help .dockerignore - BackG12CyP - Visual Studio Code

EXPLORER .dockerignore BACKG12CYP config controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
create mode 100644 models/Users.js
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 routes/auth.js
create mode 100644 routes/categoriasRouters.js
create mode 100644 routes/productosRouters.js
create mode 100644 routes/usuarioRoutes.js
create mode 100644 variables.env
```

Fernando@Gonzalez-MINIGW64 ~/Escritorio/BackG12CyP (master)

git remote add origin https://github.com/Fernandolagarma/back\_G12\_final\_CyP.git

git push -u origin master

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live

powershell powershell bash

214 PM 12/16/2022



File Edit Selection View Go Run Terminal Help .dockengnore - BackG12CyP - Visual Studio Code

EXPLORER BACKG12CYP config db.js controllers middleware models node\_modules routes .dockerignore .gitignore Dockerfile index.js package-lock.json package.json variables.env

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
$ git push -u origin master
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 12 threads
Compressing objects: 100% (23/23), done.
Writing objects: 100% (27/27), 47.22 KIB | 7.87 MiB/s, done.
Total 27 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/fernandolagarma/back_G12_final_CyP.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

fernag@Fgonzalez MINGW64 ~/Escritorio/backG12CyP (master)

Screen Reader Optimized Ln 1, Col 1 (27 selected) Spaces: 4 UTF-8 CRLF Ignore Go Live 2:14 PM 12/16/2022

fernandolagarma/back\_G12\_final\_CyP Cloudinary Management Console

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d...

master 1 branch 0 tags Go to file Add file Code About

No description, website, or topics provided.

0 stars 1 watching 0 forks

Releases No releases published Create a new release

Packages No packages published Publish your first package

Languages JavaScript 98.6% Dockerfile 1.2% Shell 0.2%

File	Status	Last Commit
config	proyecto terminado	7 minutes ago
controllers	proyecto terminado	7 minutes ago
middleware	proyecto terminado	7 minutes ago
models	proyecto terminado	7 minutes ago
routes	proyecto terminado	7 minutes ago
.dockerignore	proyecto terminado	7 minutes ago
.gitignore	proyecto terminado	7 minutes ago
Dockerfile	proyecto terminado	7 minutes ago
index.js	proyecto terminado	7 minutes ago
package-lock.json	proyecto terminado	7 minutes ago
package.json	proyecto terminado	7 minutes ago
variables.env	proyecto terminado	7 minutes ago

21°C Parc. soleado 2:15 PM 12/16/2022



fernandolagarma/back\_G12\_final\_CyP

github.com/fernandolagarma/back\_G12\_final\_CyP

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d...

Search or jump to... Pull requests Issues Codespaces Marketplace Explore

fernandolagarma / back\_G12\_final\_CyP Public

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

master 1 branch 0 tags Go to file Add file <> Code

**ffernandolagarma** proyecto terminado 49489d9 8 minutes ago 1 commit

config	proyecto terminado	8 minutes ago
controllers	proyecto terminado	8 minutes ago
middleware	proyecto terminado	8 minutes ago
models	proyecto terminado	8 minutes ago
routes	proyecto terminado	8 minutes ago
.dockerignore	proyecto terminado	8 minutes ago
.gitignore	proyecto terminado	8 minutes ago
Dockerfile	nroyecto terminado	8 minutes ago

About No description, website, or topics provided.

0 stars 1 watching 0 forks

Releases No releases published Create a new release

Packages No packages published

21°C Parc. soleado 2:16 PM 12/16/2022

fernandolagarma/back\_G12\_final\_CyP

github.com/fernandolagarma/back\_G12\_final\_CyP

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d...

Search or jump to... Pull requests Issues Codespaces Marketplace Explore

fernandolagarma / back\_G12\_final\_CyP Public

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

master 1 branch 0 tags Go to file Add file <> Code

**ffernandolagarma** proyecto terminado

config	proyecto termina
controllers	proyecto termina
middleware	proyecto termina
models	proyecto termina
routes	proyecto termina
.dockerignore	proyecto termina
.gitignore	proyecto termina
Dockerfile	nroyecto terminado

Local Codespaces New

Clone HTTPS SSH GitHub CLI

[https://github.com/fernandolagarma/back\\_G12\\_f](https://github.com/fernandolagarma/back_G12_f)

Use Git or checkout with SVN using the web URL.

Open with GitHub Desktop Download ZIP

About No description, website, or topics provided.

0 stars 1 watching 0 forks

Releases No releases published Create a new release

Packages No packages published

21°C Parc. soleado 2:16 PM 12/16/2022



File Edit Selection View Go Run Terminal Help back.js - FrontG12CYP - Visual Studio Code

EXPLORER FRONTG12CYP node\_modules public src componentes categorias paginas productos Admin.js CreaCategoria.js CreaCuenta.js Header.js Home.js Login.js Sidebar.js conexiones back.js crud.js App.css App.js App.test.js index.css index.js logo.svg reportWebVitals.js setupTests.js .dockernignore .gitignore Dockerfile package-lock.json package.json postcss.config.js README.md

```
src > conexiones > back.js > [e] <unknown> > api > baseURL
1 module.exports = {
2   "api": {
3     "baseURL": "http://localhost:8080"
4   }
5 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
fernando@Gonzalez-MTNGW64 ~ /Escritorio/lleva
$ ssh -l Private210.Key opc@129.213.81.96
The authenticity of host '129.213.81.96 (129.213.81.96)' can't be established.
ED25519 key fingerprint is SHA256:top11BR1BwTDkjX8u59gZpocG7/o38UTBdlsvJNmM0M.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '129.213.81.96' (ED25519) to the list of known hosts.
Activate the web console with: systemctl enable --now cockpit.socket
```

```
[opc@insec4g2210 ~]$ ]
```

File Edit Selection View Go Run Terminal Help back.js - FrontG12CYP - Visual Studio Code

EXPLORER FRONTG12CYP node\_modules public src componentes categorias paginas productos Admin.js CreaCategoria.js CreaCuenta.js Header.js Home.js Login.js Sidebar.js conexiones back.js crud.js App.css App.js App.test.js index.css index.js logo.svg reportWebVitals.js setupTests.js .dockernignore .gitignore Dockerfile package-lock.json package.json postcss.config.js README.md

```
src > conexiones > back.js > [e] <unknown> > api > baseURL
1 module.exports = {
2   "api": {
3     "baseURL": "http://localhost:8080"
4   }
5 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
Total
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing : 1/1
    Running scriptlet: container-selinux-2:2.189.0-1.module+el8.7.0+20877+e0f9ac15.noarch 1/17
    Installing  : container-selinux-2:2.189.0-1.module+el8.7.0+20877+e0f9ac15.noarch 1/17
    Running scriptlet: container-selinux-2:2.189.0-1.module+el8.7.0+20877+e0f9ac15.noarch 1/17
```



The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows the project structure under "FRONTENDCYP". The "src" folder contains components like "categorias", "paginas", "productos", "Admin.js", "CrearCategoria.js", "CrearCuenta.js", "Header.js", "Home.js", "Login.js", and "Sidebar.js". It also includes "conexiones", "backs.js", "crud.js", "App.css", "App.jsx", "App.test.jsx", "index.css", "index.js", "logo.svg", "reportWebVitals.js", and "setupTests.js". Configuration files ".dockerignore", ".gitignore", and "Dockerfile" are also present.
- Editor (Top Center):** Displays the file "backs.js" with code related to baseURL.
- Terminal (Bottom):** Shows the command "slirp4netns 1.2.0-2.module+e18.7.0+20877+e0f9ac15.aarch64" and the message "Complete!". The terminal tab bar includes "powershell", "powershell", and "bash".
- Bottom Status Bar:** Shows "Screen Reader Optimized", "Ln 3, Col 39", "Spaces: 4", "UTF-8", "CRLF", "JavaScript", and "Go Live".

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** Displays the project structure for "FRONTG12CYP". The "src" folder contains "components" (with "categorias", "paginas", "productos"), "Admin.js", "CrearCategoria.js", "CrearCuenta.js", "Header.js", "Home.js", "Login.js", "Sidebar.js", and "conexiones" (with "back.js" and "crud.js"). Other files include "App.css", "App.js", "App.test.js", "index.css", "index.js", "logo.svg", "reportWebVitals.js", "setupTests.js", ".dockerignore", ".gitignore", "Dockerfile", "package-lock.json", "package.json", and "postcss.config.js".
- Terminal:** Shows the command "node app.js" being run, with the output:

```
Verifying : git-core-doc-2.31.1-e18.noarch  
Verifying : perl-Error-1:0.17025-2.e18.noarch  
Verifying : perl-Git-2.31.1-e18.noarch  
Verifying : perl-TermReadKey-2.37-7.e18.aarch64  
  
Installed:  
  git-2.31.1-e18.aarch64      git-core-2.31.1-e18.aarch64  git-core-doc-2.31.1-e18.noarch  
  perl-Error-1:0.17025-2.e18.noarch  perl-Git-2.31.1-e18.noarch  perl-TermReadKey-2.37-7.e18.aarch64  
  
Complete!  
[opc@lnsc4g2210 ~]$
```
- Status Bar:** Shows the current branch is "master", with 21 changes, and the file "back.js" is open.



File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

FRONTG12CYP

- node\_modules
- public
- src
- componentes
- categorias
- paginas
- productos
- Admin.js
- CrearCategoria.js
- CrearCuentas.js
- Header.js
- Home.js
- Login.js
- Sidebar.js
- conexiones
- back.js
- crud.js
- App.css
- App.js
- App.test.js
- index.css
- index.js
- logo.svg
- reportWebVitals.js
- setupTests.js
- .dockerignore
- .gitignore
- Dockerfile
- package-lock.json
- package.json
- postcss.config.js
- README.md

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
[opc@insc4g2210 ~]$ git clone https://github.com/Fernandolagarma/back_G12_final_CyP.git
Cloning into 'back_G12_final_CyP...'...
remote: Enumerating objects: 27, done.
remote: Compressing objects: 100% (27/27), done.
remote: Total 27 (delta 2), reused 27 (delta 2), pack-reused 0
Receiving objects: 100% (27/27), 47.22 KiB | 23.61 MiB/s, done.
Resolving deltas: 100% (2/2), done.
```

Screen Reader Optimized Ln 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live

21°C Soleado

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

FRONTG12CYP

- node\_modules
- public
- src
- componentes
- categorias
- paginas
- productos
- Admins.js
- CrearCategoria.js
- CrearCuentas.js
- Header.js
- Home.js
- Login.js
- Sidebar.js
- conexiones
- back.js
- crud.js
- App.css
- App.js
- App.test.js
- index.css
- index.js
- logo.svg
- reportWebVitals.js
- setupTests.js
- .dockerignore
- .gitignore
- Dockerfile
- package-lock.json
- package.json
- postcss.config.js
- README.md

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
usage: sudo [-l [-AknS] [-g group] [-h host] [-p prompt] [-U user] [-u user] [command]
           usage: sudo [-AbEHknPS] [-r role] [-t type] [-C num] [-g group] [-h host] [-p prompt] [-T timeout] [-u
                     user] [VAR=value] [-l|-s] [<command>]
           usage: sudo [-e [-AknS] [-r role] [-t type] [-C num] [-g group] [-h host] [-p prompt] [-T timeout] [-u
                     user] file ...
[opc@insc4g2210 ~]$ sudo firewall-cmd --zone=public --add-port=8080/tcp --permanent
success
[opc@insc4g2210 ~]$ sudo firewall-cmd --reload
success
[opc@insc4g2210 ~]$ cd back_G12_final_CyP
[opc@insc4g2210 back_G12_final_CyP]$
```

Screen Reader Optimized Ln 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live

21°C Soleado



```
1 module.exports = {
2   ...
3   api: {
4     baseURL: "http://localhost:8080"
5   }
}
```

File Edit Selection View Go Run Terminal Help back.js - FrontG12Cyp - Visual Studio Code

EXPLORER FRONTG12CYP node\_modules public src components categorias paginas productos Admin.js CrearCategoria.js CrearCuenta.js Header.js Home.js Login.js Sidebar.js conexiones back.js crud.js App.css App.js App.test.js index.css index.js logo.svg reportWebVitals.js setupTests.js dockerignore .gitignore Dockerfile package-lock.json package.json postcss.config.js README.md OUTLINE TIMELINE NPM SCRIPTS

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

powershell powershell bash

Screen Reader Optimized En 3, Col 39 Spaces: 4 UTF-8 CRLF JavaScript Go Live R 2:54 PM 12/16/2022

```
{"categorias": [{"_id": "6399f377c2c9726b592e00ab", "nombre": "FRUTAS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1671125001/download_hpms1q.jpg", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "6399f388c2c9726b592e00af", "nombre": "VERDURAS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1671125070/download_nvscui.jpg", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "6399f397c2c9726b592e00b3", "nombre": "HUEVOS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1670950151/HUE001_qzexxu.png", "creado": "2022-12-14T15:47:22.693Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}, {"_id": "639b5958c1540c5bfeb7dedc", "nombre": "GRANOS", "imagen": "https://res.cloudinary.com/dcv9ctaoa/image/upload/v1670950140/GRANOS2_mtww3pe.png", "creado": "2022-12-15T14:56:11.028Z", "creador": "638d1ccf3f2289329567d0d2", "__v": 0}]} 12.213.81.96:8080/api/
```

Private210 (1).key Private210.key Private210.key Mostrar todo X


21°C Soleado 2:57 PM 12/16/2022



```
opc@insc4g2210:~/back_G12_final_CyP
Successfully tagged localhost/back:latest
a9c7abf37db5dce7622180406b968ada9341bb1a1622179f97d4b6202ee8aec9
[opc@insc4g2210 back_G12_final_CyP]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID      CREATED        SIZE
localhost/front1    latest   c0e6358e5147  17 hours ago  1.2 GB
localhost/front      latest   b7ea9313a113  18 hours ago  1.2 GB
<none>              <none>   a12b7b766ee7  23 hours ago  916 MB
localhost/back       latest   a9c7abf37db5   4 days ago   916 MB
docker.io/library/node  16    9282be778d75  7 days ago   881 MB
[opc@insc4g2210 back_G12_final_CyP]$ docker run -p 8080:4000 back
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.

> backg12@1.0.0 dev
> nodemon index.js

[nodemon] 2.0.20
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,json
[nodemon] starting `node index.js`
servidor corriendo en el puerto 4000
MongoDB conectado en :ac-8ynysjw-shard-00-01.sdumw2p.mongodb.net:27017
```





Receiveds (1) - fernand... | Curso: C4-G12-DESAR... | WhatsApp | fernandolagarma/FrontG12CyP\_final | 129.213.81.96:8080/api | +

github.com/fernandolagarma/FrontG12CyP\_final

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skanda WhatsApp Web Noticias Principales d...

Search or jump to... Pull requests Issues Codespaces Marketplace Explore

f fernandolagarma / FrontG12CyP\_final Public Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

master 1 branch 0 tags Go to file Add file About

No description, website, or topics provided.

Readme 0 stars 1 watching 0 forks

f fernandolagarma Proyecto final CyP 9999940 1 minute ago 1 commit

File	Description	Time
public	Proyecto final CyP	1 minute ago
src	Proyecto final CyP	1 minute ago
.dockerignore	Proyecto final CyP	1 minute ago
.gitignore	Proyecto final CyP	1 minute ago
Dockerfile	Proyecto final CyP	1 minute ago
README.md	Proyecto final CyP	1 minute ago

Movimiento cuentas...xlsx spring4.1.png 4.10.png Mostrar todo

Ciclo 4A - Desarrollo...pdf Ciclo 4A - Desarrollo...pdf Movimiento cuentas...xlsx spring4.1.png 4.10.png Mostrar todo

20°C Mayorm. soleado Search 4:35 PM 12/20/2022

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER FRONTG12CYP node\_modules public src componentes categorias paginas productos Admin.js CrearCategoria.js CrearCuenta.js Header.js Home.js Login.js Sidebar.js conexiones back.js crud.js App.css App.js App.test.js index.css index.js logo.svg reportWebVitals.js setupTests.js .dockerignore .gitignore Dockerfile package-lock.json package.json postcss.configjs README.md

```
src > conexiones > back.js > <unknown> > api > baseURL
1 module.exports = {
2   ...
3   api: {
4     baseURL: "http://129.213.81.96:8080"
5   }

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
[opc@lnsc4g2210 ~]$ git clone https://github.com/fernandolagarma/FrontG12CyP_final.git
Cloning into 'FrontG12CyP_final'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (38/38), done.
remote: Total 44 (delta 3), reused 44 (delta 3), pack-reused 0
Receiving objects: 100% (44/44), 317.72 KiB | 24.44 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[opc@lnsc4g2210 ~]$ ls
back_G12_final_CyP_FrontG12CyP_final
[opc@lnsc4g2210 ~]$
```

Screen Reader Optimized Ln 3, Col 44 Spaces: 4 UTF-8 CRLF JavaScript Go Live 4:40 PM 12/20/2022

20°C Mayorm. soleado Search powershell bash



Screenshot of a web browser showing the GitHub repository for 'fernandolagarma / FrontG12CyP\_final'. The repository has 1 branch and 0 tags. The code tab is selected. The repository details show no description, website, or topics provided. It has 0 stars, 1 watching, and 0 forks. The releases section shows no releases published. The GitHub interface includes a file viewer at the bottom displaying 'Ciclo 4A - Desarrollo...pdf', 'Movimiento cuentas...xlsx', 'spring4.1.png', and '4.10.png'.

Screenshot of Visual Studio Code (VS Code) showing the code editor for 'back.js' in the 'FrontG12CyP' project. The code exports an 'api' object with a 'baseURL' property set to 'http://129.213.81.96:8080'. The terminal shows the command 'docker build -t front .'. The status bar indicates the file is 4:40 PM on 12/20/2022.



File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - paginas
    - productos
    - Admin.js
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
    - App.css
    - App.js
    - App.test.js
    - index.css
    - index.js
    - logo.svg
    - reportWebVitals.js
    - setupTests.js
  - .dockergignore
  - .gitignore
  - Dockerfile
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
>>> F5c2403326b
STEP 5/7: COPY . .
--> 788562253a2
STEP 6/7: EXPOSE 3000
--> eae96c276ed
STEP 7/7: CMD ["npm", "start"]
COMMIT front
--> 8da6b1b9d90
Successfully tagged localhost/front:latest
8da6b1b9d90ffafac5271a4e6b8152c504d5bd9a7e79442d515f61d061510b145
[opc@insc4g2210 FrontG12CyP_final]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
```

Screen Reader Optimized Ln 3, Col 44 Spaces:4 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - paginas
    - productos
    - Admin.js
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
    - App.css
    - App.js
    - App.test.js
    - index.css
    - index.js
    - logo.svg
    - reportWebVitals.js
    - setupTests.js
  - .dockergignore
  - .gitignore
  - Dockerfile
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
STEP 7/7: CMD ["npm", "start"]
COMMIT front
--> 8da6b1b9d90
Successfully tagged localhost/front:latest
8da6b1b9d90ffafac5271a4e6b8152c504d5bd9a7e79442d515f61d061510b145
[opc@insc4g2210 FrontG12CyP_final]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
Warning: ALREADY_ENABLED: 8180:tcp
success
[opc@insc4g2210 FrontG12CyP_final]$ sudo firewall-cmd --reload
success
[opc@insc4g2210 FrontG12CyP_final]$
```

Screen Reader Optimized Ln 3, Col 44 Spaces:4 UTF-8 CRLF JavaScript Go Live



File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - paginas
    - productos
    - Admin.js
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
  - App.css
  - App.js
  - App.test.js
  - index.css
  - index.js
  - logo.svg
  - reportWebVitals.js
  - setupTests.js
- .dockerignore
- .gitignore
- Dockerfile
- package-lock.json
- package.json
- postcss.config.js
- README.md
- OUTLINE
- TIMELINE
- NPM SCRIPTS

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
> proyecto_g12@0.1.0 start
> react-scripts start

(node:25) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:25) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
```

Screen Reader Optimized Ln 3, Col 44 Spaces: 4 UTF-8 CRLF { JavaScript Go Live

File Edit Selection View Go Run Terminal Help back.js - FrontG12CyP - Visual Studio Code

EXPLORER

- FRONTG12CYP
- node\_modules
- public
- src
  - componentes
    - categorias
    - paginas
    - productos
    - Admin.js
    - CrearCategoria.js
    - CrearCuenta.js
    - Header.js
    - Home.js
    - Login.js
    - Sidebar.js
  - conexiones
    - back.js
    - crud.js
  - App.css
  - App.js
  - App.test.js
  - index.css
  - index.js
  - logo.svg
  - reportWebVitals.js
  - setupTests.js
- .dockerignore
- .gitignore
- Dockerfile
- package-lock.json
- package.json
- postcss.config.js
- README.md
- OUTLINE
- TIMELINE
- NPM SCRIPTS

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
Line 10:9: 'navigate' is assigned a value but never used
          no-unused-vars
Line 23:5: React Hook useEffect has a missing dependency: 'cargarProductos'. Either include it or remove the dependency array react-hooks/exhaustive-deps
src/components/productos/ViewProductos.js
Line 10:13: img elements must have an alt prop, either with meaningful text, or an empty string for decorative images  jsx-ally/alt-text
webpack compiled with 1 warning
```

Screen Reader Optimized Ln 3, Col 44 Spaces: 4 UTF-8 CRLF { JavaScript Go Live

17°C Soledad 4:52 PM 12/20/2022



File Edit Selection View Go Run Terminal Help back.js - FrontCampoyPlaza - Visual Studio Code

OPEN EDITORS JS back.js x src > conexiones > JS back.js <unknown>

```
src > conexiones > JS back.js > [o] <unknown>
1 module.exports = {
2   ...
3   api: {
4     ...
5   }
6 }
```

FRONTCAMPOYPLAZA node\_modules public src componentes conexiones

JS back.js JS crud.js # App.css JS App.js JS App.test.js # index.css JS index.js logo.svg JS reportWebVitals.js JS setupTests.js .dockerignore .gitignore Dockerfile package-lock.json package.json postcss.config.js README.md tailwind.config.js

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\FrontCampoyPlaza> docker images

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
front	latest	d4d3be460fcfd	5 hours ago	1.19GB
back	latest	00f414a6bd7a	6 hours ago	947MB

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\FrontCampoyPlaza>

Escribe aquí para buscar File Edit Selection View Go Run Terminal Help back.js - FrontCampoyPlaza - Visual Studio Code

OPEN EDITORS JS back.js x src > conexiones > JS back.js <unknown>

```
src > conexiones > JS back.js > [o] <unknown>
1 module.exports = {
2   ...
3   api: {
4     ...
5   }
6 }
```

FRONTCAMPOYPLAZA node\_modules public src componentes conexiones

JS back.js JS crud.js # App.css JS App.js JS App.test.js # index.css JS index.js logo.svg JS reportWebVitals.js JS setupTests.js .dockerignore .gitignore Dockerfile package-lock.json package.json postcss.config.js README.md tailwind.config.js

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\FrontCampoyPlaza> docker images

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
front	latest	d4d3be460fcfd	5 hours ago	1.19GB
back	latest	00f414a6bd7a	6 hours ago	947MB

PS D:\Federico\Documents\MINTIC2022\CICLO 4\grupo 6\Campo y plaza\FrontCampoyPlaza> docker run -p 8180:3000 front

Escribe aquí para buscar



MaquinaG12.xlsx - Google Chrome  
unabedu-my.sharepoint.com/:x/g/personal/jhonnny\_beltran\_o365\_unab\_edu\_co/EcvN6FbophAnZAvafYMIHcBbUhOKwiQgbusUqvnZKqtJA?rtime=JRLpRzDi2kg

Excel MaquinaG12 - Guardado ✓ Buscar (Alt + Q)

Archivo Inicio Insertar Dibujo Diseño de página Fórmulas Datos Revisar Vista Ayuda Visualización Comentarios

C15 B C 129.213.81.96

	B	C
1		
2		
3		
4	Integrante	
5	Lilian Lucia González Guerrero	129.213.44.163
6		http://
7	Sandra Milena Hernández Sanch	129.213.47.180
8		http://
9	Nilton Jose Diaz Rojas	129.213.47.91
10		http://
11	José Delgado	129.213.78.228
12		http://
13	Jaime Reyes	129.213.8.65
14		http://
15	Federico Molina	129.213.81.96
16		http://
17	Gloria Patricia Cadavid Zuluaga	129.213.82.68
18		http://
19	Jenny Agudelo R	129.213.84.107
20		http://
21	Maberly Pardo	129.213.86.168
22		http://
23	Juan Sebastian Calderon	129.213.87.23
24		http://
25	Cleyver Alonso Arevalo Lopez	129.213.94.249
26		http://
27	Ivan Dario Trujillo Otero	129.213.96.83

Este equipo Escritorio LLAVE

Nombre: Private210.key

Fecha de modificación: 19/12/2022 12:45 p. m. Tipo: Archivo KEY

Acceso rápido: Escritorio, Descargas, Documentos, Imágenes, apuntes clases, back\_G12\_final-master, capturas de pantalla, coach.

OneDrive - Personal: Escritorio, Descargas, Documentos, Imágenes.

Este equipo: Escritorio.

1 elemento

Escribe aquí para buscar

Enviar comentarios a Microsoft 100% 9:23 p. m. ESP 19/12/2022

```
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236
[opc@insc4g2210 ~]$ |
```

Escribe aquí para buscar

Windows Taskbar icons: File Explorer, Edge, Firefox, Chrome, Word, Excel, Powerpoint, OneDrive, Spotify, Mail, Photos, Settings, Control Panel, Task View, Start, Task Manager, File History, System, Help & Support, Taskbar settings.

9:23 p. m. ESP 19/12/2022



```
opc@insc4g2210:~  
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE  
$ ssh -i Private210.key opc@129.213.81.96  
Activate the web console with: systemctl enable --now cockpit.socket  
  
Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236  
[opc@insc4g2210 ~]$ ls  
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP  
[opc@insc4g2210 ~]$
```

```
opc@insc4g2210:~  
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE  
$ ssh -i Private210.key opc@129.213.81.96  
Activate the web console with: systemctl enable --now cockpit.socket  
  
Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236  
[opc@insc4g2210 ~]$ ls  
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP  
[opc@insc4g2210 ~]$ docker version  
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.  
Client: Podman Engine  
Version: 4.2.0  
API Version: 4.2.0  
Go Version: go1.18.4  
Built: Tue Nov 22 13:19:17 2022  
OS/Arch: linux/arm64  
[opc@insc4g2210 ~]$ |
```



```
opc@insc4g2210:~$ Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ docker version
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
Client: Podman Engine
Version: 4.2.0
API Version: 4.2.0
Go Version: go1.18.4
Built: Tue Nov 22 13:19:17 2022
OS/Arch: linux/arm64
[opc@insc4g2210 ~]$ git version
git version 2.31.1
[opc@insc4g2210 ~]$
```

```
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  back_G12_final_CyP  Front_G12_final_CyP
[opc@insc4g2210 ~]$ docker version
Emulate Docker CLI using podman. Create /etc/c
ontainers/nodocker to quiet msg.
Client: Podman Engine
Version: 4.2.0
API Version: 4.2.0
Go Version: go1.18.4
Built: Tue Nov 22 13:19:17 2022
OS/Arch: linux/arm64
[opc@insc4g2210 ~]$ git version
git version 2.31.1
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (38/38), done.
remote: Total 44 (delta 3), reused 44 (delta 3), pack-reused 0
Receiving objects: 100% (44/44), 317.69 KiB | 28.88 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[opc@insc4g2210 ~]$ |
```

Escribe aquí para buscar   <img alt="Windows File Sort icon" data-bbox="10328 968



```
opc@insc4g2210:~/Front_Campo_y_Plaza
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ docker version
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
Client: Podman Engine
Version: 4.2.0
API Version: 4.2.0
Go Version: go1.18.4
Built: Tue Nov 22 13:19:17 2022
OS/Arch: linux/arm64
[opc@insc4g2210 ~]$ git version
git version 2.31.1
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (38/38), done.
remote: Total 44 (delta 3), reused 44 (delta 3), pack-reused 0
Receiving objects: 100% (44/44), 317.69 KiB | 28.88 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_Campo_y_Plaza Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$
```

```
Escribe aquí para buscar 9:34 p. m. 19/12/2022
opc@insc4g2210:~/Front_Campo_y_Plaza
Federico@DESKTOP-6NS5T7N MINGW64 /d/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:09:19 2022 from 186.29.156.236
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ docker version
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
Client: Podman Engine
Version: 4.2.0
API Version: 4.2.0
Go Version: go1.18.4
Built: Tue Nov 22 13:19:17 2022
OS/Arch: linux/arm64
[opc@insc4g2210 ~]$ git version
git version 2.31.1
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (38/38), done.
remote: Total 44 (delta 3), reused 44 (delta 3), pack-reused 0
Receiving objects: 100% (44/44), 317.69 KiB | 28.88 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_Campo_y_Plaza Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ ls
Dockerfile public
package.json README.md
package-lock.json src
postcss.config.js tailwind.config.js
[opc@insc4g2210 Front_Campo_y_Plaza]$ |
```



```
opc@insc4g2210:~/Front_Campo_y_Plaza
Go Version: go1.18.4
Built:      Tue Nov 22 13:19:17 2022
OS/Arch:   linux/arm64
[opc@insc4g2210 ~]$ git version
git version 2.31.1
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (38/38), done.
remote: Total 44 (delta 3), reused 44 (delta 3), pack-reused 0
Receiving objects: 100% (44/44), 317.69 KiB | 28.88 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  back_G12_final_CyP  Front_Campo_y_Plaza  Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ ls
Dockerfile          public
package.json        README.md
package-lock.json  src
postcss.config.js  tailwind.config.js
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID      CREATED     SIZE
localhost/back      latest   a12b7b766ee7  5 hours ago  916 MB
<none>              <none>   a9c7abf37db5  3 days ago   916 MB
docker.io/library/node 16    9282be778d75  6 days ago   881 MB
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> c6c92737073
STEP 4/7: RUN npm install
|
```

```
Windows Escribe aquí para buscar 9:38 p. m.
opc@insc4g2210:~/Front_Campo_y_Plaza
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID      CREATED     SIZE
localhost/back      latest   a12b7b766ee7  5 hours ago  916 MB
<none>              <none>   a9c7abf37db5  3 days ago   916 MB
docker.io/library/node 16    9282be778d75  6 days ago   881 MB
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> c6c92737073
STEP 4/7: RUN npm install
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See the compatibility table on MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/sort#browser_compatibility
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.

added 1470 packages, and audited 1471 packages in 51s

225 packages are looking for funding
  run `npm fund` for details

6 high severity vulnerabilities

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm notice
npm notice New major version of npm available! 8.19.3 => 9.2.0
npm notice ChangeLog: <https://github.com/npm/cli/releases/tag/v9.2.0>
npm notice Run `npm install -g npm@9.2.0` to update!
npm notice
```



```
opc@insc4g2210:~/Front_Campo_y_Plaza
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> c6c92737073
STEP 4/7: RUN npm install
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See the compatibility table on MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/sort#browser_compatibility
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.

added 1470 packages, and audited 1471 packages in 51s

225 packages are looking for funding
  run `npm fund` for details

6 high severity vulnerabilities

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm notice
npm notice New major version of npm available! 8.19.3 -> 9.2.0
npm notice Changelog: <https://github.com/npm/cli/releases/tag/v9.2.0>
npm notice Run `npm install -g npm@9.2.0` to update!
npm notice
--> 392b8c7560c
STEP 5/7: COPY .
--> ce4acaab436
STEP 6/7: EXPOSE 3000
--> bda6c3f0be3
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front
--> b7ea9313a11
Successfully tagged localhost/front:latest
b7ea9313a1134d0c3f89f26ab98639d934b4a779f084ab234a583c5d6fd59bc8
[opc@insc4g2210 Front_Campo_y_Plaza]$
```

Windows taskbar showing various icons and system status.

```
opc@insc4g2210:~/Front_Campo_y_Plaza
run `npm fund` for details

6 high severity vulnerabilities

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm notice
npm notice New major version of npm available! 8.19.3 -> 9.2.0
npm notice Changelog: <https://github.com/npm/cli/releases/tag/v9.2.0>
npm notice Run `npm install -g npm@9.2.0` to update!
npm notice
--> 392b8c7560c
STEP 5/7: COPY .
--> ce4acaab436
STEP 6/7: EXPOSE 3000
--> bda6c3f0be3
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front
--> b7ea9313a11
Successfully tagged localhost/front:latest
b7ea9313a1134d0c3f89f26ab98639d934b4a779f084ab234a583c5d6fd59bc8
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID   CREATED             SIZE
localhost/front     latest   b7ea9313a113  About a minute ago   1.2 GB
localhost/back      latest   a12b7b766ee7  5 hours ago        916 MB
<none>              <none>   a9c7abf37db5  3 days ago         916 MB
docker.io/library/node  16      9282be778d75  6 days ago         881 MB
[opc@insc4g2210 Front_Campo_y_Plaza]$ |
```

Windows taskbar showing various icons and system status.



```
opc@insc4g2210:~/Back_Campo_y_Plaza
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 02:22:58 2022 from 186.84.20.60
[opc@insc4g2210 ~]$ git https://github.com/luismolinamt/Back_Campo_y_Plaza.git
git: 'https://github.com/luismolinamt/Back_Campo_y_Plaza.git' is not a git command. See 'git --help'.
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Back_Campo_y_Plaza.git
fatal: destination path 'Back_Campo_y_Plaza' already exists and is not an empty directory.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_Campo_y_Plaza Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Back_Campo_y_Plaza/
[opc@insc4g2210 Back_Campo_y_Plaza]$ ls
config controllers Dockerfile index.js middleware models package.json package-lock.json routes variables.env
[opc@insc4g2210 Back_Campo_y_Plaza]$ docker build -t back .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache 8b6a5ad76b996ce810d39a0508c39039dffba3f1f29820153e0217a3db59215a
--> 8b6a5ad76b9
STEP 4/7: RUN npm install
--> Using cache 1af8fff4a03fd357925227532d8cb02c8a2cea381b2d136a7094d222ef9a9748a
--> 1af8fff4a03f
STEP 5/7: COPY .
--> Using cache 92da0521415ab2ef9f46a84c4aba822505652e00af0b8c2db695299c2e7c0cd4
--> 92da0521415
STEP 6/7: EXPOSE 4000
--> Using cache c7333a7a48454e1693d7b5fdb19e0615fbe2981dc8464770c952a55d979e8e9d
--> c7333a7a484
STEP 7/7: CMD ["npm", "run", "dev"]
--> Using cache a12b7b766ee7a3d347e4c61b35cacd6cc27b05fd5f3c4867b6ae5fecc253166c
COMMIT back
--> a12b7b766ee
Successfully tagged localhost/back:latest
a12b7b766ee7a3d347e4c61b35cacd6cc27b05fd5f3c4867b6ae5fecc253166c
[opc@insc4g2210 Back_Campo_y_Plaza]$
```

```
Windows Escribe aquí para buscar 10:06 p. m. 19/12/2022
opc@insc4g2210:~/Back_Campo_y_Plaza
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache 8b6a5ad76b996ce810d39a0508c39039dffba3f1f29820153e0217a3db59215a
--> 8b6a5ad76b9
STEP 4/7: RUN npm install
--> Using cache 1af8fff4a03fd357925227532d8cb02c8a2cea381b2d136a7094d222ef9a9748a
--> 1af8fff4a03f
STEP 5/7: COPY .
--> Using cache 92da0521415ab2ef9f46a84c4aba822505652e00af0b8c2db695299c2e7c0cd4
--> 92da0521415
STEP 6/7: EXPOSE 4000
--> Using cache c7333a7a48454e1693d7b5fdb19e0615fbe2981dc8464770c952a55d979e8e9d
--> c7333a7a484
STEP 7/7: CMD ["npm", "run", "dev"]
--> Using cache a12b7b766ee7a3d347e4c61b35cacd6cc27b05fd5f3c4867b6ae5fecc253166c
COMMIT back
--> a12b7b766ee
Successfully tagged localhost/back:latest
a12b7b766ee7a3d347e4c61b35cacd6cc27b05fd5f3c4867b6ae5fecc253166c
[opc@insc4g2210 Back_Campo_y_Plaza]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID      CREATED
SIZE
localhost/front    latest   b7ea9313a113  26 minutes ago
1.2 GB
localhost/back      latest   a12b7b766ee7  5 hours ago
916 MB
<none>              <none>   a9c7abf37db5  3 days ago
916 MB
docker.io/library/node  16     9282be778d75  6 days ago
881 MB
[opc@insc4g2210 Back_Campo_y_Plaza]$ docker run -p 8080:4000 back
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
Error: rootlessport listen tcp 0.0.0.0:8080: bind: address already in use
[opc@insc4g2210 Back_Campo_y_Plaza]$
```



The screenshot shows a GitHub repository page for 'Front\_Campo\_y\_Plaza'. The repository has 129 commits, 213.81.96, and is public. The 'Code' tab is selected, showing the 'back.js' file. The file contains the following code:

```
module.exports = {
  api: {
    baseURL: "http://129.213.81.96:8080"
  }
}
```

Escribe aquí para buscar

opc@insc4g2210 ~

```
SIZE      localhost/front    latest    b7ea9313a113  26 minutes ago
1.2 GB
localhost/back    latest    a12b7b766ee7  5 hours ago
916 MB
<none>        <none>    a9c7abf37db5  3 days ago
916 MB
docker.io/library/node  16      9282be778d75  6 days ago
881 MB

[opc@insc4g2210 Back_Campo_y_Plaza]$ docker run -p 8080:4000 back
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
Error: rootlessport listen tcp 0.0.0.0:8080: bind: address already in use
[opc@insc4g2210 Back_Campo_y_Plaza]$ client_loop: send disconnect: Connection reset by peer

Federico@DESKTOP-6NS5T7N MINGW64 ~/Federico/Desktop/LLAVE
$ ssh -i Private210.key opc@129.213.81.96
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Dec 20 03:16:53 2022 from 186.84.20.60
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  back_G12_final_CyP  Front_Campo_y_Plaza  Front_G12_final_CyP
[opc@insc4g2210 ~]$ sudo rm -r Front_Campo_y_Plaza/
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  back_G12_final_CyP  Front_G12_final_CyP
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 49, done.
remote: Counting objects: 100% (49/49), done.
remote: Compressing objects: 100% (43/43), done.
remote: Total 49 (delta 5), reused 42 (delta 3), pack-reused 0
Receiving objects: 100% (49/49), 318.46 KiB | 24.50 MiB/s, done.
Resolving deltas: 100% (5/5), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  Front_Campo_y_Plaza
back_G12_final_CyP  Front_G12_final_CyP
[opc@insc4g2210 ~]$ |
```



```
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 49, done.
remote: Counting objects: 100% (49/49), done.
remote: Compressing objects: 100% (43/43), done.
remote: Total 49 (delta 5), reused 42 (delta 3), pack-reused 0
Receiving objects: 100% (49/49), 318.46 KiB | 24.50 MiB/s, done.
Resolving deltas: 100% (5/5), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza Front_Campo_y_Plaza
back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front1 .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache c6c9273707389d86d30e987a4644d1068617bb76a145834edale11e5160fcdb2
--> c6c92737073
STEP 4/7: RUN npm install
--> Using cache 392b8c7560c44cf380e7926442d4c023a47d7f2856161c1d30d2964e80a52512
--> 392b8c7560c
STEP 5/7: COPY . .
--> 68a256f5cac
STEP 6/7: EXPOSE 3000
--> 77a862fcfc6e
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front1
--> c0e6358e514
Successfully tagged localhost/front1:latest
c0e6358e5147254d6f1c26740e06157c79f3e72ef1ce96634e27292726cb7629
[opc@insc4g2210 Front_Campo_y_Plaza]$ |
```

Windows taskbar showing the search bar and pinned icons for various applications like File Explorer, Edge, and Spotify.

```
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front1 .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache c6c9273707389d86d30e987a4644d1068617bb76a145834edale11e5160fcdb2
--> c6c92737073
STEP 4/7: RUN npm install
--> Using cache 392b8c7560c44cf380e7926442d4c023a47d7f2856161c1d30d2964e80a52512
--> 392b8c7560c
STEP 5/7: COPY . .
--> 68a256f5cac
STEP 6/7: EXPOSE 3000
--> 77a862fcfc6e
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front1
--> c0e6358e514
Successfully tagged localhost/front1:latest
c0e6358e5147254d6f1c26740e06157c79f3e72ef1ce96634e27292726cb7629
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG           IMAGE ID        CREATED         SIZE
localhost/front1    latest         c0e6358e5147  22 seconds ago  1.2 GB
localhost/front     latest         b7ea9313a113  57 minutes ago  1.2 GB
localhost/back      latest         a12b7b766ee7  6 hours ago   916 MB
<none>              <none>        a9c7abf37db5  3 days ago   916 MB
docker.io/library/node 16  9282be778d75  6 days ago   881 MB
[opc@insc4g2210 Front_Campo_y_Plaza]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
usage: see firewall-cmd man page
firewall-cmd: error: unrecognized arguments: --permanent
[opc@insc4g2210 Front_Campo_y_Plaza]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
success
[opc@insc4g2210 Front_Campo_y_Plaza]$
```

Windows taskbar showing the search bar and pinned icons for various applications like File Explorer, Edge, and Spotify.



```
[opc@insc4g2210 ~]$ docker build -t front1 .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache c6c9273707389d86d30e987a4644d1068617bb76a145834edale11e5160fcdb2
--> c6c92737073
STEP 4/7: RUN npm install
--> Using cache 392b8c7560c44cf380e7926442d4c023a47d7f2856161c1d30d2964e80a52512
--> 392b8c7560c
STEP 5/7: COPY .
--> 68a256f5cac
STEP 6/7: EXPOSE 3000
--> 77a862fcfc6e
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front1
--> c0e6358e514
Successfully tagged localhost/front1:latest
c0e6358e5147254d6f1c26740e06157c79f3e72ef1ce96634e27292726cb7629
[opc@insc4g2210 ~]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID   CREATED        SIZE
localhost/front1    latest   c0e6358e5147  22 seconds ago  1.2 GB
localhost/front     latest   b7ea9313a113  57 minutes ago  1.2 GB
localhost/back      latest   a12b7b76ee7   6 hours ago   916 MB
<none>              <none>  a9c7abf37db5  3 days ago   916 MB
docker.io/library/node 16   9282be778d75  6 days ago   881 MB
[opc@insc4g2210 ~]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
usage: see firewall-cmd man page
firewall-cmd: error: unrecognized arguments: --permanent
[opc@insc4g2210 ~]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
success
[opc@insc4g2210 ~]$ sudo firewall-cmd --reload
success
[opc@insc4g2210 ~]$
```

```
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  back_G12_final_CyP  Front_G12_final_CyP
[opc@insc4g2210 ~]$ git clone https://github.com/luismolinamt/Front_Campo_y_Plaza.git
Cloning into 'Front_Campo_y_Plaza'...
remote: Enumerating objects: 49, done.
remote: Counting objects: 100% (49/49), done.
remote: Compressing objects: 100% (43/43), done.
remote: Total 49 (delta 5), reused 42 (delta 3), pack-reused 0
Receiving objects: 100% (49/49), 318.46 KiB | 24.50 MiB/s, done.
Resolving deltas: 100% (5/5), done.
[opc@insc4g2210 ~]$ ls
Back_Campo_y_Plaza  Front_Campo_y_Plaza
back_G12_final_CyP  Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front1
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache c6c9273707389d86d30e987a4644d1068617bb76a145834edale11e5160fcdb2
--> c6c92737073
STEP 4/7: RUN npm install
--> Using cache 392b8c7560c44cf380e7926442d4c023a47d7f2856161c1d30d2964e80a52512
--> 392b8c7560c
STEP 5/7: COPY .
--> 68a256f5cac
STEP 6/7: EXPOSE 3000
--> 77a862fcfc6e
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front1
--> c0e6358e514
Successfully tagged localhost/front1:latest
c0e6358e5147254d6f1c26740e06157c79f3e72ef1ce96634e27292726cb7629
[opc@insc4g2210 ~]$
```



```
opc@insc4g210:~/Front_Campo_y_Plaza
back_G12_final_CyP Front_G12_final_CyP
[opc@insc4g2210 ~]$ cd Front_Campo_y_Plaza/
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker build -t front1 .
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
STEP 1/7: FROM node:16
STEP 2/7: WORKDIR /usr/src/app
--> Using cache b12fc2ac0d1260b5f9585cf674f584befda7ff4416b6279117e6898b434a3c75
--> b12fc2ac0d1
STEP 3/7: COPY package*.json .
--> Using cache c6c9273707389d86d30e987a4644d1068617bb76a145834edale11e5160fcbd2
--> c6c92737073
STEP 4/7: RUN npm install
--> Using cache 392b8c7560c44cf380e7926442d4c023a47d7f2856161c1d30d2964e80a52512
--> 392b8c7560c
STEP 5/7: COPY .
--> 68a256f5cac
STEP 6/7: EXPOSE 3000
--> 77a862fcfc6e
STEP 7/7: CMD [ "npm", "start" ]
COMMIT front1
--> c0e6358e514
Successfully tagged localhost/front1:latest
c0e6358e5147254d6f1c26740e06157c79f3e72ef1ce96634e27292726cb7629
[opc@insc4g2210 Front_Campo_y_Plaza]$ docker images
Emulate Docker CLI using podman. Create /etc/containers/nodocker to quiet msg.
REPOSITORY          TAG      IMAGE ID      CREATED     SIZE
localhost/front1   latest   c0e6358e5147  22 seconds ago  1.2 GB
localhost/front     latest   b7ea9313a113  57 minutes ago  1.2 GB
localhost/back      latest   a12b7b766ee7  6 hours ago   916 MB
<none>              <none>  a9c7abf37db5  3 days ago   916 MB
docker.io/library/node 16    9282be778d75  6 days ago   881 MB
[opc@insc4g2210 Front_Campo_y_Plaza]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
usage: see firewall-cmd man page
firewall-cmd: error: unrecognized arguments: --permanent
[opc@insc4g2210 Front_Campo_y_Plaza]$ sudo firewall-cmd --zone=public --add-port=8180/tcp --permanent
success
[opc@insc4g2210 Front_Campo_y_Plaza]$
```



Recibidos (3) - fernando.gonz... | Curso: C4-G12-DESARROLLO D... | WhatsApp | fernandolagarma/FrontG12CyP... | G12

No seguro | 129.213.81.96:8180

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d... Mision Tic 2022: Entr...

## Campo y Plaza

Iniciar Sesión

### Compra por Categoría

Revisar todas las categorías →

### Nuestros productos

UVA VERDE IMPORTADA	COLIFLOR	ESPARRAGOS	HABICHUELA	HUEVOS AA	REMOLACHA
\$ 14800 Cantidad disponible: 100	\$ 6980 Cantidad disponible: 50	\$ 18900 Cantidad disponible: 100	\$ 2970 Cantidad disponible: 79	\$ 18900 Cantidad disponible: 30	\$ 4800 Cantidad disponible: 50
<a href="#">Añadir al carrito</a>	<a href="#">Añadir al carrito</a>	<a href="#">Añadir al carrito</a>	<a href="#">Añadir al carrito</a>	<a href="#">Añadir al carrito</a>	<a href="#">Añadir al carrito</a>

LENTILLAS \$ 2980

GARBANZO \$ 3890

17°C Soleado 4:53 PM 12/20/2022

Mostrar todo



G12

No seguro | 129.213.81.96:8180/login

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d...

## Campo y Plaza

### Iniciar sesión

**EMAIL**

**PASSWORD**

**INICIAR SESIÓN**

[Crear Cuenta](#)

17°C Soleado 4:55 PM 12/20/2022

G12

No es seguro | 129.213.81.96:8180/crear-categoría

Microsoft Forms Colegio Bilingüe Sa... Yo te cuido y Tú me... Top 10 Cardio Exerc... Procesador Intel Co... What are Exponent... Simetría central en... Información Proces... Allicancode - Run M...

## Campo y Plaza

## Panel de Administracion

**CERRAR SESIÓN**

**CREAR CATEGORIA**

**LISTAR CATEGORIAS**

### Crear categoría

**NOMBRE DE LA CATEGORIA**

**IMAGEN DE LA CATEGORIA**

**CREAR CATEGORIA**

Escribe aquí para buscar

7:33 p. m. ESP 20/12/2022



G12

No seguro | 129.213.81.96:8180/admin

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d... Misión Tic 2022: Entr...

## Campo y Plaza Panel de Administración CERRAR SESIÓN

### Lista de categorías

Imagen	Nombre	ID	Opciones
	FRUTAS	6399f377c2c9726b592e00ab	ELIMINAR ACTUALIZAR CREAR PRODUCTO
	VERDURAS	6399f388c2c9726b592e00af	ELIMINAR ACTUALIZAR CREAR PRODUCTO
	HUEVOS	6399f397c2c9726b592e00b3	ELIMINAR ACTUALIZAR CREAR PRODUCTO
	GRANOS	639b5958c1540c5bfeb7dedc	ELIMINAR ACTUALIZAR CREAR PRODUCTO

17°C Soleado Q. Search 5:12 PM 12/20/2022

G12

No seguro | 129.213.81.96:8180/home-productos/639b5958c1540c5bfeb7dedc

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web ET Noticias Principales d... Misión Tic 2022: Entr...

### Lista de Productos

CREAR CATEGORIA LISTAR CATEGORIAS CREAR PRODUCTO

EDITAR ELIMINAR

Nombre: LENTEJAS  
Descripción: Lenteja para cocinar  
Cantidad disponible: 50  
Precio: 2980

17°C Soleado Q. Search 5:12 PM 12/20/2022



G12 Cloudinary Management Console

No seguro | 129.213.81.96:8180/home-productos/639b5958c1540c5bfeb7dedc

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d... Misión TIC 2022: Entr...

**CREAR CATEGORIA** **LISTAR CATEGORIAS** **CREAR PRODUCTO**

## Lista de Productos

Información

El producto se creo correctamente.

OK

Nombre: LENTEJAS  
Descripción: Lenteja para cocinar  
Cantidad disponible: 50  
Precio: 2980

17°C Soleado

5:14 PM 12/20/2022

G12 Cloudinary Management Console

No seguro | 129.213.81.96:8180/home-productos/639b5958c1540c5bfeb7dedc

Bank of America — O... Banco Caja Social Bolsa de Valores de C... Campo y Plaza - Verd... Corredores Asociados Skandia WhatsApp Web Noticias Principales d... Misión TIC 2022: Entr...

**EDITAR** **ELIMINAR**

Nombre: LENTEJAS  
Descripción: Lenteja para cocinar  
Cantidad disponible: 50  
Precio: 2980

**EDITAR** **ELIMINAR**

Nombre: GARBANZO  
Descripción: Garbanzo para cocinar  
Cantidad disponible: 100  
Precio: 3890

17°C Soleado

5:54 PM 12/20/2022



7:43 129.213.81.96:8180 95%

Home ▲ Iniciar Sesión

# Campo y Plaza

Compra por Categoría

Browse all categories →

Nuestros productos

\$ 7800



5:44 5 450 10%  
129.213.81.96:8180, :

# Campo y Plaza

## Iniciar sesión

**EMAIL**

**PASSWORD**

**INICIAR SESIÓN**

Crear Cuenta

^ f f x f f +

||| O <



7:40 4G 95% 129.213.81.96:8180

# Campo y Plaza

## Panel de Administracion

[CERRAR SESIÓN](#)

[CREAR CATEGORIA](#)

[LISTAR CATEGORIAS](#)

### Lista de categorias

Imagen	Nombre	ID	Opciones

^ f f x f f +



7:40 ☀️ 🔍 ❤️ •

95% 🔋

CREAR CATEGORIA

LISTAR CATEGORIAS

# Crear categoría

NOMBRE DE LA CATEGORIA

Nombre

IMAGEN DE LA CATEGORIA

Imagen

CREAR CATEGORIA



## Evidencia JIRA (Seguimiento del proyecto)

Como evidencia del seguimiento del proyecto con la metodología ágil SCRUM, utilizando el software JIRA, se debe presentar capturas de pantalla donde se visualice la ejecución de los Sprint con las historias de usuario relacionadas con los procesos del Sprint.

This screenshot shows the JIRA Backlog for the project 'G12 Grupo 6 CAMPO Y PLAZA'. The backlog lists 13 user stories (G6-102 to G6-114) with their respective descriptions, status (TO DO), and assignee (NM or FM). The backlog is filtered to show only 'TO DO' items.

User Story	Description	Status	Assignee
G6-102	Verificar http://localhost:4000	TO DO	NM
G6-103	Apagar el docker y cambiar el puerto a 8080	TO DO	NM
G6-104	Veficar el cambio del puerto en el localhost	TO DO	NM
G6-105	Crear el archivo Dockerfile en el FrontEnd	TO DO	NM
G6-106	Automatizar en el archivo Dockerfile (FROM, WORKDIR, COPY, RUN, RUN .,EXPOSE, CMD) en el FrontEnd	TO DO	FM
G6-107	Crear archivo .dockerrcignore en el FrontEnd	TO DO	FM
G6-108	Construir las imágenes con el comando docker build -t front .	TO DO	NM
G6-109	Verificar las imágenes en el Front con docker images en consola	TO DO	NM
G6-110	Ejecutar el docker con comando docker run -p 8189:3000 front	TO DO	NM
G6-111	Verificar http://localhost:3000	TO DO	FM
G6-112	Crear repositorio en git hub del BackEnd	TO DO	FM
G6-113	Crear repositorio en GitHub del FrontEnd	TO DO	FM
G6-114	Copiar la URL de la maquina virtual	TO DO	FM

This screenshot shows the JIRA Backlog for the project 'G12 Grupo 6 CAMPO Y PLAZA'. The backlog lists 13 user stories (G6-115 to G6-127) with their respective descriptions, status (TO DO), and assignee (NM, LV, or FL). The backlog is filtered to show only 'TO DO' items.

User Story	Description	Status	Assignee
G6-115	Abrir la maquina virtual con el comando ssh -i Privatekey.key opco@Url	TO DO	NM
G6-116	Instalar docker en la maquina virtual comando sudo yum install docker	TO DO	NM
G6-117	Installar git en la maquina virtual comando sudo yum install git	TO DO	LV
G6-118	Clonar el repositorio git del grupo comando git clone + repositorio grupo	TO DO	LV
G6-119	Dar permisos al puerto 8080 comando sudo fireware --cmd --zone=public --add-port=8080/tcp --permanent	TO DO	FL
G6-120	Resetear el firewall comando sudo firewall -cmd --reload	TO DO	LV
G6-121	Ingresar al archivo creado en el repositorio cd back	TO DO	LV
G6-122	Crear la imagen en la maquina virtual comando docker build -t back .	TO DO	FL
G6-123	Ejecutar la imagen comando docker run -p 8080:4000 back	TO DO	FL
G6-124	Probar en el navegador que se ejecute bien la imagen http://apimaquinavirtual:8080/api/categorias/home	TO DO	FL
G6-125	Ejecutar el docker en el puerto 8180 para el front	TO DO	FL
G6-126	Crear repositorio en git hub del FrontEnd	TO DO	FL
G6-127	Conectar la maquina virtual con la llave private	TO DO	FL



## Start Sprint

43 issues will be included in this sprint.

Sprint name \*

Sprint 4

Duration \*

1 week

Start date \*

12/19/2022 3:09 PM ×

End date \*

12/26/2022 3:09 PM

Sprint goal

Start Cancel

Projects / G12 Grupo 6 CAMPO Y PLAZA

### Sprint 4

4 days remaining Complete sprint ...

Q  LV  FL  NM  FM   Epic GROUP BY None ... Insights

TO DO 43 ISSUES	IN PROGRESS	DONE ✓	+
<p>Construir un archivo llamado Dockerfile en el BackEnd</p> <p>G6-92 <span style="border: 1px solid #ccc; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; margin-left: 10px;">LV</span></p> <p>Automatizar en el archivo Dockerfile (FROM, WORKDIR, COPY, RUN, RUN ...,EXPOSE, CMD)</p> <p>G6-93 <span style="border: 1px solid #ccc; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; margin-left: 10px;">LV</span></p> <p>Crear archivo .dockergignore en</p> <p>I <span style="color: green;">✓</span> Sprint started <span style="float: right;">X</span></p> <p>We've filtered the board to show your new sprint. Good luck, team!</p> <p>FrontEnd y pegarlo en el BackEnd</p>			+



Projects / G12 Grupo 6 CAMPO Y PLAZA

## Sprint 4

4 days remaining Complete sprint ...

GROUP BY None Insights

TO DO 26 ISSUES	IN PROGRESS 11 ISSUES	DONE 6 ISSUES
Verificar las imágenes en el Front con docker images en consola G6-109 NM	Verificar http://localhost:4000 G6-102 LV	Apagar el docker y cambiar el puerto a 8080 G6-103 NM
Ejecutar el docker con comando docker run -p 8189:3000 front G6-110 NM	Ejecutar el docker con comando docker run -p 4000:4000 back G6-101 LV	Crear el archivo Dockerfile en el FrontEnd G6-105 NM
Verificar http://localhost:3000 G6-111 FM	Verificar que la imagen se creó correctamente G6-100 LV	Automatizar en el archivo Dockerfile (FROM, WORKDIR, COPY, RUN, EXPOSE, CMD) en el FrontEnd G6-106 FM
Crear repositorio en git hub del BackEnd G6-112 FM	Crear archivo .dockerignore en BackEnd G6-94 LV	Crear archivo .dockerignore en el FrontEnd

Projects / G12 Grupo 6 CAMPO Y PLAZA

## Sprint 4

4 days remaining Complete sprint ...

GROUP BY None Insights

TO DO	IN PROGRESS 19 ISSUES	DONE 24 ISSUES
	Instalar git en la máquina virtual comando sudo yum install git G6-117 NM	Verificar http://localhost:3000 G6-111 FM
	Instalar docker en la máquina virtual comando sudo yum install docker G6-116 NM	Clonar el repositorio git del grupo comando git clone + repositorio grupo G6-118 LV
	Abrir la máquina virtual con el comando ssh -i Privatekey.key opc@Url G6-115 NM	Dar permisos al puerto 8080 comando sudo fireware -cmd --zone=public --add-port=8080/tcp --permanent G6-119 LV
	Copiar la URL de la máquina virtual	Ingresar al archivo creado en el repositorio cd back G6-121 LV



Jira Software Your work Projects Filters Dashboards People More Create Search

Projects / G12 Grupo 6 CAMPO Y PLAZA

**Sprint 4**

4 days remaining Complete sprint ...

GROUP BY None Insights

TO DO IN PROGRESS DONE 43 ISSUES +

Copiar el gitignore desde el FrontEnd y pegarlo en el BackEnd  
G6-95 ✓ LV

Instalar Docker  
G6-96 ✓ FL

Encender el docker  
G6-97 ✓ FL

Verificar las imágenes con docker images en consola  
G6-98 ✓ FL

Automatizar en el archivo

Jira Software Your work Projects Filters Dashboards People More Create Search

Projects / G12 Grupo 6 CAMPO Y PLAZA

**Sprint 4**

4 days remaining Complete sprint ...

GROUP BY None Insights

TO DO IN PROGRESS

**Complete Sprint 4**

This sprint contains 43 completed issues.  
That's all of them - well done!

Complete sprint Cancel



## Evidencias de las Reuniones de Equipo

Como evidencia de las reuniones que efectúa el equipo del proyecto, presentar capturas de pantalla de las reuniones efectuadas y si lo consideran pertinente algunas actas de las reuniones.

The screenshot shows a Gmail inbox with several notifications. The main focus is an invitation for a Google Meet meeting. The invitation details are as follows:

- Título:** Reunion Grupo 6 Campo y Plaza
- Cuándo:** sábado 17 dic de 2022 4pm – 4:30pm (Hora estándar de Colombia)
- Invitados:** fernando.gonzalez@arcosas.com.co, jjortiz74@gmail.com, fmerchan27@hotmail.com, nasserred@yahoo.com
- Opciones:** Sí, Quizás, No, Más opciones

Below the invitation, there is a summary of the meeting details:

- Cuándo:** sábado 17 dic 2022 - 4pm - 4:30pm (Hora estándar de Colombia)
- Vínculo de la reunión:** [meet.google.com/wwc-zqca-ayt](https://meet.google.com/wwc-zqca-ayt)
- Unirse por teléfono:** (CO) +57 601 8956829  
PIN: 607331248
- Más números de teléfono:** [link]

The screenshot shows a Google Meet video call interface. There are four participants visible in separate video feeds:

- Fernando Gonzalez: A large video feed showing a person in a yellow shirt.
- John Ortiz: A video feed showing a person in a yellow shirt.
- ingetel itsas: A video feed showing a building with a sign that reads "INGETEL Claro".
- Freddy Merchan: A video feed showing a person on a motorcycle.

The interface includes standard video call controls at the bottom, such as volume, camera, and microphone icons. The title of the meeting is "16:13 | Reunion Grupo 6 Campo y Plaza".



Branches - luismolinamt/Curso12 x Invitación: Reunión Campo y Plaza x +

mail.google.com/mail/u/0/#inbox/

Gmail Redactar Buscar en el correo

Recibidos 536 Destacados Posuestos Importantes Enviados Borradores Categorías Social Notificaciones Foros Promociones Más Etiquetas Prioridad Seguimiento Varios Más

Invitación: Reunión Campo y Plaza Sprint 4 lun 19 dic 2022 8pm - 9pm (COT) (luismolinamt@unal.edu.co)

fernando.gonzalez@arcosas.com.co a través de google.com

para mí, jjortiz74, fmerchan27, nassered...

19:11 (hace 2 minutos) 1 de 1.842

Reunión Campo y Plaza Sprint 4

Miralo en Google Calendar

Cuándo lun 19 de dic de 2022 8pm - 9pm (COT)

Participantes jjortiz74@gmail.com, fmerchan27@hotmail.com, nassered@yahoo.com, fernando.gonzalez@arcosas.com.co\*

Agenda lun 19 de dic de 2022

No hay eventos anteriores.

8pm Reunión Campo y Plaza Sprint 4

No hay eventos posteriores.

Cuándo lun 19 dic 2022 - 8pm - 9pm (Hora estándar de Colombia)

Únete con Google Meet

Invitados fernando.gonzalez@arcosas.com.co - organizador luismolinamt@unal.edu.co jjortiz74@gmail.com fmerchan27@hotmail.com nassered@yahoo.com

Vínculo de la reunión meet.google.com/arp-xjuv-nxq

Unirse por teléfono (CO) +57 601 8957161 PIN: 724610363

Ver información de todos los invitados

Escribe aquí para buscar

luismolinamt / November 2022 x Invitación: Reunión Campo y Plaza x Meet - Reunión Campo y Plaza x Tablero G6: tablero ágil - Jira x +

meet.google.com/arp-xjuv-nxq?li=1

Ecrire aquí para buscar

Fernando Gonzalez John Ortiz

ingetel itsas freddy merchan

Tú

20:09 | Reunión Campo y Plaza Sprint 4

Escribe aquí para buscar



Invitación actualizada: Reunion Campo y Plaza Sprint 4 mar 20 dic 2022 8pm - 9pm (COT) (lfmolinav@unal.edu.co)

fernando.gonzalez@arcosas.com.co a través de google.com

lun, 19 dic, 21:13 (hace 21 horas)

Reunion Campo y Plaza Sprint 4

Miralo en Google Calendar

Cuándo mar 20 de dic de 2022 8pm – 9pm (COT)

Participantes jjortiz74@gmail.com, fmerchan27@hotmail.com, nassered@yahoo.com, fernando.gonzalez@arcosas.com.co\*

Agenda mar 20 de dic de 2022

No hay eventos anteriores.

8pm Reunion Campo y Plaza Sprint 4

No hay eventos posteriores.

Se actualizó este evento

Modificación: horario

Cuándo CON CAMBIOS

martes 20 dic 2022 - 8pm – 9pm (Hora estándar de Colombia)

jueves 19 dic 2022 - 8pm – 9pm (Hora estándar de Colombia)

Únete con Google Meet

Vínculo de la reunión

meet.google.com/arp-xjuv-nxq

Escribe aquí para buscar

meet.google.com/arp-xjuv-nxq?pli=1

freddy merchan

Fernando Gonzalez

John Ortiz

Tu

20:05 | Reunion Campo y Plaza Sprint 4

20:05 p. m. ESP 20/12/2022