Index

Note: Page numbers followed by "f" indicate figures, "t" indicate tables and "b" indicate boxes.

A

Abstraction software layer, 56, 189
Acceleration via automation, 131–132
Access control, 105, 140
Accounting, 2, 17–18, 28–29, 35–36, 207–208
  asset management, 208
Acme Manufacturing, 25–26, 37–38, 53, 242–243
Active monitoring solutions, 155
Active transaction monitoring, 170
ADDM. *See* Application discovery and dependency mapping (ADDM)
ADFs. *See* Application description files (ADFs)
Administrative control, 182
Advanced IT Analytics (AIA), 153
  layer, 169
Advanced operations analytics, 266
Advanced predictive analytics, 7–8, 239–240
Agile, 253
Agile development, 122–123
  practices, 109, 141
Agile practices, 122
  characteristics, 123t
AIA. *See* Advanced IT Analytics (AIA)
AJAX, 86
ALM. *See* Application lifecycle management (ALM)
Amazon machine image, 57
Amazon Web Services (AWS), 43–44, 181, 197
AMS. *See* Application Management Specification (AMS)
Analytical engine, 12
Analytics, 149, 153–154
  instrumentation supporting APM, 160–162
  process, 116–117
  system, 116
Analytics, 151
APIs. *See* Application performance interfaces (APIs)
APM. *See* Application performance management (APM)
App wrapping, 81, 182
AppDynamics, 23, 115
Apple Company, 79
Appliance-based systems, 63
Application description files (ADFs), 217
  format, 219
  structure for distributed system, 219f
Application discovery and dependency mapping (ADDM), 164–165, 239, 253, 259–260, 259f, 262
  automated topology map generation, 166f
  solutions, 152–153
Application lifecycle management (ALM), 66, 87, 128, 237
  practice evolution, 238t
Application management, 1, 11, 13–14, 26, 41, 124, 151–152, 191, 207, 211
  in cloud environments, 2
  evolution, 1, 11, 24t
  functions, 74
  IT, 55
  new technologies
    advanced predictive analytics for performance management, 239–240
    autonomics and cognitive computing, 240
    changing face of applications, 238
    changing of guard, 241–242
    cloud computing innovations, 238
    cloud management standards, 241
    dynamic policy rules, 240
    evolution of ALM practices, 238t
    future with Acme Manufacturing, 242–243
    heightened security needs, 240–241
    innovations, 242
    normalizing DevOps, 241
    software-defined everything, 239
  in 1960s, 15–17
  in 1970s, 17–19
  in 1980s, 20
  in 1990s, 20–22
  objectives and challenges, 77
  semantic model, 6, 160
  technique, 88
  in 21st century, 22–23
    analytical engine, 12
    Colossus, 12–13
    creation of ENIAC, 13
    early application management tools, 19t
    early days management, 14–15
    hardware problems, 16f
    IBM's System 360, 15, 16b
  in 2010–present, 23–24
Application management MIB (applMIB), 212, 214–215
Application Management Organization Strategy, 225

Application management security, 3
dangerous software errors, 97
interaction between components, 97t
porous defenses, 98t
risky resource management, 97t
insecure interaction between components, 97
porous defenses, 98–104
risky resource management, 97
securing applications in production, 104–106
DiD, 105f
Application Management Specification (AMS), 217
Application performance management (APM), 4–6, 36, 89–90, 107, 140, 151, 239
analytics, 153–154
for complex applications, 114–115
companies supporting applications, 115f
data sources supporting, 160–162
ecosystem, 158–160, 158f
instrumentation supporting, 160–162
multidimensional visibility to application execution, 152–153
on-premises APM solution, 155–157, 156f
real world, 115–116
automated topology map, 116f
SaaS–based APM solution, 155–157, 157f
taxonomy of product categories supporting, 164–169
tools, 90, 128–129
UEM comparing and contrasting with, 154–155
Application programming interfaces (APIs), 4–5, 23, 88, 107, 137, 140, 143f, 228
consumer usage in enterprise, 142–145, 143f
gateways, 114, 138–142, 139f, 140t, 148f, 154
provider usage in enterprise, 145–149, 145f–146f
reliability, 90
tools in API economy, 138–139
use case, 141–142
Application Response Measurement (ARM), 228–230, 229f
v2 (API) specification, 228
Application Services Library (ASL), 224–226
ASL 2, 225, 226f
maturity model, 227f
Application(s), 11, 13, 42–43, 95
application-level encryption, 181
catalog information, standard utilities and, 216
code analytics, 167
complexity evolution, 110–111
containerization, 181
development, 95–96
platforms, 86
diversity, 108–110
face changing, 238
instrumentation, 229–230
integration analytics, 167–168
maintenance and renewal processes, 225
packaging layout, 216
performance, 20, 55, 112–113, 127, 154, 253
heterogeneity, 112
integration, 112–113
level, 31
measurement, 89–90
scale, 112–113
profiling, 69
security, 95
strategy, 225
streaming, 58
structures, 216
support process, 225
virtualization, 80
applMIB. *See* Application management MIB (applMIB)
ARM. *See* Application Response Measurement (ARM)
ASL. *See* Application Services Library (ASL)
ASL-BiSL Foundation, 7
standards, 224–226
Asset management, 35, 208, 253
Automation, 125, 260
acceleration via, 131–132
automated deployment, 125
automated processes, 131
DevOps, 183
for digital transformation, 122–123
Autonomics
autonomous mobile computing, 75, 75f
and cognitive computing, 7–8, 240
and cognitive systems, 240
Availability, 14, 68, 249
application, 32
approaches to management in public clouds, 48f
hyperavailability, 237
AWS. *See* Amazon Web Services (AWS)

B

B2B interactions. *See* Business-to-business interactions (B2B interactions)
B2C interactions. *See* Business-to-consumer interactions (B2C interactions)
Big data, 261
Big operational data, 117, 242
Bilateral management approach, 90
Bring your own device (BYOD), 2–3, 28–29, 79–80
experience, 181
management solution, 80
policies, 86
security in, 80–81
Browser injection, 173
Business
agility, 137
applications, 151

pressure, 197, 197t
process automation tool, 128
stakeholders, 127
units, 29
Business service management (BSM), 264f
portfolio, 122–123
Business-Dedicated Apps, 81
Business-facing applications, 151
Business-to-business interactions (B2B interactions), 5
Business-to-consumer interactions (B2C interactions), 5
BYOD. *See* Bring your own device (BYOD)

C

CaaS. *See* Containers as a service (CaaS)
CADF. *See* Cloud Auditing Data Federation (CADF)
CAMP. *See* Cloud Application Management for Platforms (CAMP)
Capability maturity model (CMMI), 226
Capacity management, 127, 140, 159, 192, 195
CDFs. *See* Component description files (CDFs)
CDNs. *See* Content delivery networks (CDNs)
Central processing unit (CPU), 17–18, 99b–104b
Change management, 123–124, 152–153, 160, 253
Checkpoint restart, 19t
CIM. *See* Common Information Model (CIM)
CIs. *See* Configuration items (CIs)
Client service manager (CSM), 242–243
Client-side
application virtualization, 60
monitoring, 173
script, 86
Client/server
application, 167
architectures, 21, 110–111
Cloud, 41, 109, 125, 187, 189
applications, 85–86
balancing microservices in, 181
cloud-based DAST tools, 92
cloud-based IaaS, 113
cloud-hosted applications, 3
cloud-hosted system, 157
community, 269
data collection techniques and data sources, 47f
deployments, 46f
hybrid, 113, 269
infrastructure, 268–269
management of cloud applications, 45–50
hybrid cloud, 49–50
private cloud, 45–46
public cloud, 46–49
management standards, 241
private, 22, 41, 44–46, 44f, 58, 125, 253, 269
public, 22, 41–44, 43f, 58, 113, 269
application, 137
environments, 259
IaaS, 46
managing application performance and availability in, 48f
PaaS, 46–49
SaaS, 49
services, 159
service, 58
standards, 241
technology, 137
Cloud Application Management for Platforms (CAMP), 228, 230–232, 231f
Cloud Auditing Data Federation (CADF), 220–222
Cloud computing, 2, 21–22, 41
hybrid cloud, 44, 45f, 49–50
innovations, 238
NIST definition, 267–269
audience, 267
report, 8
on-demand self-service, 42b
private cloud, 44–46, 44f
public cloud, 42–44, 43f, 46–49
types of, 42b
CloudBees, 131
CMDB. *See* Configuration management database (CMDB)
CMDF. *See* Containerized and modular data center facility (CMDF)
CMIP. *See* Common Management Information Protocol (CMIP)
CMMI. *See* Capability maturity model (CMMI)
CMOS. *See* Complementary Metal–oxide Semiconductor (CMOS)
Code analytics, application, 167
Code sequences, 137
Cognitive computing, 7–8, 240
Cognitive systems, 240
Cold migration, 64
Collaboration, 92, 125–127
tools, 132
Colossus, 12–13
Command-and-control approach, 240
Commercial-off-the-shelf software (COTS), 27
applications, 35
Common Information Model (CIM), 220–221
Common Management Information Protocol (CMIP), 28
Common weakness enumeration (CWE), 95
CWE/SANS “top 25 dangerous software errors”, 98
Community
cloud, 269
feature, 212
Complementary Metal–oxide Semiconductor (CMOS), 204
Component description files (CDFs), 219
Component-based applications, 108, 242. *See also* Web-based applications
Componentization, 21–22

Componentized applications, 107
administration, 216
analytics process, 116–117
APM for complex applications, 114–115
architectures, 3–4
complexity evolution, 110–111
diversity, 108–110
performance, 112–113
"real world" APM, 115–116
Configuration items (CIs), 8, 255, 257
Configuration layer, 56
Configuration management database (CMDB), 8, 34–36, 43, 161, 253, 255, 257, 259
Change Advisory Board and Automation, 264f
foundations, 254–257, 254f
ADDM, 259–260, 259f
advanced operations analytics, 266
analytics, 260–261
automation, 260
CMS, 255
dashboards, 261
data and configuration items, 257
discovery and inventory tools, 260
ITIL, 255
recommendations, 266
and service management ecosystem, 261–266
SKMS, 256–257
system technologies, 258–266
visualization, 261
primary goal of ITIL V3's SKMS, 256f
process-centric CMDB, 263f
Russian nesting dolls, 258f
service impact management, 264f
system, 164
in well-evolved deployment, 262f
Configuration management system (CMS). *See* Configuration management database (CMDB)
Configuration repositories, 152–153
Connected systems, 4–5
Connecting processes, 225
Consumer API usage in enterprise, 142–145, 143f–144f. *See also* Provider APIs usage in enterprise
Consumers, 137
consumer-facing applications, 137
Container pool. *See* Container(s)—cluster
Container-based microservices, 107, 113, 141, 168
Container-based virtualization, 180
Container(s), 109, 125, 158–159, 177, 180, 253
cluster, 179
in distributed systems, 183–184
freight containers vis-a-vis application containers, 178f
revitalization of, 179–180
Containerization, 6, 80–81, 141, 160, 177–178, 181
application, 181
engine, 178
Containerized and modular data center facility (CMDF), 182
Containerized applications, 6, 81, 177
automating DevOps, 183
balancing microservices in cloud, 181
benefits of management, 180–184
BYOD experience, 181
challenges of managing, 183–184
freight containers vis-a-vis application containers, 178f
hypervisor-based *vs*. container-based virtualized architecture, 178f
increasing administrative control, 182
managing enterprise app store, 182
revitalization of containers, 179–180, 179f
transforming data center, 182
Containerized Workspace, 80–81
Containers as a service (CaaS), 179, 179f
Content delivery networks (CDNs), 107
Continuous Delivery, 122–123, 129–130, 130f, 133. *See also* Development and Operations (DevOps)
acceleration via automation, 131–132
agile development, 122–123
implementation, 130–131
software drives business, 121
Continuous Integration platform, 131
Converged systems, 62
Corporate firewall, 109
COTS. *See* Commercial-off-the-shelf software (COTS)
CPU. *See* Central processing unit (CPU)
Cross-functional collaboration, 127–128
Cross-functional personnel hiring, 87
Cross-site scripting (XSS), 90–91
Cross–lifecycle service quality, 128–129
CSM. *See* Client service manager (CSM)
Customer relationship management system, 122
Customizable patterns, 242
CWE. *See* Common weakness enumeration (CWE)

D

DASH. *See* Desktop and Mobile Architecture for System Hardware (DASH)
Dashboards, 261
DAST. *See* Dynamic application security testing (DAST)
Data
backup and recovery, 19t
sharing, 15
sources supporting APM, 160–162
EMAs application management semantic model, 160
tools, data, and analytics, and end-to-end perspective, 160–162
Data center
instrumentation, 164–165
managers, 193
transforming, 182

Database, 87
database design, capitalizing on, 87
database schema changes, 142
Defense in Depth (DiD), 99b–104b, 104, 105f
Dependency
checking, 217
mapping, 159
mobile computing, 76f
Desktop and Mobile Architecture for System Hardware (DASH), 222
Desktop application, 107
Desktop Management Task Force (DMTF), 7, 211
Desktop virtualization, 57, 80
Desktop/laptop systems, 27–29
Development and Operations (DevOps), 107, 122–124, 127, 133, 194, 253. *See also* Continuous Delivery
agile development, 122–123
automation, 183
blurs, 87
bridging diverse tasks, groups, and skills, 127–129
and continuous delivery, 4
implementation, 125–126
across lifecycle, 126–127, 126f
normalization, 241
software drives business, 121
teams, 121, 158, 182
Development intelligence, 242
DevOps. *See* Development and Operations (DevOps)
Diagnose Measurement Data, 230
DiD. *See* Defense in Depth (DiD)
Digital transformation, 7–8, 130, 237
Disaster recovery, 67–68
Discovering custom applications, 167
Discovery and inventory tools, 260
Distributed applications, 107, 151
administration, 216
analytics process, 116–117
APM for complex applications, 114–115
architectures, 3–4
complexity evolution, 110–111
diversity, 108–110
performance, 112–113
"real world" APM, 115–116
Distributed computing, 21–22
environment, 20
evolution of, 110f
"Distributed era", 110–111
Distributed Management Task Force, Inc. (DMTF), 220–221
Distribution, 217
Divine Comedy (Dante), 49–50
DMTF. *See* Desktop Management Task Force (DMTF); Distributed Management Task Force, Inc. (DMTF)
Docker, 111, 141, 179–180, 183–184
Domain Specific Language, 231
Downtime, 19
"Duel persona" solution, 80–81
Dynamic application security testing (DAST), 92
Dynamic code analysis, 99b–104b
Dynamic Policy Engine, 240
Dynamic policy rules, 7–8, 240

E

EDI. *See* Electronic data interchange (EDI)
Electronic data interchange (EDI), 4–5, 137
EMA. *See* Enterprise Management Associates (EMA)
Embedded devices group, 72
EMC Federation, 194
EMM. *See* Enterprise mobility management (EMM)
Encryption, 105, 204
End-user experience (EUE), 48
Enterprise app store, 182
Enterprise application management strategy, 241
Enterprise Management Associates (EMA), 23, 42–43, 77, 125, 142, 153, 190, 258
application management semantic model, 160, 161f
research, 127–128
Enterprise mobility management (EMM), 71
Enterprise resource planning system (ERP system), 4, 122
Enterprise service buses (ESBs), 108–109, 154
Erasable Programmable Read-only Memory (EPROM), 205
eReader, 75
ERP system. *See* Enterprise resource planning system (ERP system)
ESBs. *See* Enterprise service buses (ESBs)
EUE. *See* End-user experience (EUE)
Extensible Markup Language (XML), 221
formats, 88
offloading, 167
External CIs, 257

F

Facebook, 86
Fault
IoTs, 207
management, 36
management tool for application, 34
Fault, configuration, accounting, performance, and security (FCAPS), 2, 28, 28f
accounting, 35–36
configuration, 34–35
fault, 34
model, 34f
performance, 36
security, 36–38
FCAPS. *See* Fault, configuration, accounting, performance, and security (FCAPS)
Federal Desktop Core Configuration (FDCC), 99b–104b
Federal Information Security Management Act (FISMA), 267

Field Programmable Read-only Memory (FPROM), 205
File transfer protocol (FTP), 4
Firewalls, 59, 104, 171
  corporate, 109
  next generation firewalls (NGFWs), 104
  virtual firewalls, 197
  web application firewalls (WAFs), 92
Flow consumption, 265
"Foundations of Application Management", 217
FPROM. *See* Field Programmable Read-only Memory (FPROM)
FTP. *See* File transfer protocol (FTP)
Functional perspective management, 34–38
Functionality, 137

G

Global description file (GDF), 219
"Go Solo 2", 217
Google, 181, 241–242
  Google Maps, 86
  search engine, 85
Gray's Sports Almanac, 237
"Green screen". *See* 3270 CRT terminal
Guard, changing of, 241–242
Guest, 56

H

Handoff, 127
Hands-on approach, 194
Heightened security needs, 240–241
Heterogeneity, 112
Heterogeneity application, 125
High-quality user experience of API-connected applications, 147
"Honor system", 33–34
Host, 56
Host/platform configurations, 66
HTTP language, 138
HTTP/S. *See* Hypertext transfer protocol/secure (HTTP/S)
"HVAC repairs", 27
Hybrid cloud, 22, 41, 44, 45f, 49–50, 113, 269
  application configurations, 173
Hyperavailability, 237
Hyperconverged system, 63
Hyperconvergence
  benefits of, 63–64
  virtualization integration through, 63f
Hypertext transfer protocol/secure (HTTP/S), 5, 137–138
Hypervisor. *See* Virtual machine manager (VMM)
Hypervisor-based virtualization, 178, 180

I

IaaS. *See* Infrastructure as a service (IaaS)
IDS. *See* Intrusion detection (IDS)
IEEE standards. *See* Institute Of Electronic And Electrical Engineers Standards (IEEE standards)
IETF. *See* Internet Engineering Task Force (IETF)
Image checkpoint and rollback, 65
Image Sprawl, 183
Improper input validation, 99b–104b
In-context collaboration, 242
Independent software vendors (ISVs), 20, 122
Industry standards, 5
Information technology (IT), 2, 14, 26–27, 71, 87, 108, 177, 187, 222, 245, 253
  application, 193–194
  developers, 182
  ecosystem, 151
  lexicon, 124
  operations teams, 121, 123
  silos, 196
    pain points, 196t
  vendor support, 195
Information Technology Infrastructure Library (ITIL), 8, 87, 224, 253, 255
  CMDBs, 255
Information technology service management (ITSM), 4, 53
Infrastructure
  configurations, 127
  silos, 188
  topology, 265
    layer, 193
  utilization, 263
Infrastructure as a service (IaaS), 2, 42, 46, 113, 138, 179, 189, 269
  clouds, 161
Innovations, 242
Insecure interaction between components, 97
Installation, 217
Institute Of Electronic And Electrical Engineers Standards (IEEE standards), 7, 211, 215–217, 241
  IEEE 1220 standard, 215–216
    for Application and Management of Systems Engineering Process, 215
Instrumentation supporting APM, 162t, 163f
  EMAs application management semantic model, 160, 161f
  tools, data, and analytics, and end-to-end perspective, 160–162
Integration, 44, 112–113
  applications, 108, 108f
  integration analytics, application, 167–168
  technologies, 137, 161
  tool, 128
Intelligent management operations, 193
Interconnected applications, 4–5
Interface CIs, 257
Internal CIs, 257
Internally hosted applications, 3

International Electro-Technical Commission, 211
International Organization of Standardization (ISO), 7, 28, 211
  ISO 16350:2015 standard, 227
  ISO/IEC standards, 227–232, 241
    16350 for Application Management, 227–228
    17203:2011 standard, 223, 228
    17963:2013 standard, 223
Internet Engineering Task Force (IETF), 7, 211
  managing with, 212–215
  standards, 212
"Internet era", 110–111
Internet of Things (IoT), 5, 7, 24, 74, 109, 137, 162, 199, 238
  accounting, 207–208
  agriculture, 203
  configuration, 205
  connecting everything to everything, 201f
  deployments, 168
  fault, 207
  health, 202
  implementation, 204
  instrumentation, 203–204
  management, 204–205
  market for products, 201
  natural resources, 203
  performance, 207
  reference architecture, 200f
  remote IoT device, 206f
  retail, 202
  security, 205–207
Internet-enabled applications, 86
Interoperability, 137
  CAMP, 230
  tools, 128
Intrusion detection (IDS), 104
Intrusion prevention (IPS), 104
IoTs. *See* Internet of Things (IoTs)
IPS. *See* Intrusion prevention (IPS)
ISO. *See* International Organization of Standardization (ISO)
ISVs. *See* Independent software vendors (ISVs)
IT. *See* Information technology (IT)
Iterative development, 125
Iterative process, 89
ITIL. *See* Information Technology Infrastructure Library (ITIL)
ITSM. *See* Information technology service management (ITSM)

J

Jenkins ecosystem, 131, 132f
Job control language (JCL), 13, 26–27
Job scheduling, 19t
JSON formats, 88

K

Key performance indicators, 155
Kim, Gene, 122
Kubernetes, 179

L

LANs. *See* Local area networks (LANs)
Laptops, 77
  applications on, 77–78
Leading-edge application management, 116
Legal action, 69
Let Me Contain That For You (LMCTFY), 181
Lifecycle
  lifecycle–centric approach, 125
  management and application, 122
  management tasks, 180
  model, 126, 126f
  traceability, 242
Lightweight virtualization. *See* Container-based virtualization
Line of business (LOB), 20, 27, 125, 137
  functions, 88
  Line application, 153
Lingua franca, 152
Linux, 241–242
  Linux-based server, 141
  Linux-based technology, 177
Linux Containers (LXC), 179–181
Live migration, 64
LMCTFY. *See* Let Me Contain That For You (LMCTFY)
Load-balancing, 189
LOB. *See* Line of business (LOB)
Local applications, 75
Local area networks (LANs), 20–21
"Logic layer", 192
Logical representations of resources, 55
LXC. *See* Linux Containers (LXC)

M

MaaS. *See* Middleware as a service (MaaS)
MAC address, 86–87, 208
Mail program, 108
Mainframe computers, 18f, 19, 29
Maintenance agreements, 30
MAM. *See* Mobile application management (MAM)
Management, 14–15, 26
  approach, 87
  data, 138
  imperative, 28–29
  information databases, 165
  protocols, 117
  techniques, 56
  tools, 33, 151

Management information bases (MIBs), 211, 213
Management Information Format (MIF), 219
Mapping custom applications, 167
Master console operator (MCO), 17, 26–27
MDM. *See* Mobile device management (MDM)
Message queuing method (MQ method), 167
Metadata, 57–58
  metadata-driven deployment, 125
  repositories, 152–153
MIBs. *See* Management information bases (MIBs)
Microservice(s), 111, 141–142, 158–159, 253
  architectures, 141, 141f
  balance in cloud, 181
Microsoft, 181
Microsoft Outlook, 108
Microsoft Word, 4
Middleware as a service (MaaS), 238
MIF. *See* Management Information Format (MIF)
Minicomputers, 19
Mobile, 125
mobile app. *See* Mobile application (mobile app)
Mobile application (mobile app), 2–3, 23, 28–29, 71–74, 76, 86, 108, 112–113, 137, 174
Mobile application management (MAM), 71
  administrator, 182
  applications on laptops, 77–78
  to business applications, 71
  BYOD, 79–80
  function of, 71
  local applications, 75
  mobile apps, 71–74
  objectives, 74–75
  remote
    data, 75–76
    functionality, 76–77
  security in BYOD, 80–81
  smartphones, 79–80
  tablets, 79–80
Mobile computing, 73f, 2–3, 73f. *See also* Cloud computing
Mobile device management (MDM), 71, 181–182
Mobile device(s), 29, 74, 86, 111, 146, 154
  and applications, 77
Mobile security management (MSM), 71
Mobile web applications, 86
"Mobile/cloud era", 110–111
Monolithic applications, 141, 141f
Monster mitigations, 98
  matrix, 99b–104b
Moore's law, 17b
MQ method. *See* Message queuing method (MQ method)
MSM. *See* Mobile security management (MSM)
Multicloud management approach, 195
Multidimensional visibility to application execution, 152–153
Multiple-use templates, 242
Multivirtualization approach, 195

N

NAS. *See* Network attached storage (NAS)
National Institute of Standards and Technology (NIST), 41, 267
  definition of cloud computing, 8, 267–269
    audience, 267
National Institute of Standards and Technology, 128–129
Native applications, 87
Network attached storage (NAS), 189
Network
  infrastructure, 189–190
  management, 74, 183–184
  tap, 172
  virtualization, 2, 60–61, 193
  application management, 168–169
Next generation firewalls (NGFWs), 104
NIST. *See* National Institute of Standards and Technology (NIST)
Non-volatile Memory (NVM), 204
NVM OTP CMOS technologies, 205–206

O

OASIS. *See* Organization for Advancing Open Standards for Information Society (OASIS)
Object identifier (OID), 213
Observed monitoring solutions, 172
Observed transaction monitoring. *See* Observed monitoring solutions
OCI. *See* Open Container Initiative (OCI)
Office of Management and Budget (OMB), 267
OID. *See* Object identifier (OID)
OLA. *See* Operational-level agreement (OLA)
On-demand self-service, 42b
On-premises APM solution, 155–157, 156f
One-time Programmable Memory (OTP), 204
ONF. *See* Open Network Foundation (ONF)
Online processing, 18–19
Open Container Initiative (OCI), 184
Open Container Project, 6
Open Group, 228
Open Network Foundation (ONF), 190
Open standards, 228
Open Systems Interconnect (OSI), 28
Open virtualization format (OVF), 57, 223–224, 227–228
Open Web Application Security Project (OWASP), 91
  web application security issues, 91t
OpenFlow SDN protocol, 189–190
Operating system (OS), 13, 29, 43, 55, 74, 86–87, 105, 109, 129
Operational control, 217

Operational Level process, 225
Operational-level agreement (OLA), 36, 246
Optimization decisions, 192
Orchestrated services, 141, 142f
Organization for Advancing Open Standards for Information Society (OASIS), 228, 231–232
OS. *See* Operating system (OS)
OSI. *See* Open Systems Interconnect (OSI)
OTP. *See* One-time Programmable Memory (OTP)
OVF. *See* Open virtualization format (OVF)
OWASP. *See* Open Web Application Security Project (OWASP)

P

PaaS. *See* Platform as a service (PaaS)
Packaging Format, 231
Packet analysis, 168
Pandora application, 21
Passive identifiers, 208b
Passive monitoring
  solutions, 155
  technology, 48–49
  transaction monitoring, 172
Passwords, 105
  network, 156–157
Patch management, 58, 260
PC. *See* Personal computer (PC)
People data, 257
Performance baselining environment, 69
Performance management, 36, 125, 140, 253
  advanced predictive analytics for, 239–240
Performance metrics, 249
Performance monitoring, 69
Performance of web applications, 89
Perimeter security, 104
Personal computer (PC), 20, 27, 58, 77, 204
Personally identifiable information (PII), 99b–104b
Physical computing, 188–189
Physical resources, 55
PII. *See* Personally identifiable information (PII)
Platform as a service (PaaS), 22, 42–44, 46–49, 114, 177, 230, 268–269
Policy violations, 78
Policy-driven infrastructure provisioning and management process, 194
Porous defenses, 98–104
Port mirroring, 172
Portability, CAMP, 230
Portable Operating System Interface (POSIX) 1387. 2, 215
POSIX 1387.2 distributed roles, 218f
POSIX 1387.2 software administration standard, 216–217
Post–hypervisor programming environment, 189
Private cloud, 22, 41, 44–46, 44f, 58, 125, 253, 269
Proactive analysis, 160
Process data, 257
Programmable Read-only Memory (PROM), 204–205
Programmable Web's API Directory, 88
PROM. *See* Programmable Read-only Memory (PROM)
Provider APIs usage in enterprise, 145–149, 145f–146f. *See also* Consumer API usage in enterprise
  API gateways, 148f
  monthly transaction growth rates, 147f
  traffic volumes, security-related factors, 148f
Provider data, 2573
Public cloud, 22, 41–44, 43f, 58, 113, 269
  application, 137
  environments, 259
  IaaS, 46
  managing application performance and availability in, 48f
  PaaS, 46–49
  SaaS, 49
  services, 159
Public infrastructure as service, 125

Q

Quality assurance (QA), 89, 96, 127
Quality of service (QoS), 35, 104, 189
  specifications, 239
Query optimization, 87
Quick Response Codes (QR codes), 208b

R

Radio Frequency Identification (RFID), 208b
Real user monitoring (RUM), 48–49, 170–171
"Real world" APM, 115–116, 116f
Real-time
  monitoring, performance, 89
  planning, 242
  processing, 18–19
  topology mapping, 23
Release automation
  solutions, 155–156
  tool, 128
Remote
  data, 75–76
  functionality, 76–77
  IoT device, 206f
Repeatable software and infrastructure configuration, 195
Representational state transfer (REST), 5, 108–109, 137–138
Requests for comments (RFC), 212
Resource Model, 231
Resource pooling, 268
REST. *See* Representational state transfer (REST)
Revitalization of containers, 179–180
RFC. *See* Requests for comments (RFC)

RFID. *See* Radio Frequency Identification (RFID)
Rich Internet Applications (RIA), 174
"Rip and replace" approach, 191–192
Risk assessment, 67
Risky resource management, 97
Robot transactions. *See* Synthetic transactions
Root-cause analysis, 160
Routing algorithms, 121
RUM. *See* Real user monitoring (RUM)

S

SaaS. *See* Software as a service (SaaS)
SAN. *See* Storage area network (SAN)
SAST. *See* Static application security testing (SAST)
Scalability, virtual environment, 68
Scale, 112–113
Scaling using virtual systems, 65
SDDC. *See* Software-defined data center (SDDC)
SDK. *See* Software development kit (SDK)
SDLC. *See* Software development lifecycle (SDLC)
SDNs. *See* Software-defined networks (SDNs)
SDS. *See* Software-defined storage (SDS)
Security, 41, 95, 138, 156–157
  in BYOD, 80–81
  and data confidentiality, 183
  experts, 129
  IoTs, 205–207
  management, 36–38, 96
  SDDCs, 187, 191
  secure environment, 95
  in virtual environment, 65–67
  web-based applications, 86, 90–92
    OWASP web application security issues, 91t
Self-learning predictive analytics, 261
"Semantic cube" model, 6
Sensor systems, 125
Server, 87
Server-side script, 86
Service impact
  analytics, 263
  management, 264f
Service knowledge management system (SKMS), 256–257
Service-level management, 36, 127
Service lifecycle CIs, 257
Service management ecosystem, 261–266
Service models, 265–266, 265f, 268
  IaaS, 269
  PaaS, 268–269
  SaaS, 268
Service-level agreements (SLAs), 89, 8, 36, 89–90, 127, 155, 245–246, 248
  approvals, 252
  components, 248t
  exclusions, 251
  metrics, 249–250, 249b
  nonperformance, 250–251
  reporting, 251
  responsible parties, 252
  reviews, 252
  revisions, 252
Service-level guarantee (SLG), 49, 246
Service-level management (SLM), 8, 160, 245
  process, 246
    SLM functions, 247f
  terminology, 245–246
Service-level objective (SLO), 246, 249
Service-oriented architecture (SOA), 4, 22–23, 88, 107, 161
Service(s), 130, 137, 245
  virtualization, 128–129
Serviceable management, 245
Shifting left, 128–129
Simple network management protocol (SNMP), 117, 155–156, 212
  application management, 215
  to troubleshoot network problems, 215
  V1, V2, V2C, V3 protocols, 212–213
Simple object access protocol (SOAP), 5, 108–109, 137, 222
SLAs. *See* Service-level agreements (SLAs)
SLG. *See* Service-level guarantee (SLG)
SLM. *See* Service-level management (SLM)
Smart Containerization technology, 184
Smartphone management, 74
Smartphones, 77, 79–80
SMASH. *See* System Management Architecture for Server Management (SMASH)
SNMP. *See* Simple network management protocol (SNMP)
SOA. *See* Service-oriented architecture (SOA)
SOAP. *See* Simple object access protocol (SOAP)
Social media, 121, 137
SocketPlane, 183–184
Software architecture, 192
Software as a service (SaaS), 3, 22, 42–43, 86, 114, 138, 157, 268
  SaaS–based APM solution, 155–157, 157f
Software development kit (SDK), 90, 228
  absence of, 90
Software development lifecycle (SDLC), 61–62, 99b–104b
Software errors, 97
  interaction between components, 97t
  porous defenses, 98t
  risky resource management, 97t
Software licensing, 198
Software product package, 129–130
Software security framework (SSF), 99b–104b
Software security group (SSG), 99b–104b

Software-defined
everything, 239
infrastructure, 191
management, 192
server virtualization, 189, 191
Software-defined data center (SDDC), 6, 187–188, 237, 239, 260
advantage of IT vendor support, 195
business pressure, 197, 197t
capacity management, 192, 195
challenges of managing, 195–196
create and package repeatable software and infrastructure configuration, 195
creating blended teams with cross-domain expertise, 193–194
fundamental resources of, 188, 188f
hands-on approach, 194
implementing centralized, policy-driven, and application-centric management style, 193
IT silos, 196, 196t
management, 192–193
multivirtualization and multicloud management approach, 195
performance visibility and operations, 197
physical and virtual computing, 188–189
policy-driven infrastructure provisioning and management process, 194
SDN, 189–190
defining characteristics important to solution implementation, 190t
OpenFlow Protocol, benefits of, 190t
SDS, 189
security, 187, 191
software licensing, 198
transitioning to, 191–192
Software-defined networks (SDNs), 114, 169, 188–190, 193, 197, 239, 260
Software-defined storage (SDS), 188–189
Software-driven businesses, 137
SSF. *See* Software security framework (SSF)
SSG. *See* Software security group (SSG)
Stand-alone project management team, 194
Standardize container technology, 177
Standards, 7
to application management, 211
application management standards at glance, 233t–234t
applMIB, 214–215
ARM, 228–230, 229f
ASL, 224–226
CADF, 221–222
CAMP, 230–232, 231f
CIM, 221
establishing, 184
establishing protocols, 211
IEEE 1220 standard, 215–216
ISO/IEC 16350 for application management, 227–228
ISO/IEC 17203:2011, 228
management
with AMS, 217–220
with ASL-BISL Foundation standards, 224–226
with DMTF standards, 220–224
with IEEE standards, 215–217
with internet engineering task force standards, 212–215
with ISO/IEC standards, 227–232
open standards, 228
OVF, 223–224
POSIX 1387.2 software administration standard, 216–217
SNMP network management protocol, 212–213
sysApplMIB, 213, 214t
WS-Man specification, 222–223
Starbucks' management, 191
State-of-the-art applications, 141
Static analysis, 99b–104b
Static application security testing (SAST), 92
Storage access, virtual environment, 69
Storage area network (SAN), 61, 189
Storage virtualization, 2
Strategic shift approach, 193
Switched port analyzer (SPAN). *See* Port mirroring
Synthetic transactions, 48–49, 154, 170
System 360, 15, 16b
System application MIB (sysApplMIB), 212–213, 214t
System integration security, 92
System management, 74
System Management Architecture for Server Management (SMASH), 222
Systems Application Group, 213
Systems Application Installed Group, 213
Systems Application Map Group, 213
Systems engineering process, application and management of, 215–216
Systems Performance, 263

T

Tablets, 77, 79–80
Tape management, 19t
Taxonomy of product categories
ADDM, 165
advanced IT analytics layer, 169
application code analytics, 167
application integration analytics, 167–168
CMDB system, 164
data center instrumentation, 164–165
networked application management, 168–169
supporting APM, 164–169
TCO. *See* Total cost of ownership (TCO)

Technical silos, 124
Technology data, 257
Telecommunications, 245
Templates, 58
ThinApp, 58
3270 CRT terminal, 18
Tiered, and componentized application architectures, 3–4
Tivoli, 7
  AMS, 217
Tooling, 184
Topology, 217
  model, 110, 116–117, 153–154
Total cost of ownership (TCO), 56, 211
Traditional applications, 26
  controlling applications, 33–34
  developers, 32–33
  FCAPS model, 34f
    accounting, 35–36
    configuration, 34–35
    fault, 34
    performance, 36
    security, 36–38
  frontline staff, 31
  functional perspective, 34–38
  ISO management functions, 28f
  knowing, 31–33
  management, 2, 28–29
  MCO, 26–27
  players, 30f
  responsibilities, 29–31
  specialists, 32
  user perspective, 32f
Traffic monitoring, 67
Transaction
  growth, 147
  management, 169
  tracing, 117, 168
  transaction-centric analytics, 261
TurboTax, 85

U

UEM. *See* User experience management (UEM)
Uninterruptible power supplies, 165
User experience, 59, 154, 261
User experience management (UEM), 5–6, 107, 152, 169–170, 265
  APM comparing and contrasting with, 154–155
  products and features, 171t
  tool, 128–129
  types of UEM solutions, 170–174
User-facing applications, 151
User-installed VMs controlling, 67

V

VA. *See* Virtual appliances (VA)
VDI. *See* Virtual desktop interface (VDI)
Vendor-independent library, 224–225
Virtual appliances (VA), 2, 59
  closed, 59
  open, 59
Virtual application, 81
Virtual desktop interface (VDI), 59–60, 80, 174
Virtual environment management challenges, 65–69
  availability, 68
  disaster recovery, 67–68
  legal, 69
  performance monitoring, 69
  scalability, 68
  security, 65–67
  storage access, 69
Virtual firewalls, 197
Virtual instances, 178
Virtual integration, 62–64, 63f
Virtual machine image (VMI), 59
Virtual machine lifecycle management (VMLM), 68
Virtual machine manager (VMM), 55, 65–66, 188
Virtual machines (VMs), 55, 177–178, 194
  manager, 66
  migration, 64
  transforming physical servers into, 56
Virtual private network (VPN), 4, 35, 157, 207
Virtual servers, 56–57, 113, 155–156
Virtual services, 62
Virtual systems, scaling using, 65
Virtualization, 2, 21–22, 41, 55–56, 56f, 86, 113, 125, 160, 180
  application, 58–59
  network, 60–61
  server, 56–58, 57f
  service, 61–62
  storage, 61
Virtualized applications, 64
Virtualized computing, 188–189
Virtualized data centers, 60–61, 189
Virtualized servers, 64
Virtualized software-defined servers, 189
Virtualized systems, 2
  application virtualization, 58–59
  challenges of managing virtual environment, 65–69
    availability, 68
    disaster recovery, 67–68
    legal, 69
    performance monitoring, 69
    scalability, 68
    security, 65–67
    storage access, 69

image checkpoint and rollback, 65
network virtualization, 60–61
scaling using virtual systems, 65
server virtualization, 56–58, 57f
service virtualization, 61–62
storage virtualization, 61
VA, 59
VDI, 59–60
virtual integration, 62–64, 63f
virtualization, 55–56, 56f
VM migration, 64
workload balancing, 64
Visualization, 261
VLANs, 68
VMI. *See* Virtual machine image (VMI)
VMLM. *See* Virtual machine lifecycle management (VMLM)
VMM. *See* Virtual machine manager (VMM)
VMs. *See* Virtual machines (VMs)
VPN. *See* Virtual private network (VPN)

W

WAFs. *See* Web application firewalls (WAFs)
WANs. *See* Wide area networks (WANs)
Warehouse shelving units, 27
Waterfall methodologies, 122
Web application firewalls (WAFs), 92
Web browsers, 85, 88, 138
Web languages, 88
Web services, 107–109, 112, 161. *See also* Simple network management protocol (SNMP)
Web technologies, 85
Web-based applications, 3, 85
advantage, 86–87
challenges of managing, 90–92
absence of SDKs, 90
API reliability, 90
bilateral management approach, 90
security, 90–92
managing, 87–90
application performance measurement, 89–90
capitalizing on database design and query optimization, 87
hiring cross-functional personnel, 87
real-time monitoring, performance, 89
server, 87
simplifying development with web APIs, 88
source consideration, 88
testing, determining best level of, 89
mobile web applications, 86
SLA, 89
sophisticated web-based application, 89
web *vs*. cloud, 85f
web-based customer relationship management application, 85
Web-based customer relationship management application, 85
Web-Services Management (WS-MAN), 220–221
specification, 222–223
Wide area networks (WANs), 20–21, 48
optimization controllers, 59
"Wild west" approach, 123–124
Windows management instrumentation (WMI), 117, 155–156
Workflow automation tool, 128
Workflow tool, 128
Workload balancing, 64
Wright Brothers, 14–15
WS-MAN. *See* Web-Services Management (WS-MAN)

X

X86 systems, 55
XML. *See* Extensible Markup Language (XML)
XSS. *See* Cross-site scripting (XSS)