```aspx
<%@ Master Language="C#" AutoEventWireup="true"
    CodeFile="MasterPageProject.master.cs" Inherits="Pages_ProjectMasterPage" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <meta name="description" content="Conceptual Architecture for Information
      Systems Security Assessment" />
    <meta name="author" content="Luiz Antonio Lima" />

    <title>CAISSA - Conceptual Architecture for Information Systems Security
      Assessment</title>

    <!-- Bootstrap Core CSS -->
    <link href="../Content/theme/bower_components/bootstrap/dist/css/
      bootstrap.min.css" rel="stylesheet" />

    <!-- MetisMenu CSS -->
    <link href="../Content/theme/bower_components/metisMenu/dist/metisMenu.min.css"
      rel="stylesheet" />

    <!-- DataTables CSS -->
    <link href="../Content/theme/bower_components/datatables-plugins/integration/
      bootstrap/3/dataTables.bootstrap.css" rel="stylesheet" />

    <!-- DataTables Responsive CSS -->
    <link href="../Content/theme/bower_components/datatables-responsive/css/
      dataTables.responsive.css" rel="stylesheet" />

    <!-- Custom Theme CSS -->
    <link href="../Content/theme/dist/css/sb-admin-2.css" rel="stylesheet" />

    <!-- Custom Project CSS -->
    <link href="../Content/style.css" rel="stylesheet" type="text/css" />

    <!-- Custom Fonts -->
    <link href="../Content/theme/bower_components/font-awesome/css/font-
      awesome.min.css" rel="stylesheet" type="text/css" />

    <asp:ContentPlaceHolder id="head" runat="server">

    </asp:ContentPlaceHolder>
</head>
<body>
    <form runat="server">

        <div id="wrapper">

            <!-- Navigation -->
            <nav class="navbar navbar-default navbar-static-top" role="navigation"
              style="margin-bottom: 0">
                <div class="navbar-header">
```

```html
                    <button type="button" class="navbar-toggle" data-
                    toggle="collapse" data-target=".navbar-collapse">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="Index.aspx">CAISSA - Conceptual
                    Architecture for Information Systems Security Assessment</a>
                </div>
                <!-- /.navbar-header -->

                <ul class="nav navbar-top-links navbar-right">
                    <li class="dropdown">
                        <a class="dropdown-toggle" data-toggle="dropdown" href="#">
                            <i class="fa fa-envelope fa-fw"></i><i class="fa fa-
                        caret-down"></i>
                        </a>
                        <ul class="dropdown-menu dropdown-messages">
                            <li>
                                <a href="#">
                                    <div>
                                        <strong>Luiz Antonio Lima</strong>
                                        <span class="pull-right text-muted">
                                            <em>Yesterday</em>
                                        </span>
                                    </div>
                                    <div>Lorem ipsum dolor sit amet, consectetur
                        adipiscing elit. Pellentesque eleifend...</div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <strong>Luiz Antonio Lima</strong>
                                        <span class="pull-right text-muted">
                                            <em>Yesterday</em>
                                        </span>
                                    </div>
                                    <div>Lorem ipsum dolor sit amet, consectetur
                        adipiscing elit. Pellentesque eleifend...</div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <strong>Luiz Antonio Lima</strong>
                                        <span class="pull-right text-muted">
                                            <em>Yesterday</em>
                                        </span>
                                    </div>
                                    <div>Lorem ipsum dolor sit amet, consectetur
                        adipiscing elit. Pellentesque eleifend...</div>
                                </a>
```

```html
                </li>
                <li class="divider"></li>
                <li>
                    <a class="text-center" href="#">
                        <strong>Read All Messages</strong>
                        <i class="fa fa-angle-right"></i>
                    </a>
                </li>
            </ul>
            <!-- /.dropdown-messages -->
        </li>
        <!-- /.dropdown -->
        <li class="dropdown">
            <a class="dropdown-toggle" data-toggle="dropdown" href="#">
                <i class="fa fa-tasks fa-fw"></i><i class="fa fa-caret-
down"></i>
            </a>
            <ul class="dropdown-menu dropdown-tasks">
                <li>
                    <a href="#">
                        <div>
                            <p>
                                <strong>Task 1</strong>
                                <span class="pull-right text-muted">40%
Complete</span>
                            </p>
                            <div class="progress progress-striped
active">
                                <div class="progress-bar progress-bar-
success" role="progressbar" aria-valuenow="40" aria-
valuemin="0" aria-valuemax="100" style="width: 40%">
                                    <span class="sr-only">40% Complete
(success)</span>
                                </div>
                            </div>
                        </div>
                    </a>
                </li>
                <li class="divider"></li>
                <li>
                    <a href="#">
                        <div>
                            <p>
                                <strong>Task 2</strong>
                                <span class="pull-right text-muted">20%
Complete</span>
                            </p>
                            <div class="progress progress-striped
active">
                                <div class="progress-bar progress-bar-
info" role="progressbar" aria-valuenow="20" aria-valuemin="0"
aria-valuemax="100" style="width: 20%">
                                    <span class="sr-only">20%
Complete</span>
                                </div>
                            </div>
```

```
                    </div>
                </a>
            </li>
            <li class="divider"></li>
            <li>
                <a href="#">
                    <div>
                        <p>
                            <strong>Task 3</strong>
                            <span class="pull-right text-muted">60%↩
  Complete</span>
                        </p>
                        <div class="progress progress-striped    ↩
active">
                            <div class="progress-bar progress-bar- ↩
warning" role="progressbar" aria-valuenow="60" aria-              ↩
valuemin="0" aria-valuemax="100" style="width: 60%">
                                <span class="sr-only">60% Complete ↩
(warning)</span>
                            </div>
                        </div>
                    </div>
                </a>
            </li>
            <li class="divider"></li>
            <li>
                <a href="#">
                    <div>
                        <p>
                            <strong>Task 4</strong>
                            <span class="pull-right text-muted">80%↩
  Complete</span>
                        </p>
                        <div class="progress progress-striped    ↩
active">
                            <div class="progress-bar progress-bar- ↩
danger" role="progressbar" aria-valuenow="80" aria-              ↩
valuemin="0" aria-valuemax="100" style="width: 80%">
                                <span class="sr-only">80% Complete ↩
(danger)</span>
                            </div>
                        </div>
                    </div>
                </a>
            </li>
            <li class="divider"></li>
            <li>
                <a class="text-center" href="#">
                    <strong>See All Tasks</strong>
                    <i class="fa fa-angle-right"></i>
                </a>
            </li>
        </ul>
        <!-- /.dropdown-tasks -->
    </li>
    <!-- /.dropdown -->
```

```
                    <li class="dropdown">
                        <a class="dropdown-toggle" data-toggle="dropdown" href="#">
                            <i class="fa fa-bell fa-fw"></i><i class="fa fa-caret-
                down"></i>
                        </a>
                        <ul class="dropdown-menu dropdown-alerts">
                            <li>
                                <a href="#">
                                    <div>
                                        <i class="fa fa-comment fa-fw"></i>New
                Comment
                                        <span class="pull-right text-muted small">4
                 minutes ago</span>
                                    </div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <i class="fa fa-twitter fa-fw"></i>3 New
                Followers
                                        <span class="pull-right text-muted
                small">12 minutes ago</span>
                                    </div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <i class="fa fa-envelope fa-fw"></i>Message
                 Sent
                                        <span class="pull-right text-muted small">4
                 minutes ago</span>
                                    </div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <i class="fa fa-tasks fa-fw"></i>New Task
                                        <span class="pull-right text-muted small">4
                 minutes ago</span>
                                    </div>
                                </a>
                            </li>
                            <li class="divider"></li>
                            <li>
                                <a href="#">
                                    <div>
                                        <i class="fa fa-upload fa-fw"></i>Server
                Rebooted
                                        <span class="pull-right text-muted small">4
                 minutes ago</span>
```

```
                    </div>
                </a>
            </li>
            <li class="divider"></li>
            <li>
                <a class="text-center" href="#">
                    <strong>See All Alerts</strong>
                    <i class="fa fa-angle-right"></i>
                </a>
            </li>
        </ul>
        <!-- /.dropdown-alerts -->
    </li>
    <!-- /.dropdown -->
    <li class="dropdown">
        <a class="dropdown-toggle" data-toggle="dropdown" href="#">
            <i class="fa fa-user fa-fw"></i><i class="fa fa-caret-
down"></i>
        </a>
        <ul class="dropdown-menu dropdown-user">
            <li><a href="#"><i class="fa fa-user fa-fw"></i>User
Profile</a>
            </li>
            <li><a href="#"><i class="fa fa-gear fa-fw"></
i>Settings</a>
            </li>
            <li class="divider"></li>
            <li><a href="/Start.aspx"><i class="fa fa-sign-out fa-
fw"></i>Logout</a>
            </li>
        </ul>
        <!-- /.dropdown-user -->
    </li>
    <!-- /.dropdown -->
</ul>
<!-- /.navbar-top-links -->

<div class="navbar-default sidebar" role="navigation">
    <div id="accordion" class="sidebar-nav navbar-collapse">
        <ul class="nav" id="side-menu">
            <li class="sidebar-search">
                <div class="input-group custom-search-form">
                    <input type="text" class="form-control"
placeholder="Search...">
                    <span class="input-group-btn">
                        <button class="btn btn-default"
type="button">
                            <i class="fa fa-search"></i>
                        </button>
                    </span>
                </div>
                <!-- /input-group -->
            </li>
            <li class="sidebar-search">
                <div class="input-group">
                    <div class="btn-group-justified">
```

```
                                    <a href="AddTest.aspx" class="btn btn-
default" runat="server">Include Test</a>
                        </div>
                    </div>
            </li>
            <li>
                    <a href="ViewSUT.aspx" id="system"
runat="server"><i class="fa fa-gear fa-fw"></i> <asp:Label
id="lblSystem" runat="server"></asp:Label></a>
            </li>
            <li>
                    <a href="#" runat="server"><i class="fa fa-question
 fa-fw"></i> Knowledge Sources<span class="fa arrow"></span></
a>
                    <ul class="nav nav-second-level">
                        <li>
                                <a href="ViewSources.aspx"
runat="server"><i class="fa fa-book fa-fw"></i> Sources</a>
                        </li>
                    </ul>
                    <ul class="nav nav-second-level">
                        <li>
                                <a href="ListEvaluationItems.aspx"
runat="server"><i class="fa fa-pencil fa-fw"></i> Assessment
Items</a>
                        </li>
                    </ul>
            </li>
            <li id="test" class="active">
                    <a href="#"><i class="fa fa-check fa-fw"></i> Test
Management<span class="fa arrow"></span></a>
                    <asp:Repeater ID="rptTest" runat="server">
                        <ItemTemplate>
                            <ul class="nav nav-second-level">
                                <li>
                                    <a href='<%# "Test.aspx?submit=" +
Eval("tes_id") %>'
                                        title='<%# Eval("tes_title") %
>' runat="server">
                                        <i class="fa fa-check-square
fa-fw"></i> <%# Eval("tes_view_title") %>
                                    </a>
                                </li>
                            </ul>
                        </ItemTemplate>
                    </asp:Repeater>
            </li>
            <li>
                    <a href="#"><i class="fa fa-institution fa-fw"></i>
 Supporting Institutions<span class="fa arrow"></span></a>
                    <ul class="nav nav-second-level">
                        <li>
                                <a href="http://www.cti.gov.br/"
target="_blank"><i class="fa fa-institution fa-fw"></i> DSSI/
CTI</a>
                        </li>
```

```
                                    <li>
                                        <a href="http://www.fee.unicamp.br/"          ⮒
                    target="_blank"><i class="fa fa-institution fa-fw"></i> DCA/       ⮒
                    FEEC/UNICAMP</a>
                                    </li>
                              </ul>
                          </li>
                      </ul>
                  </div>
                  <!-- /.sidebar-collapse -->
              </div>
              <!-- /.navbar-static-side -->
          </nav>

          <!-- Page Content -->
          <div id="page-wrapper">
              <div class="container-fluid">
                  <div class="row">
                      <div class="col-lg-12">
                          <asp:ContentPlaceHolder ID="ContentPlaceHolder"            ⮒
                   runat="server">

                          </asp:ContentPlaceHolder>
                      </div>
                      <!-- /.col-lg-12 -->
                  </div>
                  <!-- /.row -->
              </div>
              <!-- /.container-fluid -->
          </div>

      </div>

  </form>

  <!-- jQuery -->
  <script src="../Content/theme/bower_components/jquery/dist/jquery.min.js"></       ⮒
    script>

  <!-- Bootstrap Core JavaScript -->
  <script src="../Content/theme/bower_components/bootstrap/dist/js/                  ⮒
    bootstrap.min.js"></script>

  <!-- Metis Menu Plugin JavaScript -->
  <script src="../Content/theme/bower_components/metisMenu/dist/                     ⮒
    metisMenu.min.js"></script>

  <!-- DataTables JavaScript -->
  <script src="../Content/theme/bower_components/datatables/media/js/               ⮒
    jquery.dataTables.min.js"></script>
  <script src="../Content/theme/bower_components/datatables-plugins/integration/    ⮒
    bootstrap/3/dataTables.bootstrap.min.js"></script>

  <!-- Custom Theme JavaScript -->
  <script src="../Content/theme/dist/js/sb-admin-2.js"></script>
```

```html
    <!-- Custom Project Javascript -->
    <script type="text/javascript" src="../Scripts/Functions.js"></script>

    <!-- Bootbox for Bootstrap -->
    <script src="../Scripts/bootbox.min.js"></script>

    <!-- Page-Level Demo Scripts - Tables - Use for reference -->
    <script>
    $(document).ready(function() {
        $('#dataTable_Sources').DataTable({
                responsive: true
        });
    });
    </script>

</body>
</html>
```