


DIAGRAMA:



SCRIPTS DDL - CRIAÇÃO DO SCHEMA E DAS TABELAS:

```
CREATE SCHEMA lab_school
```

```
CREATE TABLE IF NOT EXISTS lab_school.alunos
```

```
(  
  id bigint NOT NULL GENERATED ALWAYS AS IDENTITY ( INCREMENT 1 START 1 ),  
  id_endereco bigint NOT NULL,  
  nome_completo character varying(64) NOT NULL,  
  cpf character varying(14) NOT NULL UNIQUE,  
  data_nascimento date NOT NULL,  
  telefone character varying(16),  
  status_matricula boolean NOT NULL,  
  nota_ps numeric(4, 2) NOT NULL,  
  PRIMARY KEY (id)  
);
```

```
CREATE TABLE IF NOT EXISTS lab_school.enderecos
```

```
(  
  id bigint NOT NULL GENERATED ALWAYS AS IDENTITY ( INCREMENT 1 START 1 ),  
  cep character varying(10) NOT NULL,  
  logradouro character varying(64) NOT NULL,  
  numero character varying(15) NOT NULL,  
  complemento character varying(32),  
  bairro character varying(32) NOT NULL,  
  cidade character varying(32) NOT NULL,  
  uf character varying(2) NOT NULL,  
  PRIMARY KEY (id)  
);
```

```
CREATE TABLE IF NOT EXISTS lab_school.professores
```

```
(  
  id bigint NOT NULL GENERATED ALWAYS AS IDENTITY ( INCREMENT 1 START 1 ),  
  id_endereco bigint NOT NULL,  
  nome_completo character varying(64) NOT NULL,  
  cpf character varying(14) NOT NULL UNIQUE,  
  data_nascimento date NOT NULL,  
  telefone character varying(16),  
  formacao character varying(32) NOT NULL,  
  experiencia character varying(32) NOT NULL,  
  status boolean NOT NULL,  
  PRIMARY KEY (id)  
);
```

```
CREATE TABLE IF NOT EXISTS lab_school.pedagogos
```

```
(  
  id bigint NOT NULL GENERATED ALWAYS AS IDENTITY ( INCREMENT 1 START 1 ),  
  id_endereco bigint NOT NULL,  
  nome_completo character varying(64) NOT NULL,  
  cpf character varying(14) NOT NULL UNIQUE,  
  data_nascimento date NOT NULL,  
  telefone character varying(16),  
  status boolean NOT NULL,  
  PRIMARY KEY (id)  
);
```

```
CREATE TABLE IF NOT EXISTS lab_school.atendimentos_pedagogicos
(
    id bigint NOT NULL GENERATED ALWAYS AS IDENTITY ( INCREMENT 1 START 1 ),
    id_pedagogo bigint NOT NULL,
    id_aluno bigint NOT NULL,
    titulo character varying(32) NOT NULL,
    descricao character varying(64) NOT NULL,
    categoria character varying(32) NOT NULL,
    status boolean NOT NULL,
    PRIMARY KEY (id)
);
```

```
ALTER TABLE IF EXISTS lab_school.alunos
    ADD CONSTRAINT fk_aluno_endereco FOREIGN KEY (id_endereco)
    REFERENCES lab_school.enderecos (id) MATCH SIMPLE
    ON UPDATE NO ACTION
    ON DELETE NO ACTION
    NOT VALID;
```

```
ALTER TABLE IF EXISTS lab_school.professores
    ADD CONSTRAINT fk_professor_endereco FOREIGN KEY (id_endereco)
    REFERENCES lab_school.enderecos (id) MATCH SIMPLE
    ON UPDATE NO ACTION
    ON DELETE NO ACTION
    NOT VALID;
```

```
ALTER TABLE IF EXISTS lab_school.pedagogos
    ADD CONSTRAINT fk_pedagogo_endereco FOREIGN KEY (id_endereco)
    REFERENCES lab_school.enderecos (id) MATCH SIMPLE
    ON UPDATE NO ACTION
    ON DELETE NO ACTION
    NOT VALID;
```

```
ALTER TABLE IF EXISTS lab_school.atendimentos_pedagogicos
    ADD CONSTRAINT fk_atendimento_pedagogo FOREIGN KEY (id_pedagogo)
    REFERENCES lab_school.pedagogos (id) MATCH SIMPLE
    ON UPDATE NO ACTION
    ON DELETE NO ACTION
    NOT VALID;
```

```
ALTER TABLE IF EXISTS lab_school.atendimentos_pedagogicos
    ADD CONSTRAINT fk_atendimento_aluno FOREIGN KEY (id_aluno)
    REFERENCES lab_school.alunos (id) MATCH SIMPLE
    ON UPDATE NO ACTION
    ON DELETE NO ACTION
    NOT VALID;
```

SCRIPTS DML - INSERTS - TABELA ENDEREÇOS:

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('88020360', 'Rua Doze', '100', 'Centro', 'Florianópolis', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('89654000', 'Rua Geral', 'S/N', 'SC 150 KM 33', 'Centro', 'Água Doce', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('89730000', 'Rua Geral', 'S/N', 'Centro', 'Alto Bela Vista', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('88460000', 'Rua Joao Schappo', '250', 'Térreo', 'Garcia', 'Angelina', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('88475000', 'Rua Geral', 'S/N', 'Centro', 'Anitápolis', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('88180000', 'Rua Daniel Petry', '717', 'Centro', 'Antônio Carlos', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('88180000', 'Avenida João Antonio Besen', '411', 'Centro', 'Antônio Carlos', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('89245000', '10A Rua Rua Rio Tocantins', '554', 'Sala 02', 'Itinga', 'Araquari', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('89245000', 'Estrada Corveta', '2150', 'Corveta', 'Araquari', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('89247000', 'Estrada Geral Boca Da Barra', 'S/N', 'Centro', 'Balneário Barra do Sul', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('89247000', 'Avenida São Francisco Do Sul', '132', 'Centro', 'Balneário Barra do Sul', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('88330040', 'Avenida Brasil', '26', 'Centro', 'Balneário Camboriú', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('88330666', 'Avenida Central', '74', 'Sala 01', 'Centro', 'Balneário Camboriú', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('88380000', 'Avenida Getulio Vargas', '497', 'Sala A', 'Santo Antônio', 'Balneário Piçarras', 'SC');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('95748000', 'Rua Geral', 'S/N', 'Centro', 'São José do Sul', 'RS');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('95758000', 'Rua Geral', 'S/N', 'Centro', 'São Pedro da Serra', 'RS');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('93819084', 'Rua Pres Franklin Roosevelt', '1177', '7 De Setembro', 'Sapiranga', 'RS');
```

```
INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('99810000', 'Rua Geral', 'S/N', 'Centro', 'Severiano de Almeida', 'RS');
```

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('98470000', 'Rua Geral', '50', 'Centro', 'Planalto', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('98470000', 'Rua Geral', '87', 'Centro', 'Planalto', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('98470000', 'Rua Geral', '132', 'Centro', 'Planalto', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('99735000', 'Rua Geral', 'S/N', 'Centro', 'Ponte Preta', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('99870000', 'Rua Geral', '150', 'Centro', 'São José do Ouro', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('99870000', 'Rua Geral', '111', 'Centro', 'São José do Ouro', 'RS');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('83420000', 'Rua Pedro Augusto Bosardi', '1057', 'Centro', 'Quatro Barras', 'PR');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, complemento, bairro, cidade, uf) VALUES ('85460000', 'Pinherais', '808', 'Sala 01', 'Centro', 'Quedas do Iguaçu', 'PR');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('83065170', 'Rua Godofredo Machado', '80', 'Iná', 'São José dos Pinhais', 'PR');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('83065110', 'Rua Adir Pedroso', 'S/N', 'Iná', 'São José dos Pinhais', 'PR');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('83900000', 'Rua Geral', 'S/N', 'Centro', 'São Mateus do Sul', 'PR');

INSERT INTO lab_school.enderecos (cep, logradouro, numero, bairro, cidade, uf) VALUES ('86170000', 'Rua Geral', '1237', 'Centro', 'Sertanópolis', 'PR');

SCRIPTS DML - INSERTS - TABELA PEDAGOGOS:

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status, telefone) VALUES (1, 'Francesco Totti', '552.952.750-78', '10/01/1991', true, '9 9191-9191');
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status, telefone) VALUES (2, 'Philippo Inzaghi', '634.142.820-03', '15/02/1985', true, '9 9292-9292');
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status, telefone) VALUES (3, 'Edson Arantes do Nascimento', '661.446.030-77', '19/03/1955', true, '9 9393-9393');
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (4, 'Marcos Vicente dos Santos', '427.035.550-67', '11/06/1992', true);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (5, 'Rudy Gullit', '540.651.130-08', '14/02/1972', false);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (6, 'Rud Van Nistelroy', '770.213.440-23', '22/09/1986', false);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (7, 'Lothar Matthaus', '240.255.740-04', '29/07/1977', true);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (8, 'Adilson Heleno', '420.664.510-88', '25/05/1991', true);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (9, 'Juninho Pernambucano', '356.702.620-85', '28/08/1980', true);
```

```
INSERT INTO lab_school.pedagogos (id_endereco, nome_completo, cpf, data_nascimento, status) VALUES (10, 'Thiago Silva', '161.614.260-05', '15/05/1991', false);
```

SCRIPTS DML - INSERTS - TABELA ALUNOS:

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (11, 'Romulo Mendonça', '792.516.630-41', '10/01/1990', true, 7);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (12, 'Fabiano Eller', '680.358.870-09', '15/09/1985', false, 6);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (13, 'Mauro Galvão', '322.325.210-01', '19/12/1955', true, 7);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (14, 'Odvan Silva', '711.630.850-49', '11/02/1992', true, 8);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (15, 'Carlos Germano', '688.917.750-96', '14/11/1972', false, 9);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (16, 'Joel Santana', '473.231.470-85', '22/09/1983', false, 10);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps) VALUES (17, 'Pedro da Silva', '156.794.020-09', '29/07/1979', true, 10);
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps, telefone) VALUES (18, 'Romario Pereira', '051.664.530-77', '25/05/1988', true, 8, '9 9898-9898');
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps, telefone) VALUES (19, 'Euller Andrade', '816.771.510-80', '28/08/1984', true, 9, '9 9999-9999');
```

```
INSERT INTO lab_school.alunos (id_endereco, nome_completo, cpf, data_nascimento, status_matricula, nota_ps, telefone) VALUES (20, 'Ramon Menezes', '716.758.760-53', '15/05/1975', true, 6, '9 9090-9090');
```

SCRIPTS DML - INSERTS - TABELA PROFESSORES:

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (21, 'Andrey Santos', '949.630.510-52', '08/02/1990', 'Graduado', 'Front-End', false);
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (22, 'Roberto Dinamite', '564.284.140-82', '01/09/1985', 'Mestrado', 'Full-Stack', true);
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (23, 'João Nilson Zunino', '612.224.190-33', '09/12/1955', 'Doutorado', 'Back-End', true);
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status, telefone) VALUES (24, 'Carlos Guilherme Antunes', '421.767.030-30', '11/08/1992', 'Doutorado', 'Back-End', true, '9 9494-9494');
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status, telefone) VALUES (25, 'Adriano Souza', '902.501.700-27', '14/11/1979', 'Mestrado', 'Back-End', true, '9 9595-9595');
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status, telefone) VALUES (26, 'Miriam Hames', '217.393.500-30', '22/12/1981', 'Mestrado', 'Full-Stack', false, '9 9696-9696');
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status, telefone) VALUES (27, 'Raniel da Silva', '351.392.480-18', '08/02/1979', 'Graduado', 'Full-Stack', false, '9 9797-9797');
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (28, 'Roberto Baggio', '519.235.370-08', '15/05/1984', 'Graduado', 'Front-End', true);
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (29, 'Oscar Schmidt', '375.392.050-91', '20/08/1981', 'Doutorado', 'Front-End', false);
```

```
INSERT INTO lab_school.professores (id_endereco, nome_completo, cpf, data_nascimento, formacao, experiencia, status) VALUES (30, 'Beatrice Soares', '252.381.790-06', '17/05/1978', 'Graduado', 'Full-Stack', false);
```


SCRIPTS DML - INSERTS - TABELA ATENDIMENTOS_PEDAGOGICOS:

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (7, 1, 'Entrega do projeto', 'Aluno não entregou o projeto no prazo', 'Projeto', true);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (9, 2, 'Faltas recorrentes', 'Aluno tem faltas recorrentes', 'Faltas', true);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (3, 3, 'Participação nas aulas', 'Aluno não participa das aulas ativamente', 'Aulas', false);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (4, 4, 'Exercícios', 'Aluno não entregou os exercícios no prazo', 'Exercícios', false);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (5, 6, 'Assunto pessoal', 'Aluno procurou auxílio para tratar assuntos pessoais', 'Particular', true);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (5, 6, 'Problemas familiares', 'Aluno alega problemas familiares', 'Particular', true);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (7, 6, 'Desistência', 'Aluno solicitou desistência do curso', 'Desistência', true);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (8, 8, 'Nota abaixo da média', 'Aluno com nota abaixo da média mínima', 'Avaliação', false);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (9, 9, 'Faltas recorrentes', 'Aluno próximo da quantidade máxima de faltas', 'Faltas', false);
```

```
INSERT INTO lab_school.atendimentos_pedagogicos (id_pedagogo, id_aluno, titulo, descricao, categoria, status) VALUES (7, 1, 'Entrega do projeto', 'Aluno solicitou a prorrogação do prazo de entrega do projeto', 'Projeto', true);
```

SCRIPTS DML - SELECTS

```
select * from lab_school.enderecos where uf = 'SC'
```

```
select * from lab_school.enderecos where complemento is not null
```

```
select cep, uf from lab_school.enderecos where uf = 'RS'
```

```
select * from lab_school.enderecos where cep like '88%'
```

```
select * from lab_school.enderecos where numero = 'S/N'
```

```
select a.nome_completo, e.uf from lab_school.alunos a join lab_school.enderecos e on a.id_endereco = e.id where a.status_matricula = true and e.uf = 'SC'
```

```
select p.nome_completo, e.bairro, e.cidade, e.uf from lab_school.professores p join lab_school.enderecos e on p.id_endereco = e.id where p.nome_completo like 'A%'
```

```
select * from lab_school.pedagogos where status = false
```

```
select id, nome_completo from lab_school.pedagogos where id <= 5
```

```
select * from lab_school.pedagogos where telefone is not null
```

```
select * from lab_school.pedagogos where data_nascimento between '1982-09-01' and '2022-08-30'
```

```
select nome_completo as pedagogo, cpf from lab_school.pedagogos where status = true
```

```
select p.nome_completo, e.uf from lab_school.pedagogos p join lab_school.enderecos e on p.id_endereco = e.id where p.status = false
```

```
select p.nome_completo, a.titulo from lab_school.pedagogos p join lab_school.atendimentos_pedagogicos a on a.id_pedagogo = p.id where a.status = true
```

```
select * from lab_school.alunos where nota_ps >= 7
```

```
select nome_completo, nota_ps from lab_school.alunos where status_matricula = true and nota_ps < 7
```

```
select nome_completo, telefone from lab_school.alunos where telefone is not null
```

```
select nome_completo as aluno, data_nascimento from lab_school.alunos where data_nascimento between '1990-01-01' and '2022-01-01'
```

```
select nome_completo as aluno, status_matricula from lab_school.alunos where status_matricula = true
```

```
select a.nome_completo, ap.categoria from lab_school.alunos a join lab_school.atendimentos_pedagogicos ap on ap.id_aluno = a.id where ap.status = true order by a.nome_completo ASC
```

```
select a.nome_completo, ap.titulo, ap.status from lab_school.alunos a join lab_school.atendimentos_pedagogicos ap on ap.id_aluno = a.id where a.nome_completo like 'R%' order by a.nome_completo, ap.status desc
```

```
select * from lab_school.professores where experiencia = 'Full-Stack' and status = true
```

```
select nome_completo, cpf, data_nascimento from lab_school.professores where formacao = 'Doutorado'
```

```
select nome_completo, experiencia from lab_school.professores where status = false order by experiencia, nome_completo asc
```

```
select nome_completo as professor, data_nascimento from lab_school.professores where data_nascimento between '1985-01-01' and '2022-01-01'
```

```
select nome_completo as professor, status from lab_school.professores where status = false;
```

```
select p.nome_completo, p.experiencia, e.uf from lab_school.professores p join lab_school.enderecos e on p.id_endereco = e.id where p.status = true
```

```
select p.nome_completo, p.formacao, e.cidade, e.uf from lab_school.professores p join lab_school.enderecos e on p.id_endereco = e.id where e.uf = 'PR' order by e.cidade asc
```

```
select * from lab_school.atendimentos_pedagogicos where categoria = 'Faltas'
```

```
select titulo, descricao, categoria from lab_school.atendimentos_pedagogicos where status = true
```

```
select titulo, descricao, categoria from lab_school.atendimentos_pedagogicos where descricao like '%projeto%'
```

```
select * from lab_school.atendimentos_pedagogicos where titulo like 'Falta%'
```

```
select id, titulo, descricao, categoria, status from lab_school.atendimentos_pedagogicos where id <= 5 and status = true
```

```
select a.nome_completo as aluno, p.nome_completo as pedagogo, ap.categoria from lab_school.atendimentos_pedagogicos ap join lab_school.alunos a on ap.id_aluno = a.id join lab_school.pedagogos p on ap.id_pedagogo = p.id where ap.status = true order by a.nome_completo asc
```

```
select a.nome_completo as aluno, ap.descricao as descricao_atendimento from lab_school.atendimentos_pedagogicos ap join lab_school.alunos a on ap.id_aluno = a.id where a.nome_completo like 'R%' order by a.nome_completo asc
```

```
select ap.titulo as titulo_atendimento, p.nome_completo as pedagogo, e.cidade, e.uf from lab_school.atendimentos_pedagogicos ap join lab_school.pedagogos p on ap.id_pedagogo = p.id join lab_school.enderecos e on p.id_endereco = e.id where e.uf = 'SC' order by p.nome_completo ASC
```