Goodness of fit

```
library(knitr)
library(dplyr)
library(ggplot2)

load("data/goodness_of_fit_dc.RData")
```

kable(tab_results, digits = 4)

	Home	Draw	Away
Observed	0.4882	0.2686	0.2433
Model 0	0.4827	0.2608	0.2565
Model 3	0.4846	0.2788	0.2366
Model 8	0.4853	0.2765	0.2382

kable(tab_home_goals, digits = 4)


	0	1	2	3	4	5+
Observed	0.2282	0.3617	0.2465	0.1173	0.0350	0.0113
Model 0	0.2661	0.3500	0.2329	0.1050	0.0343	0.0117
Model 3	0.2425	0.3670	0.2510	0.1036	0.0287	0.0073
Model 8	0.2493	0.3820	0.2410	0.0936	0.0268	0.0073

kable(tab_away_goals, digits = 4)

	0	1	2	3	4	5+
Observed	0.3870	0.3671	0.1792	0.0474	0.0151	0.0043
$\operatorname{Model} 0$	0.4965	0.3464	0.1239	0.0273	0.0052	0.0007
Model 3	0.4892	0.3609	0.1209	0.0250	0.0036	0.0003
Model 8	0.4820	0.3663	0.1237	0.0242	0.0033	0.0005

```
tibble(x = sims[["loglik_results_mod_0"]]) %>%
    ggplot(aes(x = x)) +
    geom_histogram(bins = 50) +
    theme_bw() +
    geom_vline(xintercept = loglik_observed_results_mod_0, col = "red") +
    xlab("Log-likelihood") +
    ylab("Count") +
    ggtitle("Results model 0")
```


Results model 0



```
sum(sims[["loglik_results_mod_0"]] <= loglik_observed_results_mod_0) /
length(sims[["loglik_results_mod_0"]])</pre>
```

```
tibble(x = sims[["loglik_scores_mod_0"]]) %>%
   ggplot(aes(x = x)) +
   geom_histogram(bins = 50) +
   theme_bw() +
   geom_vline(xintercept = loglik_observed_scores_mod_0, col = "red") +
   xlab("Log-likelihood") +
   ylab("Count") +
   ggtitle("Scores model 0")
```


Scores model 0



```
sum(sims[["loglik_scores_mod_0"]] >= loglik_observed_scores_mod_0) /
length(sims[["loglik_scores_mod_0"]])
```

```
tibble(x = sims[["loglik_results_mod_3"]]) %>%
   ggplot(aes(x = x)) +
   geom_histogram(bins = 50) +
   theme_bw() +
   geom_vline(xintercept = loglik_observed_results_mod_3, col = "red") +
   xlab("Log-likelihood") +
   ylab("Count") +
   ggtitle("Results model 3")
```


Results model 3



```
sum(sims[["loglik_results_mod_3"]] <= loglik_observed_results_mod_3) /
length(sims[["loglik_results_mod_3"]])</pre>
```

```
tibble(x = sims[["loglik_scores_mod_3"]]) %>%
  ggplot(aes(x = x)) +
  geom_histogram(bins = 50) +
  theme_bw() +
  geom_vline(xintercept = loglik_observed_scores_mod_3, col = "red") +
  xlab("Log-likelihood") +
  ylab("Count") +
  ggtitle("Scores model 3")
```


Scores model 3



```
sum(sims[["loglik_scores_mod_3"]] <= loglik_observed_scores_mod_3) /
length(sims[["loglik_scores_mod_3"]])</pre>
```

```
tibble(x = sims[["loglik_results_mod_8"]]) %>%
  ggplot(aes(x = x)) +
  geom_histogram(bins = 50) +
  theme_bw() +
  geom_vline(xintercept = loglik_observed_results_mod_8, col = "red") +
  xlab("Log-likelihood") +
  ylab("Count") +
  ggtitle("Results model 8")
```


Results model 8



```
sum(sims[["loglik_results_mod_8"]] <= loglik_observed_results_mod_8) /
length(sims[["loglik_results_mod_8"]])</pre>
```

```
tibble(x = sims[["loglik_scores_mod_8"]]) %>%
  ggplot(aes(x = x)) +
  geom_histogram(bins = 50) +
  theme_bw() +
  geom_vline(xintercept = loglik_observed_scores_mod_8, col = "red") +
  xlab("Log-likelihood") +
  ylab("Count") +
  ggtitle("Scores model 8")
```





```
sum(sims[["loglik_scores_mod_8"]] <= loglik_observed_scores_mod_8) /
length(sims[["loglik_scores_mod_8"]])</pre>
```