

# Conecta Gameficacao API

## Overview

Conecta Gameficacao API documentation

unlicensed

## Paths

### **GET** /api/admin/users

#### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc desc). Default sort order is ascending. Multiple sort criteria are supported.	

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

### **PUT** /api/admin/users

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/users

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/requirements/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/requirements/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/requirements/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/requirements/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/questions/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/questions/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/questions/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/questions/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/products/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/products/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/products/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/products/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/product-providers/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/product-providers/{id}

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***DELETE*** /api/admin/product-providers/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## ***PATCH*** /api/admin/product-providers/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***GET*** /api/admin/default-redemption-email

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***PUT*** /api/admin/default-redemption-email

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/challenges/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/challenges/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/challenges/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses



Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/challenges/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/categories/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/categories/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***DELETE* /api/admin/categories/{id}**

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## ***PATCH* /api/admin/categories/{id}**

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***GET* /api/admin/alternatives/{id}**

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/alternatives/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/alternatives/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/alternatives/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/actions/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/actions/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/actions/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/actions/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/action-reporters/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **PUT** /api/admin/action-reporters/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/admin/action-reporters/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **PATCH** /api/admin/action-reporters/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/user-answers/challenges/{challengeId}/requirements/{requirementId}

### Parameters

Type	Name	Description	Schema
path	challengeId <i>required</i>		integer (int64)

Type	Name	Description	Schema
<b>path</b>	<b>requirement Id</b> <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/self/join

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/provider/product-item/{uuid}/redeem **Resgatar item de produto por UUID e documento do usuário (somente PRODUCT\_PROVIDER)**

Resgata o item de produto para o usuário se ele for o proprietário do pedido. Requer a função PRODUCT\_PROVIDER.

#### Parameters

Type	Name	Description	Schema
<b>query</b>	<b>document</b> <i>required</i>	Documento do usuário	string
<b>path</b>	<b>uuid</b> <i>required</i>	UUID do item de produto	string (uuid)

#### Responses

Code	Description	Links
404	Item do produto ou usuário não encontrado	No Links
403	Proibido - não é um fornecedor de produto ou não é o proprietário	No Links
204	Item do produto resgatado com sucesso	No Links

Type	Name	Scopes
apiKey	bearerAuth	

## POST /api/check-in

### Responses

Code	Description	Links
200	OK	No Links

## POST /api/check-in/location/challenge/{challengeId}/requirement/{requirementId}

### Parameters

Type	Name	Description	Schema
path	challengeId <i>required</i>		integer (int64)
path	requirementId <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> <i>/</i>	No Links

## POST /api/challenges/{id}/share/{requirementId}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)
path	requirementId <i>required</i>		integer (int64)

### Responses



Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/authenticate

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/authenticate

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/authenticate/conecta

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/requirements

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/admin/requirements

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/questions

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.
< string > array	query	categories <i>optional</i>	

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/admin/questions

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/questions/{id}/deactivate

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **POST** /api/admin/questions/{id}/activate

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **GET** /api/admin/products

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/products

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***POST* /api/admin/products/{id}/deactivate**

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## ***POST* /api/admin/products/{id}/activate**

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## ***GET* /api/admin/product-providers**

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## ***POST* /api/admin/product-providers**

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/challenges

### Parameters

Type	Name	Description	Schema
query	<b>size</b> <i>optional</i>	The size of the page to be returned	integer
query	<b>eagerload</b> <i>optional</i>		boolean
query	<b>includeDisabled</b> <i>optional</i>		boolean
query	<b>page</b> <i>optional</i>	Zero-based page index (0..N)	integer
query	<b>sort</b> <i>optional</i>	Sorting criteria in the format: property(,asc desc). Default sort order is ascending. Multiple sort criteria are supported.	
< string > array	<b>query</b>	<b>categories</b> <i>optional</i>	
< integer > array	<b>query</b>	<b>collective</b> <i>optional</i>	

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/admin/challenges

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/admin/challenges/{id}/deactivate

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## POST /api/admin/challenges/{id}/activate

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## GET /api/admin/categories

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	name <i>optional</i>		string
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc desc). Default sort order is ascending. Multiple sort criteria are supported.	

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/categories

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/alternatives

### Parameters

Type	Name	Description	Schema
query	<b>size</b> <i>optional</i>	The size of the page to be returned	integer
query	<b>page</b> <i>optional</i>	Zero-based page index (0..N)	integer
query	<b>sort</b> <i>optional</i>	Sorting criteria in the format: property(,asc desc). Default sort order is ascending. Multiple sort criteria are supported.	

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/alternatives

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/actions

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/actions

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/action-reporters

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/action-reporters

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links



## **GET** /api/admin/account

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/admin/account

### Responses

Code	Description	Links
200	OK	No Links

## **POST** /api/admin/account/reset-password/init

### Responses

Code	Description	Links
200	OK	No Links

## **POST** /api/admin/account/reset-password/finish

### Responses

Code	Description	Links
200	OK	No Links

## **POST** /api/admin/account/change-password

### Responses

Code	Description	Links
200	OK	No Links

## **POST** /api/achievements/{id}/visualized

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self

### Parameters

Type	Name	Description	Schema
header	Authorization <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/transfers

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc desc). Default sort order is ascending. Multiple sort criteria are supported.	

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/products

### Parameters

Type	Name	Description	Schema
query	<b>blocked</b> <i>optional</i>		boolean
query	<b>pageable</b> <i>required</i>		<a href="#">Pageable</a>

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/orders

### Parameters

Type	Name	Description	Schema
query	<b>size</b> <i>optional</i>	The size of the page to be returned	integer
query	<b>page</b> <i>optional</i>	Zero-based page index (0..N)	integer
query	<b>sort</b> <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/challenges

### Parameters

Type	Name	Description	Schema
query	<b>size</b> <i>optional</i>	The size of the page to be returned	integer
query	<b>page</b> <i>optional</i>	Zero-based page index (0..N)	integer
query	<b>sort</b> <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.
< string > array	<b>query</b>	<b>categories</b> <i>optional</i>	
< integer > array	<b>query</b>	<b>collective</b> <i>optional</i>	

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/actions

#### Parameters

Type	Name	Description	Schema
query	<b>size</b> <i>optional</i>	The size of the page to be returned	integer
query	<b>page</b> <i>optional</i>	Zero-based page index (0..N)	integer
query	<b>sort</b> <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self/achievements

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/self-image

### Parameters

Type	Name	Description	Schema
header	Authorization <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/questions/challenge/{challengeId}

### Parameters

Type	Name	Description	Schema
path	challengeId <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/provider/product-item/{uuid} Obter item de produto por UUID e documento do usuário (somente PRODUCT\_PROVIDER)

Retorna o ProductItemDTO para o UUID do item de produto e documento do usuário fornecidos. Requer a função PRODUCT\_PROVIDER.

### Parameters

Type	Name	Description	Schema
query	<b>document</b> <i>required</i>	Documento do usuário	string
path	<b>uuid</b> <i>required</i>	UUID do item de produto	string (uuid)

### Responses

Code	Description	Links
404	Item do produto ou usuário não encontrado  <i>Content</i> /	No Links
200	Item do produto encontrado e retornado  <i>Content</i> /	No Links
403	Proibido - não é um fornecedor de produto  <i>Content</i> /	No Links

Type	Name	Scopes
apiKey	bearerAuth	

## **GET** /api/products/{id}/buy

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/product-item/{id}/redeem

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **GET** /api/categories

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	name <i>optional</i>		string
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/users/{login}

### Parameters

Type	Name	Description	Schema
path	login <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## DELETE /api/admin/users/{login}

### Parameters

Type	Name	Description	Schema
path	login <i>required</i>		string

### Responses

Code	Description	Links
200	OK	No Links

## GET /api/admin/public-users

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

### Responses



Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/products/{id}/info

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/product-items

### Parameters

Type	Name	Description	Schema
query	code <i>optional</i>		string
query	size <i>optional</i>	The size of the page to be returned	integer
query	productId <i>required</i>		integer (int64)
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/product-items/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/product-items/{id}/redemption

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/admin/product-items/code/{code}

### Parameters

Type	Name	Description	Schema
path	code <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/conecta-users

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>	The size of the page to be returned	integer
query	page <i>optional</i>	Zero-based page index (0..N)	integer
query	sort <i>optional</i>	Sorting criteria in the format: property(,asc	desc). Default sort order is ascending. Multiple sort criteria are supported.

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/conecta-users/{id}

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/admin/authorities

### Responses

Code	Description	Links
200	OK  <i>Content</i> <i>/</i>	No Links

## GET /api/admin/activate

### Parameters

Type	Name	Description	Schema
query	key <i>required</i>		string

### Responses

Code	Description	Links
200	OK	No Links

# Components

## Schemas

### AdminUserDTO

#### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
login <i>required</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 1	string
firstName <i>optional</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 0	string
lastName <i>optional</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 0	string
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Minimum Length:</b> 5	string
imageUrl <i>optional</i>	<b>Maximum Length:</b> 256 <b>Minimum Length:</b> 0	string

Name	Description	Schema
activated <i>optional</i>		boolean
langKey <i>optional</i>	<b>Maximum Length:</b> 10 <b>Minimum Length:</b> 2	string
createdBy <i>optional</i>		string
createdDate <i>optional</i>		string (date-time)
lastModifiedBy <i>optional</i>		string
lastModifiedDate <i>optional</i>		string (date-time)
authorities <i>optional</i>	<i>unique items</i>	< string > array

## Action

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
actionType <i>required</i>		enum (CHECK_IN,SHARE,QUIZ,LOCATION)
variableEffort <i>required</i>		boolean
unitMeasurement <i>optional</i>		string
unitMeasurementPlural <i>optional</i>		string
externalAppLink <i>optional</i>		string
iosExternalAppLink <i>optional</i>		string

Name	Description	Schema
externalAppLinkLabel <i>optional</i>		string
deletedAt <i>optional</i>		string (date-time)
latitude <i>optional</i>		number
longitude <i>optional</i>		number
radius <i>optional</i>		number
address <i>optional</i>		string
instructions <i>optional</i>	<i>unique items</i>	< <a href="#">ActionInstruction</a> > array

## ActionInstruction

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
description <i>optional</i>		string
action <i>optional</i>		<a href="#">Action</a>

## Challenge

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
description <i>required</i>		string
collective <i>required</i>		boolean
coinsPerLevel <i>required</i>		number

Name	Description	Schema
smallCoverSrc <i>optional</i>		string
coverSrc <i>optional</i>		string
bannerSrc <i>optional</i>		string
stampSrc <i>optional</i>		string
deadline <i>optional</i>		string (date)
finishedAt <i>optional</i>		string (date)
createdAt <i>optional</i>		string (date-time)
disabledAt <i>optional</i>		string (date-time)
deletedAt <i>optional</i>		string (date-time)
completedAt <i>optional</i>		string (date-time)
maxLevel <i>optional</i>	<b>Minimum: 1</b>	integer (int64)

## RequirementDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
deletedAt <i>optional</i>		string (date-time)
name <i>required</i>		string
quantityPerLevel <i>required</i>	<b>Minimum: 1</b>	integer (int64)
coinsPerAction <i>required</i>	<b>Minimum: 0</b>	number
action <i>required</i>		<a href="#">Action</a>

Name	Description	Schema
progressionType <i>required</i>		enum (STANDARD, ARITHMETIC, GEOMETRIC)
progressionFactor <i>required</i>	<b>Minimum:</b> 1	integer (int64)
maxRequirementLevel <i>optional</i>	<b>Minimum:</b> 1	integer (int64)
currentLevelProgress <i>optional</i>		number
quantityCurrentLevel <i>optional</i>		number
challenge <i>optional</i>		<a href="#">Challenge</a>

## Achievement

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>required</i>		string (uuid)
level <i>optional</i>		integer (int64)
insignia <i>required</i>		boolean
stamp <i>required</i>		boolean
visualized <i>required</i>		boolean
deletedAt <i>optional</i>		string (date-time)
userChallenge <i>optional</i>		<a href="#">UserChallenge</a>
userChallengeRequirement <i>optional</i>		<a href="#">UserChallengeRequirement</a>
transfer <i>optional</i>		<a href="#">Transfer</a>



## ActionReporter

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>required</i>		string (uuid)
user <i>optional</i>		<a href="#">User</a>

## AlternativeDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
description <i>optional</i>		string
answer <i>optional</i>		boolean

## Category

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
deletedAt <i>optional</i>		string (date-time)
challenges <i>optional</i>	<i>unique items</i>	< <a href="#">Challenge</a> > array

## ConectaUser

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>optional</i>		string
identifier <i>optional</i>		string

Name	Description	Schema
document <i>optional</i>		string
currentJwtMd5 <i>optional</i>		string
joinedAt <i>optional</i>		string (date-time)
deletedAt <i>optional</i>		string (date-time)
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Minimum Length:</b> 5	string

## Order

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cost <i>optional</i>		number
deletedAt <i>optional</i>		string (date-time)
transfer <i>optional</i>		<a href="#">Transfer</a>
productItem <i>required</i>		<a href="#">ProductItem</a>
wallet <i>optional</i>		<a href="#">Wallet</a>

## Product

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
description <i>optional</i>		string
coverImgSrc <i>optional</i>		string
cost <i>required</i>		number

Name	Description	Schema
productItems <i>optional</i>	<i>unique items</i>	< <a href="#">ProductItem</a> > array
productEmailA ttachments <i>optional</i>	<i>unique items</i>	< <a href="#">ProductEmailA ttachment</a> > array
blockedBy <i>optional</i>		<a href="#">Challenge</a>
redeemLimit <i>required</i>	<b>Minimum: 1</b>	integer (int64)
digital <i>required</i>		boolean
redeemInstruc tion <i>required</i>		string
disabledAt <i>optional</i>		string (date- time)
emailDesign <i>optional</i>		string
emailHtml <i>optional</i>		string
deletedAt <i>optional</i>		string (date- time)
webViewUrl <i>optional</i>		string

## ProductEmailAttachment

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
product <i>optional</i>		<a href="#">Product</a>
attachmentPat h <i>optional</i>		string
attachmentNa me <i>optional</i>		string

## ProductItem

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cupomLink <i>optional</i>		string
code <i>optional</i>		string
qrCodeBase64 <i>optional</i>		string
deletedAt <i>optional</i>		string (date-time)
redeemedAt <i>optional</i>		string (date-time)
product <i>optional</i>		<a href="#">Product</a>
order <i>optional</i>		<a href="#">Order</a>

## ProductProvider

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>required</i>		string (uuid)
user <i>optional</i>		<a href="#">User</a>

## QuestionDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
description <i>required</i>		string
categories <i>required</i>	<i>unique items</i>	< <a href="#">Category</a> > array
alternatives <i>required</i>	<i>unique items</i>	< <a href="#">AlternativeDT O</a> > array
disabledAt <i>optional</i>		string (date-time)

## Requirement

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
quantityPerLevel <i>required</i>		integer (int64)
coinsPerAction <i>required</i>		number
deletedAt <i>optional</i>		string (date-time)
progressionType <i>required</i>		enum (STANDARD, ARITHMETIC, GEOMETRIC)
progressionFactor <i>required</i>		integer (int64)
maxRequirementLevel <i>optional</i>		integer (int64)

## Transfer

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>required</i>		string (uuid)
amount <i>required</i>		number
partialBalance <i>required</i>		number
deletedAt <i>optional</i>		string (date-time)
achievement <i>optional</i>		<a href="#">Achievement</a>
order <i>optional</i>		<a href="#">Order</a>
origin <i>optional</i>		<a href="#">Wallet</a>

Name	Description	Schema
destination <i>optional</i>		<a href="#">Wallet</a>

## User

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
login <i>required</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 1	string
firstName <i>optional</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 0	string
lastName <i>optional</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 0	string
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Minimum Length:</b> 5	string
activated <i>required</i>		boolean
langKey <i>optional</i>	<b>Maximum Length:</b> 10 <b>Minimum Length:</b> 2	string
imageUrl <i>optional</i>	<b>Maximum Length:</b> 256 <b>Minimum Length:</b> 0	string
resetDate <i>optional</i>		string (date-time)
actionReporter <i>optional</i>		<a href="#">ActionReporter</a>
productProvider <i>optional</i>		<a href="#">ProductProvider</a>

## UserAction

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
latitude <i>optional</i>		number
longitude <i>optional</i>		number

Name	Description	Schema
street <i>optional</i>		string
neighborhood <i>optional</i>		string
city <i>optional</i>		string
streetNumber <i>optional</i>		string
moment <i>required</i>		string (date-time)
quantity <i>optional</i>		number
deletedAt <i>optional</i>		string (date-time)
processedAt <i>optional</i>		string (date-time)
checkinIdentifier <i>optional</i>		string
userChallengeRequirements <i>optional</i>	<i>unique items</i>	< <a href="#">UserChallengeRequirement</a> > array
action <i>optional</i>		<a href="#">Action</a>
actionReporter <i>optional</i>		<a href="#">ActionReporter</a>
createdAt <i>optional</i>		string (date-time)

## UserChallenge

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
level <i>required</i>		integer (int64)
deletedAt <i>optional</i>		string (date-time)
processedAt <i>optional</i>		string (date-time)
achievements <i>optional</i>	<i>unique items</i>	< <a href="#">Achievement</a> > array

Name	Description	Schema
newAchievements optional	unique items	< <a href="#">Achievement</a> > array
challenge optional		<a href="#">Challenge</a>
user optional		<a href="#">ConectaUser</a>
userChallengeRequirements optional	unique items	< <a href="#">UserChallengeRequirement</a> > array

## UserChallengeRequirement

### Properties

Name	Description	Schema
id optional		integer (int64)
level optional		integer (int64)
quantity optional		number
userChallenge required		<a href="#">UserChallenge</a>
requirement required		<a href="#">Requirement</a>
userAction required		<a href="#">UserAction</a>
credit optional		<a href="#">Transfer</a>
achievement optional		<a href="#">Achievement</a>

## Wallet

### Properties

Name	Description	Schema
version optional		integer (int32)
id optional		integer (int64)
uuid required		string (uuid)
balance required		number



Name	Description	Schema
deletedAt <i>optional</i>		string (date-time)
decreasedValueInBalance <i>optional</i>		<a href="#">Wallet</a>

## Alternative

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
description <i>required</i>		string
question <i>optional</i>		<a href="#">Question</a>

## Question

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
description <i>required</i>		string
categories <i>optional</i>	<i>unique items</i>	< <a href="#">Category</a> > array
alternatives <i>optional</i>	<i>unique items</i>	< <a href="#">Alternative</a> > array
answer <i>optional</i>		<a href="#">Alternative</a>
disabledAt <i>optional</i>		string (date-time)

## ProductDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string
name <i>required</i>		string

Name	Description	Schema
description <i>optional</i>		string
coverImgUrl <i>optional</i>		string
coverImgSrc <i>optional</i>		string
coverFile <i>optional</i>		string (binary)
cost <i>required</i>		number
blockedBy <i>optional</i>		<a href="#">Challenge</a>
productItemsFile <i>optional</i>		string (binary)
redeemLimit <i>required</i>		integer (int64)
digital <i>required</i>		boolean
redeemInstruction <i>required</i>		string
disabledAt <i>optional</i>		string (date-time)
quantityItems <i>optional</i>		integer (int64)
emailDesign <i>optional</i>		string
emailHtml <i>optional</i>		string
webViewUrl <i>optional</i>		string
emailAttachments <i>optional</i>		< <a href="#">ProductEmailAttachmentDTO</a> > array

## ProductEmailAttachmentDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)

Name	Description	Schema
product <i>optional</i>		<a href="#">Product</a>
attachmentName <i>optional</i>		string
attachmentPath <i>optional</i>		string
attachmentFile <i>optional</i>		string (binary)

## ProductProviderDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
login <i>required</i>		string
password <i>required</i>		string

## DefaultRedemptionEmailDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
design <i>required</i>		string
html <i>required</i>		string

## DefaultRedemptionEmail

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
design <i>optional</i>		string
html <i>optional</i>		string

## ChallengeDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
description <i>required</i>		string
collective <i>optional</i>		boolean
coinsPerLevel <i>required</i>		number
smallCoverFile <i>optional</i>		string (binary)
smallCoverUrl <i>optional</i>		string
coverFile <i>optional</i>		string (binary)
coverUrl <i>optional</i>		string
bannerFile <i>optional</i>		string (binary)
bannerUrl <i>optional</i>		string
stampFile <i>optional</i>		string (binary)
stampUrl <i>optional</i>		string
deadline <i>optional</i>		string (date)
disabledAt <i>optional</i>		string (date-time)
categories <i>optional</i>		< <a href="#">Category</a> > array
userChallenge <i>optional</i>		<a href="#">UserChallenge</a> DTO
requirements <i>optional</i>		< <a href="#">RequirementDTO</a> > array
collectiveRequirementsSum <i>optional</i>		integer (int64)

Name	Description	Schema
collectiveProgress <i>optional</i>		number
maxLevel <i>optional</i>		integer (int64)

## UserChallengeDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
level <i>optional</i>		integer (int64)
currentLevelProgress <i>optional</i>		< <a href="#">UserChallengeRequirement</a> > array

## ActionReporterDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
login <i>required</i>		string
password <i>required</i>		string
action <i>required</i>		<a href="#">Action</a>

## UserAnswerDTO

### Properties

Name	Description	Schema
questionId <i>required</i>		integer (int64)
alternativeId <i>required</i>		integer (int64)

## AchievementChallengeDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
description <i>required</i>		string
collective <i>optional</i>		boolean
coinsPerLevel <i>required</i>		number
stampFile <i>optional</i>		string (binary)
stampUrl <i>optional</i>		string
stampSrc <i>optional</i>		string
deadline <i>optional</i>		string (date)

## AchievementDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
level <i>optional</i>		integer (int64)
insignia <i>optional</i>		boolean
stamp <i>optional</i>		boolean
visualized <i>optional</i>		boolean
deletedAt <i>optional</i>		string (date-time)
userChallenge <i>optional</i>		<a href="#">UserChallenge</a>
challenge <i>optional</i>		<a href="#">AchievementChallengeDTO</a>

## ConectaUserDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
document <i>required</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 1	string
name <i>optional</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 0	string
email <i>optional</i>	<b>Maximum Length:</b> 254 <b>Minimum Length:</b> 5	string
balance <i>optional</i>	<b>Maximum:</b> 256 <b>Minimum:</b> 0	number
newAchievements <i>optional</i>		< <a href="#">AchievementDTO</a> > array
joined <i>optional</i>		boolean

## CheckInDTO

### Properties

Name	Description	Schema
userIdentifier <i>required</i>		string
eventName <i>required</i>		string
checkInDateTime <i>required</i>		string (date-time)
cidade <i>required</i>		string
bairro <i>required</i>		string
rua <i>required</i>		string
identifier <i>required</i>		string
document <i>required</i>		string
eventDescription <i>optional</i>		string
latitude <i>optional</i>		number

Name	Description	Schema
longitude <i>optional</i>		number
quantity <i>optional</i>		number

## CheckInLocationDTO

### Properties

Name	Description	Schema
latitude <i>required</i>		number
longitude <i>required</i>		number

## LoginVM

### Properties

Name	Description	Schema
username <i>required</i>	<b>Maximum Length:</b> 50 <b>Minimum Length:</b> 1	string
password <i>required</i>	<b>Maximum Length:</b> 100 <b>Minimum Length:</b> 4	string
rememberMe <i>optional</i>		boolean

## JWTToken

### Properties

Name	Description	Schema
id_token <i>optional</i>		string

## ConectaJWTToken

### Properties

Name	Description	Schema
access_token <i>optional</i>		string



## KeyAndPasswordVM

### Properties

Name	Description	Schema
key <i>optional</i>		string
newPassword <i>optional</i>		string

## PasswordChangedDTO

### Properties

Name	Description	Schema
currentPassword <i>optional</i>		string
newPassword <i>optional</i>		string

## TransferDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
type <i>required</i>		enum (DEBIT,CREDIT)
amount <i>required</i>		number
createdDate <i>required</i>		string (date-time)
userChallenge Requirement <i>optional</i>		<a href="#">TransferHistoryUserChallengeRequirement DTO</a>
order <i>optional</i>		<a href="#">TransferHistoryOrderDTO</a>
achievement <i>optional</i>		<a href="#">TransferHistoryAchievement DTO</a>

## TransferHistoryAchievementDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
userChallenge <i>required</i>		<a href="#">TransferHistoryUserChallengeDTO</a>

## TransferHistoryActionDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
name <i>required</i>		string
actionType <i>required</i>		enum (CHECK_IN,SHARE,QUIZ,LOCATION)
unitMeasurement <i>optional</i>		string
unitMeasurementPlural <i>optional</i>		string

## TransferHistoryChallengeDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
name <i>required</i>		string

## TransferHistoryOrderDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
cost <i>required</i>		number
product <i>required</i>		<a href="#">TransferHistoryProductDTO</a>

## TransferHistoryProductDTO

### Properties

Name	Description	Schema
<i>id required</i>		integer (int64)
<i>name required</i>		string

## TransferHistoryUserActionDTO

### Properties

Name	Description	Schema
<i>id required</i>		integer (int64)
<i>action required</i>		<a href="#">TransferHistoryUserActionDTO</a>

## TransferHistoryUserChallengeDTO

### Properties

Name	Description	Schema
<i>id required</i>		integer (int64)
<i>challenge required</i>		<a href="#">TransferHistoryUserChallengeDTO</a>

## TransferHistoryUserChallengeRequirementDTO

### Properties

Name	Description	Schema
<i>id required</i>		integer (int64)
<i>userChallenge required</i>		<a href="#">TransferHistoryUserChallengeDTO</a>
<i>userAction required</i>		<a href="#">TransferHistoryUserActionDTO</a>
<i>quantity required</i>		number

## Pageable

### Properties

Name	Description	Schema
<i>page optional</i>	<b>Minimum:</b> 0	integer (int32)
<i>size optional</i>	<b>Minimum:</b> 1	integer (int32)

Name	Description	Schema
sort <i>optional</i>		< string > array

## AvailableProductDTO

### Properties

Name	Description	Schema
name <i>optional</i>		string
id <i>optional</i>		integer
description <i>optional</i>		string
coverImgUrl <i>optional</i>		string
blockedBy <i>optional</i>		<a href="#">ChallengeDTO</a>
price <i>optional</i>		number
inventory <i>optional</i>		integer

## AdminOrderDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cost <i>optional</i>		number
createdDate <i>optional</i>		string (date-time)
conectaUser <i>optional</i>		<a href="#">ConectaUser</a>

## OrderDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cost <i>optional</i>		number

Name	Description	Schema
createdAt <i>optional</i>		string (date-time)
productItem <i>optional</i>		<a href="#">ProductItemDTO</a>
webViewUrl <i>optional</i>		string

## ProductItemDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cupomLink <i>optional</i>		string
code <i>optional</i>		string
qrCodeBase64 <i>optional</i>		string
redeemedAt <i>optional</i>		string (date-time)
product <i>optional</i>		<a href="#">ProductDTO</a>
order <i>optional</i>		<a href="#">AdminOrderDTO</a>

## UserDoneActionDTO

### Properties

Name	Description	Schema
id <i>required</i>		integer (int64)
createdAt <i>required</i>		string (date-time)
action <i>required</i>		<a href="#">Action</a>
challenge <i>required</i>		<a href="#">Challenge</a>
creditAmount <i>required</i>		number
quantity <i>required</i>		number

Name	Description	Schema
achievement <i>optional</i>		<a href="#">Achievement</a>

## AchievementHistoryDTO

### Properties

Name	Description	Schema
stamps <i>required</i>		< <a href="#">StampDTO</a> > array
insignias <i>required</i>		< <a href="#">InsigniaDTO</a> > array

## InsigniaDTO

### Properties

Name	Description	Schema
challenge <i>required</i>		<a href="#">Challenge</a>
createdAt <i>required</i>		string (date-time)
level <i>required</i>		integer (int64)
checkinsCount <i>required</i>		integer (int64)

## StampChallengeDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
name <i>required</i>		string
description <i>required</i>		string
collective <i>required</i>		boolean
stampUrl <i>required</i>		string
coinsPerLevel <i>required</i>		number

Name	Description	Schema
createdAt <i>optional</i>		string (date-time)
deadline <i>optional</i>		string (date)

## StampDTO

### Properties

Name	Description	Schema
challenge <i>required</i>		<a href="#">StampChallengeDTO</a>
createdAt <i>required</i>		string (date-time)

## ConectaUserImageDTO

### Properties

Name	Description	Schema
imageUrl <i>optional</i>	<b>Maximum Length:</b> 256 <b>Minimum Length:</b> 0	string

## UserDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
login <i>optional</i>		string

## ProductInfoDTO

### Properties

Name	Description	Schema
totalAmount <i>optional</i>		integer
soldAmount <i>optional</i>		integer

## AdminProductDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string
name <i>required</i>		string
description <i>optional</i>		string
coverImgUrl <i>optional</i>		string
cost <i>optional</i>		number
digital <i>required</i>		boolean

## AdminProductItemDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
uuid <i>optional</i>		string (uuid)
cupomLink <i>optional</i>		string
code <i>optional</i>		string
qrCodeBase64 <i>optional</i>		string
redeemedAt <i>optional</i>		string (date-time)
order <i>optional</i>		<a href="#">AdminOrderDTO</a>
product <i>optional</i>		<a href="#">AdminProductDTO</a>