🔼 Back to Project

🔍 Status

📝 Changes

▶️ **Console Output**

    📄 View as plain text

📝 Edit Build Information

🚫 Delete Build

📄 Parameters

📄 Environment Variables

🔄 Rebuild

⬅️ Previous Build

➡️ Next Build

🔴 Console Output

```
[EnvInject] - Inject global passwords.
Started by user Gabriel Machado
[EnvInject] - Loading node environment variables.
Building remotely on 2142f862 (lxc-fedora17 m1.xlarge hi-speed xlarge) in workspace
/scratch/jenkins/workspace/Prod Jobs/prod-www.digitalpfizer.com
$ sudo /opt/jenkins/sbin/mount-webdav https://repository-
acquiapfizer.forge.cloudbees.com/private acquiapfizer alert
[EnvInject] - Executing scripts and injecting environment variables after the SCM step.
[EnvInject] - Injecting as environment variables the properties content
BUILD_SCRIPT_NAME=dmp-mtp-wrapper
BUILD_SCRIPT_TAG=2.x-DIT-484
GITHUB_REPOSITORY=git@github.com:pfizer/digitalpfizer.com.git
GITHUB_BRANCH=
ACQUIA_SUBSCRIPTION_NAME=pfdigitalpf
ACQUIA_API_USERNAME=90cb71b1-9ef6-5934-c1ce-f8e0b24734d7
ACQUIA_API_PASSWORD=hIsImUCx4aXloOVZBGIy2r61Ip72Umg5qmE9yDfB3fkgPn1ZB/A5KcxjmWxiSon3inBRD
rn25Bmj
PLATFORM_MAKEFILE=pfizer.make
PLATFORM_MAKEFILE_TAG=7.x-2.4.17
SUB_PLATFORM_MAKEFILE=
SUB_PLATFORM_MAKEFILE_TAG=7.x-2.3.0
REQUIRE_BASIC_AUTH=false
APACHE_BASIC_AUTH_USERNAME=digitalpfizer
APACHE_BASIC_AUTH_PASSWORD=d1g1t4lpf1z3r
ALLOW_LOGIN=true
SITE_URL=www.digitalpfizer.com
SITE_DIR=default
```

```
JOB_ID=-1
SKIP_TABLES=www.digitalpfizer.com:
USE_LATEST_PLATFORM_TAG=false
PPTV=''

[EnvInject] - Variables injected successfully.
[prod-www.digitalpfizer.com] $ /bin/sh -xe /tmp/hudson8420453217878832885.sh
+ set +vx
remapping acquia environment
Acquia environment is test

Time: 0 secs
-------------------------------------------------------------------------------
1. Run subsite build


SITE_DIR: default
SITE_URL: www.digitalpfizer.com

                                  MTP SUBSITE

Time: 0 secs
-------------------------------------------------------------------------------
2. Download stage archive from git@github.com:pfizer/digitalpfizer.com.git


Time: 6 secs
-------------------------------------------------------------------------------
3. Check cloud API access - Site

{"name":"prod:pfdigitalpf","vcs_type":"git","vcs_url":"pfdigitalpf@svn-
1745.prod.hosting.acquia.com:pfdigitalpf.git","production_mode":"0","unix_username":"pfdi
gitalpf","title":"digitalpfizer.com","uuid":"90cb71b1-9ef6-5934-c1ce-f8e0b24734d7"}
[OK] : Success


Time: 0 secs
-------------------------------------------------------------------------------
4. Check SSH public key in site subscription

[OK]  ssh pub key (21:a4:16:98:23:eb:77:2e:1f:b7:0e:d6:1d:bf:42:b6) is present

Time: 1 secs
-------------------------------------------------------------------------------
5. Check SSH public key in platform cache subscription

[OK]  ssh pub key (21:a4:16:98:23:eb:77:2e:1f:b7:0e:d6:1d:bf:42:b6) is present

Time: 2 secs
-------------------------------------------------------------------------------
6. Get Acquia subscription parameters

0  ACQUIA_SITE_REPOSITORY = pfdigitalpf@svn-1745.prod.hosting.acquia.com:pfdigitalpf.git
0  ACQUIA_UNIX_USER       = pfdigitalpf

Time: 0 secs
-------------------------------------------------------------------------------
7. Get "stage" environment parameters

0  ACQUIA_WEBSERVER = web-3124.prod.hosting.acquia.com

Time: 0 secs
-------------------------------------------------------------------------------
8. Check if database exists

{"name":"pfdigitalpf","instance_name":"pfdigitalpf","username":"pfdigitalpf","password":"
M9R3iNToZfynLLR","host":"dbmaster-2268","db_cluster":"511"}
[OK]  Database: pfdigitalpf exists in Acquia
```

```
Time: 1 secs
-----------------------------------------------------------------------------
9. Get database parameters

0   ACQUIA_DB_SERVER   = dbmaster-2268
0   ACQUIA_DB_DATABASE = pfdigitalpf
0   ACQUIA_DB_USER     = pfdigitalpf
0   ACQUIA_DB_PASSWORD = ************
0   ACQUIA_DB_NAME     = pfdigitalpf

Time: 0 secs
-----------------------------------------------------------------------------
10. Get docroot path in webserver

0   ACQUIA_DOCROOT = /var/www/html/pfdigitalpf.prod/docroot

Time: 2 secs
-----------------------------------------------------------------------------
11. Set variables according to docroot

0   FILES_PATH         = /var/www/html/pfdigitalpf.prod/docroot/sites/default/files
0   LOCAL_SETTINGS_PHP =
/var/www/html/pfdigitalpf.prod/docroot/sites/default/local_settings.php
```

🏠   **Builds**   **Ecosystem**   **Support**   **Documentation**

Gabriel | Account: acquiapfizer ▼ ⚙ ⤇

prod-www.digitalpfizer.com   #20

```
Time: 1 secs
-----------------------------------------------------------------------------
13. Download helper scripts

 -- Downloading fix-local-settings.php

find: `/scratch/jenkins/workspace/Prod Jobs/prod-www.digitalpfizer.com/buildscript-
library/': No such file or directory
Requirement already satisfied (use --upgrade to upgrade): httplib2 in
/home/jenkins/.local/lib/python2.7/site-packages
Cleaning up...
Wrote https://api.github.com/repos/pfizer/buildscripts/contents/scripts/fix-local-
settings.php to fix-local-settings.php
 -- Downloading send_dmp_acquia_call_log.php

Wrote
https://api.github.com/repos/pfizer/buildscripts/contents/scripts/send_dmp_acquia_call_lo
g.php to send_dmp_acquia_call_log.php
[OK]

Time: 1 secs
-----------------------------------------------------------------------------
14. Define remote drush command

0   Subscription: pfdigitalpf Env: prod is using PHP-FPM as cgi method.
find: `./oboe.so': Permission denied
ln: failed to create symbolic link `/mnt/tmp/pfdigitalpf.prod/extensions/./gnupg.so':
File exists
ln: failed to create symbolic link `/mnt/tmp/pfdigitalpf.prod/extensions/./http.so': File
exists
ln: failed to create symbolic link `/mnt/tmp/pfdigitalpf.prod/extensions/./ssh2.so': File
exists
0   REMOTE_DRUSH_CMD:   DRUSH_PHP=/usr/local/php5.3/bin/php
PHPRC=/mnt/tmp/pfdigitalpf.prod/php.ini drush6 -y  @prod --uri=www.digitalpfizer.com

Time: 0 secs
-----------------------------------------------------------------------------
15. Download helper scripts

 -- Downloading fix-local-settings.php
```

Wrote https://api.github.com/repos/pfizer/buildscripts/contents/scripts/fix-local-settings.php to fix-local-settings.php
 -- Downloading send_dmp_acquia_call_log.php

Wrote
https://api.github.com/repos/pfizer/buildscripts/contents/scripts/send_dmp_acquia_call_log.php to send_dmp_acquia_call_log.php
[OK]

Time: 0 secs
----
16. Run Registry rebuild.

'drush' cache was cleared.
[1;32;40m[1m[success][0m
'drush' cache was cleared.
[1;32;40m[1m[success][0m
The registry has been rebuilt via registry_rebuild (A).
[1;32;40m[1m[success][0m
PDOException: SQLSTATE[42S22]: Column not found: 1054 Unknown column
'base.uuid' in 'field list': SELECT base.asset_id AS asset_id,
base.uuid AS uuid, base.type AS type, base.label AS label, base.business_unit AS
business_unit, base.support_team AS support_team, base.internal AS internal,
base.free_text AS free_text, base.what_information AS what_information,
base.critical_target AS critical_target, base.financial_impact AS financial_impact,
base.competitive_position AS competitive_position, base.brand_reputation AS
brand_reputation, base.medical_impact AS medical_impact, base.medical_device AS
medical_device, base.electronic_signatures AS electronic_signatures,
base.business_process_or_data AS business_process_or_data, base.branded AS branded,
base.application_support_month AS application_support_month, base.cost_month_hosting AS
cost_month_hosting, base.cost_month_engineering AS cost_month_engineering,
base.cost_year_app_support AS cost_year_app_support, base.cost_year_hosting AS
cost_year_hosting, base.cost_year_enginering AS cost_year_enginering, base.business_owner
AS business_owner, base.business_partner AS business_partner, base.solution_center_owner
AS solution_center_owner, base.engineering_lead AS engineering_lead, base.description AS
description, base.cep AS cep, base.cookies_stored AS cookies_stored, base.pi_data AS
pi_data, base.cmdb_id AS cmdb_id, base.highlight AS highlight, base.highlight_details AS
highlight_details, base.tags AS tags, base.status AS status, base.crp_id AS crp_id,
base.legacy_site_detail AS legacy_site_detail, base.legacy_wf_site AS legacy_wf_site,
base.legacy_service_request AS legacy_service_request, base.digital_solutions_id AS
digital_solutions_id, base.support_spreadsheet_id AS support_spreadsheet_id,
base.orphan_site_detail AS orphan_site_detail, base.orphan_digital_solutions AS
orphan_digital_solutions, base.orphan_support_spreadsheet AS orphan_support_spreadsheet,
base.legacy_solution_center_owner AS legacy_solution_center_owner,
base.legacy_business_partner AS legacy_business_partner, base.created AS created,
base.changed AS changed, base.published AS published, base.module AS module
FROM
{asset} base
WHERE (base.status IN (:db_condition_placeholder_0, :db_condition_placeholder_1,
:db_condition_placeholder_2)) ; Array
(
    [:db_condition_placeholder_0] => 3
    [:db_condition_placeholder_1] => 2
    [:db_condition_placeholder_2] => 6
)
 in EntityAPIController->query() (line 187 of
/mnt/www/html/pfdigitalpf/docroot/sites/all/modules/contrib/entity/includes/entity.controller.inc).
WD php: PDOException: SQLSTATE[42S22]: Column not found: 1054 Unknown[31;40m[1m[error][0m
column 'base.uuid' in 'field list': SELECT base.asset_id AS asset_id,
base.uuid AS uuid, base.type AS type, base.label AS label,
base.business_unit AS business_unit, base.support_team AS
support_team, base.internal AS internal, base.free_text AS free_text,
base.what_information AS what_information, base.critical_target AS
critical_target, base.financial_impact AS financial_impact,
base.competitive_position AS competitive_position,
base.brand_reputation AS brand_reputation, base.medical_impact AS
medical_impact, base.medical_device AS medical_device,

```
     base.electronic_signatures AS electronic_signatures,
     base.business_process_or_data AS business_process_or_data,
     base.branded AS branded, base.application_support_month AS
     application_support_month, base.cost_month_hosting AS
     cost_month_hosting, base.cost_month_engineering AS
     cost_month_engineering, base.cost_year_app_support AS
     cost_year_app_support, base.cost_year_hosting AS cost_year_hosting,
     base.cost_year_enginering AS cost_year_enginering,
     base.business_owner AS business_owner, base.business_partner AS
     business_partner, base.solution_center_owner AS
     solution_center_owner, base.engineering_lead AS engineering_lead,
     base.description AS description, base.cep AS cep, base.cookies_stored
     AS cookies_stored, base.pi_data AS pi_data, base.cmdb_id AS cmdb_id,
     base.highlight AS highlight, base.highlight_details AS
     highlight_details, base.tags AS tags, base.status AS status,
     base.crp_id AS crp_id, base.legacy_site_detail AS legacy_site_detail,
     base.legacy_wf_site AS legacy_wf_site, base.legacy_service_request AS
     legacy_service_request, base.digital_solutions_id AS
     digital_solutions_id, base.support_spreadsheet_id AS
     support_spreadsheet_id, base.orphan_site_detail AS
     orphan_site_detail, base.orphan_digital_solutions AS
     orphan_digital_solutions, base.orphan_support_spreadsheet AS
     orphan_support_spreadsheet, base.legacy_solution_center_owner AS
     legacy_solution_center_owner, base.legacy_business_partner AS
     legacy_business_partner, base.created AS created, base.changed AS
     changed, base.published AS published, base.module AS module
     FROM
     {asset} base
     WHERE  (base.status IN  (:db_condition_placeholder_0,
     :db_condition_placeholder_1, :db_condition_placeholder_2)) ; Array
     (
         [:db_condition_placeholder_0] => 3
         [:db_condition_placeholder_1] => 2
         [:db_condition_placeholder_2] => 6
     )
      in EntityAPIController->query() (line 187 of
     /mnt/www/html/pfdigitalpf/docroot/sites/all/modules/contrib/entity/includes/entity.contro
     ller.inc).
     Drush command terminated abnormally due to an unrecoverable error.   [31;40m[1m[error][0m

     Time: 21 secs
     -------------------------------------------------------------------------------
     17. Save composer files before /files sync

     [OK]

     Time: 0 secs
     -------------------------------------------------------------------------------
     18. Backup production DB

     0  Doing DB only back up
     Database dump saved to
     [1;32;40m[1m[success][0m
     /home/pfdigitalpf/drush-backups/sql-dump/build_20_22-06-2015-234815.sql.gz
     You are about to execute 'sql-dump' non-interactively (--yes forced) on all of the
     following targets:
       /mnt/www/html/pfdigitalpf/docroot#default
       /var/www/html/pfdigitalpf.prod/docroot#default
     Continue?  (y/n): y
     [OK]

     Time: 54 secs
     -------------------------------------------------------------------------------
     19. Putting the site in Read Only mode

     readonlymode is already enabled.                              [1;32;40m[1m[ok][0m
     There were no extensions that could be enabled.               [1;32;40m[1m[ok][0m

     Time: 14 secs
```

```
          ----------------------------------------------------------------------
          20. Revert all features before deploying code

          features is already enabled.                              [1;32;40m[1m[ok][0m
          There were no extensions that could be enabled.           [1;32;40m[1m[ok][0m
          The following modules will be reverted: pfe_capabilities_map, pfe_wf_site_detail,
          pfe_dmp_content_capability_catalog, pfe_dmp_content_contract,
          pfe_dmp_content_service_request_status, pfe_dmp_content_vendor,
          pfe_dmp_content_service_request, pfe_dmp_base_configuration, pfe_dmp_asset,
          pfe_dmp_content_sr_asset_cluster, pfe_dmp_content_sr_type_of_work,
          pfe_dmp_content_suggestion, pfe_dmp_digital_guidelines_engine,
          pfe_dmp_service_request_status, pfe_dmp_workflow, pfe_dmp_zendesk
          Do you really want to continue? (y/n): y
          Reverted pfe_capabilities_map.fe_block_settings.            [1;32;40m[1m[ok][0m
          Reverted pfe_wf_site_detail.field_base.                     [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_capability_catalog.field_base.     [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_capability_catalog.image.          [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_contract.field_base.               [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_service_request_status.field_base. [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_vendor.field_base.                 [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_service_request.fe_nodequeue.      [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_service_request.field_base.        [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_service_request.field_instance.    [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_base_configuration.field_base.             [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_base_configuration.menu_links.             [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_asset.field_base.                          [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_asset.field_instance.                      [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_asset.user_permission.                     [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_sr_asset_cluster.field_base.       [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_sr_type_of_work.field_base.        [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_content_suggestion.field_base.             [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_digital_guidelines_engine.field_base.      [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_digital_guidelines_engine.menu_links.      [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_service_request_status.context.            [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_workflow.workflow.                         [1;32;40m[1m[ok][0m
          Reverted pfe_dmp_zendesk.field_base.                        [1;32;40m[1m[ok][0m
          The queue has been updated.
          [1;32;40m[1m[status][0m

          [OK]

          Time: 336 secs
          ----------------------------------------------------------------------
          21. Clear site's cache before deploying code

          PDOException: SQLSTATE[42S22]: Column not found: 1054 Unknown column
          &#039;base.uuid&#039; in &#039;field list&#039;: SELECT base.asset_id AS asset_id,
          base.uuid AS uuid, base.type AS type, base.label AS label, base.business_unit AS
          business_unit, base.support_team AS support_team, base.internal AS internal,
          base.free_text AS free_text, base.what_information AS what_information,
          base.critical_target AS critical_target, base.financial_impact AS financial_impact,
          base.competitive_position AS competitive_position, base.brand_reputation AS
          brand_reputation, base.medical_impact AS medical_impact, base.medical_device AS
          medical_device, base.electronic_signatures AS electronic_signatures,
          base.business_process_or_data AS business_process_or_data, base.branded AS branded,
          base.application_support_month AS application_support_month, base.cost_month_hosting AS
          cost_month_hosting, base.cost_month_engineering AS cost_month_engineering,
          base.cost_year_app_support AS cost_year_app_support, base.cost_year_hosting AS
          cost_year_hosting, base.cost_year_enginering AS cost_year_enginering, base.business_owner
          AS business_owner, base.business_partner AS business_partner, base.solution_center_owner
          AS solution_center_owner, base.engineering_lead AS engineering_lead, base.description AS
          description, base.cep AS cep, base.cookies_stored AS cookies_stored, base.pi_data AS
          pi_data, base.cmdb_id AS cmdb_id, base.highlight AS highlight, base.highlight_details AS
          highlight_details, base.tags AS tags, base.status AS status, base.crp_id AS crp_id,
          base.legacy_site_detail AS legacy_site_detail, base.legacy_wf_site AS legacy_wf_site,
          base.legacy_service_request AS legacy_service_request, base.digital_solutions_id AS
          digital_solutions_id, base.support_spreadsheet_id AS support_spreadsheet_id,
          base.orphan_site_detail AS orphan_site_detail, base.orphan_digital_solutions AS
          orphan_digital_solutions, base.orphan_support_spreadsheet AS orphan_support_spreadsheet,
```

```
base.legacy_solution_center_owner AS legacy_solution_center_owner,
base.legacy_business_partner AS legacy_business_partner, base.created AS created,
base.changed AS changed, base.published AS published, base.module AS module
FROM
{asset} base
WHERE  (base.status IN  (:db_condition_placeholder_0, :db_condition_placeholder_1,
:db_condition_placeholder_2)) ; Array
(
    [:db_condition_placeholder_0] => 3
    [:db_condition_placeholder_1] => 2
    [:db_condition_placeholder_2] => 6
)
 in EntityAPIController->query() (line 187 of
/mnt/www/html/pfdigitalpf/docroot/sites/all/modules/contrib/entity/includes/entity.contro
ller.inc).
WD php: PDOException: SQLSTATE[42S22]: Column not found: 1054 Unknown[31;40m[1m[error][0m
column 'base.uuid' in 'field list': SELECT base.asset_id AS asset_id,
base.uuid AS uuid, base.type AS type, base.label AS label,
base.business_unit AS business_unit, base.support_team AS
support_team, base.internal AS internal, base.free_text AS free_text,
base.what_information AS what_information, base.critical_target AS
critical_target, base.financial_impact AS financial_impact,
base.competitive_position AS competitive_position,
base.brand_reputation AS brand_reputation, base.medical_impact AS
medical_impact, base.medical_device AS medical_device,
base.electronic_signatures AS electronic_signatures,
base.business_process_or_data AS business_process_or_data,
base.branded AS branded, base.application_support_month AS
application_support_month, base.cost_month_hosting AS
cost_month_hosting, base.cost_month_engineering AS
cost_month_engineering, base.cost_year_app_support AS
cost_year_app_support, base.cost_year_hosting AS cost_year_hosting,
base.cost_year_enginering AS cost_year_enginering,
base.business_owner AS business_owner, base.business_partner AS
business_partner, base.solution_center_owner AS
solution_center_owner, base.engineering_lead AS engineering_lead,
base.description AS description, base.cep AS cep, base.cookies_stored
AS cookies_stored, base.pi_data AS pi_data, base.cmdb_id AS cmdb_id,
base.highlight AS highlight, base.highlight_details AS
highlight_details, base.tags AS tags, base.status AS status,
base.crp_id AS crp_id, base.legacy_site_detail AS legacy_site_detail,
base.legacy_wf_site AS legacy_wf_site, base.legacy_service_request AS
legacy_service_request, base.digital_solutions_id AS
digital_solutions_id, base.support_spreadsheet_id AS
support_spreadsheet_id, base.orphan_site_detail AS
orphan_site_detail, base.orphan_digital_solutions AS
orphan_digital_solutions, base.orphan_support_spreadsheet AS
orphan_support_spreadsheet, base.legacy_solution_center_owner AS
legacy_solution_center_owner, base.legacy_business_partner AS
legacy_business_partner, base.created AS created, base.changed AS
changed, base.published AS published, base.module AS module
FROM
{asset} base
WHERE  (base.status IN  (:db_condition_placeholder_0,
:db_condition_placeholder_1, :db_condition_placeholder_2)) ; Array
(
    [:db_condition_placeholder_0] => 3
    [:db_condition_placeholder_1] => 2
    [:db_condition_placeholder_2] => 6
)
 in EntityAPIController->query() (line 187 of
/mnt/www/html/pfdigitalpf/docroot/sites/all/modules/contrib/entity/includes/entity.contro
ller.inc).
Drush command terminated abnormally due to an unrecoverable error.   [31;40m[1m[error][0m


Time: 29 secs
---------------------------------------------------------------------------------
22. CleanUP - bash
```

```
0   PLATFORM_CACHE_UNIX_USER = pfstrategyd
<html><head><title>Apache Tomcat/6.0.32 - Error report</title><style><!--H1 {font-
family:Tahoma,Arial,sans-serif;color:white;background-color:#525D76;font-size:22px;} H2
{font-family:Tahoma,Arial,sans-serif;color:white;background-color:#525D76;font-
size:16px;} H3 {font-family:Tahoma,Arial,sans-serif;color:white;background-
color:#525D76;font-size:14px;} BODY {font-family:Tahoma,Arial,sans-
serif;color:black;background-color:white;} B {font-family:Tahoma,Arial,sans-
serif;color:white;background-color:#525D76;} P {font-family:Tahoma,Arial,sans-
serif;background:white;color:black;font-size:12px;}A {color : black;}A.name {color :
black;}HR {color : #525D76;}--></style> </head><body><h1>HTTP Status 404 - </h1><HR
size="1" noshade="noshade"><p><b>type</b> Status report</p><p><b>message</b> <u></u></p>
<p><b>description</b> <u>The requested resource () is not available.</u></p><HR size="1"
noshade="noshade"><h3>Apache Tomcat/6.0.32</h3></body></html>0  Cleaning up the workspace
(to avoid this, enable the debug option).
Build step 'Execute shell' marked build as failure
Started calculate disk usage of build
Finished Calculation of disk usage of build in 0 seconds
Started calculate disk usage of workspace
Finished Calculation of disk usage of workspace in 0 seconds
Finished: FAILURE
```